

# Transportation Energy Data Book *Edition 40*

Stacy C. Davis and Robert G. Boundy



**OAK RIDGE NATIONAL LABORATORY**

MANAGED BY UT-BATTELLE FOR THE US DEPARTMENT OF ENERGY

ORNL/TM-2022/2376

# Transportation Energy Data Book

## Quick Facts

### Petroleum

- In 2020 the U.S. produced more than 16 million barrels of petroleum per day (mmbd), or 18.2% of the world's 88 mmbd.
- The U.S. consumed 20.5 mmbd, or 20% of the world's 100 mmbd in 2020.
- Net imports of petroleum to the U.S. in 2020 were -0.65 mmbd meaning the U.S. exported more petroleum than it imported.
- Petroleum use in U.S. transportation comprised 66% of total U.S. petroleum use in 2020.
- In 2020, U.S. transportation petroleum use was 73% of total U.S. petroleum production.
- Petroleum comprised 90% of U.S. transportation energy use in 2020.
- Cars and light trucks accounted for 63% of U.S. transportation petroleum use in 2019.
- Medium trucks (Class 3-6) accounted for 4% of U.S. transportation petroleum use in 2019.
- Heavy trucks (Class 7-8) and buses accounted for 19% of U.S. transportation petroleum use in 2019.
- Nonhighway modes accounted for the remainder of U.S. transportation petroleum use in 2019 (14%).

### Energy

- Energy use in U.S. transportation accounted for about 26% of total U.S. energy use in 2020.
- Cars and light trucks accounted for 58% of U.S. transportation energy use in 2019.
- Medium trucks accounted for 5% of U.S. transportation energy use in 2019.
- Heavy trucks and buses accounted for 18% of U.S. transportation energy use in 2019.
- Nonhighway modes accounted for the remainder of U.S. transportation energy use in 2019 (19%).

### Light Vehicle Characteristics

- In 2019 there were 109 million cars and 144 million light trucks in the U.S. (253 million total light vehicles).
- Light vehicles accounted for 90% of the 3.3 trillion vehicle miles driven in the U.S. in 2019.
- The average age of a U.S. light vehicle was 12.1 years in 2020.
- U.S. cars:
  - 3,402,000 cars were sold in 2020 which was 23% of new light vehicle sales.
  - In 2019 the average fuel economy for the U.S. car fleet (all cars on the road) was 28.3 mpg.
- U.S. light trucks:
  - 10,712,000 light trucks were sold in 2020 which was 72% of new light vehicle sales.
  - In 2019 the average fuel economy for the U.S. light truck fleet (all light trucks on the road) was 20.4 mpg which was 7.9 mpg lower than the average for cars.
- The average U.S. household vehicle travels 11,200 miles per year (2017 NHTS).

### Heavy Truck Characteristics

- 13,085,000 heavy trucks were registered in the U.S. in 2019.
- Heavy trucks and buses accounted for 10% of the 3.3 trillion vehicle miles driven in 2019.
- In 2002 (the last time a survey was conducted), heavy trucks accounted for 80% of medium and heavy truck fuel use.

Energy and Transportation Science Division

**TRANSPORTATION ENERGY DATA BOOK:  
EDITION 40**

**Stacy C. Davis**  
Oak Ridge National Laboratory

**Robert G. Boundy**  
Roltek, Inc.

May 2022

***Transportation Energy Data Book: Edition 40***  
**can be found online at:**  
**[tedb.ornl.gov](http://tedb.ornl.gov)**

Prepared for the  
Vehicle Technologies Office  
Office of Energy Efficiency and Renewable Energy  
U.S. Department of Energy

Prepared by the  
Oak Ridge National Laboratory  
Oak Ridge, Tennessee 37831-6073  
Managed by  
UT-BATTELLE, LLC  
for the  
U.S. DEPARTMENT OF ENERGY  
under Contract No. DE-AC05-00OR22725

## DOCUMENT AVAILABILITY

Reports produced after January 1, 1996, are generally available free via US Department of Energy (DOE) SciTech Connect.

**Website** [www.osti.gov](http://www.osti.gov)

Reports produced before January 1, 1996, may be purchased by members of the public from the following source:

National Technical Information Service  
5285 Port Royal Road  
Springfield, VA 22161  
**Telephone** 703-605-6000 (1-800-553-6847)  
**TDD** 703-487-4639  
**Fax** 703-605-6900  
**E-mail** [info@ntis.gov](mailto:info@ntis.gov)  
**Website** <http://classic.ntis.gov/>

Reports are available to DOE employees, DOE contractors, Energy Technology Data Exchange representatives, and International Nuclear Information System representatives from the following source:

Office of Scientific and Technical Information  
PO Box 62  
Oak Ridge, TN 37831  
**Telephone** 865-576-8401  
**Fax** 865-576-5728  
**E-mail** [reports@osti.gov](mailto:reports@osti.gov)  
**Website** <http://www.osti.gov/contact.html>

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Users of the *Transportation Energy Data Book* are encouraged to comment on errors, omissions, emphases, and organization of this report to one of the persons listed below. Requests for additional data or information on an existing table should be referred to Ms. Stacy Davis, Oak Ridge National Laboratory.

Stacy C. Davis  
Oak Ridge National Laboratory  
National Transportation Research Center  
2360 Cherahala Boulevard  
Knoxville, Tennessee 37932  
Telephone: (865) 341-1256  
E-mail: [DavisSC@ornl.gov](mailto:DavisSC@ornl.gov)  
Website Location: [tedb.ornl.gov](http://tedb.ornl.gov)

Jacob W. Ward and Raphael Isaac  
Vehicle Technologies Office  
Energy Efficiency and Renewable Energy  
Department of Energy, EE-3V  
Forrestal Building  
1000 Independence Avenue, S.W.  
Washington, D.C. 20585  
Website Location: [energy.gov/eere/vehicles](http://energy.gov/eere/vehicles)

**Spreadsheets of the tables in the  
*Transportation Energy Data Book*  
include data for years not presented  
in the published document.**

**Spreadsheets can be found on the web at:  
[tedb.ornl.gov](http://tedb.ornl.gov)**

Find useful data and information in other products from the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Vehicle Technologies Office.

***Light Duty Electric Drive Vehicles***

[www.anl.gov/es/light-duty-electric-drive-vehicles-monthly-sales-updates](http://www.anl.gov/es/light-duty-electric-drive-vehicles-monthly-sales-updates)

***Fuel Economy Guide***

[www.fuelconomy.gov](http://www.fuelconomy.gov)

**Subscribe to the Transportation Fact of the Week**

[energy.gov/eere/vehicles/transportation-fact-week](http://energy.gov/eere/vehicles/transportation-fact-week)

## TABLE OF CONTENTS

<b>ACKNOWLEDGMENTS</b> .....		<b>xxi</b>
<b>ABSTRACT</b> .....		<b>xxiii</b>
<b>INTRODUCTION</b> .....		<b>xxv</b>
<b>CHAPTER 1 PETROLEUM</b> .....		<b>1-1</b>
Table 1.1	Proved Reserves of Crude Oil and Natural Gas, 1980–2020.....	1-2
Table 1.2	World Crude Oil Production, 1960–2020.....	1-3
Table 1.3	World Petroleum Production, 1973–2020 .....	1-4
Table 1.4	World Petroleum Consumption, 1960–2020 .....	1-5
<i>Figure 1.1</i>	<i>World Oil Reserves, Production, and Consumption, 1980</i> .....	<i>1-6</i>
<i>Figure 1.2</i>	<i>World Oil Reserves, Production, and Consumption, 2000</i> .....	<i>1-6</i>
<i>Figure 1.3</i>	<i>World Oil Reserves, Production, and Consumption, 2020</i> .....	<i>1-7</i>
Table 1.5	World Oil Reserves, Production, and Consumption, 1980, 2000 and 2020 .....	1-7
Table 1.6	U.S. Petroleum Imports, 1960–2020.....	1-8
Table 1.7	Imported Crude Oil by Country of Origin, 1960-2020.....	1-9
Table 1.8	Crude Oil Supplies, 1973-2020.....	1-10
<i>Figure 1.4</i>	<i>Refinery Gross Output by World Region, 2010 and 2020</i> .....	<i>1-11</i>
Table 1.9	U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2019.....	1-12
Table 1.10	U.S. Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2020.....	1-13
Table 1.11	United States Petroleum Production, Imports, and Exports, 1950–2020 .....	1-14
Table 1.12	Petroleum Production and Transportation Petroleum Consumption in Context, 1950–2020.....	1-15

<i>Figure 1.5</i>	<i>United States Petroleum Production and Consumption – All Sectors, 1970–2050</i> .....	1–16
<i>Figure 1.6</i>	<i>United States Petroleum Production and Transportation Consumption, 1970–2050</i> .....	1–17
Table 1.13	Consumption of Petroleum by End-Use Sector, 1950–2020.....	1–18
Table 1.14	Transportation Petroleum Consumption by State, 1960–2019.....	1–19
Table 1.15	Highway Transportation Petroleum Consumption by Mode, 1970–2019.....	1–20
Table 1.16	Nonhighway Transportation Petroleum Consumption by Mode, 1970–2019.....	1–21
Table 1.17	Transportation Petroleum Use by Mode, 2018–2019.....	1–22
<b>CHAPTER 2</b>	<b>ENERGY</b> .....	<b>2–1</b>
<i>Figure 2.1</i>	<i>World Consumption of Primary Energy, 2018</i> .....	2–2
<i>Figure 2.2</i>	<i>World Natural Gas Reserves, Production, and Consumption, 1980</i> .....	2–3
<i>Figure 2.3</i>	<i>World Natural Gas Reserves, Production, and Consumption, 1999</i> .....	2–3
<i>Figure 2.4</i>	<i>World Natural Gas Reserves, Production, and Consumption, 2019</i> .....	2–4
Table 2.1	World Natural Gas Reserves, Production, and Consumption, 1980, 1999, and 2019.....	2–4
<i>Figure 2.5</i>	<i>Natural Gas Production and Reserves for the Top Ten Natural Gas Producing Countries, 2019</i> .....	2–5
Table 2.2	U.S. Consumption of Total Energy by End-Use Sector, 1950–2020.....	2–6
Table 2.3	Distribution of Energy Consumption by Source and Sector, 1973 and 2020.....	2–7
Table 2.4	Distribution of Transportation Energy Consumption by Source, 1950–2020.....	2–8
Table 2.5	Transportation Energy Consumption by State 1960–2019.....	2–9
Table 2.6	Fuel Ethanol and Biodiesel Production, Net Imports, and Consumption, 1981–2020.....	2–10
Table 2.7	Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2019.....	2–11



<i>Figure 2.6</i>	<i>Domestic Consumption of Transportation Energy Use by Mode and Fuel Type, 2019</i> .....	2–12
Table 2.8	Transportation Energy Use by Mode, 2018–2019.....	2–13
Table 2.9	Highway Transportation Energy Consumption by Mode, 1970–2019.....	2–14
Table 2.10	Nonhighway Transportation Energy Consumption by Mode, 1970–2019.....	2–15
Table 2.11	Off-Highway Transportation-Related Fuel Consumption, 2019.....	2–16
Table 2.12	Highway Usage of Gasoline and Diesel, 1973–2019.....	2–17
Table 2.13	Passenger Travel and Energy Use, 2019.....	2–18
Table 2.14	Energy Intensities of Highway Passenger Modes, 1970–2019.....	2–19
Table 2.15	Energy Intensities of Nonhighway Passenger Modes, 1970–2019.....	2–20
Table 2.16	Energy Intensities of Freight Modes, 1970–2019.....	2–21
<b>CHAPTER 3</b>	<b>ALL HIGHWAY VEHICLES AND CHARACTERISTICS</b> .....	<b>3–1</b>
Table 3.1	World Production of Cars and Trucks, 2000 and 2020 .....	3–2
<i>Figure 3.1</i>	<i>World Car Production, 1983–2020</i> .....	3–3
<i>Figure 3.2</i>	<i>World Truck and Bus Production, 1983–2020</i> .....	3–3
Table 3.2	Car Registrations for Selected Countries, 1960–2019.....	3–4
Table 3.3	Truck and Bus Registrations for Selected Countries, 1960–2019.....	3–5
Table 3.4	U.S. Cars and Trucks in Use, 1970–2019.....	3–7
Table 3.5	Motor Vehicle Registrations by State and Vehicle Type, 2019.....	3–8
Table 3.6	New Retail Vehicle Sales, 1970–2020.....	3–9
<i>Figure 3.3</i>	<i>Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2009 and 2019)</i> .....	3–10
Table 3.7	Vehicles per Thousand People in Selected Countries/Regions, 2009 and 2019.....	3–12
Table 3.8	Vehicles per Thousand People in the United States, 1900–2019 .....	3–13

Table 3.9	Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970–2019.....	3–14
Table 3.10	Vehicle Miles of Travel by State, 2019 .....	3–15
Table 3.11	Cars in Operation by Age, 1970, 2000, and 2013.....	3–16
Table 3.12	Trucks in Operation by Age, 1970, 2000, and 2013.....	3–17
Table 3.13	U.S. Average Vehicle Age, 1970–2020.....	3–18
Table 3.14	Annual Mileage for Cars and Light Trucks by Vehicle Age .....	3–19
Table 3.15	Survival Rates for Cars and Light Trucks by Vehicle Age .....	3–20
Table 3.16	Heavy Truck Scrappage and Survival Rates, 1970, 1980, and 1990 Model Years.....	3–21
<b>CHAPTER 4</b>	<b>LIGHT VEHICLES AND CHARACTERISTICS .....</b>	<b>4–1</b>
Table 4.1	Summary Statistics for Cars, 1970–2019.....	4–3
Table 4.2	Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2019.....	4–4
Table 4.3	Summary Statistics for Light Vehicles, 1970–2019 .....	4–5
Table 4.4	Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks .....	4–6
Table 4.5	Examples of Class 2b Vehicle Models, 2017 .....	4–6
<i>Figure 4.1</i>	<i>Truck Registrations by Class and Type, 2014 .....</i>	<i>4–7</i>
<i>Figure 4.2</i>	<i>Class 2b and 3 Registrations by Fuel Type, 2014 .....</i>	<i>4–7</i>
Table 4.6	New Retail Car Sales in the United States, 1970–2020.....	4–8
Table 4.7	New Retail Sales of Trucks 10,000 Pounds GVW and Less in the United States, 1970–2020 .....	4–9
<i>Figure 4.3</i>	<i>Fuel Use versus Fuel Economy.....</i>	<i>4–10</i>
Table 4.8	Fuel Economy Comparison Among CAFE, Window Sticker, and Real-World Estimates for the 2020 Toyota Prius Eco.....	4–11
Table 4.9	Production, Production Shares, and Production-Weighted Fuel Economies of New Domestic and Import Cars, Model Years 1975–2020.....	4–12
Table 4.10	Definition of Car Sport Utility Vehicles in Model Year 2020.....	4–13

Table 4.11	Production, Production Shares, and Production-Weighted Fuel Economies of New Domestic and Import Light Trucks, Model Years 1975–2020 .....	4–14
Table 4.12	Production and Production-Weighted Fuel Economies of New Domestic and Import Cars, Light Trucks and Light Vehicles, Model Years 1975–2020.....	4–15
Table 4.13	Light Vehicle Production Shares, Model Years 1975–2020 .....	4–16
Figure 4.4	<i>Light Vehicle Production Shares, Model Years 1975–2020.....</i>	<i>4–17</i>
Figure 4.5	<i>Car and Light Truck Production by Transmission Speed, Model Years 1980–2020.....</i>	<i>4–18</i>
Figure 4.6	<i>Horsepower, Fuel Economy, Weight, and 0-60 Time for New Light Vehicles, Model Years 1980–2020.....</i>	<i>4–19</i>
Table 4.14	Car Technology Penetration, 1996–2020 .....	4–20
Table 4.15	Light Truck Technology Penetration, 2002–2020 .....	4–21
Table 4.16	Production-Weighted Engine Size of New Domestic and Import Cars, Model Years 1975–2020.....	4–22
Table 4.17	Production-Weighted Engine Size of New Domestic and Import Light Trucks, Model Years 1975–2020.....	4–23
Table 4.18	Production-Weighted Loaded Vehicle Weight of New Domestic and Import Cars, Model Years 1975–2020.....	4–24
Table 4.19	Production-Weighted Loaded Vehicle Weight of New Domestic and Import Light Trucks, Model Years 1975–2020 .....	4–25
Table 4.20	Average Material Consumption for a Domestic Light Vehicle, Model Years 1995, 2000, and 2017 .....	4–26
Table 4.21	List of Top Twenty Tier 1 Global Suppliers, 2020.....	4–27
Table 4.22	U.S.-Based Tier 1 Suppliers in the Global Top 100, 2020 .....	4–28
Table 4.23	New Light Vehicle Dealerships and Sales, 1970–2020.....	4–30
Table 4.24	Conventional Refueling Stations, 1972–2020 .....	4–31
Table 4.25	Fuel Economy and Carbon Dioxide Emissions Standards, MY 2017–2026 .....	4–32
Table 4.26	Vehicle Footprint by Vehicle Type, Model Years 2008–2020 .....	4–33

Table 4.27	Car Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2017 .....	4–34
Table 4.28	Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2017 .....	4–35
Table 4.29	Corporate Average Fuel Economy (CAFE) Fines Collected as of February 2020 .....	4–36
Table 4.30	The Gas Guzzler Tax on New Cars .....	4–37
Table 4.31	List of Model Year 2021 Cars with Gas Guzzler Taxes .....	4–38
Table 4.32	Tax Receipts from the Sale of Gas Guzzlers, 1980–2018 .....	4–40
Table 4.33	Fuel Economy by Speed, Autonomie Model Results, Model Year 2016 .....	4–41
Table 4.34	Fuel Economy by Speed, 1973, 1984, 1997, and 2012 Studies .....	4–42
<i>Figure 4.7</i>	<i>Fuel Economy by Speed, 1973, 1984, 1997, and 2012 Studies and Autonomie Model 2016 Results .....</i>	<i>4–43</i>
Table 4.35	Driving Cycle Attributes .....	4–44
<i>Figure 4.8</i>	<i>City Driving Cycle .....</i>	<i>4–45</i>
<i>Figure 4.9</i>	<i>Highway Driving Cycle .....</i>	<i>4–45</i>
<i>Figure 4.10</i>	<i>Air Conditioning (SC03) Driving Cycle .....</i>	<i>4–46</i>
<i>Figure 4.11</i>	<i>Cold Temperature (Cold FTP) Driving Cycle .....</i>	<i>4–46</i>
<i>Figure 4.12</i>	<i>High Speed (US06) Driving Cycle .....</i>	<i>4–47</i>
<i>Figure 4.13</i>	<i>New York City Driving Cycle .....</i>	<i>4–48</i>
<i>Figure 4.14</i>	<i>Representative Number Five Driving Cycle .....</i>	<i>4–48</i>
Table 4.36	Comparison of U.S., European, and Japanese Driving Cycles Attributes .....	4–49
Table 4.37	Example of Differing Results Using the U.S., European, and Japanese Driving Cycles .....	4–50
<b>CHAPTER 5</b>	<b>HEAVY VEHICLES AND CHARACTERISTICS .....</b>	<b>5–1</b>
<i>Figure 5.1</i>	<i>Examples of Body Types in Each Truck Class .....</i>	<i>5–2</i>

Table 5.1	Summary Statistics for Class 3-8 Single-Unit Trucks, 1970–2019 .....	5–3
Table 5.2	Summary Statistics for Class 7-8 Combination Trucks, 1970–2019 .....	5–4
Table 5.3	New Retail Truck Sales by Gross Vehicle Weight, 1970–2020 .....	5–5
Table 5.4	Diesel Share of Medium and Heavy Truck Sales by Gross Vehicle Weight, 1995–2020.....	5–6
Table 5.5	Truck Statistics by Gross Vehicle Weight Class, 2002 .....	5–8
Table 5.6	Truck Harmonic Mean Fuel Economy by Size Class, 1992, 1997, and 2002.....	5–8
Table 5.7	Truck Statistics by Size, 2002.....	5–9
Table 5.8	Percentage of Trucks by Size Ranked by Major Use, 2002 .....	5–10
Table 5.9	Percentage of Trucks by Fleet Size and Primary Fueling Facility, 2002.....	5–11
Table 5.10	Share of Trucks by Major Use and Primary Fueling Facility, 2002 .....	5–12
<i>Figure 5.2</i>	<i>Distribution of Trucks over 26,000 lb by Vehicle-Miles Traveled, 2002.....</i>	<i>5–13</i>
<i>Figure 5.3</i>	<i>Share of Heavy Trucks with Selected Electronic Features, 2002 .....</i>	<i>5–14</i>
Table 5.11	Effect of Terrain on Class 8 Truck Fuel Economy .....	5–16
Table 5.12	Fuel Economy for Class 8 Trucks as a Function of Speed and Tractor-Trailer Tire Combination.....	5–17
<i>Figure 5.4</i>	<i>Class 8 Truck Fuel Economy as a Function of Speed and Tractor-Trailer Tire Combination and Percentage of Total Distance Traveled as a Function of Speed .....</i>	<i>5–18</i>
<i>Figure 5.5</i>	<i>Class 8 Truck Percent of Total Fuel Consumed as a Function of Speed and Tractor-Trailer Tire Combination .....</i>	<i>5–19</i>
Table 5.13	Class 8 Truck Weight by Component.....	5–20
Table 5.14	Gross Vehicle Weight versus Empty Vehicle Weight.....	5–21
<i>Figure 5.6</i>	<i>Distribution of Class 8 Trucks by On-Road Vehicle Weight, 2008 .....</i>	<i>5–22</i>
Table 5.15	Value of Goods Shipped in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys.....	5–24
Table 5.16	Tons of Freight in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys.....	5–25

Table 5.17	Ton-Miles of Freight in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys.....	5–26
Table 5.18	Average Miles per Shipment in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys.....	5–27
Table 5.19	Tons of Freight Moved in the United States by Mode and Distance Band, 2018 .....	5–29
Table 5.20	Top Ten Commodities Moved in the United States by Weight, Ton-Miles, and Value, 2018 .....	5–30
Table 5.21	U.S. Freight Ton-Miles by State, 2018 .....	5–31
<i>Figure 5.7</i>	<i>Maximum Daytime Truck Speed Limits by State, 2021 .....</i>	<i>5–32</i>
<i>Figure 5.8</i>	<i>Routes Where Longer Combination Vehicles Are Permitted, 2017.....</i>	<i>5–33</i>
<b>CHAPTER 6</b>	<b>ALTERNATIVE FUEL AND ADVANCED TECHNOLOGY VEHICLES AND CHARACTERISTICS .....</b>	<b>6–1</b>
Table 6.1	Estimates of Alternative Fuel Highway Vehicles Made Available, 2004–2018 .....	6–3
Table 6.2	Hybrid and Plug-In Vehicle Sales, 1999–2020.....	6–4
Table 6.3	Transit Vehicle Alternative Fuel Shares by Mode, 1992–2020.....	6–5
Table 6.4	E85 Flex-Fuel Vehicles Available by Manufacturer, Model Year 2021 .....	6–6
Table 6.5	B20, CNG, and LPG Vehicles Available by Manufacturer, Model Year 2021 .....	6–7
Table 6.6	Hybrid-Electric Vehicles Available by Manufacturer, Model Year 2021 .....	6–8
Table 6.7	Plug-in Hybrid Vehicles Available by Manufacturer, Model Year 2021 .....	6–11
Table 6.8	All-Electric and Fuel Cell Vehicles Available by Manufacturer, Model Year 2021 .....	6–12
Table 6.9	Number of Alternative Fuel Light Vehicle Models Available, 1991–2020.....	6–13
Table 6.10	Hybrid-Electric Medium/Heavy Trucks and Buses Available by Manufacturer, 2021 .....	6–14

Table 6.11	Electric-Drive Medium/Heavy Trucks and Buses Available by Manufacturer, 2021 .....	6–15
Table 6.12	Number of Alternative Refuel Sites by State and Fuel Type, 2021.....	6–18
Table 6.13	Number of Alternative Refuel Stations, 1992–2021.....	6–19
<i>Figure 6.1</i>	<i>Clean Cities Coalitions.....</i>	<i>6–20</i>
Table 6.14	Primary Vehicle Charging Type, 2019 California Vehicle Survey .....	6–22
<i>Figure 6.2</i>	<i>Typical Daily Charging Times for Residential Plug-in Electric Vehicles, 2019 California Vehicle Survey.....</i>	<i>6–23</i>
<i>Figure 6.3</i>	<i>Typical Daily Charging Times for Commercial Plug-in Electric Vehicles, 2017 California Vehicle Survey.....</i>	<i>6–24</i>
Table 6.15	Ranking of Important Factors for Buying or Leasing an Electric Vehicle, 2017 California Vehicle Survey.....	6–25
Table 6.16	Factors that were the Most Important Reasons for Deciding to Purchase an All-electric or Plug-in Hybrid Electric Vehicle, 2017 California Vehicle Survey.....	6–26
Table 6.17	Properties of Conventional and Alternative Liquid Fuels .....	6–27
Table 6.18	Properties of Conventional and Alternative Gaseous Fuels .....	6–28
<b>CHAPTER 7</b>	<b>TRANSIT AND OTHER SHARED MOBILITY .....</b>	<b>7–1</b>
Table 7.1	Summary Statistics on Transit Buses and Trolleybuses, 1994–2019 .....	7–2
Table 7.2	Summary Statistics on Demand Response Vehicles, 1994–2019.....	7–3
Table 7.3	Summary Statistics for Commuter Rail Operations, 1984–2019.....	7–4
<i>Figure 7.1</i>	<i>Energy Intensity of Commuter Rail Systems, 2019.....</i>	<i>7–5</i>
<i>Figure 7.2</i>	<i>Energy Intensity of Heavy Rail Systems, 2019.....</i>	<i>7–6</i>
<i>Figure 7.3</i>	<i>Energy Intensity of Light Rail Transit Systems, 2019.....</i>	<i>7–7</i>
Table 7.4	Summary Statistics for Rail Transit Operations, 1970–2019 .....	7–8
Table 7.5	Uber Ride Hailing Statistics as of December 2018 .....	7–9
Table 7.6	Characteristics of Uber’s Driver-Partners, Taxi Drivers and All Workers.....	7–10
Table 7.7	Lyft Ride Hailing Statistics, 2021.....	7–11

Table 7.8	Carshare Members and Vehicles by World Region, 2006–2018.....	7–12
Table 7.9	North American Shared Micromobility Systems, 2020.....	7–14
Figure 7.4	<i>Shared Micromobility Vehicles in North America, 2019–2020.....</i>	7–15
Figure 7.5	<i>Shared Micromobility Trips in the United States, 2010–2019 .....</i>	7–16
Figure 7.6	<i>Reasons for Using Shared Bikes and Scooters in the United States, 2018.....</i>	7–17
Figure 7.7	<i>Average Miles per Trip for U.S. Shared Bikes and Scooters, 2019.....</i>	7–18
Figure 7.8	<i>Average Minutes per Trip for U.S. Shared Bikes and Scooters, 2019.....</i>	7–18
Figure 7.9	<i>Share of U.S. Trips Replaced by Dockless Bikes and Scooters by Mode, 2019.....</i>	7–19
<b>CHAPTER 8 FLEET VEHICLES AND CHARACTERISTICS.....</b>		<b>8–1</b>
Figure 8.1	<i>Fleet Vehicles in Service as of January 1, 2020 .....</i>	8–2
Table 8.1	Fleet Vehicles in Service, 2006–2020 .....	8–3
Table 8.2	Average Length of Time Commercial Fleet Vehicles Are in Service, 2018 and 2020.....	8–4
Table 8.3	Average Annual Vehicle-Miles of Travel for Commercial Fleet Vehicles, 2018 and 2020.....	8–4
Figure 8.2	<i>Average Miles per Domestic Federal Vehicle by Vehicle Type, 2019.....</i>	8–5
Table 8.4	Federal Government Vehicle Inventory, FY 2001–2019 .....	8–6
Table 8.5	Federal Fleet Vehicle Acquisitions by Fuel Type, FY 2002–2019 .....	8–7
Table 8.6	Fuel Consumed by Federal Government Fleets, FY 2000–2019.....	8–7
Table 8.7	Federal Government Vehicles by Agency, FY 2019 .....	8–8
<b>CHAPTER 9 HOUSEHOLD VEHICLES AND CHARACTERISTICS.....</b>		<b>9–1</b>
Table 9.1	Population and Vehicle Profile, 1950–2019 .....	9–2
Table 9.2	Vehicles and Vehicle-Miles per Capita, 1950–2019 .....	9–3
Table 9.3	Licensed Driver Statistics, 1950–2019 .....	9–4
Table 9.4	Household Vehicle Ownership, 1960–2019 .....	9–5



Table 9.5	Demographic Statistics from the 1969, 1977, 1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS .....	9-6
Table 9.6	Average Annual Vehicle-Miles, Vehicle Trips, and Trip Length per Household 1969, 1977, 1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS .....	9-7
Table 9.7	Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001, 2009, 2017 NHTS.....	9-8
Table 9.8	Trip Statistics by Trip Purpose, 2001 and 2017 NHTS .....	9-9
<i>Figure 9.1</i>	<i>Average Household Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2009, 2017 NHTS.....</i>	<i>9-10</i>
<i>Figure 9.2</i>	<i>Average Household Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2009, 2017 NHTS.....</i>	<i>9-11</i>
Table 9.9	Average Annual Miles per Household Vehicle by Vehicle Age, 1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS .....	9-12
Table 9.10	Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS and 2001 NHTS .....	9-13
<i>Figure 9.3</i>	<i>Share of Vehicle Trips by Trip Distance, 2017 NHTS.....</i>	<i>9-14</i>
<i>Figure 9.4</i>	<i>Share of Vehicle Trips to Work by Trip Distance, 2017 NHTS.....</i>	<i>9-14</i>
Table 9.11	Share of Vehicles by Annual Miles of Travel and Vehicle Age, 2017 NHTS .....	9-15
Table 9.12	Household Vehicle Trips, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS .....	9-16
<i>Figure 9.5</i>	<i>Average Daily Miles Driven (per Driver), 2017 NHTS.....</i>	<i>9-16</i>
Table 9.13	Daily Vehicle Miles of Travel (per Vehicle) by Number of Vehicles in the Household, 2001, 2009, and 2017 NHTS .....	9-17
Table 9.14	Daily and Annual Vehicle Miles of Travel and Average Age for Each Vehicle in a Household, 2017 NHTS .....	9-17
<i>Figure 9.6</i>	<i>Daily Vehicle Miles of Travel for Each Vehicle in a Household, 2017 NHTS.....</i>	<i>9-18</i>
<i>Figure 9.7</i>	<i>Annual Vehicle Miles of Travel for Each Vehicle in a Household, 2017 NHTS.....</i>	<i>9-18</i>

<i>Figure 9.8</i>	<i>Annual Vehicle Miles of Travel by Fuel Type, 2017 NHTS</i> .....	9–19
Table 9.15	Characteristics of U.S. Daily per Vehicle Driving by Housing Density, 2017 NHTS .....	9–20
Table 9.16	Housing Unit Characteristics, 2017 .....	9–21
Table 9.17	Average Length and Duration of Trips To and From Work by Mode, 2017 NHTS.....	9–22
Table 9.18	Workers by Commute Time, 1990, 2000, 2010, and 2019.....	9–22
Table 9.19	Means of Transportation to Work, 1980, 1990, 2000 and 2019 .....	9–23
<i>Figure 9.9</i>	<i>Walk and Bike Trips by Trip Purpose, 2017 NHTS</i> .....	9–24
Table 9.20	Long-Distance Trip Characteristics, 2001 NHTS.....	9–26
<b>CHAPTER 10 NONHIGHWAY MODES .....</b>		<b>10–1</b>
Table 10.1	Nonhighway Energy Use Shares, 1970–2019 .....	10–2
Table 10.2	Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined Totals), 1970–2020 .....	10–3
Table 10.3	Summary Statistics for General Aviation, 1970–2019 .....	10–4
Table 10.4	Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2019 .....	10–5
Table 10.5	Summary Statistics for Domestic Waterborne Commerce, 1970–2019 .....	10–6
Table 10.6	Recreational Boat Energy Use, 1970–2019 .....	10–7
Table 10.7	Class I Railroad Freight Systems in the United States Ranked by Revenue Ton–Miles, 2019.....	10–8
Table 10.8	Summary Statistics for Class I Freight Railroads, 1970–2019 .....	10–9
Table 10.9	Intermodal Rail Traffic, 1965–2019 .....	10–10
Table 10.10	Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971–2019.....	10–11

<b>CHAPTER 11</b>	<b>TRANSPORTATION AND THE ECONOMY .....</b>	<b>11-1</b>
<i>Figure 11.1</i>	<i>Transportation Services Index, January 1990–December 2020.....</i>	<i>11-3</i>
Table 11.1	Average Annual Expenditures of Households by Income, 2019.....	11-4
Table 11.2	Annual Household Expenditures for Transportation, 1985-2019.....	11-5
Table 11.3	Gasoline Prices for Selected Countries, 1990–2019.....	11-6
Table 11.4	Diesel Fuel Prices for Selected Countries, 1990–2019.....	11-7
<i>Figure 11.2</i>	<i>Gasoline Prices for Selected Countries, 1990 and 2019 .....</i>	<i>11-8</i>
<i>Figure 11.3</i>	<i>Diesel Prices for Selected Countries, 1990 and 2019 .....</i>	<i>11-9</i>
Table 11.5	Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2020 .....	11-10
<i>Figure 11.4</i>	<i>Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2020 .....</i>	<i>11-11</i>
<i>Figure 11.5</i>	<i>Gasoline Price Components, 2000-2020 .....</i>	<i>11-12</i>
Table 11.6	Retail Prices for Motor Fuel, 1978–2020 .....	11-13
<i>Figure 11.6</i>	<i>Oil Price and Economic Growth, 1970–2020.....</i>	<i>11-14</i>
<i>Figure 11.7</i>	<i>Costs of Oil Dependence to the U.S. Economy, 1970–2018.....</i>	<i>11-15</i>
Table 11.7	Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2020.....	11-16
Table 11.8	Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2020 .....	11-17
Table 11.9	Federal Excise Taxes on Motor Fuels, 2020.....	11-18
Table 11.10	State Gasoline Tax Rates, February 2021 .....	11-19
Table 11.11	Federal, State, and Local Alternative Fuel Incentives, 2020 .....	11-20
Table 11.12	Federal, State, and Local Advanced Technology Incentives, 2020.....	11-21
Table 11.13	Average Price of a New Car (Domestic and Import), 1970–2020.....	11-22
Table 11.14	Average Price of a New Light Truck (Domestic and Import), 1990–2020.....	11-23
Table 11.15	Car Operating Cost per Mile, 1985–2020.....	11-24
Table 11.16	Fixed Car Operating Costs per Year, 1975–2020.....	11-25

Table 11.17	Personal Consumption Expenditures, 1970–2020 .....	11–26
Table 11.18	Consumer Price Indices, 1970–2020 .....	11–27
Table 11.19	Transportation-Related Employment, 1990, 2000, and 2020 .....	11–28
Table 11.20	U.S. Employment for Motor Vehicles and Motor Vehicle Parts Manufacturing, 1990–2020.....	11–29
<b>CHAPTER 12 GREENHOUSE GAS EMISSIONS.....</b>		<b>12–1</b>
Table 12.1	World Carbon Dioxide Emissions, 1990, 2005, and 2020 .....	12–2
<i>Figure 12.1</i>	<i>World Carbon Dioxide Emissions, 1990–2020 .....</i>	<i>12–3</i>
Table 12.2	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide.....	12–4
Table 12.3	U.S. Emissions of Greenhouse Gases, Based on Global Warming Potential, 1990–2019 .....	12–5
Table 12.4	Total U.S. Greenhouse Gas Emissions by End-Use Sector, 2019 .....	12–6
Table 12.5	U.S. Carbon Emissions from Fossil Fuel Consumption by End-Use Sector, 1990–2019.....	12–7
Table 12.6	Transportation Sector Carbon Dioxide Emissions from Energy Consumption, 1973–2020.....	12–8
Table 12.7	U.S. Carbon Emissions from Fossil Fuel Combustion in the Transportation End-Use Sector, 1990–2019 .....	12–9
Table 12.8	Transportation Carbon Dioxide Emissions by Mode, 1990–2019.....	12–10
<i>Figure 12.2</i>	<i>REET Model.....</i>	<i>12–11</i>
<i>Figure 12.3</i>	<i>REET Model Feedstocks and Fuels .....</i>	<i>12–12</i>
<i>Figure 12.4</i>	<i>Well-to-Wheel Emissions for Various Fuels and Vehicle Technologies.....</i>	<i>12–13</i>
<i>Figure 12.5.</i>	<i>Vehicle Manufacturing Cycle Greenhouse Gas Emissions by Vehicle Component .....</i>	<i>12–14</i>
Table 12.9	Production-Weighted Annual Carbon Footprint of New Domestic and Import Cars, Model Years 1975-2020 .....	12–16
Table 12.10	Production-Weighted Annual Carbon Footprint of New Domestic and Import Trucks, Model Years 1975-2020 .....	12–17

Table 12.11	Average Annual Carbon Footprint of New Vehicles by Vehicle Classification, Model Years 1975 and 2020 .....	12–18
Table 12.12	Carbon Content of Transportation Fuels.....	12–19
<b>CHAPTER 13 CRITERIA AIR POLLUTANTS .....</b>		<b>13–1</b>
Table 13.1	Total National Emissions of Criteria Air Pollutants by Sector, 2020.....	13–2
Table 13.2	Total National Emissions of Carbon Monoxide, 1970–2020 .....	13–3
Table 13.3	Emissions of Carbon Monoxide from Highway Vehicles, 1970–2017 .....	13–4
Table 13.4	Total National Emissions of Nitrogen Oxides, 1970–2020.....	13–5
Table 13.5	Emissions of Nitrogen Oxides from Highway Vehicles, 1970–2017.....	13–6
Table 13.6	Total National Emissions of Volatile Organic Compounds, 1970–2020 .....	13–7
Table 13.7	Emissions of Volatile Organic Compounds from Highway Vehicles, 1970–2017.....	13–8
Table 13.8	Total National Emissions of Particulate Matter (PM–10), 1970–2020 .....	13–9
Table 13.9	Emissions of Particulate Matter (PM–10) from Highway Vehicles, 1970–2017.....	13–10
Table 13.10	Total National Emissions of Particulate Matter (PM-2.5), 1990–2020 .....	13–11
Table 13.11	Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2017.....	13–12
Table 13.12	Total National Emissions of Sulfur Dioxide, 1970–2020.....	13–13
Table 13.13	Tier 3 Non-Methane Organic Gases and Nitrogen Oxide Standards.....	13–15
Table 13.14	Tier 3 Particulate Matter Emission Standards for Light Gasoline Vehicles, MY 2017 and Beyond.....	13–16
Table 13.15	Tier 3 Evaporative Emission Standards.....	13–16
Table 13.16	Light-Duty Vehicle, Light-Duty Truck, and Medium-Duty Passenger Vehicle – Tier 2 Exhaust Emission Standards.....	13–17
Table 13.17	Light-Duty Vehicle, Light-Duty Truck, and Medium-Duty Passenger Vehicle – Tier 2 Evaporative Emission Standards .....	13–18
Table 13.18	Heavy-Duty Highway Compression-Ignition Engines and Urban Buses –	

	Exhaust Emission Standards .....	13–19
Table 13.19	Heavy-Duty Highway Spark-Ignition Engines – Exhaust Emission Standards.....	13–21
Table 13.20	Heavy-Duty Highway Compression-Ignition and Spark-Ignition Engines – Evaporative Emission Standards.....	13–23
Table 13.21	California New Car, Light Truck and Medium Truck Emission Certification Standards, Model Year 2015–On .....	13–24
Table 13.22	Aircraft – Exhaust Emission Standards .....	13–25
Table 13.23	Nonroad Compression-Ignition Engines – Exhaust Emission Standards .....	13–26
Table 13.24	Nonroad Large Spark-Ignition Engines – Exhaust and Evaporative Emission Standards.....	13–28
Table 13.25	Locomotives – Exhaust Emission Standards .....	13–29
Table 13.26	Marine Compression-Ignition (CI) Engines – Exhaust Emission Standards.....	13–31
Table 13.27	Marine Spark-Ignition Engines and Vessels – Exhaust Emission Standards.....	13–35
Table 13.28	Nonroad Recreational Engines and Vehicles – Exhaust Emission Standards.....	13–37
Table 13.29	Gasoline Sulfur Standards.....	13–39
Table 13.30	Highway, Nonroad, Locomotive, and Marine (NRLM) Diesel Fuel Sulfur Standards.....	13–40
<b>APPENDIX A. SOURCES &amp; METHODOLOGIES.....</b>		<b>A–1</b>
<b>APPENDIX B. CONVERSIONS.....</b>		<b>B–1</b>
<b>GLOSSARY.....</b>		<b>G–1</b>

## ACKNOWLEDGMENTS

The authors would like to express their gratitude to the many individuals who assisted in the preparation of this document. First, we would like to thank Jacob Ward, Raphael Isaac, and the Vehicle Technologies Office staff for their continued support of the Transportation Energy Data Book project. We would like to thank Shawn Ou for his help with the 2019 California Vehicle Survey data. We would also like to thank Mark Robbins for the cover design. We are indebted to Debbie Bain, who has masterfully prepared the manuscript since 1998.

This book would not be possible without the leadership, guidance, and vision of Phil Patterson, who began this book in the 1970's. We hope to continue this report into the future with the same level of excellence. The authors and the transportation research community will be forever grateful for his efforts.





## ABSTRACT

The *Transportation Energy Data Book: Edition 40* is a statistical compendium prepared and published by Oak Ridge National Laboratory (ORNL) under contract with the U.S. Department of Energy, Office of Energy Efficiency and Renewable Energy, Vehicle Technologies Office. Designed for use as a desk-top reference, the Data Book represents an assembly and display of statistics and information that characterize transportation activity and presents data on other factors that influence transportation energy use. The purpose of this document is to present relevant statistical data in the form of tables and graphs. The latest edition of the Data Book is available via the Internet ([tedb.ornl.gov](http://tedb.ornl.gov)).

This edition of the Data Book has 13 chapters which focus on various aspects of the transportation industry. Chapter 1 focuses on petroleum; Chapter 2 – energy; Chapter 3 – highway vehicles; Chapter 4 – light vehicles; Chapter 5 – heavy vehicles; Chapter 6 – alternative fuel vehicles; Chapter 7 – transit and other shared mobility; Chapter 8 – fleet vehicles; Chapter 9 – household vehicles; Chapter 10 – nonhighway modes; Chapter 11 – transportation and the economy; Chapter 12 – greenhouse gas emissions; and Chapter 13 – criteria pollutant emissions. The sources used represent the latest available data. There are also two appendices which include detailed source information for some tables and measures of conversion. A glossary of terms is also included for the reader's convenience.



## INTRODUCTION

In January 1976, the Transportation Energy Conservation (TEC) Division of the Energy Research and Development Administration contracted with Oak Ridge National Laboratory (ORNL) to prepare a Transportation Energy Conservation Data Book to be used by TEC staff in their evaluation of current and proposed conservation strategies. The major purposes of the Data Book were to draw together, under one cover, transportation data from diverse sources, to resolve data conflicts and inconsistencies, and to produce a comprehensive document. The first edition of the TEC Data Book was published in October 1976. With the passage of the Department of Energy (DOE) Organization Act, the work being conducted by the former Transportation Energy Conservation Division fell under the purview of the DOE's Office of Transportation Programs. This work continues today in the Vehicle Technologies Office.

Policymakers and analysts need to be well-informed about activity in the transportation sector. The organization and scope of the data book reflect the need for different kinds of information. For this reason, Edition 40 updates much of the same type of data that is found in previous editions.

In any attempt to compile a comprehensive set of statistics on transportation activity, numerous instances of inadequacies and inaccuracies in the basic data are encountered. Where such problems occur, estimates are developed by ORNL. To minimize the misuse of these statistics, an appendix (Appendix A) is included to document the estimation procedures. The attempt is to provide sufficient information for the conscientious user to evaluate the estimates and to form their own opinions as to their utility. Clearly, the accuracy of the estimates cannot exceed the accuracy of the primary data, an accuracy which in most instances is unknown. In cases where data accuracy is known or substantial errors are strongly suspected in the data, the reader is alerted. In all cases it should be recognized that the estimates are not precise.

The majority of the statistics contained in the data book are taken directly from published sources, although these data may be reformatted for presentation by ORNL. Consequently, neither ORNL nor DOE endorses the validity of these data.



# PETROLEUM

# Chapter 1



*Credit: Anton Petrus/Moment/Getty Images*

*As new technologies appear, and new areas are explored, the amount of proved reserves of crude oil and natural gas has grown. Although the reserves of natural gas in the United States were 132% higher in 2020 than in 1980, the U.S. share of world natural gas reserves is lower.*

**Table 1.1**  
**Proved Reserves of Crude Oil and Natural Gas, 1980–2020**

Year	Crude Oil Reserves (billion barrels)		U.S. Share of Crude Oil Reserves	Natural Gas Reserves (trillion cubic feet)		U.S. Share of Natural Gas Reserves
	World	United States		World	United States	
1980	643.1	31.2	4.9%	2,585.5	201.0	7.8%
1985	699.2	30.0	4.3%	3,401.6	197.5	5.8%
1986	699.8	29.9	4.3%	3,483.7	193.4	5.6%
1987	699.0	28.3	4.1%	3,641.3	191.6	5.3%
1988	888.6	28.7	3.2%	3,789.3	187.2	4.9%
1989	907.1	28.2	3.1%	3,921.9	168.0	4.3%
1990	1,001.5	27.9	2.8%	3,981.0	167.1	4.2%
1991	1,000.0	27.6	2.8%	4,215.7	169.3	4.0%
1992	933.4	25.9	2.8%	2,626.8	167.1	6.4%
1993	940.3	25.0	2.7%	2,941.6	165.0	5.6%
1994	942.5	24.1	2.6%	3,016.8	162.4	5.4%
1995	944.1	23.6	2.5%	3,004.9	163.8	5.5%
1996	951.6	23.5	2.5%	2,957.1	165.1	5.6%
1997	1,019.8	23.3	2.3%	4,947.0	166.5	3.4%
1998	1,021.4	23.9	2.3%	5,088.7	167.2	3.3%
1999	1,034.1	22.4	2.2%	5,143.1	164.0	3.2%
2000	1,018.2	23.2	2.3%	5,151.1	167.4	3.2%
2001	1,029.6	23.5	2.3%	5,290.0	177.4	3.4%
2002	1,033.4	23.8	2.3%	5,458.6	183.5	3.4%
2003	1,214.7	24.0	2.0%	5,506.3	186.9	3.4%
2004	1,266.5	23.1	1.8%	6,079.9	189.0	3.1%
2005	1,278.8	22.6	1.8%	6,046.3	192.5	3.2%
2006	1,289.6	23.0	1.8%	6,126.0	204.4	3.3%
2007	1,320.3	22.3	1.7%	6,192.3	211.1	3.4%
2008	1,328.9	22.8	1.7%	6,215.8	237.7	3.8%
2009	1,336.8	20.6	1.5%	6,265.5	244.7	3.9%
2010	1,357.1	22.3	1.6%	6,641.4	272.5	4.1%
2011	1,475.4	25.2	1.7%	6,712.5	304.6	4.5%
2012	1,523.8	29.0	1.9%	6,814.0	334.1	4.9%
2013	1,644.9	33.4	2.0%	6,850.9	308.0	4.5%
2014	1,651.8	36.5	2.2%	6,979.4	338.3	4.8%
2015	1,659.3	39.9	2.4%	6,957.4	368.7	5.3%
2016	1,652.0	35.2	2.1%	6,885.5	307.7	4.5%
2017	1,647.1	35.2	2.1%	6,929.8	322.2	4.6%
2018	1,662.8	42.0	2.5%	7,131.3	438.5	6.1%
2019	1,659.2	47.1	2.8%	7,176.9	474.8	6.6%
2020	1,661.9	47.1	2.8%	7,257.2	465.4	6.4%
			<i>Average annual percentage change</i>			
1980-2020	2.4%	1.0%		2.6%	2.1%	
2010-2020	2.0%	7.8%		0.9%	5.5%	

**Source:**

U.S. Department of Energy, Energy Information Administration, *International Energy Statistics*, April 2021.  
(Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

*In 2020, the Organization of Petroleum Exporting Countries (OPEC) accounted for 36.1% of world oil production. U.S. crude oil production reached an all-time high in 2019 and was still above 11 million barrels per day in 2020.*

**Table 1.2**  
**World Crude Oil Production, 1960–2020<sup>a</sup>**  
**(million barrels per day)**

Year	United States	U.S. share	Total OPEC <sup>b</sup>	OPEC share	Total non-OPEC	World	
1960	7.04	33.5%	8.70	41.4%	12.29	20.99	
1965	7.80	25.7%	14.35	47.3%	15.98	30.33	
1970	9.64	21.0%	23.30	50.8%	22.59	45.89	
1975	8.37	17.6%	25.45	53.5%	22.12	47.57	
1980	8.60	14.4%	24.95	41.9%	34.61	59.56	
1985	8.97	16.6%	15.08	27.9%	38.89	53.97	
1990	7.36	12.2%	22.24	36.8%	38.26	60.50	
1991	7.42	12.3%	22.18	36.9%	37.95	60.13	
1992	7.17	11.9%	23.46	39.0%	36.64	60.10	
1993	6.85	11.4%	24.21	40.2%	35.97	60.18	
1994	6.66	10.9%	24.61	40.2%	36.56	61.17	
1995	6.56	10.5%	25.22	40.4%	37.21	62.43	
1996	6.46	10.1%	25.68	40.2%	38.13	63.82	
1997	6.45	9.8%	27.01	41.0%	38.79	65.80	
1998	6.25	9.3%	27.98	41.7%	39.06	67.03	
1999	5.88	8.9%	26.87	40.7%	39.10	65.97	
2000	5.82	8.5%	28.57	41.7%	39.96	68.53	
2001	5.80	8.5%	27.69	40.6%	40.44	68.13	
2002	5.74	8.5%	26.08	38.8%	41.21	67.29	
2003	5.65	8.1%	27.45	39.5%	42.01	69.46	
2004	5.44	7.5%	29.84	41.1%	42.75	72.60	
2005	5.18	7.0%	31.26	42.3%	42.61	73.87	
2006	5.09	6.9%	30.95	42.0%	42.68	73.63	
2007	5.07	6.9%	30.64	41.8%	42.68	73.32	
2008	5.00	6.7%	32.05	43.1%	42.26	74.30	
2009	5.36	7.3%	30.31	41.5%	42.80	73.12	
2010	5.48	7.3%	31.11	41.5%	43.77	74.88	
2011	5.67	7.6%	31.08	41.5%	43.83	74.91	
2012	6.52	8.5%	32.32	42.3%	44.10	76.42	
2013	7.49	9.8%	31.23	40.8%	45.24	76.46	
2014	8.79	11.2%	31.25	39.9%	47.10	78.35	
2015	9.45	11.7%	32.50	40.3%	48.21	80.70	
2016	8.85	11.0%	33.53	41.5%	47.25	80.77	
2017	9.37	11.6%	33.41	41.2%	47.65	81.06	
2018	10.96	13.2%	33.34	40.2%	49.55	82.88	
2019	12.25	14.9%	31.31	38.0%	51.00	82.31	
2020	11.31	14.9%	27.48	36.1%	48.64	76.12	
			<i>Average annual percentage change</i>				
1960-2020	0.8%		1.9%		2.3%	2.2%	
1970-2020	0.3%		0.3%		1.5%	1.0%	
2010-2020	7.5%		-1.2%		1.1%	0.2%	

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Includes lease condensate. Excludes natural gas plant liquids.

<sup>b</sup> See Glossary for membership.

*This table shows petroleum production, which includes both crude oil and natural gas plant liquids. Because other liquids and processing gain are not included, the world total is often smaller than world petroleum consumption (Table 1.4). The United States was responsible for 18.8% of the world's petroleum production in 2020 and 14.9% of the world's crude oil production (Table 1.2).*

**Table 1.3**  
**World Petroleum Production, 1973–2020<sup>a</sup>**  
**(million barrels per day)**

Year	United States	U.S. share	Total OPEC <sup>b</sup>	OPEC share	Total non-OPEC	Non-OPEC share	World
1973	10.95	20.6%	29.39	55.3%	23.75	44.7%	53.15
1975	10.01	19.9%	25.82	51.3%	24.54	48.7%	50.36
1980	10.17	16.1%	25.60	40.6%	37.40	59.4%	63.00
1985	10.58	18.3%	15.88	27.4%	42.02	72.6%	57.90
1990	8.91	13.7%	23.41	35.9%	41.73	64.1%	65.14
1991	9.08	14.0%	23.35	36.0%	41.59	64.0%	64.94
1992	8.87	13.7%	24.69	38.0%	40.26	62.0%	64.95
1993	8.58	13.2%	25.51	39.1%	39.73	60.9%	65.24
1994	8.39	12.6%	26.20	39.4%	40.35	60.6%	66.55
1995	8.32	12.2%	26.86	39.5%	41.15	60.5%	68.01
1996	8.29	11.9%	27.32	39.3%	42.20	60.7%	69.52
1997	8.27	11.5%	28.73	40.1%	42.92	59.9%	71.65
1998	8.01	11.0%	29.76	40.7%	43.28	59.3%	73.04
1999	7.73	10.7%	28.69	39.8%	43.46	60.2%	72.15
2000	7.73	10.3%	30.45	40.7%	44.45	59.3%	74.90
2001	7.67	10.3%	29.78	39.8%	45.05	60.2%	74.83
2002	7.62	10.3%	28.25	38.1%	45.85	61.9%	74.10
2003	7.37	9.6%	29.72	38.8%	46.80	61.2%	76.52
2004	7.25	9.0%	32.51	40.5%	47.69	59.5%	80.19
2005	6.90	8.4%	34.26	41.9%	47.51	58.1%	81.77
2006	6.82	8.4%	33.99	41.6%	47.69	58.4%	81.68
2007	6.86	8.4%	33.83	41.5%	47.74	58.5%	81.57
2008	6.78	8.2%	35.23	42.7%	47.29	57.3%	82.51
2009	7.27	8.9%	33.50	41.1%	47.97	58.9%	81.47
2010	7.56	9.1%	34.34	41.1%	49.16	58.9%	83.50
2011	7.88	9.4%	34.31	41.0%	49.40	59.0%	83.71
2012	8.93	10.4%	35.66	41.7%	49.95	58.3%	85.61
2013	10.10	11.8%	34.52	40.2%	51.32	59.8%	85.84
2014	11.80	13.4%	34.49	39.1%	53.69	60.9%	88.18
2015	12.79	14.1%	35.70	39.3%	55.15	60.7%	90.85
2016	12.36	13.6%	36.75	40.3%	54.35	59.7%	91.10
2017	13.15	14.3%	36.67	40.0%	55.03	60.0%	91.70
2018	15.33	16.3%	36.58	38.9%	57.51	61.1%	94.08
2019	17.07	18.2%	34.48	36.7%	59.41	63.3%	93.89
2020	16.47	18.8%	30.43	34.7%	57.37	65.3%	87.80
<i>Average annual percentage change</i>							
1973-2020	0.9%		0.1%		1.9%		1.1%
2010-2020	8.1%		-1.2%		1.6%		0.5%

**Source:**

U.S. Department of Energy, Energy Information Administration, *International Energy Statistics* website, April 2021.  
(Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Includes natural gas plant liquids, crude oil and lease condensate. Does not account for all inputs or refinery processing gain.

<sup>b</sup> Organization of Petroleum Exporting Countries. See Glossary for membership.



During the 1980s and 1990s, the United States accounted for about one-quarter of the world's petroleum consumption, but from 2000 to 2012 that share had been decreasing. In 2018 the United States accounted for only 20.5%. World petroleum consumption decreased in 2008 and 2009 but has continued to increase thereafter. Non-OECD consumption has continued to increase.

**Table 1.4**  
**World Petroleum Consumption, 1960–2020**  
**(million barrels per day)**

Year	United States	U.S. share	Total OECD <sup>a</sup>	Total non-OECD	World
1960	9.80	45.9%	15.78	5.56	21.34
1965	11.51	37.0%	22.81	8.33	31.14
1970	14.70	31.4%	34.69	12.12	46.81
1975	16.32	29.0%	39.23	16.97	56.20
1980	17.06	27.0%	42.01	21.10	63.11
1985	15.73	26.2%	37.78	22.35	60.13
1990	16.99	25.5%	41.87	24.79	66.67
1991	16.71	24.9%	42.26	24.73	66.99
1992	17.03	25.3%	43.44	23.81	67.25
1993	17.24	25.7%	43.93	23.09	67.02
1994	17.72	25.9%	45.24	23.21	68.45
1995	17.72	25.4%	45.67	24.20	69.87
1996	18.31	25.5%	46.82	25.12	71.94
1997	18.62	25.5%	47.56	25.59	73.15
1998	18.92	25.6%	47.76	26.23	73.99
1999	19.52	25.8%	48.66	26.98	75.64
2000	19.70	25.6%	48.80	28.27	77.07
2001	19.65	25.3%	48.84	28.95	77.79
2002	19.76	25.1%	48.87	29.74	78.62
2003	20.03	25.0%	49.58	30.66	80.24
2004	20.73	24.8%	50.45	32.99	83.43
2005	20.80	24.6%	50.79	33.85	84.65
2006	20.69	24.1%	50.62	35.19	85.80
2007	20.68	23.7%	50.44	36.76	87.19
2008	19.50	22.5%	48.64	38.06	86.70
2009	18.77	21.9%	46.61	39.22	85.83
2010	19.18	21.6%	47.30	41.40	88.70
2011	18.90	21.1%	46.75	42.64	89.38
2012	18.48	20.4%	46.30	44.41	90.71
2013	18.97	20.6%	46.33	45.90	92.24
2014	19.10	20.4%	46.05	47.48	93.53
2015	19.53	20.5%	46.80	48.46	95.26
2016	19.69	20.3%	47.23	49.56	96.79
2017	19.95	20.2%	47.82	51.12	98.94
2018	20.51	20.5%	48.15	51.90	100.05
2019	20.54	<sup>b</sup>	47.34	<sup>b</sup>	<sup>b</sup>
2020	18.12	<sup>b</sup>	41.51	<sup>b</sup>	<sup>b</sup>
		<i>Average annual percentage change</i>			
1960-2020	1.0%	-1.4% <sup>c</sup>	1.6%	3.9% <sup>c</sup>	2.7% <sup>c</sup>
1970-2020	0.4%	-0.9% <sup>c</sup>	0.4%	3.1% <sup>c</sup>	1.6% <sup>c</sup>
2010-2020	-0.6%	-0.7% <sup>c</sup>	-1.3%	2.9% <sup>c</sup>	1.5% <sup>c</sup>

**Source:**


U.S. Department of Energy, Energy Information Administration, *International Energy Statistics*, April 2021.  
(Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Organization for Economic Cooperation and Development. See Glossary for membership.

<sup>b</sup> Data are not available.


<sup>c</sup> Average annual percentage change is through 2018.

**Figure 1.1. World Oil Reserves, Production, and Consumption, 1980**




Source:  
See Table 1.5.

**Figure 1.2. World Oil Reserves, Production, and Consumption, 2000**



Source:  
See Table 1.5.

**Figure 1.3. World Oil Reserves, Production, and Consumption, 2020**

**Source:**  
See Table 1.5.

**Table 1.5**  
**World Oil Reserves, Production, and Consumption, 1980, 2000 and 2020**

	Crude oil reserves (billion barrels)	Reserve share	Petroleum production (million barrels per day)	Production share	Petroleum consumption (million barrels per day)	Consumption share
1980						
United States	31.2	5%	8.6	13%	17.1	27%
OPEC	423.0	66%	25.7	40%	2.4	4%
Rest of world	188.9	29%	29.7	47%	43.6	69%
2000						
United States	23.2	2%	9.1	12%	19.7	26%
OPEC	803.2	79%	30.6	39%	4.8	6%
Rest of world	191.8	19%	38.0	49%	51.1	68%
2020						
United States	47.1	3%	18.6	20%	20.7	21%
OPEC	1,181.5	71%	30.7	33%	9.0	9%
Rest of world	433.3	26%	44.9	47%	69.0	70%

**Note:** Consumption for OPEC and Rest of World in 2020 are actually 2019 consumption, which are the latest available. Total consumption is higher than total production due to refinery gains including alcohol and liquid products produced from coal and other sources. See Glossary for OPEC countries.

**Sources:**

Energy Information Administration, *International Energy Statistics*, August 2020. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

The share of petroleum imported to the United States can be calculated using total imports or net imports. Net imports, which are the preferred data, rose to over 50% of U.S. petroleum consumption for the first time in 1998, while total imports reached 50% for the first time in 1993. OPEC share of net imports has been below 50% since 1993. Due to declining total imports and rising petroleum exports, net petroleum imports were negative in 2020 for the first time in the series.

**Table 1.6**  
**U.S. Petroleum Imports, 1960–2020**  
**(million barrels per day)**

Year	Net OPEC <sup>a</sup> imports	Net OPEC <sup>a</sup> share	Net imports	Net imports as a share of U.S. consumption	Total imports
1960	1.23	68.0%	1.61	16.5%	1.81
1965	1.44	58.3%	2.28	19.8%	2.47
1970	1.29	37.8%	3.16	21.5%	3.42
1975	3.60	59.5%	5.85	35.8%	6.06
1980	4.30	62.2%	6.36	37.3%	6.91
1985	1.83	36.1%	4.29	27.3%	5.07
1990	4.30	53.6%	7.16	42.2%	8.02
1991	4.09	53.7%	6.63	39.6%	7.63
1992	4.09	51.9%	6.94	40.7%	7.89
1993	4.27	49.6%	7.62	44.2%	8.62
1994	4.25	47.2%	8.05	45.5%	9.00
1995	4.00	45.3%	7.89	44.5%	8.83
1996	4.21	44.4%	8.50	46.4%	9.48
1997	4.57	45.0%	9.16	49.2%	10.16
1998	4.91	45.8%	9.76	51.6%	10.71
1999	4.95	45.6%	9.91	50.8%	10.85
2000	5.20	45.4%	10.42	52.9%	11.46
2001	5.53	46.6%	10.90	55.5%	11.87
2002	4.61	39.9%	10.55	53.4%	11.53
2003	5.16	42.1%	11.24	56.1%	12.26
2004	5.70	43.4%	12.10	58.4%	13.15
2005	5.59	40.7%	12.55	60.3%	13.71
2006	5.52	40.2%	12.39	59.9%	13.71
2007	5.98	44.4%	12.04	58.2%	13.47
2008	5.95	46.1%	11.11	57.0%	12.92
2009	4.78	40.9%	9.67	51.5%	11.69
2010	4.91	41.6%	9.44	49.2%	11.79
2011	4.56	39.8%	8.45	44.8%	11.44
2012	4.27	40.3%	7.39	40.0%	10.60
2013	3.72	37.7%	6.24	32.9%	9.86
2014	3.24	35.0%	5.07	26.5%	9.24
2015	2.89	30.6%	4.71	24.1%	9.45
2016	3.45	34.3%	4.79	24.4%	10.06
2017	3.37	33.2%	3.77	18.9%	10.14
2018	2.89	29.0%	2.34	11.4%	9.94
2019	1.64	17.9%	0.67	3.3%	9.14
2020	0.89	11.3%	-0.65	-3.6%	7.86
<i>Average annual percentage change</i>					
1960-2020	-0.5%		b		2.5%
1970-2020	-0.8%		b		1.7%
2010-2020	-15.7%		b		-3.5%

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Table 3.3a. (Additional resources: [www.eia.gov](http://www.eia.gov))

<sup>a</sup> Organization of Petroleum Exporting Countries. See Glossary for membership.

More than half of the oil imported to the United States in 2019 was from North America. Canada and Mexico provided most of the oil, plus a small amount from the U.S. Virgin Islands (not listed separately).

**Table 1.7**  
**Imported Crude Oil by Country of Origin, 1960–2020**  
**(million barrels per day)**

Year	Saudi Arabia	Venezuela	Nigeria	Other OPEC <sup>a</sup> countries	Canada	Mexico	Russia	Other non-OPEC countries	Total imports
1960	0.08	0.91	0.00	0.24	0.12	0.02	<sup>b</sup>	0.45	1.81
1965	0.16	0.99	0.00	0.29	0.32	0.05	<sup>b</sup>	0.66	2.47
1970	0.03	0.99	0.00	0.27	0.77	0.04	0.00	1.31	3.42
1973	0.49	1.13	0.46	0.91	1.32	0.02	0.03	1.90	6.26
1975	0.71	0.70	0.76	1.42	0.85	0.07	0.01	1.52	6.06
1980	1.26	0.48	0.86	1.70	0.45	0.53	0.00	1.62	6.91
1985	0.17	0.60	0.29	0.76	0.77	0.82	0.01	1.64	5.07
1990	1.34	1.02	0.80	1.13	0.93	0.76	0.04	1.99	8.02
1995	1.34	1.48	0.63	0.55	1.33	1.07	0.02	2.41	8.83
1996	1.36	1.68	0.62	0.56	1.42	1.24	0.03	2.57	9.48
1997	1.41	1.77	0.70	0.69	1.56	1.39	0.01	2.63	10.16
1998	1.49	1.72	0.70	1.00	1.60	1.35	0.02	2.83	10.71
1999	1.48	1.49	0.66	1.33	1.54	1.32	0.09	2.95	10.85
2000	1.57	1.55	0.90	1.19	1.81	1.37	0.07	3.00	11.46
2001	1.66	1.55	0.89	1.43	1.83	1.44	0.09	2.98	11.87
2002	1.55	1.40	0.62	1.03	1.97	1.55	0.21	3.20	11.53
2003	1.77	1.38	0.87	1.14	2.07	1.62	0.25	3.15	12.26
2004	1.56	1.55	1.14	1.45	2.14	1.66	0.30	3.34	13.15
2005	1.54	1.53	1.17	1.36	2.18	1.66	0.41	3.87	13.71
2006	1.46	1.42	1.11	1.52	2.35	1.71	0.37	3.76	13.71
2007	1.48	1.36	1.13	2.00	2.45	1.53	0.41	3.09	13.47
2008	1.53	1.19	0.99	2.25	2.49	1.30	0.47	2.70	12.92
2009	1.00	1.06	0.81	1.90	2.48	1.21	0.56	2.66	11.69
2010	1.10	0.99	1.02	1.80	2.54	1.28	0.61	2.46	11.79
2011	1.19	0.95	0.82	1.59	2.73	1.21	0.62	2.32	11.44
2012	1.37	0.96	0.44	1.51	2.95	1.03	0.48	1.87	10.60
2013	1.33	0.81	0.28	1.30	3.14	0.92	0.46	1.62	9.86
2014	1.17	0.79	0.09	1.19	3.39	0.84	0.33	1.44	9.24
2015	1.06	0.83	0.08	0.93	3.76	0.76	0.37	1.66	9.45
2016	1.11	0.80	0.24	1.31	3.78	0.67	0.44	1.72	10.06
2017	0.96	0.67	0.33	1.40	4.05	0.68	0.39	1.65	10.14
2018	0.90	0.59	0.19	1.21	4.29	0.72	0.38	1.67	9.94
2019	0.53	0.09	0.19	0.82	4.43	0.65	0.52	1.90	9.14
2020	0.52	<sup>b</sup>	0.08	0.29	4.12	0.75	0.54	1.56	7.86
<i>Average annual percentage change</i>									
1960-2020	3%	<sup>b</sup>	<sup>b</sup>	0%	6%	7%	<sup>b</sup>	2%	2%
1970-2020	6%	<sup>b</sup>	<sup>b</sup>	0%	3%	6%	11%	0%	2%
2010-2020	-7%	<sup>b</sup>	-23%	-17%	5%	-5%	-1%	-4%	-4%

**Sources:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Tables 3.3c and 3.3d. (Additional resources: [www.eia.gov](http://www.eia.gov))

<sup>a</sup> Organization of Petroleum Exporting Countries. See Glossary for membership.

<sup>b</sup> Data are not available.

*The Strategic Petroleum Reserve (SPR) began in October 1977 as a result of the 1975 Energy Policy and Conservation Act. Its purpose is to provide protection against oil supply disruptions. The U.S. consumed 18.1 million barrels per day in 2020. At that rate of consumption, the SPR supply would last 35 days if used exclusively and continuously.*

**Table 1.8**  
**Crude Oil Supplies, 1973-2020**

Year	Strategic Petroleum Reserve	Other crude oil stocks <sup>a</sup>	Total crude oil stocks	U.S. petroleum consumption (million barrels per day)	Number of days the SPR would supply the U.S. <sup>b</sup>
1973	<sup>c</sup>	242.5	242.5	17.3	<sup>c</sup>
1980	107.8	358.2	466.0	17.1	6.3
1985	493.3	320.9	814.2	15.7	31.4
1990	585.7	322.7	908.4	17.0	34.5
1991	568.5	324.6	893.1	16.7	34.0
1992	574.7	318.1	892.9	17.0	33.7
1993	587.1	335.4	922.5	17.2	34.1
1994	591.7	337.2	928.9	17.7	33.4
1995	591.6	303.3	895.0	17.7	33.4
1996	565.8	283.9	849.7	18.3	30.9
1997	563.4	304.7	868.1	18.6	30.3
1998	571.4	323.5	894.9	18.9	30.2
1999	567.2	284.5	851.7	19.5	29.1
2000	540.7	285.5	826.2	19.7	27.4
2001	550.2	312.0	862.2	19.6	28.0
2002	599.1	277.6	876.7	19.8	30.3
2003	638.4	268.9	907.3	20.0	31.9
2004	675.6	285.7	961.3	20.7	32.6
2005	684.5	307.7	992.2	20.8	32.9
2006	688.6	295.8	984.4	20.7	33.3
2007	696.9	268.4	964.3	20.7	33.7
2008	701.8	308.2	1,010.1	19.5	36.0
2009	726.6	307.1	1,033.8	18.8	38.7
2010	726.5	312.1	1,038.6	19.2	37.9
2011	696.0	308.2	1,004.2	18.9	36.8
2012	695.3	337.8	1,033.1	18.5	37.6
2013	696.0	327.2	1,023.2	19.0	36.7
2014	691.0	360.9	1,051.8	19.1	36.2
2015	695.1	449.2	1,144.3	19.5	35.6
2016	695.1	484.6	1,179.7	19.7	35.3
2017	662.8	421.6	1,084.5	20.0	33.2
2018	649.1	442.5	1,091.6	20.5	31.6
2019	635.0	432.9	1,067.9	20.5	30.9
2020	638.1	485.3	1,123.3	18.1	35.2
<i>Average annual percentage change</i>					
1973-2020	<sup>c</sup>	1.5%	3.3%	0.1%	<sup>c</sup>
2010-2020	-1.3%	4.5%	0.8%	-0.6%	-0.7%

**Sources:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Tables 3.1 and 3.4. (Additional resources: [www.eia.gov](http://www.eia.gov))


<sup>a</sup> Other crude oil stocks include stocks held by petroleum companies, as well as stocks of Alaskan crude oil in transit.

<sup>b</sup> Strategic Petroleum Reserves divided by U.S. consumption per day. This would only hold true if the SPR were the only oil used for that many days.

<sup>c</sup> Not applicable.

*Other parts of the world refine crude oil to produce more diesel fuel and less gasoline than the OECD Americas. The OECD Europe countries produce the lowest share of gasoline and highest share of diesel in 2020.*

**Figure 1.4. Refinery Gross Output by World Region, 2010 and 2020**



**Source:**

International Energy Agency, *Monthly Oil Statistics*, August 2021 and *Monthly Oil Survey*, December 2011. (Additional resources: [www.iea.org](http://www.iea.org))

<sup>a</sup> Includes jet kerosene and other kerosene.

<sup>b</sup> Includes motor gasoline, jet gasoline, and aviation gasoline.

<sup>c</sup> Organization for Economic Cooperation and Development. See Glossary for membership.

Oxygenate refinery input increased significantly in 1995, most certainly due to the Clean Air Act Amendments of 1990 which mandated the sale of reformulated gasoline in certain areas beginning in January 1995. The use of MTBE has declined over the last 15 years due to many states banning the additive. The other hydrocarbons and liquids category includes unfinished oils, motor gasoline blending components and aviation gasoline blending components.

**Table 1.9**  
**U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2019**  
(thousand barrels)

Year	Crude oil	Natural gas liquids	Oxygenates			Other hydrocarbons and liquids	Total input to refineries
			Fuel ethanol	MTBE <sup>a</sup>	Other oxygenates <sup>b</sup>		
1987	4,691,783	280,889	c	c	d	132,720	5,105,392
1990	4,894,379	170,589	c	c	d	260,108	5,325,076
1991	4,855,016	172,306	c	c	d	280,265	5,307,587
1992	4,908,603	171,701	c	c	d	272,676	5,352,980
1993	4,968,641	179,213	3,351	49,393	1,866	280,074	5,482,538
1994	5,061,111	169,868	3,620	52,937	1,918	193,808	5,483,262
1995	5,100,317	172,026	9,055	79,396	4,122	190,411	5,555,327
1996	5,195,265	164,552	11,156	79,407	3,570	214,282	5,668,232
1997	5,351,466	151,769	11,803	86,240	4,246	201,268	5,806,792
1998	5,434,383	146,921	11,722	89,362	4,038	206,135	5,892,561
1999	5,403,450	135,756	13,735	94,784	4,147	225,779	5,877,651
2000	5,514,395	138,921	15,268	90,288	4,005	201,135	5,964,012
2001	5,521,637	156,479	16,929	87,116	4,544	192,632	5,979,337
2002	5,455,530	155,429	26,320	90,291	2,338	224,567	5,955,475
2003	5,585,875	152,763	55,626	67,592	1,937	163,459	6,027,252
2004	5,663,861	154,356	74,095	47,600	940	194,203	6,135,055
2005	5,555,332	161,037	84,088	39,751	612	295,064	6,135,884
2006	5,563,354	182,924	117,198	11,580	57	322,989	6,198,102
2007	5,532,097	184,383	136,603	1,610	0	349,807	6,204,500
2008	5,361,287	177,559	190,084	480	0	548,843	6,277,893
2009	5,232,656	177,194	240,955	90	0	518,998	6,169,893
2010	5,374,094	161,479	285,883	901	0	523,015	6,345,372
2011	5,404,347	178,884	297,266	1,154	0	541,059	6,422,710
2012	5,489,516	186,270	304,155	806	0	425,946	6,406,693
2013	5,589,006	181,112	310,568	915	0	495,476	6,577,077
2014	5,784,637	186,601	317,171	719	1	490,213	6,779,342
2015	5,908,550	188,722	325,858	830	0	446,744	6,870,704
2016	5,924,395	196,281	334,767	1,062	0	483,229	6,939,734
2017	6,055,241	206,629	335,023	d	d	406,266	7,003,159
2018	6,193,832	209,708	336,205	d	d	397,744	7,137,489
2019	6,045,396	208,501	337,168	d	d	479,185	7,070,250
<i>Average annual percentage change</i>							
1987-2019	0.8%	-0.9%	d	d	d	4.1%	1.0%
2009-2019	1.5%	1.6%	3.4%	d	d	-0.8%	1.4%

**Source:**

U.S. Department of Energy, Energy Information Administration, *Petroleum Supply Annual 2019, Vol. 1*, August 2021, Table 16, and annual. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Methyl tertiary butyl ether (MTBE).

<sup>b</sup> Includes methanol and other oxygenates.

<sup>c</sup> Reported in "Other hydrocarbons and liquids" category in this year.

<sup>d</sup> Data are not available.



When crude oil and other hydrocarbons are processed into products that are, on average, less dense than the input, a processing volume gain occurs. Due to this gain, the product yield from a barrel of crude oil is more than 100%. For the last 20 years, the processing volume gain has been about 5-7%.

**Table 1.10**  
**U.S. Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2020**  
(percentage)

Year	Motor gasoline	Distillate fuel oil	Jet fuel	Liquefied petroleum gas	Other <sup>a</sup>	Total <sup>b</sup>
1978	44.1	21.4	6.6	2.3	29.6	104.0
1980	44.5	19.7	7.4	2.4	30.0	104.0
1985	45.6	21.6	9.6	3.1	24.6	104.5
1986	45.7	21.2	9.8	3.2	24.8	104.7
1987	46.4	20.5	10.0	3.4	24.5	104.8
1988	46.0	20.8	10.0	3.6	24.4	104.8
1989	45.7	20.8	10.1	4.0	24.2	104.8
1990	45.6	20.9	10.7	3.6	24.1	104.9
1991	45.7	21.3	10.3	3.8	24.1	105.2
1992	46.0	21.2	9.9	4.3	24.0	105.4
1993	46.1	21.9	9.2	4.1	23.3	104.6
1994	45.5	22.3	9.8	4.2	23.2	105.0
1995	46.4	21.8	9.7	4.5	22.8	105.2
1996	45.7	22.7	10.4	4.5	22.4	105.7
1997	45.7	22.5	10.3	4.6	22.4	105.5
1998	46.2	22.3	9.9	4.4	22.9	105.7
1999	46.5	22.3	10.2	4.5	22.4	105.9
2000	46.2	23.1	10.3	4.5	22.0	106.1
2001	46.2	23.8	9.8	4.3	21.6	105.7
2002	47.3	23.2	9.8	4.3	21.5	106.1
2003	46.9	23.7	9.5	4.2	22.1	106.4
2004	46.8	23.9	9.7	4.0	22.2	106.6
2005	46.2	25.0	9.8	3.6	21.6	106.2
2006	45.8	25.4	9.3	3.9	21.7	106.1
2007	45.5	26.1	9.1	4.1	21.5	106.3
2008	44.2	27.8	9.7	4.1	20.7	106.5
2009	46.6	26.6	9.2	4.1	20.1	106.6
2010	46.3	27.2	9.2	4.3	20.1	107.1
2011	45.6	28.6	9.3	4.0	19.5	107.0
2012	45.7	28.7	9.4	4.0	19.0	106.8
2013	45.7	29.1	9.4	3.9	18.9	107.0
2014	45.7	29.5	9.4	4.0	17.9	106.5
2015	46.0	29.5	9.6	3.7	17.6	106.4
2016	47.0	28.4	9.8	3.8	17.6	106.6
2017	46.5	29.0	9.9	3.7	17.4	106.5
2018	46.1	29.2	10.3	3.6	17.2	106.4
2019	46.2	29.7	10.5	3.5	16.4	106.3
2020	46.9	32.0	6.9	3.7	16.8	106.3

**Source:**

U.S. Department of Energy, Energy Information Administration, *Petroleum Supply Navigator*, April 2021.  
(Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Includes aviation gasoline (0.1%), kerosene (0.1%), residual fuel oil (3.1%), naphtha and other oils for petrochemical feedstock use (1.2%), other oils for petrochemical feedstock use (0.7%), special naphthas (0.2%), lubricants (1.0%), petroleum coke (5.2%) asphalt and road oil (2.2%), still gas (4.2%), and miscellaneous products (0.6%).

<sup>b</sup> Products sum to greater than 100% due to processing gain. The processing gain for years 1978 to 1980 is assumed to be 4%.

*Domestic petroleum production increased in 2009 for the first time in 20 years and reached an all-time high of 17 mmbd in 2019. Most of the petroleum imported by the United States is in the form of crude oil. Exports were at an all-time high in 2019 as well, partly due to a lift of crude oil export restrictions in December 2015.*

**Table 1.11**  
**United States Petroleum Production, Imports, and Exports, 1950–2020**  
**(million barrels per day)**

	Domestic production			Total imports			Exports				
	Crude oil	Natural gas plant liquids	Total <sup>a</sup>	Crude oil	Petroleum products	Total	Crude oil	Petroleum products	Total		
1950	5.41	0.50	5.91	0.49	0.36	0.85	0.10	0.21	0.31		
1955	6.81	0.77	7.58	0.78	0.47	1.25	0.03	0.34	0.37		
1960	7.04	0.93	7.96	1.02	0.80	1.82	0.01	0.19	0.20		
1965	7.80	1.21	9.01	1.24	1.23	2.47	0.00	0.18	0.19		
1970	9.64	1.66	11.30	1.32	2.10	3.42	0.01	0.25	0.26		
1975	8.38	1.63	10.01	4.11	1.95	6.06	0.01	0.20	0.21		
1980	8.60	1.57	10.17	5.26	1.65	6.91	0.29	0.26	0.54		
1985	8.97	1.61	10.58	3.20	1.87	5.07	0.20	0.58	0.78		
1990	7.36	1.56	8.91	5.89	2.12	8.02	0.11	0.75	0.86		
1995	6.56	1.76	8.32	7.23	1.61	8.83	0.09	0.85	0.95		
1996	6.46	1.83	8.29	7.51	1.97	9.48	0.11	0.87	0.98		
1997	6.45	1.82	8.27	8.23	1.94	10.16	0.11	0.90	1.00		
1998	6.25	1.76	8.01	8.71	2.00	10.71	0.11	0.83	0.94		
1999	5.88	1.85	7.73	8.73	2.12	10.85	0.12	0.82	0.94		
2000	5.82	1.91	7.73	9.07	2.39	11.46	0.05	0.99	1.04		
2001	5.80	1.87	7.67	9.33	2.54	11.87	0.02	0.95	0.97		
2002	5.74	1.88	7.62	9.14	2.39	11.53	0.01	0.97	0.98		
2003	5.65	1.72	7.37	9.66	2.60	12.26	0.01	1.01	1.03		
2004	5.44	1.81	7.25	10.09	3.06	13.15	0.03	1.02	1.05		
2005	5.18	1.72	6.90	10.13	3.59	13.71	0.03	1.13	1.16		
2006	5.09	1.74	6.82	10.12	3.59	13.71	0.02	1.29	1.32		
2007	5.07	1.78	6.86	10.03	3.44	13.47	0.03	1.41	1.43		
2008	5.00	1.78	6.78	9.78	3.13	12.92	0.03	1.77	1.80		
2009	5.36	1.91	7.27	9.01	2.68	11.69	0.04	1.98	2.02		
2010	5.48	2.07	7.56	9.21	2.58	11.79	0.04	2.31	2.35		
2011	5.67	2.22	7.88	8.94	2.50	11.44	0.05	2.94	2.99		
2012	6.52	2.41	8.93	8.53	2.07	10.60	0.07	3.14	3.20		
2013	7.49	2.61	10.10	7.73	2.13	9.86	0.13	3.49	3.62		
2014	8.79	3.01	11.80	7.34	1.90	9.24	0.35	3.82	4.18		
2015	9.45	3.34	12.79	7.36	2.09	9.45	0.47	4.27	4.74		
2016	8.85	3.51	12.36	7.85	2.20	10.06	0.59	4.67	5.26		
2017	9.37	3.78	13.15	7.97	2.18	10.14	1.16	5.22	6.38		
2018	10.96	4.37	15.33	7.77	2.17	9.94	2.05	5.55	7.60		
2019	12.25	4.82	17.07	6.80	2.34	9.14	2.98	5.49	8.47		
2020	11.31	5.16	16.47	5.88	1.98	7.86	3.18	5.33	8.51		
				<i>Average annual percentage change</i>							
1950-2020	1.1%	3.4%	1.5%	3.6%	2.5%	3.2%	5.1%	4.7%	4.9%		
1970-2020	0.3%	2.3%	0.8%	3.0%	-0.1%	1.7%	11.5%	6.4%	7.2%		
2010-2020	7.5%	9.5%	8.1%	-4.4%	-2.6%	-4.0%	54.3%	8.7%	13.7%		

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Tables 3.1, 3.3b, and 3.3e. (Additional resources: [www.eia.gov](http://www.eia.gov))

<sup>a</sup> Total domestic production includes crude oil, natural gas plant liquids and small amounts of other liquids.

*U.S. petroleum production has been mainly increasing and petroleum imports decreasing from 2009 to 2019. Despite a slight decline in petroleum production in 2020, net imports of petroleum in 2020 were negative for the first time in the series history. Transportation petroleum use as a share of domestic production went below 100% in 2018 for the first time since the 1980's.*

**Table 1.12**  
**Petroleum Production and Transportation Petroleum Consumption in Context, 1950–2020**

	Domestic petroleum production <sup>a</sup>	Net petroleum imports	Transportation petroleum consumption	U.S. petroleum consumption	World petroleum consumption	Net imports as a share of U.S. consumption	U.S. petroleum consumption as a share of world consumption	Transportation petroleum use as a share of domestic production
	(million barrels per day)							
1950	5.91	0.55	3.36	6.46	<sup>b</sup>	8.4%	<sup>b</sup>	56.8%
1955	7.58	0.88	4.46	8.46	<sup>b</sup>	10.4%	<sup>b</sup>	58.8%
1960	7.99	1.62	5.15	9.82	21.34	16.5%	46.0%	64.5%
1965	9.01	2.28	6.04	11.51	31.14	19.8%	37.0%	67.0%
1970	11.30	3.16	7.78	14.70	46.81	21.5%	31.4%	68.9%
1975	10.01	5.85	8.92	16.32	56.20	35.8%	29.0%	89.4%
1980	10.17	6.36	9.55	17.06	63.11	37.3%	27.0%	93.9%
1985	10.58	4.29	9.84	15.73	60.13	27.3%	26.2%	93.0%
1990	8.91	7.16	10.89	16.99	66.67	42.2%	25.5%	122.1%
1995	8.32	7.89	11.67	17.72	69.87	44.5%	25.4%	140.2%
2000	7.73	10.42	13.01	19.70	77.07	52.9%	25.6%	168.3%
2001	7.67	10.90	12.94	19.65	77.79	55.5%	25.3%	168.7%
2002	7.62	10.55	13.21	19.76	78.62	53.4%	25.1%	173.2%
2003	7.37	11.24	13.29	20.03	80.24	56.1%	25.0%	180.3%
2004	7.25	12.10	13.72	20.73	83.43	58.4%	24.8%	189.2%
2005	6.90	12.55	13.96	20.80	84.65	60.3%	24.6%	202.3%
2006	6.82	12.39	14.18	20.69	85.80	59.9%	24.1%	207.7%
2007	6.86	12.04	14.29	20.68	87.19	58.2%	23.7%	208.4%
2008	6.78	11.11	13.62	19.50	86.70	57.0%	22.5%	200.8%
2009	7.27	9.67	13.30	18.77	85.83	51.5%	21.9%	183.0%
2010	7.56	9.44	13.50	19.18	88.70	49.2%	21.6%	178.6%
2011	7.88	8.45	13.29	18.90	89.38	44.7%	21.1%	168.6%
2012	8.93	7.39	13.01	18.48	90.71	40.0%	20.4%	145.7%
2013	10.10	6.24	13.25	18.97	92.24	32.9%	20.6%	131.2%
2014	11.80	5.07	13.45	19.10	93.53	26.5%	20.4%	114.0%
2015	12.79	4.71	13.65	19.53	95.26	24.1%	20.5%	106.7%
2016	12.36	4.79	13.89	19.69	96.79	24.3%	20.3%	112.3%
2017	13.15	3.77	14.02	19.95	98.94	18.9%	20.2%	106.6%
2018	15.33	2.34	14.15	20.51	100.05	11.4%	20.5%	92.3%
2019	17.07	0.67	14.14	20.54	<sup>b</sup>	3.3%	<sup>b</sup>	82.8%
2020	16.47	-0.65	11.96	18.12	<sup>b</sup>	-3.6%	<sup>b</sup>	72.7%
			<i>Average annual percentage change</i>					
1950-2020	1.5%	<sup>b</sup>	1.8%	1.5%	<sup>b</sup>			
1970-2020	0.8%	<sup>b</sup>	0.9%	0.4%	1.6%			
2010-2020	8.1%	<sup>b</sup>	-1.2%	-0.6%	<sup>b</sup>			

**Sources:**


U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Tables 2.5, 3.1, and 11.2. (Pre-1973 data from the *Annual Energy Review*). (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Total domestic production includes crude oil, natural gas plant liquids and small amounts of other liquids.

<sup>b</sup> Data are not available.

Before 1989 the U.S. produced enough petroleum to meet the needs of the transportation sector but was still short of meeting the petroleum needs of all the sectors, including industrial, residential and commercial, and electric utilities. In 1970 the gap between what the U.S. produced and what was consumed was about 3 million barrels per day and in 2007, the gap was 12.8 million barrels per day. By 2050, there is no gap expected if petroleum and other inputs are included or 1.6 million barrels per day if only conventional petroleum is used.

**Figure 1.5. United States Petroleum Production and Consumption – All Sectors, 1970–2050**



**Notes:** “Total U.S. Petroleum Production” includes crude oil, natural gas plant liquids, and refinery gains. It does not include dry natural gas.

“Total U.S. Petroleum Production” is for all uses.

“Total U.S. Petroleum Production with Other Inputs” also includes non-petroleum sources such as ethanol, biomass, liquids from coal, other blending components, other hydrocarbons, and ethers which were domestically produced.

The change from historical values to projected values is between 2020 and 2021, except transportation which is between 2019 and 2020.

The sharp increase in the value for heavy trucks between 2006 and 2007 is the result of the Federal Highway Administration’s methodology change.


**Sources:**

Historical transportation petroleum use – See Tables 1.14 and 1.15. Historical petroleum use for other sectors – See Table 1.13. Historical U.S. petroleum production – Energy Information Administration, *Monthly Energy Review September 2021*, Table 3.1. Historical other inputs - Energy Information Administration, *Monthly Energy Review September 2021*, Tables 10.3 and 10.4. Forecasted petroleum use and petroleum production – Energy Information Administration, *2021 Annual Energy Outlook*, January 2021, reference case tables 7, 11, and 35.

In 1989, for the first time, petroleum consumption for transportation surpassed total U.S. petroleum production, which was declining. These contrasting trends in production and consumption created a gap that was met with foreign imports of petroleum. In 2009, however, the U.S. production of petroleum (for all uses including, but not limited to, transportation) began to increase substantially because of new hydraulic fracturing and oil extraction technology. In 2015, total production exceeded all transportation sector petroleum consumption for the first time. Transportation accounted for about two-thirds of all U.S. petroleum consumption in 2020.

The Energy Information Administration expects petroleum production to be greater than transportation consumption through 2050. Including non-petroleum sources such as ethanol, the production will exceed transportation demand by approximately 7.7 million barrels per day in 2050.

**Figure 1.6. United States Petroleum Production and Transportation Consumption, 1970–2050**



**Notes:** “Total U.S. Petroleum Production” includes crude oil, natural gas plant liquids, and refinery gains. It does not include dry natural gas.

“Total U.S. Petroleum Production” is for all uses, including but not limited to transportation.

“Total U.S. Petroleum Production with Other Inputs” also includes non-petroleum sources such as ethanol, biomass, liquids from coal, other blending components, other hydrocarbons, and ethers which were domestically produced.

The change from historical values to projected values is between 2019 and 2020.

The sharp increase in the value for heavy trucks between 2006 and 2007 is the result of the Federal Highway Administration’s methodology change.

**Sources:**

Historical transportation petroleum use – See Tables 1.14 and 1.15. Historical U.S. petroleum production – Energy Information Administration, *Monthly Energy Review September 2021*, Table 3.1. Historical other inputs - Energy Information Administration, *Monthly Energy Review September 2021*, Tables 10.3 and 10.4. Forecasted petroleum use and petroleum production – Energy Information Administration, *2021 Annual Energy Outlook*, January 2021, reference case tables 7, 11, and 35.

*Transportation accounted for about 70% of U.S. petroleum use from 2008 to 2018, but declined to 66% in 2020, likely due to less travel during the COVID-19 pandemic. Total petroleum use in 2020 was at the lowest level since 1995.*

**Table 1.13**  
**Consumption of Petroleum by End-Use Sector, 1950–2020**  
**(million barrels per day)**

Year	Transportation	Percentage	Residential	Commercial	Industrial	Electric utilities	Total
1950	3.36	52.0%	0.66	0.41	1.82	0.21	6.46
1955	4.46	52.7%	0.89	0.52	2.39	0.21	8.46
1960	5.14	52.4%	1.12	0.59	2.71	0.24	9.80
1965	6.04	52.4%	1.24	0.67	3.25	0.32	11.51
1970	7.78	52.9%	1.42	0.76	3.81	0.93	14.70
1975	8.95	54.8%	1.29	0.65	4.04	1.39	16.32
1980	9.55	56.0%	0.89	0.63	4.84	1.15	17.06
1985	9.84	62.6%	0.81	0.53	4.07	0.48	15.73
1986	10.19	62.6%	0.80	0.57	4.09	0.64	16.28
1987	10.50	63.0%	0.85	0.55	4.21	0.55	16.67
1988	10.85	62.8%	0.87	0.54	4.35	0.68	17.28
1989	10.94	63.1%	0.88	0.51	4.25	0.75	17.33
1990	10.89	64.1%	0.74	0.49	4.30	0.57	16.99
1991	10.76	64.4%	0.74	0.46	4.22	0.53	16.71
1992	10.88	63.9%	0.75	0.44	4.52	0.43	17.03
1993	11.12	64.5%	0.77	0.41	4.44	0.49	17.24
1994	11.42	64.4%	0.76	0.41	4.67	0.47	17.72
1995	11.67	65.8%	0.74	0.38	4.59	0.33	17.72
1996	11.92	65.1%	0.81	0.40	4.82	0.36	18.31
1997	12.10	65.0%	0.78	0.38	4.95	0.41	18.62
1998	12.42	65.7%	0.72	0.36	4.84	0.58	18.92
1999	12.76	65.4%	0.82	0.37	5.03	0.53	19.52
2000	13.01	66.0%	0.87	0.41	4.90	0.51	19.70
2001	12.94	65.8%	0.85	0.41	4.89	0.56	19.65
2002	13.21	66.8%	0.82	0.38	4.93	0.43	19.76
2003	13.29	66.3%	0.86	0.43	4.92	0.53	20.03
2004	13.72	66.2%	0.84	0.42	5.22	0.53	20.73
2005	13.96	67.1%	0.81	0.39	5.10	0.55	20.80
2006	14.18	68.5%	0.69	0.34	5.19	0.29	20.69
2007	14.29	69.1%	0.71	0.34	5.06	0.29	20.68
2008	13.62	69.9%	0.76	0.35	4.56	0.21	19.50
2009	13.30	70.8%	0.68	0.35	4.27	0.17	18.77
2010	13.50	70.4%	0.66	0.34	4.51	0.17	19.18
2011	13.29	70.3%	0.61	0.34	4.52	0.14	18.90
2012	13.01	70.4%	0.51	0.30	4.56	0.10	18.48
2013	13.25	69.9%	0.57	0.30	4.72	0.12	18.97
2014	13.45	70.4%	0.61	0.32	4.58	0.14	19.10
2015	13.65	69.9%	0.58	0.48	4.69	0.13	19.53
2016	13.89	70.5%	0.52	0.47	4.71	0.11	19.69
2017	14.02	70.2%	0.52	0.46	4.86	0.10	19.95
2018	14.15	69.0%	0.61	0.48	5.15	0.12	20.51
2019	14.14	68.8%	0.58	0.48	5.25	0.09	20.54
2020	11.96	66.0%	0.52	0.42	5.13	0.08	18.12
		<i>Average annual percentage change</i>					
1950-2020	1.8%		-0.3%	0.0%	1.5%	-1.3%	1.5%
1970-2020	0.9%		-2.0%	-1.2%	0.6%	-4.7%	0.4%
2010-2020	-1.2%		-2.4%	1.8%	1.7%	-6.5%	-0.3%

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Tables 3.7a–3.7c. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

*Transportation accounted for 80% or more of petroleum consumption in twenty-three states in 2019. Florida had the highest transportation petroleum share at 91% while Louisiana had the lowest share at 22%.*

**Table 1.14**  
**Transportation Petroleum Consumption by State, 1960-2019**

State	(million barrels)							Share of transportation use to all petroleum use, 2019
	1960	1970	1980	1990	2000	2010	2019	
Alabama	31	46	61	70	83	87	90	86%
Alaska	5	11	16	30	38	37	29	75%
Arizona	19	31	45	56	82	85	103	87%
Arkansas	18	29	36	41	53	52	53	82%
California	220	333	424	511	552	562	565	85%
Colorado	19	36	45	49	66	77	85	81%
Connecticut	22	34	35	38	42	44	43	71%
Delaware	8	9	10	12	13	12	16	70%
District of Columbia	5	6	5	5	5	3	3	83%
Florida	65	112	174	209	259	281	325	91%
Georgia	38	73	100	124	158	176	176	89%
Hawaii	11	22	26	28	23	25	32	67%
Idaho	8	12	15	16	22	24	30	83%
Illinois	91	141	149	141	176	177	182	74%
Indiana	48	69	80	104	120	113	106	77%
Iowa	27	36	42	41	49	55	55	60%
Kansas	24	33	42	44	45	48	49	72%
Kentucky	25	42	56	65	79	86	90	75%
Louisiana	40	58	100	112	142	121	85	22%
Maine	12	16	16	21	22	23	20	61%
Maryland	31	50	58	61	74	82	83	87%
Massachusetts	41	64	66	75	84	84	89	78%
Michigan	71	110	114	124	148	133	144	80%
Minnesota	34	50	60	60	91	86	92	72%
Mississippi	18	29	40	46	60	63	60	80%
Missouri	46	70	75	87	102	106	106	85%
Montana	11	12	16	15	18	20	21	63%
Nebraska	16	23	25	27	31	37	37	79%
Nevada	8	14	21	24	38	37	50	86%
New Hampshire	6	10	11	14	19	20	20	64%
New Jersey	62	90	104	145	165	168	134	81%
New Mexico	14	20	25	28	34	35	41	80%
New York	142	195	184	167	174	192	218	80%
North Carolina	43	67	82	99	130	133	156	86%
North Dakota	8	10	13	12	13	16	21	58%
Ohio	87	124	144	146	179	174	164	78%
Oklahoma	27	41	53	58	74	79	76	77%
Oregon	21	33	43	49	57	58	58	87%
Pennsylvania	94	127	145	148	176	171	164	74%
Rhode Island	11	11	10	11	12	12	11	71%
South Carolina	23	36	46	57	70	84	90	88%
South Dakota	8	10	12	12	15	17	17	75%
Tennessee	32	52	73	82	105	114	124	88%
Texas	137	207	306	371	456	497	591	38%
Utah	12	17	23	27	40	41	49	82%
Vermont	4	6	6	8	10	10	9	57%
Virginia	51	79	87	106	125	135	144	88%
Washington	33	53	75	102	113	108	122	81%
West Virginia	14	19	25	25	28	28	30	72%
Wisconsin	33	50	60	62	77	82	85	77%
Wyoming	7	9	15	14	17	18	19	64%
Total	1,880	2,839	3,494	3,974	4,762	4,927	5,162	69%

**Source:**

U. S. Energy Information Administration, State Energy Data System, June 25, 2021. (Additional resources: [eia.doe.gov](http://eia.doe.gov))

*Cars and light trucks use most of the petroleum in the transportation sector. Light trucks include pick-ups, minivans, sport-utility vehicles, and vans. Table 1.16 shows nonhighway petroleum consumption. See Table 2.9 for highway energy use in trillion Btu.*

**Table 1.15**  
**Highway Transportation Petroleum Consumption by Mode, 1970–2019<sup>a</sup>**  
**(thousand barrels per day)**

Year	Cars	Light trucks	Light vehicle subtotal	Motor-cycles	Buses	Class 3-6 trucks	Class 7-8 trucks	Heavy trucks subtotal	Highway subtotal	Total transportation <sup>b</sup>
1970	4,424	803	5,227	4	62	140	598	738	6,031	7,301
1975	4,836	1,245	6,081	7	58	181	771	952	7,099	8,435
1980	4,565	1,552	6,117	13	68	247	1,055	1,302	7,500	9,092
1985	4,665	1,785	6,450	12	72	265	1,131	1,396	7,930	9,526
1986	4,773	1,897	6,670	12	76	271	1,155	1,426	8,184	9,882
1987	4,782	1,996	6,778	12	77	279	1,190	1,469	8,336	10,099
1988	4,784	2,130	6,914	13	80	284	1,211	1,495	8,503	10,328
1989	4,821	2,170	6,992	14	79	291	1,242	1,534	8,618	10,490
1990	4,538	2,323	6,861	12	78	304	1,294	1,597	8,549	10,414
1991	4,196	2,493	6,688	12	83	310	1,320	1,630	8,413	10,236
1992	4,268	2,670	6,938	12	87	315	1,345	1,660	8,698	10,574
1993	4,374	2,795	7,169	13	86	325	1,386	1,711	8,979	10,811
1994	4,428	2,878	7,305	13	86	343	1,463	1,806	9,211	11,082
1995	4,440	2,975	7,415	13	87	357	1,523	1,881	9,396	11,340
1996	4,515	3,089	7,604	13	88	367	1,564	1,931	9,636	11,595
1997	4,559	3,222	7,781	13	91	370	1,579	1,949	9,834	11,769
1998	4,677	3,292	7,969	13	93	382	1,630	2,012	10,086	12,004
1999	4,780	3,448	8,228	14	96	420	1,792	2,212	10,550	12,637
2000	4,766	3,453	8,219	14	98	437	1,861	2,298	10,630	12,787
2001	4,798	3,491	8,290	13	93	436	1,859	2,295	10,690	12,656
2002	4,923	3,602	8,525	12	91	456	1,944	2,401	11,029	12,938
2003	4,866	3,963	8,829	12	90	443	1,890	2,334	11,265	13,118
2004	4,919	4,137	9,055	13	92	411	1,752	2,162	11,323	13,384
2005	5,050	3,840	8,890	12	93	461	1,965	2,426	11,422	13,553
2006	4,893	3,959	8,852	14	94	470	2,006	2,476	11,436	13,596
2007	4,852	4,034	8,885	31	92	585	2,495	3,080	12,089	14,286
2008	4,664	3,992	8,656 <sup>c</sup>	32	95	591	2,521	3,112	11,895	13,977
2009	4,344	4,033	8,376	31	95	549	2,341	2,890	11,392	13,248
2010	4,060	4,220	8,280	28	90	558	2,379	2,937	11,335	13,282
2011	3,891	4,291	8,182	28	92	525	2,240	2,766	11,068	12,988
2012	3,777	4,331	8,108	32	95	525	2,238	2,763	10,998	12,777
2013	3,737	4,276	8,013	31	97	537	2,288	2,824	10,965	12,673
2014	3,684	4,502	8,185	30	98	545	2,325	2,871	11,184	12,852
2015	3,602	4,627	8,229	29	100	542	2,311	2,853	11,210	12,955
2016	3,539	4,769	8,308	30	102	556	2,372	2,928	11,368	13,169
2017	3,410	4,816	8,226	30	105	570	2,429	2,998	11,359	13,198
2018	3,338	4,814	8,152	30	107	575	2,452	3,027	11,316	13,225
2019	3,169	4,948	8,117	29	106	566	2,412	2,977	11,230	13,080
<i>Average annual percentage change</i>										
1970-2019	-0.7%	3.8%	0.9%	4.2%	1.1%	2.9%	2.9%	2.9%	1.3%	1.2%
2009-2019	-3.1%	2.1%	-0.3%	-0.7%	1.1%	0.3%	0.3%	0.3%	-0.1%	-0.1%

**Source:**

See Appendix A, Section 2.1 Highway Energy Use.

<sup>a</sup> Each gallon of petroleum product was assumed to equal one gallon of crude oil. The oil used to produce electricity is also estimated. See Appendix A, Section 2.4 for details.

<sup>b</sup> Total transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g., snowmobiles).

<sup>c</sup> Due to changes in the FHWA fuel use methodology, motorcycle, bus, and heavy truck data are not comparable with data before the year 2007. Car and light truck data changed after 2008; see Appendix A, Section 7, Car/Light Truck Shares.



Although 19% of transportation energy use is for nonhighway modes, only 14% of transportation petroleum use is for nonhighway. This is because some nonhighway modes, such as pipelines and transit rail, use electricity. An estimate for the petroleum used to make electricity is included in the data. Table 1.15 shows highway petroleum consumption. See Table 2.10 for nonhighway transportation energy use in trillion Btu.

**Table 1.16**  
**Nonhighway Transportation Petroleum Consumption by Mode, 1970–2019<sup>a</sup>**  
(thousand barrels per day)

Year	Air	Water	Pipeline	Rail	Nonhighway subtotal	Total transportation <sup>b</sup>	
1970	625	381	14	250	1,270	7,301	
1975	651	423	16	246	1,336	8,435	
1980	697	625	11	259	1,592	9,092	
1985	814	564	4	214	1,596	9,526	
1990	991	655	5	214	1,865	10,414	
1991	928	690	4	201	1,823	10,236	
1992	942	724	3	207	1,876	10,574	
1993	961	653	4	213	1,831	10,811	
1994	1,004	635	4	229	1,871	11,082	
1995	1,036	668	2	238	1,944	11,340	
1996	1,068	644	3	244	1,959	11,595	
1997	1,113	574	3	245	1,935	11,769	
1998	1,102	566	4	246	1,918	12,004	
1999	1,202	626	4	255	2,087	12,637	
2000	1,236	663	3	254	2,157	12,787	
2001	1,161	546	4	255	1,966	12,656	
2002	1,079	572	3	256	1,909	12,938	
2003	1,094	494	3	262	1,853	13,118	
2004	1,188	593	3	276	2,061	13,384	
2005	1,226	623	3	279	2,131	13,553	
2006	1,216	657	2	285	2,159	13,596	
2007	1,215	704	2	276	2,197	14,286	
2008	1,160	657	1	265	2,083	13,977	
2009	1,029	604	1	221	1,856	13,248	
2010	1,040	665	1	240	1,946	13,282	
2011	1,044	623	1	253	1,920	12,988	
2012	1,006	525	1	247	1,779	12,777	
2013	987	467	1	253	1,708	12,673	
2014	997	405	1	265	1,668	12,852	
2015	1,025	465	1	254	1,745	12,955	
2016	1,054	512	1	234	1,801	13,169	
2017	1,080	517	1	242	1,839	13,198	
2018	1,142	514	1	252	1,909	13,225	
2019	1,147	466	1	237	1,851	13,080	
			<i>Average annual percentage change</i>				
1970-2019	1.2%	0.4%	-6.2%	-0.1%	0.8%	1.2%	
2009-2019	1.1%	-2.6%	-5.9%	0.7%	0.0%	-0.1%	

**Source:**

See Appendix A, Section 2.3. Nonhighway Energy Use.

<sup>a</sup> Each gallon of petroleum product was assumed to equal one gallon of crude oil. The oil used to produce electricity is also estimated. See Appendix A, Section 2.3 Nonhighway Energy Use for details.

<sup>b</sup> Total transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g., snowmobiles).

*Highway vehicles were responsible for 85.9% of all transportation petroleum use in 2019. See Table 2.8 for transportation energy use in trillion Btu.*

**Table 1.17**  
**Transportation Petroleum Use by Mode, 2018–2019<sup>a</sup>**

	Thousand barrels per day		Percentage of total <sup>b</sup>		Percentage of total U.S. petroleum consumption <sup>b</sup>	
	2018	2019	2018	2019	2018	2019
<b>HIGHWAY</b>	<b>11,316.4</b>	<b>11,229.8</b>	<b>85.6%</b>	<b>85.9%</b>	<b>55.2%</b>	<b>54.7%</b>
<b>Light vehicles</b>	<b>8,182.2</b>	<b>8,146.3</b>	<b>61.9%</b>	<b>62.3%</b>	<b>39.9%</b>	<b>39.7%</b>
Cars	3,338.2	3,168.9	25.2%	24.2%	16.3%	15.4%
Light trucks <sup>c</sup>	4,814.2	4,948.2	36.4%	37.8%	23.5%	24.1%
Motorcycles	29.8	29.2	0.2%	0.2%	0.1%	0.1%
<b>Buses</b>	<b>107.1</b>	<b>106.1</b>	<b>0.8%</b>	<b>0.8%</b>	<b>0.5%</b>	<b>0.5%</b>
Transit	42.4	42.4	0.3%	0.3%	0.2%	0.2%
Intercity	18.6	18.3	0.1%	0.1%	0.1%	0.1%
School	46.1	45.3	0.3%	0.3%	0.2%	0.2%
<b>Medium/heavy trucks</b>	<b>3,027.1</b>	<b>2,977.4</b>	<b>22.9%</b>	<b>22.8%</b>	<b>14.8%</b>	<b>14.5%</b>
Class 3-6	575.1	565.7	4.3%	4.3%	2.8%	2.8%
Class 7-8	2,451.9	2,411.7	18.5%	18.4%	12.0%	11.7%
<b>NONHIGHWAY</b>	<b>1,908.6</b>	<b>1,850.6</b>	<b>14.4%</b>	<b>14.1%</b>	<b>9.3%</b>	<b>9.0%</b>
<b>Air</b>	<b>1,141.5</b>	<b>1,146.9</b>	<b>8.6%</b>	<b>8.8%</b>	<b>5.6%</b>	<b>5.6%</b>
General aviation	133.7	111.4	1.0%	0.9%	0.7%	0.5%
Domestic air carriers	792.6	818.1	6.0%	6.3%	3.9%	4.0%
International air carriers	215.2	217.3	1.6%	1.7%	1.0%	1.1%
<b>Water</b>	<b>514.3</b>	<b>466.4</b>	<b>3.9%</b>	<b>3.6%</b>	<b>2.5%</b>	<b>2.3%</b>
Freight	405.7	357.3	3.1%	2.7%	2.0%	1.7%
Recreational	108.6	109.2	0.8%	0.8%	0.5%	0.5%
<b>Pipeline</b>	<b>0.8</b>	<b>0.6</b>	<b>0.0%</b>	<b>0.0%</b>	<b>0.0%</b>	<b>0.0%</b>
<b>Rail</b>	<b>252.0</b>	<b>236.7</b>	<b>1.9%</b>	<b>1.8%</b>	<b>1.2%</b>	<b>1.2%</b>
Freight (Class I)	241.2	226.0	1.8%	1.7%	1.2%	1.1%
Passenger	10.9	10.8	0.1%	0.1%	0.1%	0.1%
Transit	0.2	0.1	0.0%	0.0%	0.0%	0.0%
Commuter	6.8	6.8	0.1%	0.1%	0.0%	0.0%
Intercity	4.0	3.8	0.0%	0.0%	0.0%	0.0%
<b>HWY &amp; NONHWY TOTAL<sup>d</sup></b>	<b>13,225.0</b>	<b>13,080.4</b>	<b>100.0%</b>	<b>100.0%</b>	<b>64.5%</b>	<b>63.7%</b>
<b>Off-Highway<sup>e</sup></b>	<b>1,957.6</b>	<b>1,998.0</b>				

**Source:**

See Appendix A, Section 2. Energy Use Sources.

<sup>a</sup> Each gallon of petroleum product was assumed to equal one gallon of crude oil. The oil used to produce electricity is also estimated. See Appendix A, Section 2.4 for details.

<sup>b</sup> Percentages may not sum to totals due to rounding.

<sup>c</sup> Two-axle, four-tire trucks.

<sup>d</sup> Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles).

<sup>e</sup> Includes equipment that does not travel on roads, such as equipment from agriculture, construction, and airports.

# ENERGY


# Chapter 2



*Credit: Allou/iStock/Getty Images*

*Petroleum accounted for 33% of the world's energy use in 2018. Although petroleum and natural gas are the dominant energy sources for OECD countries, the non-OECD countries rely on coal and petroleum. The U.S. shares of primary energy sources are similar to the OECD countries as a whole, but with a lesser reliance on renewables and a greater reliance on natural gas.*

**Figure 2.1. World Consumption of Primary Energy, 2018**




**Note:** The United States data are shown separately but are also included in the OECD data.

**Source:**


U.S. Department of Energy, Energy Information Administration, *International Energy Statistics*, August 2021. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

Figure 2.2. World Natural Gas Reserves, Production, and Consumption, 1980




Source:  
See Table 2.1.

Figure 2.3. World Natural Gas Reserves, Production, and Consumption, 1999



Source:  
See Table 2.1.

**Figure 2.4. World Natural Gas Reserves, Production, and Consumption, 2019**

**Source:**  
See Table 2.1.

**Table 2.1**  
**World Natural Gas Reserves, Production, and Consumption, 1980, 1999, and 2019**  
(trillion cubic feet)


	Natural gas reserves	Reserve share	Natural gas production	Production share	Natural gas consumption	Consumption share
1980						
United States	201.0	8%	19.4	36%	19.9	38%
OPEC	911.1	35%	2.2	4%	2.2	4%
Rest of world	1,473.4	57%	31.7	60%	30.9	58%
1999						
United States	164.0	3%	18.8	20%	22.4	27%
OPEC	1,842.9	36%	22.3	23%	7.3	9%
Rest of world	3,136.1	61%	55.1	57%	54.0	64%
2019						
United States	474.8	7%	34.0	24%	34.0	24%
OPEC	2,555.5	36%	22.0	15%	19.3	13%
Rest of world	4,146.6	58%	86.7	61%	91.0	64%

**Note:** Production data are dry gas production. See Glossary for OPEC countries.

**Source:**  
Energy Information Administration, *International Energy Statistics*, September 2021. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

*In 2019, the United States and Russia were by far the top natural gas producing countries with nearly triple that of any other country. Although the United States produced more than Russia, Russia has 3.6 times more reserves.*

**Figure 2.5. Natural Gas Production and Reserves for the Top Ten Natural Gas Producing Countries, 2019**



**Source:** Energy Information Administration, *International Energy Statistics*, September 2021. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

Total energy use was over 100 quads in 2018 and 2019 with transportation using 28% but in 2020 transportation used only 26% of U.S. energy. The Energy Information Administration includes renewable energy in the appropriate sectors.

**Table 2.2**  
**U. S. Consumption of Total Energy by End-Use Sector, 1950–2020**  
**(quadrillion Btu)**

Year	Transportation	Percentage transportation of				Total <sup>a</sup>
		total	Industrial	Commercial	Residential	
1950	8.5	24.5%	16.2	3.9	6.0	34.6
1955	9.6	23.8%	19.5	3.9	7.3	40.2
1960	10.6	23.5%	20.8	4.6	9.0	45.0
1965	12.4	23.0%	25.0	5.8	10.6	54.0
1970	16.1	23.7%	29.6	8.3	13.8	67.8
1975	18.2	25.4%	29.4	9.5	14.8	71.9
1980	19.7	25.2%	32.0	10.6	15.8	78.0
1985	20.1	26.3%	28.8	11.5	16.0	76.3
1990	22.4	26.6%	31.7	13.3	16.9	84.4
1995	23.8	26.2%	33.9	14.7	18.5	90.9
1996	24.4	26.0%	34.8	15.2	19.5	93.9
1997	24.7	26.2%	35.1	15.7	19.0	94.5
1998	25.2	26.8%	34.8	16.0	19.0	94.9
1999	25.9	26.8%	34.7	16.4	19.6	96.5
2000	26.5	26.9%	34.6	17.2	20.4	98.7
2001	26.2	27.3%	32.7	17.1	20.0	96.1
2002	26.8	27.5%	32.6	17.3	20.8	97.5
2003	26.9	27.5%	32.5	17.3	21.1	97.8
2004	27.8	27.8%	33.4	17.7	21.1	100.0
2005	28.3	28.2%	32.4	17.9	21.6	100.1
2006	28.7	28.9%	32.3	17.7	20.7	99.4
2007	28.8	28.6%	32.3	18.3	21.5	100.9
2008	27.4	27.8%	31.3	18.4	21.7	98.8
2009	26.6	28.3%	28.4	17.9	21.1	93.9
2010	27.0	27.7%	30.6	18.1	21.9	97.5
2011	26.6	27.5%	30.9	18.0	21.4	96.9
2012	26.1	27.7%	31.0	17.4	19.9	94.4
2013	26.6	27.4%	31.5	17.9	21.1	97.1
2014	26.9	27.3%	31.7	18.3	21.4	98.3
2015	27.2	28.0%	31.4	18.2	20.6	97.4
2016	27.8	28.5%	31.3	18.0	20.2	97.3
2017	28.0	28.7%	31.9	17.9	19.9	97.7
2018	28.5	28.1%	32.8	18.4	21.5	101.2
2019	28.5	28.4%	32.8	18.0	21.0	100.3
2020	24.3	26.1%	31.2	16.8	20.7	93.0
		<i>Average annual percentage change</i>				
1950-2020	1.5%		0.9%	2.1%	1.8%	1.4%
1970-2020	0.8%		0.1%	1.4%	0.8%	0.6%
2010-2020	-1.0%		0.2%	-0.7%	-0.5%	-0.5%

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 2.1. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Electrical energy losses have been distributed among the sectors. Renewable energy consumption is included in the appropriate sectors.



*In transportation, the alcohol fuels blended into gasoline to make gasohol (10% ethanol or less) are counted under “renewables” and are not in with petroleum. The petroleum category, however, still contains other blending agents that are not actually petroleum but are not broken out into a separate category.*

**Table 2.3**  
**Distribution of Energy Consumption by Source and Sector, 1973 and 2020**  
**(percentage)**

Energy source	Transportation		Residential		Commercial	
	1973	2020	1973	2020	1973	2020
Petroleum <sup>a</sup>	95.8	90.3%	18.8	4.2%	16.8	4.4%
Natural gas <sup>b</sup>	4.0	4.2%	33.4	23.2%	27.8	19.5%
Coal	0.0	0.0%	0.6	0.0%	1.7	0.1%
Renewable	0.0	5.2%	2.4	3.8%	0.1	1.7%
Nuclear	0.0	0.0%	0.0	0.0%	0.0	0.0%
Electricity <sup>c</sup>	0.2	0.3%	44.8	68.8%	53.6	74.3%
<b>Total</b>	<b>100.0</b>	<b>100.0%</b>	<b>100.0</b>	<b>100.0%</b>	<b>100.0</b>	<b>100.0%</b>

Energy source	Industrial		Electric utilities	
	1973	2020	1973	2020
Petroleum <sup>a</sup>	27.9	27.2%	17.8	0.5%
Natural gas <sup>b</sup>	31.8	33.6%	19.0	33.4%
Coal	12.4	3.0%	44.0	23.1%
Renewable	3.7	7.4%	14.4	19.4%
Nuclear	0.0	0.0%	4.6	23.1%
Electricity <sup>c</sup>	24.2	28.8%	0.2	0.5%
<b>Total</b>	<b>100.0</b>	<b>100.0%</b>	<b>100.0</b>	<b>100.0%</b>

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Tables 2.2, 2.3, 2.4, 2.5, and 2.6. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> In transportation, the petroleum category contains some blending agents which are not petroleum.

<sup>b</sup> Includes supplemental gaseous fuels. Transportation sector includes pipeline fuel and natural gas vehicle use.

<sup>c</sup> Includes electrical system energy losses.

Total transportation energy consumption was 24.3 quads in 2020, down from 28.5 quads the previous year. Petroleum has accounted for more than 90% of transportation energy consumption since the mid-1950's. Renewables, including ethanol and biodiesel, were 5.2% of the total in 2020.

**Table 2.4**  
**Distribution of Transportation Energy Consumption by Source, 1950–2020**

Year	Petroleum <sup>a</sup>	Natural gas <sup>b</sup>	Coal	Renewables	Electricity <sup>c</sup>	Total (trillion Btu)
1950	78.8%	1.5%	18.4%	0.0%	1.3%	8,492.5
1955	92.1%	2.7%	4.4%	0.0%	0.8%	9,550.2
1960	95.6%	3.4%	0.7%	0.0%	0.3%	10,596.0
1965	95.4%	4.2%	0.1%	0.0%	0.3%	12,432.5
1970	95.1%	4.6%	0.0%	0.0%	0.2%	16,098.3
1975	96.5%	3.3%	0.0%	0.0%	0.2%	18,245.1
1980	96.5%	3.3%	0.0%	0.0%	0.2%	19,696.7
1985	96.9%	2.6%	0.0%	0.2%	0.2%	20,088.0
1990	96.5%	3.0%	0.0%	0.3%	0.2%	22,419.0
1991	96.6%	2.8%	0.0%	0.3%	0.2%	22,118.0
1992	96.7%	2.7%	0.0%	0.4%	0.2%	22,415.1
1993	96.5%	2.8%	0.0%	0.4%	0.2%	22,670.8
1994	96.3%	3.0%	0.0%	0.4%	0.2%	23,318.7
1995	96.3%	3.0%	0.0%	0.5%	0.2%	23,811.9
1996	96.4%	3.0%	0.0%	0.3%	0.2%	24,419.3
1997	96.2%	3.2%	0.0%	0.4%	0.2%	24,722.6
1998	96.7%	2.6%	0.0%	0.4%	0.2%	25,224.5
1999	96.7%	2.6%	0.0%	0.5%	0.2%	25,916.0
2000	96.7%	2.5%	0.0%	0.5%	0.2%	26,515.5
2001	96.7%	2.5%	0.0%	0.5%	0.2%	26,242.1
2002	96.5%	2.6%	0.0%	0.6%	0.2%	26,807.8
2003	96.5%	2.3%	0.0%	0.9%	0.3%	26,881.0
2004	96.5%	2.2%	0.0%	1.0%	0.3%	27,826.5
2005	96.3%	2.2%	0.0%	1.2%	0.3%	28,260.7
2006	95.9%	2.2%	0.0%	1.7%	0.3%	28,696.8
2007	95.3%	2.3%	0.0%	2.1%	0.3%	28,815.1
2008	94.2%	2.5%	0.0%	3.0%	0.3%	27,421.4
2009	93.5%	2.7%	0.0%	3.5%	0.3%	26,592.2
2010	93.0%	2.7%	0.0%	4.0%	0.3%	26,978.4
2011	92.6%	2.8%	0.0%	4.4%	0.3%	26,598.6
2012	92.3%	3.0%	0.0%	4.4%	0.3%	26,125.7
2013	91.5%	3.3%	0.0%	4.8%	0.3%	26,611.7
2014	92.0%	2.8%	0.0%	4.8%	0.3%	26,868.9
2015	92.1%	2.7%	0.0%	4.9%	0.3%	27,238.0
2016	91.8%	2.7%	0.0%	5.2%	0.3%	27,785.5
2017	91.7%	2.9%	0.0%	5.1%	0.3%	28,014.1
2018	91.4%	3.4%	0.0%	5.0%	0.3%	28,465.1
2019	91.2%	3.6%	0.0%	4.9%	0.3%	28,507.4
2020	90.3%	4.2%	0.0%	5.2%	0.3%	24,296.6

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 2.5. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> In transportation, the petroleum category contains some blending agents which are not petroleum.

<sup>b</sup> Includes supplemental gaseous fuels. Transportation sector includes pipeline fuel and natural gas vehicle use.

<sup>c</sup> Includes electrical system energy losses.

*Transportation energy use was 20%-30% of all energy use for 25 states in 2019. Hawaii had the highest share of transportation use at 57%. Transportation energy use in Texas and California was over 3 quads in 2019.*

**Table 2.5**  
**Transportation Energy Consumption by State, 1960-2019**

State	(trillion Btu)							Share of transportation
	1960	1970	1980	1990	2000	2010	2019	use to all energy use, 2019
Alabama	176	268	350	398	473	478	497	26%
Alaska	27	76	90	169	220	210	163	26%
Arizona	117	194	266	326	460	465	564	36%
Arkansas	105	167	204	228	294	288	287	26%
California	1,224	1,833	2,364	2,835	3,018	3,044	3,073	39%
Colorado	104	195	251	271	366	420	462	29%
Connecticut	117	183	185	206	228	237	234	32%
Delaware	44	50	54	63	70	64	85	29%
District of Columbia	29	33	27	27	28	19	22	13%
Florida	348	608	951	1,137	1,404	1,514	1,748	40%
Georgia	209	401	550	682	860	951	942	32%
Hawaii	62	125	147	155	125	136	174	57%
Idaho	42	66	83	91	124	134	167	30%
Illinois	504	791	821	788	968	967	1,008	25%
Indiana	265	378	442	582	659	610	573	21%
Iowa	151	210	238	236	271	302	305	19%
Kansas	173	251	279	280	270	281	284	25%
Kentucky	154	261	324	380	441	473	498	29%
Louisiana	257	392	647	691	854	711	616	14%
Maine	67	88	83	115	120	122	106	28%
Maryland	173	273	319	331	403	440	463	34%
Massachusetts	220	349	358	407	453	445	482	33%
Michigan	387	593	620	684	816	718	781	27%
Minnesota	181	274	332	339	513	469	503	26%
Mississippi	129	216	261	291	359	362	343	32%
Missouri	254	391	411	477	555	564	567	31%
Montana	58	68	89	82	106	116	117	26%
Nebraska	94	139	141	152	173	205	207	23%
Nevada	42	73	116	133	205	201	274	35%
New Hampshire	34	51	58	73	102	104	103	32%
New Jersey	338	493	566	799	906	910	720	34%
New Mexico	91	138	176	230	226	194	230	31%
New York	802	1,099	1,027	929	971	1,065	1,211	31%
North Carolina	232	364	444	537	703	702	825	31%
North Dakota	42	54	72	65	81	101	131	20%
Ohio	485	674	787	803	985	939	894	25%
Oklahoma	151	241	308	340	426	457	464	28%
Oregon	111	183	240	280	320	317	312	30%
Pennsylvania	536	718	818	843	999	959	917	24%
Rhode Island	61	63	52	58	65	63	59	31%
South Carolina	126	199	248	309	379	447	475	29%
South Dakota	41	54	63	66	85	94	99	25%
Tennessee	174	308	409	466	583	616	667	31%
Texas	798	1,212	1,802	2,155	2,563	2,757	3,334	23%
Utah	65	92	127	149	221	231	273	32%
Vermont	19	29	34	42	52	51	46	34%
Virginia	290	446	482	584	683	725	780	32%
Washington	180	291	416	571	626	590	674	32%
West Virginia	85	108	147	147	186	171	184	22%
Wisconsin	180	271	329	341	419	432	452	24%
Wyoming	41	57	88	81	109	122	116	21%
<b>Total</b>	<b>10,597</b>	<b>16,094</b>	<b>19,697</b>	<b>22,424</b>	<b>26,521</b>	<b>26,992</b>	<b>28,456</b>	<b>28%</b>

**Source:**

U. S. Energy Information Administration, State Energy Data System, June 25, 2021.

*Ethanol is an oxygenate blended with gasoline in amounts up to 10% to be used in conventional vehicles and is blended in higher amounts up to 85% for use in flex-fuel vehicles. The production of ethanol grew to over 16 billion gallons in 2018 but has declined each year since then. Beginning in 2010, the United States began exporting more fuel ethanol than it imports. Biodiesel is a renewable fuel typically made from vegetable oils or animal fats. It can be burned in standard diesel engines and is often blended with petroleum diesel. In 2020, about 1.9 billion gallons of biodiesel were consumed.*

**Table 2.6**  
**Fuel Ethanol and Biodiesel Production, Net Imports, and Consumption, 1981–2020**  
(million gallons)

Year	Fuel ethanol			Biodiesel		
	Production	Net imports	Consumption	Production	Net imports	Consumption
1981	83.1	a	83.1	a	a	a
1985	617.1	a	617.1	a	a	a
1990	747.7	a	747.7	a	a	a
1991	866.3	a	866.3	a	a	a
1992	985.0	a	985.0	a	a	a
1993	1,154.3	10.2	1,151.0	a	a	a
1994	1,288.9	11.7	1,288.9	a	a	a
1995	1,357.7	16.3	1,382.6	a	a	a
1996	973.5	13.1	991.7	a	a	a
1997	1,288.3	3.6	1,255.8	a	a	a
1998	1,405.0	2.8	1,387.6	a	a	a
1999	1,465.0	3.7	1,442.7	a	a	a
2000	1,622.3	4.9	1,653.4	a	a	a
2001	1,765.2	13.2	1,740.7	8.6	1.7	10.3
2002	2,140.2	12.9	2,073.1	10.5	5.9	16.4
2003	2,804.4	12.3	2,826.0	14.2	(0.7)	13.5
2004	3,404.4	148.8	3,552.2	28.0	(1.1)	26.8
2005	3,904.4	135.8	4,058.6	90.8	0.0	90.8
2006	4,884.3	731.1	5,481.2	250.4	10.5	260.9
2007	6,521.0	439.2	6,885.7	489.8	(136.1)	353.7
2008	9,308.8	529.6	9,683.4	678.1	(374.6)	303.6
2009	10,937.8	198.2	11,036.6	515.8	(194.9)	321.8
2010	13,297.9	(382.8)	12,858.5	343.4	(85.0)	260.1
2011	13,929.1	(1,023.3)	12,893.3	967.5	(38.1)	886.2
2012	13,218.0	(247.4)	12,881.9	990.7	(92.5)	899.0
2013	13,292.7	(242.0)	13,215.6	1,359.5	146.0	1,428.8
2014	14,312.8	(771.6)	13,444.0	1,279.0	109.4	1,416.9
2015	14,807.2	(740.5)	13,946.7	1,263.3	246.9	1,494.2
2016	15,413.2	(1,134.1)	14,356.3	1,567.7	620.8	2,085.4
2017	15,936.3	(1,313.2)	14,485.1	1,595.7	300.1	1,985.3
2018	16,091.3	(1,655.2)	14,420.4	1,857.3	62.9	1,903.7
2019	15,778.5	(1,271.6)	14,551.7	1,724.5	56.6	1,812.8
2020	13,926.2	(1,198.7)	12,629.3	1,807.5	54.8	1,863.8
			Average annual percentage change			
1981-2020	14.0%	a	13.7%	a	a	a
2010-2020	0.5%	a	-0.2%	18.1%	a	21.8%

**Note:** Net imports are total imports minus exports.

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, March 2021, Table 10.3 and Table 10.4. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Data are not available.

*As data about alternative fuel use become available, an attempt is made to incorporate them into this table. Sometimes assumptions must be made in order to use the data. Please see Appendix A for a description of the methodology used to develop these data. See Table 1.17 for transportation petroleum use in thousand barrels per day.*

**Table 2.7**  
**Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2019<sup>a</sup>**  
**(trillion Btu)**

	Gasoline	Diesel fuel	Liquefied petroleum gas	Jet fuel	Residual fuel oil	Natural gas	Electricity <sup>b</sup>	Total <sup>c</sup>
<b><u>HIGHWAY</u></b>	<b>15,278.3</b>	<b>6,237.2</b>	<b>76.4</b>	-	-	<b>26.7</b>	<b>14.2</b>	<b>21,632.8</b>
<b>Light vehicles</b>	<b>14,640.3</b>	<b>454.5</b>	<b>55.4</b>	-	-	-	<b>14.0</b>	<b>15,164.2</b>
Cars	5,852.8	33.7					12.2	5,898.7
Light trucks <sup>d</sup>	8,731.5	420.9	55.4				1.8	9,209.5
Motorcycles	56.0							56.0
<b>Buses</b>	<b>10.4</b>	<b>186.3</b>	<b>0.2</b>	-	-	<b>26.7</b>	<b>0.2</b>	<b>223.8</b>
Transit	1.7	60.6	0.2			26.7	0.2	89.5
Intercity		38.9						38.9
School	8.7	86.7						95.4
<b>Medium/heavy trucks</b>	<b>627.6</b>	<b>5,596.4</b>	<b>20.8</b>	-	-	-	-	<b>6,244.8</b>
Class 3-6 trucks	577.4	783.5	20.6					1,381.5
Class 7-8 trucks	50.2	4,812.9	0.2					4,863.3
<b><u>NONHIGHWAY</u></b>	<b>194.4</b>	<b>812.5</b>	-	<b>2,347.4</b>	<b>530.5</b>	<b>973.5</b>	<b>109.2</b>	<b>4,967.6</b>
<b>Air</b>	<b>22.6</b>	-	-	<b>2,347.4</b>	-	-	-	<b>2,370.0</b>
General aviation	22.6			204.6				227.1
Domestic air carriers				1,693.1				1,693.1
International air carriers <sup>e</sup>				449.8				449.8
<b>Water</b>	<b>171.9</b>	<b>309.5</b>	-	-	<b>530.5</b>	-	-	<b>1,011.9</b>
Freight		268.1			530.5			798.6
Recreational	171.9	41.4						213.3
<b>Pipeline</b>	-	-	-	-	-	<b>973.5</b>	<b>84.6</b>	<b>1,058.1</b>
<b>Rail</b>	-	<b>502.9</b>	-	-	-	-	<b>24.6</b>	<b>527.5</b>
Freight (Class I)		480.4						480.4
Passenger		22.5					24.6	47.1
Transit							16.9	16.9
Commuter		14.4					6.1	20.5
Intercity		8.1					1.7	9.8
<b>TOTAL HWY &amp; NONHWY<sup>c</sup></b>	<b>15,472.7</b>	<b>7,049.7</b>	<b>76.4</b>	<b>2,347.4</b>	<b>530.5</b>	<b>1,000.2</b>	<b>123.4</b>	<b>26,600.4</b>

**Source:**

See Appendix A, Section 2. Energy Use Sources.

<sup>a</sup> Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles).

<sup>b</sup> Only end-use energy was counted for electricity.


<sup>c</sup> Totals may not sum due to rounding.

<sup>d</sup> Two-axle, four-tire trucks.

<sup>e</sup> One half of fuel used by domestic carriers in international operation.

*The gasoline and diesel used in highway modes accounted for the majority of transportation energy use (81.3%) and nearly all highway use in 2019.*

**Figure 2.6. Domestic Consumption of Transportation Energy Use by Mode and Fuel Type, 2019<sup>a</sup>**



**Note:** Residual fuel oil is heavier oil which can be used in vessel bunkering.

**Source:**  
See Table 2.7 or Appendix A, Section 2. Energy Use Sources.

<sup>a</sup> Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles). Only end-use energy was counted for electricity.

*Nonhighway modes were responsible for 18.7% of all transportation energy use in 2019. See Table 1.17 for transportation energy use in thousand barrels per day.*

**Table 2.8**  
**Transportation Energy Use by Mode, 2018–2019<sup>a</sup>**

	Trillion Btu		Percentage of total based on Btus	
	2018	2019	2018	2019
<b><u>HIGHWAY</u></b>	<b>21,800.9</b>	<b>21,632.8</b>	<b>81.3%</b>	<b>81.3%</b>
<b>Light vehicles</b>	<b>15,225.9</b>	<b>15,164.2</b>	<b>56.8%</b>	<b>57.0%</b>
Cars	6,209.2	5,898.7	23.1%	22.2%
Light trucks <sup>b</sup>	8,959.6	9,209.5	33.4%	34.6%
Motorcycles	57.1	56.0	0.2%	0.2%
<b>Buses</b>	<b>225.9</b>	<b>223.8</b>	<b>0.8%</b>	<b>0.8%</b>
Transit	89.2	89.5	0.3%	0.3%
Intercity	39.6	38.9	0.1%	0.1%
School	97.1	95.4	0.4%	0.4%
<b>Medium/heavy trucks</b>	<b>6,349.0</b>	<b>6,244.8</b>	<b>23.7%</b>	<b>23.5%</b>
Class 3-6 trucks	1,404.6	1,381.5	5.2%	5.2%
Class 7-8 trucks	4,944.5	4,863.3	18.4%	18.3%
<b><u>NONHIGHWAY</u></b>	<b>5,025.1</b>	<b>4,967.6</b>	<b>18.7%</b>	<b>18.7%</b>
<b>Air</b>	<b>2,358.6</b>	<b>2,370.0</b>	<b>8.8%</b>	<b>8.9%</b>
General aviation	272.8	227.1	1.0%	0.9%
Domestic air carriers	1,640.4	1,693.1	6.1%	6.4%
International air	445.4	449.8	1.7%	1.7%
<b>Water</b>	<b>1,120.0</b>	<b>1,011.9</b>	<b>4.2%</b>	<b>3.8%</b>
Freight	907.9	798.6	3.4%	3.0%
Recreational	212.1	213.3	0.8%	0.8%
<b>Pipeline</b>	<b>987.0</b>	<b>1,058.1</b>	<b>3.7%</b>	<b>4.0%</b>
<b>Rail</b>	<b>559.5</b>	<b>527.5</b>	<b>2.1%</b>	<b>2.0%</b>
Freight (Class I)	512.8	480.4	1.9%	1.8%
Passenger	46.7	47.1	0.2%	0.2%
Transit	16.4	16.9	0.1%	0.1%
Commuter	20.3	20.5	0.1%	0.1%
Intercity	10.0	9.8	0.0%	0.0%
<b>HWY &amp; NONHWY TOTAL</b>	<b>26,826.0</b>	<b>26,600.4</b>	<b>100.0%</b>	<b>100.0%</b>
<b>Off-highway<sup>c</sup></b>	<b>2,147.4</b>	<b>2,198.5</b>		

**Source:**

See Appendix A, Section 2. Energy Use Sources.

<sup>a</sup> Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles). Only end-use energy was counted for electricity.

<sup>b</sup> Two-axle, four-tire trucks.

<sup>c</sup> Includes equipment that does not travel on roads, such as equipment from agriculture, construction, and airports.

*Light trucks include pick-ups, minivans, sport-utility vehicles, and vans. See Table 1.15 for highway petroleum use in thousand barrels per day.*

**Table 2.9**  
**Highway Transportation Energy Consumption by Mode, 1970–2019**  
**(trillion Btu)**

Year	Cars	Light trucks	Light vehicles subtotal	Motor-cycles	Buses	Class 3-6 trucks	Class 7-8 trucks	Heavy trucks subtotal	Highway subtotal	Total transportation <sup>a</sup>
1970	8,479	1,539	10,018	7	129	333	1,220	1,553	11,707	15,192
1975	9,298	2,384	11,682	14	124	430	1,574	2,003	13,823	17,204
1980	8,800	2,975	11,775	26	143	929	1,757	2,686	14,630	18,760
1985	8,932	3,413	12,345	23	153	986	1,897	2,883	15,404	19,017
1986	9,138	3,629	12,767	23	160	920	2,038	2,958	15,908	20,086
1987	9,157	3,819	12,976	24	164	858	2,203	3,061	16,225	20,578
1988	9,158	4,078	13,236	25	169	860	2,257	3,118	16,548	21,131
1989	9,232	4,156	13,388	26	169	869	2,330	3,199	16,782	21,487
1990	8,688	4,451	13,139	24	167	891	2,442	3,334	16,664	21,383
1991	8,029	4,774	12,803	23	177	895	2,507	3,402	16,405	20,985
1992	8,169	5,117	13,286	24	184	897	2,570	3,468	16,962	21,646
1993	8,368	5,356	13,724	25	183	906	2,671	3,577	17,509	22,125
1994	8,470	5,515	13,985	26	183	936	2,842	3,778	17,972	22,729
1995	8,489	5,695	14,184	25	184	954	2,983	3,937	18,330	23,263
1996	8,634	5,917	14,551	24	186	958	3,088	4,045	18,806	23,773
1997	8,710	6,169	14,879	25	192	945	3,141	4,086	19,182	24,126
1998	8,936	6,303	15,239	26	196	967	3,251	4,218	19,679	24,461
1999	9,134	6,602	15,736	26	203	1,054	3,584	4,638	20,603	25,760
2000	9,100	6,607	15,707	26	209	1,085	3,734	4,819	20,761	26,071
2001	9,161	6,678	15,839	24	196	1,074	3,738	4,813	20,872	25,741
2002	9,391	6,883	16,274	24	192	1,114	3,921	5,035	21,525	26,329
2003	9,255	7,551	16,806	24	190	1,083	3,812	4,895	21,915	26,509
2004	9,331	7,861	17,192	25	194	1,003	3,532	4,535	21,946	26,965
2005	9,579	7,296	16,875	24	196	1,126	3,963	5,088	22,183	27,373
2006	9,316	7,550	16,866	28	199	1,149	4,045	5,193	22,286	27,546
2007	9,221	7,679	16,900	59	195	1,429	5,031	6,460	23,615	29,004
2008	8,831	7,572	16,404	61	200	1,444	5,083	6,527	23,192	28,365
2009	8,209	7,635	15,843	60	200	1,341	4,720	6,061	22,165	26,878
2010	7,657	7,971	15,628	53	190	1,363	4,797	6,160	22,032	26,949
2011	7,336	8,104	15,440	53	195	1,283	4,517	5,801	21,489	26,357
2012	7,121	8,180	15,300	61	200	1,282	4,512	5,794	21,356	25,966
2013	7,047	8,077	15,124	58	204	1,310	4,613	5,924	21,310	25,868
2014	6,951	8,506	15,454	57	206	1,332	4,689	6,022	21,742	25,949
2015	6,716	8,654	15,370	56	210	1,324	4,660	5,984	21,619	26,084
2016	6,577	8,890	15,467	58	214	1,359	4,783	6,142	21,881	26,485
2017	6,339	8,964	15,302	57	220	1,391	4,897	6,289	21,869	26,593
2018	6,209	8,960	15,169	57	226	1,405	4,944	6,349	21,801	26,826
2019	5,899	9,210	15,108	56	224	1,382	4,863	6,245	21,633	26,600
<i>Average annual percentage change</i>										
1970-2019	-0.7%	3.7%	0.8%	4.3%	1.1%	2.9%	2.9%	2.9%	1.3%	1.1%
2009-2019	-3.3%	1.9%	-0.5%	-0.7%	1.2%	0.3%	0.3%	0.3%	-0.2%	-0.1%

**Note:** Totals may not add due to rounding.

**Source:**

See Appendix A, Section 2.1 Highway Energy Use.

<sup>a</sup> Total transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g., snowmobiles). Only end-use energy was counted for electricity.

<sup>b</sup> Due to changes in the FHWA fuel use methodology, motorcycle, bus, and heavy truck data are not comparable with data before the year 2007. Car and light truck data changed after 2008; see Appendix A for car/light truck shares.



About 19% of transportation energy use was for nonhighway modes in 2019. Air travel accounted for 48% of nonhighway energy use in 2019. See Table 1.16 for nonhighway petroleum use in thousand barrels per day.

**Table 2.10**  
**Nonhighway Transportation Energy Consumption by Mode, 1970–2019**  
**(trillion Btu)**

Year	Air	Water	Pipeline	Rail	Nonhighway subtotal	Total transportation <sup>a</sup>	
1970	1,287	836	826	537	3,486	15,192	
1975	1,234	927	680	540	3,381	17,204	
1980	1,434	1,393	734	570	4,130	18,760	
1985	1,677	871	597	468	3,613	19,017	
1986	1,823	1,323	578	454	4,178	20,086	
1987	1,899	1,378	613	464	4,354	20,578	
1988	1,978	1,417	712	476	4,583	21,131	
1989	1,981	1,516	729	478	4,705	21,487	
1990	2,046	1,442	760	471	4,719	21,383	
1991	1,916	1,523	699	442	4,580	20,985	
1992	1,945	1,599	685	455	4,684	21,646	
1993	1,986	1,437	723	469	4,615	22,125	
1994	2,075	1,394	787	502	4,758	22,729	
1995	2,141	1,468	803	523	4,935	23,263	
1996	2,206	1,411	814	536	4,967	23,773	
1997	2,300	1,250	856	537	4,943	24,126	
1998	2,275	1,232	735	540	4,782	24,461	
1999	2,483	1,370	745	560	5,158	25,760	
2000	2,554	1,455	742	559	5,311	26,071	
2001	2,397	1,187	724	561	4,870	25,741	
2002	2,229	1,246	768	563	4,805	26,329	
2003	2,260	1,071	689	575	4,594	26,509	
2004	2,456	1,293	662	607	5,018	26,965	
2005	2,532	1,363	681	613	5,190	27,373	
2006	2,511	1,442	681	626	5,260	27,546	
2007	2,509	1,550	720	610	5,389	29,004	
2008	2,396	1,444	748	586	5,174	28,365	
2009	2,127	1,323	771	492	4,714	26,878	
2010	2,149	1,460	775	533	4,918	26,949	
2011	2,157	1,362	790	560	4,869	26,357	
2012	2,077	1,148	835	549	4,610	25,966	
2013	2,037	1,017	942	562	4,558	25,868	
2014	2,060	876	803	587	4,326	25,949	
2015	2,118	1,005	780	563	4,465	26,084	
2016	2,178	1,116	789	520	4,603	26,485	
2017	2,231	1,130	826	537	4,724	26,593	
2018	2,359	1,120	987	560	5,026	26,826	
2019	2,370	1,012	1,058	528	4,968	26,600	
			<i>Average annual percentage change</i>				
1970-2019	1.3%	0.4%	0.5%	0.0%	0.7%	1.1%	
2009-2019	1.1%	-2.6%	3.2%	0.7%	0.5%	-0.1%	

**Note:** Totals may not add due to rounding.

**Source:**

See Appendix A, Section 2.3 Nonhighway Energy Use.

<sup>a</sup> Total transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g., snowmobiles). Only end-use energy was counted for electricity.

The Environmental Protection Agency's MOVES model estimates fuel use for different types of nonroad equipment and off-highway vehicles. MOVES nonroad base data were updated in model 2014b. Most of these vehicles/equipment use diesel fuel. Recreational equipment, such as off-highway motorcycles, snowmobiles, and all-terrain vehicles, are mainly fueled by gasoline.

**Table 2.11**  
**Off-Highway Transportation-Related Fuel Consumption, 2019**  
**(trillion Btu)**

	Gasoline	Diesel	LPG	CNG	Total
Agricultural equipment <i>Tractors, mowers, combines, balers, and other farm equipment which has utility in its movement.</i>	8.2	527.0	0.0	1.6	536.8
Airport ground equipment	0.3	10.4	0.2	<sup>a</sup>	10.8
Construction and mining equipment <i>Pavers, rollers, drill rigs, graders, backhoes, excavators, cranes, mining equipment</i>	21.7	913.7	2.5	0.0	938.0
Industrial equipment <i>Forklifts, terminal tractors, sweeper/scrubbers</i>	51.6	268.2	229.9	35.1	584.7
Logging equipment <i>Feller/buncher/skidder</i>	1.1	18.5	<sup>a</sup>	<sup>a</sup>	19.6
Railroad maintenance equipment	0.2	3.3	0.0	<sup>a</sup>	3.5
Recreational equipment <i>Off-road motorcycles, snowmobiles, all-terrain vehicles, golf carts, specialty vehicles</i>	103.2	1.8	0.1	<sup>a</sup>	105.2
<b>Total</b>	<b>186.3</b>	<b>1,742.9</b>	<b>232.7</b>	<b>36.6</b>	<b>2,198.5</b>

**Source:**

Environmental Protection Agency, MOVES3.0.1, [www.epa.gov/moves](http://www.epa.gov/moves).

<sup>a</sup> There is no equipment listed for this fuel type.

*The Federal Highway Administration (FHWA) cautions that data from 1993 on may not be directly comparable to earlier years. Some states have improved reporting procedures in recent years, and the estimation procedures were revised in 1994. The FHWA no longer publishes separate estimates of gasohol or ethanol used in gasohol.*

**Table 2.12**  
**Highway Usage of Gasoline and Diesel, 1973–2019**  
**(billion gallons)**

Year	Total gasoline and gasohol	Diesel <sup>a</sup>	Percent diesel	Total highway fuel use
1973	100.6	9.8	8.9%	110.5
1975	99.4	9.6	8.8%	109.0
1980	101.2	13.8	12.0%	115.0
1985	103.6	17.8	14.6%	121.3
1986	106.8	18.4	14.7%	125.2
1987	108.7	19.0	14.9%	127.7
1988	109.8	20.1	15.5%	129.9
1989	110.6	21.2	16.1%	131.9
1990	110.2	21.4	16.3%	131.6
1991	107.9	20.7	16.1%	128.6
1992	111.0	22.0	16.5%	132.9
1993	113.7	23.5	17.1%	137.2
1994	115.0	25.1	17.9%	140.1
1995	117.1	26.2	18.3%	143.3
1996	119.5	27.2	18.5%	146.7
1997	120.9	29.4	19.6%	150.3
1998	124.7	30.2	19.5%	154.9
1999	128.7	31.9	19.9%	160.7
2000	128.9	33.4	20.6%	162.3
2001	129.7	33.4	20.5%	163.1
2002	133.0	34.8	20.7%	167.8
2003	134.1	35.5	20.9%	169.6
2004	136.5	37.4	21.5%	173.9
2005	135.2	39.1	22.4%	174.3
2006	134.8	40.1	22.9%	174.9
2007	135.4	40.7	23.1%	176.1
2008	132.2	38.6	22.6%	170.8
2009	132.9	35.3	21.0%	168.1
2010	133.1	36.6	21.6%	169.7
2011	131.5	37.1	22.0%	168.6
2012	130.9	37.4	22.2%	168.3
2013	131.3	38.4	22.6%	169.7
2014	136.5	39.7	22.5%	176.2
2015	132.2	40.5	23.5%	172.9
2016	136.3	41.6	23.4%	177.9
2017	135.3	42.7	24.0%	177.9
2018	137.2	43.5	24.1%	180.7
2019	136.1	43.9	24.4%	180.0
		<i>Average annual percentage change</i>		
1973-2019	0.7%	3.3%		1.1%
2009-2019	0.2%	2.2%		0.7%

**Source:**

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table MF-27 and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Consists primarily of diesel fuel, with small quantities of other fuels, such as liquefied petroleum gas and E85.

*Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences among the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes. These values are averages, and there is a great deal of variability even within a mode.*

**Table 2.13**  
**Passenger Travel and Energy Use, 2019<sup>a</sup>**

	Number of vehicles (thousands)	Vehicle-miles (millions)	Passenger-miles (millions)	Load factor (persons/vehicle)	Energy intensities		Energy use (trillion Btu)
					(Btu per vehicle-mile)	(Btu per passenger-mile)	
<b>Cars</b>	<b>108,547.7</b>	<b>1,374,305</b>	<b>2,116,430</b>	<b>1.5</b>	<b>4,292</b>	<b>2,787</b>	<b>5,898.7</b>
<b>Personal trucks</b>	<b>126,769.3</b>	<b>1,293,053</b>	<b>2,353,356</b>	<b>1.8</b>	<b>5,845</b>	<b>3,212</b>	<b>7,558.1</b>
<b>Motorcycles</b>	<b>8,596.3</b>	<b>19,688</b>	<b>23,626</b>	<b>1.2</b>	<b>2,844</b>	<b>2,370</b>	<b>56.0</b>
<b>Demand response<sup>b</sup></b>	<b>73.2</b>	<b>1,629</b>	<b>1,823</b>	<b>1.1</b>	<b>17,377</b>	<b>15,527</b>	<b>28.3</b>
<b>Buses</b>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<b>226.3</b>
Transit	73.2	2,566	19,311	7.5	34,877	4,634	89.5
Intercity <sup>d</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	39.6
School <sup>d</sup>	708.8	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	97.1
<b>Air</b>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<b>1,920.2</b>
Certificated route <sup>c</sup>	<sup>b</sup>	6,269	754,981	120.4	270,081	2,243	1,693.1
General aviation	211.0	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	227.1
<b>Recreational boats</b>	<b>12,691.8</b>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<sup>b</sup>	<b>213.3</b>
<b>Rail</b>	<b>21.1</b>	<b>1,504</b>	<b>39,265</b>	<b>26.1</b>	<b>31,331</b>	<b>1,200</b>	<b>47.1</b>
Intercity (Amtrak)	0.4	278.889	6,479	23.2	34,987	1,506	9.8
Transit	13.5	842.899	19,859	23.6	20,040	851	16.9
Commuter	7.2	381.773	12,928	33.9	53,587	1,583	20.5

**Source:**

See Appendix A, Section 3. Passenger Travel and Energy Use.

<sup>a</sup> Only end-use energy was counted for electricity.

<sup>b</sup> Includes passenger cars, vans, and small buses operating in response to calls from passengers to the transit operator who dispatches the vehicles.

<sup>c</sup> Data are not available.

<sup>d</sup> Energy use is estimated.

<sup>e</sup> Only domestic service and domestic energy use are shown on this table. These energy intensities may be inflated because all energy use is attributed to passengers—cargo energy use is not taken into account.

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences among the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes. These values are averages, and there is a great deal of variability even within a mode.

**Table 2.14**  
**Energy Intensities of Highway Passenger Modes, 1970–2019**

Year	Cars		Light trucks <sup>b</sup>		Transit Buses <sup>c</sup>		
	(Btu per vehicle-mile)	(Btu per passenger-mile)	(Btu per vehicle-mile)	(Btu per passenger-mile)	(Btu per vehicle-mile)	(Btu per passenger-mile)	
1970	9,250	4,868	12,479	6,568	31,796	2,472	
1975	8,993	4,733	11,879	6,496	33,748	2,814	
1980	7,916	4,279	10,224	5,548	36,553	2,813	
1985	7,164	4,110	8,730	4,737	38,876	3,423	
1990	6,169	3,856	7,746	4,557	37,374	3,794	
1991	5,912	3,695	7,351	4,376	37,732	3,877	
1992	5,956	3,723	7,239	4,361	40,243	4,310	
1993	6,087	3,804	7,182	4,379	39,043	4,262	
1994	6,024	3,765	7,212	4,452	36,932	4,225	
1995	5,902	3,689	7,208	4,505	36,936	4,271	
1996	5,874	3,683	7,247	4,473	37,238	4,315	
1997	5,797	3,646	7,251	4,421	38,622	4,407	
1998	5,767	3,638	7,260	4,373	41,062	4,374	
1999	5,821	3,684	7,327	4,361	40,351	4,320	
2000	5,687	3,611	7,158	4,211	41,466	4,506	
2001	5,626	3,583	7,080	4,116	38,320	4,123	
2002	5,662	3,612	7,125	4,101	37,340	4,110	
2003	5,535	3,537	7,673	4,374	36,900	4,191	
2004	5,489	3,513	7,653	4,320	37,665	4,342	
2005	5,607	3,594	7,009	3,919	37,244	4,229	
2006	5,511	3,538	6,974	3,862	39,397	4,297	
2007	5,513	3,546	6,904	3,787	39,748	4,352	
2008	5,466	3,520	6,830	3,712	39,726	4,328	
2009	5,239	3,380	7,159	3,895	39,073	4,233	
2010	5,117	3,304	6,919	3,769	35,858	4,107	
2011	5,032	3,252	6,795	3,706	37,648	4,232	
2012	4,950	3,201	6,675	3,645	37,037	4,023	
2013	4,874	3,155	6,557	3,585	37,273	4,052	
2014	4,797	3,107	6,631	3,630	35,237	3,810	
2015	4,646	3,012	6,486	3,555	36,322	4,059	
2016	4,525	2,936	6,366	3,494	36,826	4,283	
2017	4,450	2,890	6,169	3,389	36,468	4,535	
2018	4,374	2,840	6,064	3,332	35,075	4,560	
2019	4,292	2,787	5,943	3,265	34,877	4,634	
			<i>Average annual percentage change</i>				
1970-2019	-1.6%	-1.1%	-1.5%	-1.4%	0.2%	1.3%	
2009-2019	-2.0%	-1.9%	-1.8%	-1.7%	-1.1%	0.9%	

**Source:**

See Appendix A, Section 4. Highway Passenger Mode Energy Intensities.

<sup>a</sup> Only end-use energy was counted for electricity.

<sup>b</sup> All two-axle, four-tire trucks.

<sup>c</sup> Series not continuous between 1983 and 1984 because of a change in data source by the American Public Transportation Association (APTA).

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes.

**Table 2.15**  
**Energy Intensities of Nonhighway Passenger Modes, 1970–2019<sup>a</sup>**

Year	Air	Intercity Amtrak (Btu per passenger-mile)	Rail	
	Certificated air carriers <sup>b</sup> (Btu per passenger-mile)		Rail transit (Btu per passenger-mile)	Commuter rail (Btu per passenger-mile)
1970	10,115	<sup>c</sup>	712	<sup>c</sup>
1975	7,625	3,311	866	<sup>c</sup>
1980	5,561	2,859	763	<sup>c</sup>
1985	5,053	2,237	927	1,720
1986	5,011	2,037	1,004	1,720
1987	4,827	1,989	1,003	1,628
1988	4,861	1,967	1,014	1,666
1989	4,844	2,082	960	1,622
1990	4,797	2,052	998	1,622
1991	4,602	2,011	1,074	1,601
1992	4,455	2,117	1,041	1,565
1993	4,490	2,142	1,113	1,782
1994	4,407	1,917	1,102	1,605
1995	4,349	2,071	1,102	1,580
1996	4,199	2,194	996	1,541
1997	4,173	2,289	943	1,630
1998	3,987	2,246	931	1,612
1999	4,108	2,362	919	1,670
2000	3,960	2,651	923	1,542
2001	3,943	2,690	925	1,533
2002	3,718	2,537	948	1,542
2003	3,614	2,145	936	1,542
2004	3,505	2,068	907	1,536
2005	3,346	2,025	919	1,658
2006	3,250	1,948	893	1,539
2007	3,153	1,824	851	1,543
2008	3,055	1,745	832	1,579
2009	2,901	1,773	830	1,714
2010	2,825	1,668	832	1,753
2011	2,772	1,628	812	1,681
2012	2,633	1,561	791	1,703
2013	2,568	1,608	793	1,676
2014	2,506	1,629	786	1,638
2015	2,477	1,589	777	1,661
2016	2,449	1,551	761	1,705
2017	2,415	1,524	788	1,657
2018	2,408	1,579	844	1,580
2019	2,370	1,506	851	1,583
		<i>Average annual percentage change<sup>d</sup></i>		
1970-2019	-2.9%	-1.7%	0.4%	-0.4%
2009-2019	-2.0%	-1.6%	0.2%	-0.8%

**Source:**

See Appendix A, Section 5. Nonhighway Passenger Mode Energy Intensities.

<sup>a</sup> Only end-use energy was counted for electricity.

<sup>b</sup> These data differ from the data on Table 2.13 because they include half of international services. These energy intensities may be inflated because all energy use is attributed to passengers—cargo energy use is not taken into account.

<sup>c</sup> Data are not available.

<sup>d</sup> Average annual percentage calculated to earliest year possible.

*Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes.*

**Table 2.16**  
**Energy Intensities of Freight Modes, 1970–2019**

Year	Heavy single-unit and combination trucks (Btu per vehicle-mile)	Class I freight railroad		Waterborne commerce on taxable waterways (Btu per ton-mile)
		(Btu per freight car-mile)	(Btu per ton-mile)	
1970	24,960	17,669	691	a
1975	24,631	18,739	687	a
1980	24,758	18,742	597	a
1985	23,343	17,500	497	a
1986	23,352	17,265	486	a
1987	22,923	16,790	456	a
1988	22,596	16,758	443	a
1989	22,411	16,894	437	a
1990	22,795	16,619	420	a
1991	22,749	15,835	391	a
1992	22,609	16,043	393	a
1993	22,373	16,056	389	a
1994	22,193	16,340	388	a
1995	22,097	15,992	372	a
1996	22,109	15,747	368	a
1997	21,340	15,784	370	266
1998	21,516	15,372	365	256
1999	22,884	15,363	363	266
2000	23,449	14,917	352	270
2001	23,024	15,108	346	253
2002	23,462	15,003	345	253
2003	22,461	15,016	344	251
2004	20,540	15,274	341	241
2005	22,866	15,152	337	241
2006	23,340 <sup>b</sup>	14,990	330	235
2007	28,452	14,846	320	225
2008	28,695	14,573	305	252
2009	21,024	13,907	291	225
2010	21,499	13,733	289	217
2011	21,677	14,043	298	211
2012	21,524	13,800	294	211
2013	21,540	14,607	296	233
2014	21,573	14,533	292	214
2015	21,382	14,405	297	a
2016	21,335	14,557	299	a
2017	21,132	14,400	293	a
2018	20,826	14,644	296	a
2019	20,812	14,453	298	a
<i>Average annual percentage change</i>				
1970-2019	-0.4%	-0.4%	-1.7%	a
2009-2019	-0.1%	0.4%	0.2%	a

**Source:**

See Appendix A, Section 6. Freight Mode Energy Intensities.

<sup>a</sup> Data are not available.

<sup>b</sup> Due to changes in the FHWA fuel use methodology, truck data are not comparable with data before the year 2007.





# ALL HIGHWAY VEHICLES & CHARACTERISTICS

# Chapter 3



*Credit: Lightvision, LLC/Moment/Getty Images*

*The top countries producing the world's cars and trucks have changed over the last 18 years. In 2020, China was the largest producer of cars and trucks. In 2000, Japan produced the most cars and the United States produced the most trucks (includes light trucks). Car production in 2020 was less than in 2000 likely due to two reasons -- sport utility vehicles becoming more popular than automobiles in some countries and the 2020 pandemic.*

**Table 3.1**  
**World Production of Cars and Trucks, 2000 and 2020**  
**(thousands)**


Cars	2000	2020	Percent change 2000-2020
China	605	10,149	1578%
Japan	8,363	6,960	-17%
Germany	5,132	3,515	-31%
U.S.	5,542	1,924	-65%
Spain	2,366	1,801	-24%
India	605	1,707	182%
Brazil	1,362	1,609	18%
Russia	969	1,257	30%
Czech Republic	428	1,153	169%
South Korea	1,881	1,148	-39%
Slovakia	123	970	689%
Mexico	1,130	951	-16%
France	2,880	920	-68%
UK	1,641	890	-46%
Turkey	297	855	187%
All Other Countries	7,903	5,170	-35%
<b>Total World</b>	<b>41,229</b>	<b>40,979</b>	<b>-1%</b>
Trucks <sup>a</sup>	2000	2020	Percent change 2000-2020
China	1,464	15,076	929%
U.S.	7,263	6,897	-5%
South Korea	512.99	2,359	360%
Mexico	792.401	2,208	179%
India	283.403	1,687	495%
Japan	1,781	1,108	-38%
Canada	1,411	1,048	-26%
Thailand	315	889	182%
All Other Countries	3,893	4,129	6%
<b>Total World</b>	<b>17,717</b>	<b>35,400</b>	<b>100%</b>

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).


<sup>a</sup> Includes light trucks, heavy trucks, and buses.

**Figure 3.1. World Car Production, 1983–2020<sup>a</sup>**



**Source:**  
See Table 3.1.

**Figure 3.2. World Truck and Bus Production, 1983–2020<sup>a</sup>**



**Source:**  
See Table 3.1.

<sup>a</sup> The sharp decrease in 2009 coincides with the recession. Note that the scales of the two figures differ.

*Use caution comparing historical data because of disconnects in data series and definitional differences among countries. The United States uses light trucks (SUVs, minivans, pickups) for personal travel which are not counted as cars in this table. China's light trucks were not counted in this table until 2014, when a reclassification of vehicle types added them as cars. The U.S. share of world cars continued to be below 12%. The growth in the World total comes mainly from developing countries, like China, Indonesia, India, and South Korea.*

**Table 3.2**  
**Car Registrations for Selected Countries, 1960–2019**  
**(thousands)**

Country	1960	1970	1980	1990	2000	2005	2010	2015	2019	Average annual percentage change 1990-2019
Argentina	474	1,482	3,112	4,284	5,060	5,340	7,605	10,403	11,067	3.3%
Brazil	a	a	a	12,127	15,393	18,370	25,541	35,471	37,720	4.0%
Canada <sup>b</sup>	4,104	6,602	10,256	12,622	16,832	18,124	20,121	22,068	23,600	2.2%
China <sup>c</sup>	a	a	351	1,897	3,750	8,900	34,430	146,800	212,395	17.7%
France	4,950	11,860	18,440	23,550	28,060	30,100	31,300	32,000	32,125	1.1%
Germany <sup>d</sup>	4,856	14,376	23,236	35,512	43,772	46,090	42,302	45,071	47,716	1.0%
India	a	a	a	2,300	5,150	7,654	13,300	26,065	34,504	9.8%
Indonesia	a	a	a	1,200	a	3,850	8,891	13,846	17,238	9.6%
Japan	457	8,779	23,660	34,924	52,437	57,091	58,347	60,987	62,140	2.0%
Malaysia	a	a	a	1,811	4,213	6,402	9,115	11,279	16,382	7.9%
Pakistan	a	a	a	738	375	411	1,726	2,807	3,355	5.4%
Russia	a	a	a	a	20,353	25,285	34,350	41,000	52,956	5.2%
South Korea	a	a	a	2,075	8,084	11,122	13,632	16,562	19,129	8.0%
United Kingdom	5,650	11,802	15,438	22,528	27,185	30,652	31,258	33,542	35,732	1.6%
United States	61,671	89,244	121,601	143,550	127,721	132,909	129,053	122,322	121,231	-0.6%
U.S. percentage of world	62.7%	46.1%	38.0%	32.3%	23.3%	21.5%	17.8%	13.1%	11.8%	
World total	98,305	193,479	320,390	444,900	548,558	617,914	723,567	931,260	1,083,528	3.1%

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).

<sup>a</sup> Data are not available.

<sup>b</sup> Data from 2000 and later are not comparable to prior data. Canada reclassified autos and trucks prior to 2000.

<sup>c</sup> Light trucks were reclassified into the car category in 2014.

<sup>d</sup> Data for 1990 and prior include West Germany only. Kraftwagen are included with automobiles.

<sup>e</sup> Data for earliest year available.

*Use caution comparing historical data because of disconnects in data series and definitional differences among countries. The United States totals include SUVs, minivans, and light trucks, many of which are used for personal travel. Thus, countries that only use trucks for freight movement will not be comparable to the United States. China's light trucks were included in this table until a reclassification in 2014.*

**Table 3.3**  
**Truck and Bus Registrations for Selected Countries, 1960–2019**  
**(thousands)**

Country	1960	1970	1980	1990	2000	2005	2010	2015	2019	Average annual percentage change 1990-2019
Argentina	392	788	1,217	1,501	1,554	1,730	2,511	3,305	3,576	3.0%
Brazil	a	a	a	936	3,917	4,653	6,524	7,272	7,759	7.6%
Canada <sup>b</sup>	1,056	1,481	2,955	3,931	739	786	933	1,147	1,221	-4.0%
China <sup>c</sup>	a	a	1,480	4,314	9,650	21,750	43,590	25,200	41,485	8.1%
France	1,650	1,850	2,550	4,910	5,733	6,198	6,444	6,652	8,127	1.8%
Germany <sup>d</sup>	786	1,228	1,617	2,764	3,534	3,133	2,960	3,356	3,890	1.2%
India	a	a	a	2,050	2,390	4,145	9,500	18,447	26,827	9.3%
Indonesia	a	a	a	1,391	2,373	2,950	6,938	9,238	10,549	7.2%
Japan	896	8,803	14,197	22,773	20,211	16,734	15,512	14,503	14,529	-1.5%
Malaysia	a	a	a	616	1,030	1,323	1,138	1,335	1,676	3.5%
Pakistan	a	a	a	172	385	414	538	678	779	5.3%
Russia	a	a	a	7,200	5,041	5,705	6,304	8,000	8,968	0.8%
South Korea	a	a	a	1,320	3,956	4,275	4,310	4,428	4,505	4.3%
United Kingdom	1,534	1,769	1,920	3,774	3,361	3,943	4,220	4,677	5,277	1.2%
United States	12,186	19,175	34,195	45,106	85,579	104,788	119,179	141,872	165,653	4.6%
U.S. percentage of world	42.6%	36.2%	37.7%	32.7%	42.1%	42.6%	38.5%	42.7%	40.7%	
World total	28,583	52,899	90,592	138,082	203,272	245,798	309,395	332,434	406,770	3.8%

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).

<sup>a</sup> Data are not available.

<sup>b</sup> Data from 2000 and later are not comparable to prior data. Canada reclassified autos and trucks prior to 2000.

<sup>c</sup> Light trucks were reclassified into the car category in 2014.

<sup>d</sup> Data for 1990 and prior include West Germany only. Kraftwagen are included with automobiles.

## VEHICLES IN USE

Both the Federal Highway Administration (FHWA) and IHS Automotive report figures on the car and truck population each year. The two estimates, however, differ by as much as 11.2% (1981). The differences can be attributed to several factors:

- The FHWA data include all vehicles which have been registered at any time throughout the calendar year. Therefore, the data include vehicles which were retired during the year and may double count vehicles which have been registered in different states or the same states to different owners. IHS Automotive data include only those vehicles which are registered on July 1 of the given year and would not include vehicles registered after that date.
- The classification of mini-vans, station wagons on truck chassis, and utility vehicles as cars or trucks causes important differences in the two estimates. IHS Automotive data included passenger vans in the car count until 1980; since 1980 all vans have been counted as trucks.
- Starting in 1993, the FHWA reclassified some minivans and sport utility vehicles into the truck category which were previously included with cars. This change produced a dramatic change in the individual percentage differences of cars and trucks. The difference in total vehicles has been less than 5% each year since 1990 and does not appear to be significantly affected by the FHWA reclassifications. Beginning with 2009, the FHWA discontinued the car/2-axle, 4-tire truck designations on Table VM-1. The data since 2009 come from Tables MV-1 and MV-9.
- The FHWA data include all non-military Federal vehicles, while IHS Automotive data include only those Federal vehicles which are registered within a state. Federal vehicles are not required to have State registrations, and, according to the General Services Administration, most Federal vehicles are not registered.
- In 2012 both IHS Automotive and FHWA changed their methodologies for the car/light truck split which created a significant decrease in the number of cars reported and a corresponding increase in the number of light trucks.

*In the early 1980's, researchers had to make a conscious choice of which data series to use, since they differed by as much as 11%. In 2005 the two sources differed by less than 1%. Both sources changed their methodologies for the car/light truck split causing significant decreases to the number of cars in 2012.*

**Table 3.4**  
**U.S. Cars and Trucks in Use, 1970–2019**  
**(thousands)**

Year	Cars			Trucks			Total		
	FHWA	IHS Automotive	Percentage difference	FHWA	IHS Automotive	Percentage difference	FHWA	IHS Automotive	Percentage difference
1970	89,243	80,448	10.9%	18,797	17,688	6.3%	108,040	98,136	10.1%
1975	106,706	95,241	12.0%	25,781	24,813	3.9%	132,487	120,054	10.4%
1980	121,601	104,564	16.3%	33,667	35,268	-4.5%	155,267	139,832	11.0%
1985	127,885	114,662	11.5%	43,210	42,387	1.9%	171,095	157,049	8.9%
1986	130,004	117,268	10.9%	45,103	44,826	0.6%	175,106	162,094	8.0%
1987	131,482	119,849	9.7%	46,826	47,344	-1.1%	178,308	167,193	6.6%
1988	133,836	121,519	10.1%	49,941	50,221	-0.6%	183,777	171,740	7.0%
1989	134,559	122,758	9.6%	52,172	53,202	-1.9%	186,731	175,960	6.1%
1990	133,700	123,276	8.5%	54,470	56,023	-2.8%	188,171	179,299	4.9%
1991	128,300	123,268	4.1%	59,206	58,179	1.8%	187,505	181,447	3.3%
1992	126,581	120,347	5.2%	63,136	61,172	3.2%	189,717	181,519	4.5%
1993	127,327	121,055	5.2%	66,082	65,260	1.3%	193,409	186,315	3.8%
1994	127,883	121,997	4.8%	69,491	66,717	4.2%	197,375	188,714	4.6%
1995	128,387	123,242	4.2%	72,458	70,199	3.2%	200,845	193,441	3.8%
1996	129,728	124,613	4.1%	75,940	73,681	3.1%	205,669	198,294	3.7%
1997	129,749	124,673	4.1%	77,307	76,398	1.2%	207,056	201,071	3.0%
1998	131,839	125,966	4.7%	79,062	79,077	0.0%	210,901	205,043	2.9%
1999	132,432	126,869	4.4%	83,148	82,640	0.6%	215,580	209,509	2.9%
2000	133,621	127,721	4.6%	87,108	85,579	1.8%	220,729	213,300	3.5%
2001	137,633	128,714	6.9%	92,045	87,969	4.6%	229,678	216,683	6.0%
2002	135,921	129,907	4.6%	92,939	91,120	2.0%	228,860	221,027	3.5%
2003	135,670	131,072	3.5%	94,944	94,810	0.1%	230,614	225,882	2.1%
2004	136,431	132,469	3.0%	100,016	99,698	0.3%	236,447	232,167	1.8%
2005	136,568	132,909	2.8%	103,819	105,475	-1.6%	240,387	238,384	0.8%
2006	135,400	135,047	0.3%	107,944	109,596	-1.5%	243,344	244,643	-0.5%
2007	135,933	135,222	0.5%	110,498	113,479	-2.6%	246,431	248,701	-0.9%
2008	137,080	135,882	0.9%	110,242	113,931	-3.2%	247,322	249,813	-1.0%
2009	134,880	132,500	1.8%	110,561	116,472	-5.1%	245,441	248,972	-1.4%
2010	130,892	129,053	1.4%	110,322	119,179	-7.4%	241,214	248,232	-2.8%
2011	125,657	127,577	-1.5%	118,483	121,355	-2.4%	244,140	248,932	-1.9%
2012	111,290	120,902	-8.0%	133,130	130,595	1.9%	244,420	251,497	-2.8%
2013	113,676	120,214	-5.4%	132,931	132,501	0.3%	246,607	252,715	-2.4%
2014	113,899	120,984	-5.9%	137,531	137,043	0.4%	251,430	258,027	-2.6%
2015	112,864	122,322	-7.7%	141,256	141,872	-0.4%	254,120	264,194	-3.8%
2016	112,961	123,553	-8.6%	146,182	147,014	-0.6%	259,144	270,566	-4.2%
2017	111,177	124,141	-10.4%	149,301	151,838	-1.7%	260,478	275,979	-5.6%
2018	111,242	122,828	-9.4%	152,702	158,671	-3.8%	263,944	281,499	-6.2%
2019	108,548	121,231	-10.5%	158,352	165,653	-4.4%	266,900	286,884	-7.0%

**Source:**

FHWA - U.S. Department of Transportation, Federal Highway Administration, 1970-2008, *Highway Statistics 2008* and earlier, Washington, DC, 2009, Table VM-1 and annual. 2009-2019 data from Tables MV-1 and MV-9, *Highway Statistics 2019* and earlier editions. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

IHS Automotive - IHS Automotive, Detroit, Michigan. Used with permission. FURTHER REPRODUCTION PROHIBITED. (Additional resources: <https://www.ihs.com/industry/automotive.html>)

*Light trucks comprise more than half of all vehicle registrations in 44 states. The District of Columbia has the smallest share of light trucks.*

**Table 3.5**  
**Motor Vehicle Registrations by State and Vehicle Type, 2019**  
**(thousands)**

State	Cars	Motorcycles	Light Trucks <sup>a</sup>	Medium & Heavy Trucks <sup>b</sup>	Buses	All Motor Vehicles
Alabama	2,109	108	2,812	253	6	5,288
Alaska	179	28	529	51	9	795
Arizona	2,406	160	3,163	245	8	5,983
Arkansas	887	170	1,645	188	12	2,902
California	14,895	808	13,777	1,667	101	31,247
Colorado	1,741	186	3,226	246	13	5,412
Connecticut	1,261	86	1,433	88	12	2,879
Delaware	423	28	532	29	4	1,017
Dist. of Columbia	204	4	118	19	5	350
Florida	7,841	591	8,676	666	59	17,834
Georgia	3,500	204	4,422	432	37	8,595
Hawaii	499	40	692	38	3	1,272
Idaho	602	67	1,155	126	4	1,955
Illinois	4,323	315	5,386	634	35	10,692
Indiana	2,186	252	3,217	547	21	6,223
Iowa	1,222	193	2,070	292	9	3,786
Kansas	947	92	1,421	216	7	2,682
Kentucky	1,669	112	2,355	236	11	4,383
Louisiana	1,350	41	2,172	210	29	3,803
Maine	374	52	622	78	5	1,130
Maryland	1,869	113	2,033	166	23	4,204
Massachusetts <sup>c</sup>	2,089	163	2,642	154	14	5,061
Michigan	2,831	253	4,957	390	9	8,440
Minnesota	1,837	235	2,996	338	20	5,426
Mississippi	806	32	1,071	151	7	2,067
Missouri	2,053	136	2,982	336	27	5,534
Montana	439	339	1,002	116	5	1,901
Nebraska <sup>c</sup>	662	54	995	244	14	1,968
Nevada	1,060	75	1,330	77	4	2,547
New Hampshire	489	79	732	60	3	1,363
New Jersey	2,639	148	2,940	279	26	6,033
New Mexico	642	60	1,012	106	6	1,825
New York	4,444	385	6,080	398	82	11,389
North Carolina	3,435	188	4,416	457	32	8,527
North Dakota	229	39	495	138	4	904
Ohio	4,423	407	5,470	559	42	10,901
Oklahoma <sup>c</sup>	1,255	129	2,067	252	3	3,707
Oregon	1,425	135	2,138	204	18	3,919
Pennsylvania	4,268	367	5,488	622	56	10,800
Rhode Island	397	24	416	30	2	869
South Carolina	1,801	117	2,303	278	18	4,516
South Dakota	343	124	689	123	3	1,281
Tennessee	2,185	185	3,230	188	30	5,818
Texas	8,314	351	13,116	1,156	70	23,007
Utah	922	106	1,283	113	7	2,430
Vermont	207	30	342	40	1	620
Virginia	3,187	194	3,943	289	35	7,648
Washington	2,944	232	3,812	364	25	7,377
West Virginia <sup>c</sup>	537	47	991	91	3	1,668
Wisconsin	2,004	284	3,034	330	15	5,666
Wyoming	196	29	554	61	4	844
<b>Total</b>	<b>108,548</b>	<b>8,596</b>	<b>143,983</b>	<b>14,369</b>	<b>995</b>	<b>276,491</b>

**Source:**

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Tables MV-1 and MV-9. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Includes pickups, vans, sport-utility vehicles and other light trucks.

<sup>b</sup> Includes medium and heavy trucks over 10,000 lb. gross vehicle weight rating.

<sup>c</sup> Estimated by FHWA based on State reported data or data from secondary sources.




**Table 3.6**  
**New Retail Vehicle Sales, 1970–2020**  
**(thousands)**


Calendar Year	Cars	Light Trucks <sup>a</sup>	Subtotal Light Vehicles	Heavy Trucks	Total Vehicle Sales
1970	8,321	1,457	9,778	334	10,112
1975	8,486	2,053	10,539	298	10,837
1980	8,949	1,960	10,909	271	11,180
1981	8,488	1,746	10,234	226	10,460
1982	7,956	2,063	10,019	184	10,203
1983	9,148	2,521	11,669	189	11,858
1984	10,324	3,255	13,579	282	13,861
1985	10,979	3,688	14,667	295	14,962
1986	11,404	4,594	15,998	277	16,275
1987	10,187	4,610	14,797	302	15,099
1988	10,544	4,800	15,344	348	15,692
1989	9,776	4,610	14,386	330	14,716
1990	9,301	4,548	13,849	297	14,146
1991	8,185	4,122	12,307	242	12,549
1992	8,213	4,629	12,842	276	13,118
1993	8,518	5,351	13,869	330	14,199
1994	8,991	6,033	15,024	387	15,411
1995	8,620	6,053	14,673	428	15,101
1996	8,479	6,519	14,998	411	15,409
1997	8,217	6,797	15,014	430	15,444
1998	8,085	7,299	15,384	526	15,910
1999	8,638	8,073	16,711	641	17,352
2000	8,778	8,386	17,164	579	17,743
2001	8,352	8,598	16,950	452	17,402
2002	8,042	8,633	16,675	402	17,077
2003	7,556	8,938	16,494	420	16,914
2004	7,483	9,254	16,737	538	17,275
2005	7,660	9,114	16,774	664	17,438
2006	7,762	8,574	16,336	694	17,030
2007	7,562	8,305	15,867	537	16,404
2008	6,769	6,246	13,015	432	13,447
2009	5,402	4,834	10,236	312	10,548
2010	5,636	5,758	11,394	378	11,772
2011	6,093	6,449	12,542	500	13,042
2012	7,245	6,975	14,220	569	14,789
2013	7,586	7,693	15,279	606	15,884
2014	7,708	8,484	16,192	671	16,862
2015	7,529	9,578	17,107	732	17,839
2016	6,883	10,296	17,179	697	17,876
2017	6,089	10,738	16,827	732	17,559
2018	5,310	11,609	16,919	789	17,708
2019	4,720	11,911	16,630	854	17,485
2020	3,402	10,712	14,114	758	14,872
			<i>Average annual percentage change</i>		
1970-2020	-1.8%	4.1%	0.7%	1.7%	0.8%
2010-2020	-4.9%	6.4%	2.2%	7.2%	2.4%

**Source:**Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).<sup>a</sup> Includes light trucks of 10,000 lb. gross vehicle weight and less.

The graphs below show the number of motor vehicles per thousand people for various countries. The data for the United States are displayed in the line which goes from 1900 to 2019. The points labeled on that line show data for the other countries/regions around the world and how their vehicles per thousand people compare to the United States at two different points in time, 2009 and 2019. For example, the graph shows that in 2009, Eastern Europe's vehicles per thousand people was about where the United States was in 1949, but by 2019 it is about where the United States was in 1958. The lower part of the graph (1900-1930) is shown enlarged on the facing page.

**Figure 3.3. Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2009 and 2019)**





**Source:**  
See Tables 3.7 and 3.8.

*Though some countries are listed separately in this table, those countries are also included in the regional total. For instance, China is listed separately, but is also included in the Asia, Far East region.*

**Table 3.7**  
**Vehicles per Thousand People in Selected Countries/Regions, 2009 and 2019**

Country/Region	Vehicles per 1,000 people	
	2009	2019
Africa	24.9	41.2
Asia, Far East	57.7	125.8
Asia, Middle East	101.2	159.4
Brazil	149.2	215.9
Canada	620.9	669.4
Central & South America	169.7	185.3
China	46.2	182.7
Europe, East	363.9	418.4
Europe, West	583.3	628.9
India	14.4	46.8
Indonesia	35.9	102.7
Mexico	225.1	356.2
Pacific	560.9	608.4
United States	828.7	842.3

**Sources:**

2019 population – U.S. Census Bureau, Population Division, International Data Base (IDB) World, September 2021.

(Additional resources: [www.census.gov/programs-surveys/international-programs](http://www.census.gov/programs-surveys/international-programs))

2019 vehicles – United States: See Table 3.6. All other countries: Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).

2009 data – Oak Ridge National Laboratory, *Transportation Energy Data Book: Edition 30*, ORNL-6986, 2011.

*The number of vehicles per thousand people in the United States has grown tremendously since 1900. After a peak in 2007 at 844.5, the number declined but began rising in 2012. By 2019 there were 842.3 vehicles per thousand people in the United States.*

**Table 3.8**  
**Vehicles per Thousand People in the United States, 1900–2019**

Year	U.S. vehicles per 1,000 people	Year	U.S. vehicles per 1,000 people	Year	U.S. vehicles per 1,000 people	Year	U.S. vehicles per 1,000 people	Year	U.S. vehicles per 1,000 people
1900	0.1	1924	154.4	1948	280.2	1972	585.6	1996	781.2
1901	0.2	1925	173.3	1949	299.6	1973	615.2	1997	776.0
1902	0.3	1926	189.1	1950	323.7	1974	632.3	1998	781.2
1903	0.4	1927	195.8	1951	337.1	1975	640.1	1999	790.1
1904	0.7	1928	204.9	1952	340.6	1976	659.5	2000	800.3
1905	0.9	1929	219.3	1953	353.7	1977	669.0	2001	825.8
1906	1.3	1930	217.3	1954	361.4	1978	690.2	2002	815.7
1907	1.7	1931	210.4	1955	379.8	1979	700.4	2003	816.1
1908	2.2	1932	195.4	1956	387.6	1980	710.7	2004	829.9
1909	3.5	1933	192.4	1957	392.1	1981	715.2	2005	837.3
1910	5.1	1934	199.9	1958	392.2	1982	714.0	2006	840.7
1911	6.8	1935	208.6	1959	402.8	1983	724.3	2007	844.5
1912	9.9	1936	222.6	1960	410.4	1984	728.2	2008	841.6
1913	12.9	1937	233.3	1961	415.1	1985	744.5	2009	828.7
1914	17.8	1938	229.7	1962	426.1	1986	753.3	2010	808.4
1915	24.8	1939	236.9	1963	438.8	1987	758.6	2011	812.5
1916	35.5	1940	245.6	1964	451.6	1988	772.9	2012	807.8
1917	49.6	1941	261.6	1965	466.9	1989	777.0	2013	809.1
1918	59.7	1942	244.7	1966	489.3	1990	773.4	2014	817.1
1919	72.5	1943	225.9	1967	500.7	1991	760.2	2015	821.1
1920	86.8	1944	220.2	1968	516.5	1992	758.0	2016	831.2
1921	96.7	1945	221.8	1969	533.4	1993	761.9	2017	836.6
1922	111.5	1946	243.1	1970	545.4	1994	766.9	2018	836.3
1923	134.9	1947	262.6	1971	562.5	1995	771.0	2019	842.3

**Sources:**

Population – U.S. Census Bureau, Population Division, International Data Base (IDB) World, September 2021.

(Additional resources: [www.census.gov/programs-surveys/international-programs.html](http://www.census.gov/programs-surveys/international-programs.html))

Vehicles – U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021.

Total vehicle-miles traveled increased each year from 2011 to 2019. The trend of using two-axle, four-tire trucks, such as pickups, vans, and sport-utility vehicles, for personal travel is evident in these data; two-axle, four-tire trucks account for 36% more travel in 2019 than in 1970, and cars account for 40% less travel between those two time periods.

**Table 3.9**  
**Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970–2019**

Year	Cars	Motorcycles	Two-axle, four-tire trucks	Other single-unit trucks	Combination trucks	Buses	Total vehicle-miles traveled (million miles)	
1970	82.6%	0.3%	11.1%	2.4%	3.2%	0.4%	1,109,724	
1975	77.9%	0.4%	15.1%	2.6%	3.5%	0.5%	1,327,664	
1980	72.8%	0.7%	19.0%	2.6%	4.5%	0.4%	1,527,295	
1985	70.2%	0.5%	22.0%	2.6%	4.4%	0.3%	1,774,826	
1986	69.2%	0.5%	23.1%	2.5%	4.4%	0.3%	1,834,872	
1987	68.5%	0.5%	23.8%	2.5%	4.5%	0.3%	1,921,204	
1988	67.6%	0.5%	24.8%	2.4%	4.4%	0.3%	2,025,962	
1989	66.8%	0.5%	25.6%	2.4%	4.4%	0.3%	2,096,487	
1990	65.7%	0.4%	26.8%	2.4%	4.4%	0.3%	2,144,362	
1991	62.5%	0.4%	29.9%	2.4%	4.4%	0.3%	2,172,050	
1992	61.0%	0.4%	31.5%	2.4%	4.4%	0.3%	2,247,151	
1993	59.9%	0.4%	32.5%	2.5%	4.5%	0.3%	2,296,378	
1994	59.6%	0.4%	32.4%	2.6%	4.6%	0.3%	2,357,588	
1995	59.4%	0.4%	32.6%	2.6%	4.8%	0.3%	2,422,696	
1996	59.1%	0.4%	32.8%	2.6%	4.8%	0.3%	2,485,848	
1997	58.7%	0.4%	33.2%	2.6%	4.9%	0.3%	2,561,695	
1998	58.9%	0.4%	33.0%	2.6%	4.9%	0.3%	2,631,522	
1999	58.3%	0.4%	33.5%	2.6%	4.9%	0.3%	2,691,056	
2000	58.3%	0.4%	33.6%	2.6%	4.9%	0.3%	2,746,925	
2001	58.2%	0.3%	33.7%	2.6%	4.9%	0.3%	2,797,287	
2002	58.1%	0.3%	33.8%	2.7%	4.9%	0.2%	2,855,508	
2003	57.8%	0.3%	34.0%	2.7%	4.8%	0.2%	2,890,412	
2004	57.3%	0.3%	34.6%	2.7%	4.8%	0.2%	2,964,788	
2005	57.1%	0.3%	34.8%	2.6%	4.8%	0.2%	2,989,430	
2006	56.1%	0.4%	35.9%	2.7%	4.7%	0.2%	3,014,369 <sup>a</sup>	
2007	55.2%	0.4%	36.7%	2.7%	4.8%	0.2%	3,032,399	
2008	54.3%	0.5%	37.3%	2.8%	4.8%	0.2%	2,973,509	
2009	53.0%	0.7%	36.1%	4.1%	5.7%	0.5%	2,956,764	
2010	50.4%	0.6%	38.8%	3.7%	5.9%	0.5%	2,967,266	
2011	49.4%	0.6%	40.4%	3.5%	5.6%	0.5%	2,950,402	
2012	48.4%	0.7%	41.3%	3.6%	5.5%	0.5%	2,969,433	
2013	48.4%	0.7%	41.2%	3.6%	5.6%	0.5%	2,988,280	
2014	47.5%	0.7%	42.1%	3.6%	5.6%	0.5%	3,025,656	
2015	46.7%	0.6%	43.1%	3.5%	5.5%	0.5%	3,095,373	
2016	45.8%	0.6%	44.0%	3.6%	5.5%	0.5%	3,174,408	
2017	44.3%	0.6%	45.2%	3.6%	5.6%	0.5%	3,212,347	
2018	43.8%	0.6%	45.6%	3.7%	5.7%	0.6%	3,240,326	
2019	42.1%	0.6%	47.5%	3.8%	5.4%	0.6%	3,261,772	
			<i>Average annual percentage change</i>					
1970–2019							2.2%	
2009–2019							1.0%	

**Source:**

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table VM-1 and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov)). 2009-2019 cars and 2-axle 4-tire trucks – see Section 7 in Appendix A.

<sup>a</sup> Due to FHWA methodology changes, data from 2007-on are not comparable with previous data.

The majority of vehicle miles of travel (VMT) in each state is on streets and roads. Interstate travel accounted for 35% of VMT in the United States in 2019.

**Table 3.10**  
**Vehicle Miles of Travel by State, 2019**  
**(million vehicle miles)**

State	Rural Interstate <sup>a</sup>	Rural streets and roads <sup>b</sup>	Urban Interstate <sup>a</sup>	Urban Streets and Roads <sup>b</sup>	Total
Alabama	6,644	22,367	9,945	32,778	71,735
Alaska	851	1,739	790	2,501	5,881
Arizona	7,257	9,433	16,681	36,910	70,281
Arkansas	4,617	13,328	6,668	12,486	37,099
California	23,161	33,319	136,460	147,895	340,836
Colorado	5,217	10,999	15,684	22,733	54,634
Connecticut	805	2,383	14,173	14,239	31,601
Delaware	375	2,152	2,258	5,460	10,245
Dist. of Columbia	0	0	898	2,859	3,756
Florida	13,492	24,039	48,048	140,935	226,514
Georgia	8,114	23,696	29,396	71,922	133,128
Hawaii	0	1,877	2,568	6,580	11,024
Idaho	3,208	6,901	1,927	6,021	18,058
Illinois	9,567	15,809	25,707	56,442	107,525
Indiana	9,046	21,060	12,597	40,016	82,719
Iowa	5,216	14,740	3,225	10,356	33,537
Kansas	5,091	10,139	6,153	10,459	31,843
Kentucky	9,991	16,607	7,611	15,202	49,410
Louisiana	7,048	12,751	10,804	20,758	51,360
Maine	2,196	8,056	1,418	3,202	14,871
Maryland	2,722	7,990	22,798	26,705	60,216
Massachusetts	959	2,093	23,954	37,883	64,890
Michigan	8,610	22,672	24,211	46,680	102,174
Minnesota	4,195	20,633	13,572	22,332	60,731
Mississippi	4,829	19,166	4,918	12,177	41,091
Missouri	12,350	22,160	20,023	24,636	79,168
Montana	2,642	6,299	633	3,318	12,892
Nebraska	3,979	7,684	2,904	6,674	21,242
Nevada	2,328	3,311	6,570	16,585	28,794
New Hampshire	1,254	4,301	3,465	4,809	13,828
New Jersey	1,723	3,244	28,926	44,312	78,205
New Mexico	4,698	11,725	3,033	8,316	27,772
New York	6,992	18,495	38,879	59,620	123,986
North Carolina	9,619	32,000	26,662	54,194	122,475
North Dakota	1,624	5,252	535	2,415	9,826
Ohio	11,002	24,020	32,027	47,644	114,694
Oklahoma	5,443	16,577	8,628	14,000	44,648
Oregon	4,087	9,521	7,208	14,992	35,808
Pennsylvania	13,055	21,450	24,383	43,976	102,864
Rhode Island	357	562	2,806	3,857	7,581
South Carolina	8,902	17,113	8,937	22,987	57,939
South Dakota	2,614	4,319	900	2,088	9,922
Tennessee	8,805	17,379	18,569	38,139	82,892
Texas	21,201	57,424	86,625	122,977	288,227
Utah	3,600	5,288	8,931	15,091	32,911
Vermont	1,269	3,953	610	1,514	7,346
Virginia	10,142	19,250	22,312	33,729	85,432
Washington	6,893	10,604	18,545	26,488	62,530
West Virginia	2,379	7,231	3,664	5,803	19,077
Wisconsin	7,459	25,927	11,818	21,144	66,348
Wyoming	2,738	4,452	572	2,446	10,208
U.S. Total	300,364	683,488	830,630	1,447,289	3,261,772

**Source:**

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table VM-2. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Includes Interstates, freeways, and expressways.

<sup>b</sup> Includes other principal arterial, minor arterial, major collector, minor collector and local streets and roads.

*In 1970 only 2.9% of the car population was 15 years old or older; by 2013 that number rose to nearly 20%.*

**Table 3.11**  
**Cars in Operation by Age, 1970, 2000, and 2013**

Age (years)	1970			2000			2013		
	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>
Under 1 <sup>b</sup>	6,288	7.8%	7.8%	6,665	5.2%	5.2%	9,287	7.1%	7.1%
1	9,299	11.6%	19.4%	8,177	6.4%	11.6%	7,700	5.9%	13.1%
2	8,816	11.0%	30.3%	7,655	6.0%	17.6%	5,957	4.6%	17.6%
3	7,878	9.8%	40.1%	7,906	6.2%	23.8%	6,159	4.7%	22.4%
4	8,538	10.6%	50.8%	7,413	5.8%	29.6%	5,484	4.2%	26.6%
5	8,506	10.6%	61.3%	8,675	6.8%	36.4%	7,226	5.6%	32.1%
6	7,116	8.8%	70.2%	7,628	6.0%	42.4%	7,896	6.1%	38.2%
7	6,268	7.8%	78.0%	7,650	6.0%	48.4%	7,706	5.9%	44.1%
8	5,058	6.3%	84.3%	7,021	5.5%	53.9%	7,843	6.0%	50.2%
9	3,267	4.1%	88.3%	7,109	5.6%	59.4%	6,924	5.3%	55.5%
10	2,776	3.5%	91.8%	7,071	5.5%	65.0%	7,237	5.6%	61.1%
11	1,692	2.1%	93.9%	7,338	5.7%	70.7%	7,167	5.5%	66.6%
12	799	1.0%	94.9%	6,876	5.4%	76.1%	6,660	5.1%	71.7%
13	996	1.2%	96.1%	6,084	4.8%	80.9%	6,889	5.3%	77.0%
14	794	1.0%	97.1%	5,334	4.2%	85.0%	5,487	4.2%	81.2%
15 and older	2,336	2.9%	100.0%	19,119	15.0%	100.0%	24,457	18.8%	100.0%
<b>Subtotal</b>	<b>80,427</b>	<b>100.0%</b>		<b>127,721</b>	<b>100.0%</b>		<b>130,078</b>	<b>100.0%</b>	
Age not given	22			0			0		
<b>Total</b>	<b>80,449</b>			<b>121,721</b>			<b>130,078</b>		

**Source:**

IHS Automotive, Detroit, MI. Used with permission. **FURTHER REPRODUCTION PROHIBITED.**

<sup>a</sup> Percentages may not sum to totals due to rounding.

<sup>b</sup> Includes cars which were sold prior to July 1, 1970, and similarly, sold prior to July 1, 2000. For 2013, cars sold prior to December 31, 2013 were included.



*The number of trucks in the United States has grown significantly since 1970, some of it due to the use of light trucks (pickups, vans, sport utility vehicles) as personal passenger vehicles. Those light trucks, as well as medium and heavy trucks, are included in the data. In 1970 about 15% of trucks were age 15 or older; by 2013, that increased to 20.8%.*

**Table 3.12**  
**Trucks in Operation by Age, 1970, 2000, and 2013**

Age (years)	1970			2000			2013		
	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>	Vehicles (thousands)	Percentage <sup>a</sup>	Cumulative percentage <sup>a</sup>
Under 1 <sup>b</sup>	1,262	7.1%	7.1%	6,439	7.5%	7.5%	8,097	6.5%	6.5%
1	1,881	10.6%	17.8%	7,726	9.0%	16.6%	6,391	5.1%	11.6%
2	1,536	8.7%	26.5%	6,630	7.7%	24.3%	6,417	5.2%	16.8%
3	1,428	8.1%	34.6%	6,313	7.4%	31.7%	4,972	4.0%	20.8%
4	1,483	8.4%	43.0%	5,300	6.2%	37.9%	3,991	3.2%	24.0%
5	1,339	7.6%	50.5%	5,818	6.8%	44.7%	6,927	5.6%	29.5%
6	1,154	6.5%	57.1%	5,206	6.1%	50.8%	7,587	6.1%	35.6%
7	975	5.5%	62.6%	4,335	5.1%	55.8%	7,580	6.1%	41.7%
8	826	4.7%	67.3%	3,547	4.1%	60.0%	7,585	6.1%	47.8%
9	621	3.5%	70.8%	3,411	4.0%	63.9%	7,978	6.4%	54.2%
10	658	3.7%	74.5%	3,258	3.8%	67.8%	7,201	5.8%	60.0%
11	583	3.3%	77.8%	3,665	4.3%	72.0%	6,850	5.5%	65.5%
12	383	2.2%	80.0%	3,421	4.0%	76.0%	6,163	4.9%	70.4%
13	417	2.4%	82.3%	2,860	3.3%	79.4%	5,673	4.6%	75.0%
14	414	2.3%	84.7%	2,812	3.3%	82.7%	5,217	4.2%	79.2%
15 and older	2,710	15.3%	100.0%	14,838	17.3%	100.0%	25,917	20.8%	100.0%
<b>Subtotal</b>	<b>17,670</b>	<b>100.0%</b>		<b>85,579</b>	<b>100.0%</b>		<b>124,545</b>	<b>100.0%</b>	
Age note given	<b>15</b>			<b>0</b>			<b>0</b>		
<b>Total</b>	<b>17,685</b>			<b>85,579</b>			<b>124,545</b>		

**Source:**

IHS Automotive, Detroit, MI. Used with permission. **FURTHER REPRODUCTION PROHIBITED.**

<sup>a</sup> Percentages may not sum to totals due to rounding.

<sup>b</sup> Includes trucks which were sold prior to July 1, 1970, and similarly, sold prior to July 1, 2000. For 2013, trucks sold prior to December 31, 2013 were included.

*The average age of cars and light trucks has grown to a record level in 2020—12.1 years. Light trucks, which include pickups, vans, and sport utility vehicles, had a lower average age than cars in 2018.*

**Table 3.13**  
**U.S. Average Vehicle Age, 1970–2020**

Calendar Year	Passenger cars	Light trucks	All light vehicles
1970	5.6	7.3	a
1975	6.0	6.9	a
1980	6.6	7.1	a
1985	7.6	8.1	a
1990	7.8	8.0	a
1991	7.9	8.1	a
1992	8.1	8.4	a
1993	8.3	8.6	a
1994	8.4	8.4	a
1995	8.4	8.3	8.4
1996	8.5	8.3	8.5
1997	8.7	8.5	8.6
1998	8.9	8.5	8.8
1999	9.1	8.5	8.8
2000	9.1	8.4	8.9
2001	9.3	8.4	8.9
2002	9.8	9.4	9.6
2003	9.9	9.0	9.7
2004	10.0	9.5	9.8
2005	10.1	9.5	9.8
2006	10.2	9.5	9.9
2007	10.3	9.6	10.0
2008	10.4	9.8	10.1
2009	10.5	10.1	10.3
2010	10.8	10.5	10.6
2011	11.1	10.8	10.9
2012	11.3	11.1	11.2
2013	11.4	11.3	11.4
2014	11.4	11.4	11.4
2015	11.5	11.5	11.5
2016	11.6	11.6	11.6
2017	a	a	11.7
2018	11.9	11.7	11.8
2019	a	a	11.9
2020	a	a	12.1

**Source:**

IHS Automotive, Detroit, MI. Used with permission. **FURTHER REPRODUCTION PROHIBITED.** (Additional resources: <https://www.ihs.com/industry/automotive.html>)

<sup>a</sup> Data are not available.

<sup>b</sup> In 2013, IHS Automotive published a data series showing vehicle age from 2002-2013. These data did not match the previous data published in earlier releases and, therefore, are not comparable.

The Environmental Protection Agency estimated the annual vehicle miles of travel for cars and light trucks up to 30 years old for the mid-term evaluation of the Light Vehicle Greenhouse Gas Emissions Standards and Corporate Average Fuel Economy Standards. The “Total” row represents the number of miles a car or light truck would travel if it is in operation for 30 years. Typical lifetime miles from a 2006 study by the National Highway Traffic Safety Administration (NHTSA) are shown below the total.

**Table 3.14**  
**Annual Mileage for Cars and Light Trucks by Vehicle Age**

Vehicle age (years)	Estimated annual vehicle miles of travel for cars	Estimated annual vehicle miles of travel for light trucks
0	13,843	15,962
1	13,580	15,670
2	13,296	15,320
3	12,992	15,098
4	12,672	14,528
5	12,337	14,081
6	11,989	13,548
7	11,630	13,112
8	11,262	12,544
9	10,887	12,078
10	10,509	11,595
11	10,129	11,131
12	9,748	10,641
13	9,370	10,153
14	8,997	9,691
15	8,629	9,239
16	8,270	8,797
17	7,922	8,383
18	7,586	8,009
19	7,265	7,666
20	6,962	7,358
21	6,679	7,089
22	6,416	6,862
23	6,177	6,684
24	5,963	6,556
25	5,778	6,481
26	5,623	6,466
27	5,499	6,466
28	5,410	6,466
29	5,358	6,466
30	5,358	6,466
<b>Total</b>	<b>278,134</b>	<b>310,610</b>
NHTSA 2006 study – typical lifetime miles	152,137	179,954

**Sources:**

- U.S. Environmental Protection Agency, *Draft Technical Assessment Report: Midterm Evaluation of Light-Duty Vehicle Greenhouse Gas Emission Standards and Corporate Average Fuel Economy Standards for Model Years 2022-2025*, EPA-420-D-16-900, July 2016. (Additional resources: <https://www.epa.gov/regulations-emissions-vehicles-and-engines/midterm-evaluation-light-duty-vehicle-greenhouse-gas-ghg#TAR>)
- U.S. Department of Transportation, National Highway Traffic Safety Administration, *Vehicle Survivability and Travel Mileage Schedules*, January 2006.

*The Environmental Protection Agency estimated the survival rates for cars and light trucks for the mid-term evaluation of the Light Vehicle Greenhouse Gas Emissions Standards and Corporate Average Fuel Economy Standards.*

**Table 3.15**  
**Survival Rates for Cars and Light Trucks by Vehicle Age**

Vehicle age (years)	Estimated survival rate for cars	Estimated survival rate for light trucks
0	1.000	1.000
1	0.997	0.991
2	0.994	0.982
3	0.991	0.973
4	0.984	0.960
5	0.974	0.941
6	0.961	0.919
7	0.942	0.891
8	0.920	0.859
9	0.893	0.823
10	0.862	0.784
11	0.826	0.741
12	0.788	0.697
13	0.718	0.651
14	0.613	0.605
15	0.510	0.553
16	0.415	0.502
17	0.332	0.453
18	0.261	0.407
19	0.203	0.364
20	0.157	0.324
21	0.120	0.288
22	0.092	0.255
23	0.070	0.225
24	0.053	0.198
25	0.040	0.174
26	0.030	0.153
27	0.023	0.133
28	0.013	0.117
29	0.010	0.102
30	0.007	0.089
31	0.002	0.027

**Source:**

U.S. Environmental Protection Agency, *Draft Technical Assessment Report: Midterm Evaluation of Light-Duty Vehicle Greenhouse Gas Emission Standards and Corporate Average Fuel Economy Standards for Model Years 2022-2025*, EPA-420-D-16-900, July 2016. (Additional resources: <https://www.epa.gov/regulations-emissions-vehicles-and-engines/midterm-evaluation-light-duty-vehicle-greenhouse-gas-ghg#TAR>)

Using current registration data and a scrappage model by Greenspan and Cohen [1996 paper: [www.federalreserve.gov/pubs/feds/1996/199640/199640pap.pdf](http://www.federalreserve.gov/pubs/feds/1996/199640/199640pap.pdf)], ORNL calculated heavy truck (trucks over 26,000 lb gross vehicle weight) scrappage rates. The expected median lifetime for a 1990 model year heavy truck is 29 years. These data are fitted model values which assume constant economic conditions.

**Table 3.16**  
**Heavy Truck<sup>a</sup> Scrappage and Survival Rates**  
**1970, 1980, and 1990 Model Years**

Vehicle age <sup>b</sup> (years)	1970 model year		1980 model year		1990 model year	
	Survival rate <sup>c</sup>	Scrappage rate <sup>d</sup>	Survival rate <sup>c</sup>	Scrappage rate <sup>d</sup>	Survival rate <sup>c</sup>	Scrappage rate <sup>d</sup>
4	98.8	1.2	98.5	1.5	99.4	0.6
5	97.2	1.6	96.7	1.9	98.6	0.8
6	95.3	1.9	94.5	2.3	97.6	1.0
7	93.2	2.3	92.0	2.7	96.5	1.2
8	90.7	2.6	89.1	3.1	95.2	1.3
9	88.1	3.0	86.0	3.5	93.8	1.5
10	85.2	3.3	82.7	3.9	92.2	1.7
11	82.1	3.6	79.1	4.3	90.5	1.9
12	78.8	4.0	75.4	4.7	88.6	2.0
13	75.4	4.3	71.6	5.1	86.7	2.2
14	71.9	4.7	67.7	5.5	84.6	2.4
15	68.3	5.0	63.7	5.9	82.4	2.6
16	64.6	5.3	59.7	6.3	80.2	2.7
17	61.0	5.7	55.7	6.7	77.9	2.9
18	57.3	6.0	51.8	7.1	75.5	3.1
19	53.7	6.3	47.9	7.4	73.0	3.3
20	50.1	6.7	44.2	7.8	70.5	3.4
21	46.6	7.0	40.6	8.2	68.0	3.6
22	43.2	7.3	37.1	8.6	65.4	3.8
23	39.9	7.6	33.7	9.0	62.8	3.9
24	36.7	8.0	30.6	9.4	60.3	4.1
25	33.7	8.3	27.6	9.7	57.7	4.3
26	30.8	8.6	24.8	10.1	55.1	4.5
27	28.0	8.9	22.2	10.5	52.6	4.6
28	25.4	9.3	19.8	10.9	50.0	4.8
29	23.0	9.6	17.6	11.2	47.6	5.0
30	20.7	9.9	15.5	11.6	45.1	5.1
Median lifetime	20.0 years		18.5 years		28.0 years	

**Source:**

Schmoyer, Richard L., unpublished study on scrappage rates, Oak Ridge National Laboratory, Oak Ridge, TN, 2001.

<sup>a</sup> Heavy trucks are trucks over 26,000 lb gross vehicle weight.

<sup>b</sup> It was assumed that scrappage for vehicles less than 4 years old is 0.

<sup>c</sup> The percentage of heavy trucks which will be in use at the end of the year.

<sup>d</sup> The percentage of heavy trucks which will be retired from use during the year.



# LIGHT VEHICLES & CHARACTERISTICS

# Chapter 4



*Credit: Image by Marie LaFauci/Moment/Getty Images*

## Definition of Light Truck

Often for regulatory purposes, agencies within the federal government have differing definitions for the term “light truck.” Private data collectors, such as Ward’s Communications or IHS Automotive/Polk, have their own definitions as well. The paragraphs below are intended as a guide to the different definitions which are used in this document.

The data in Table 4.2 are from the Federal Highway Administration (FHWA). From 1970 to 2008 the FHWA defined light trucks as two-axle, four-tire trucks, including pickups, vans, SUVs, and other two-axle, four-tire trucks under 10,000 lb gross vehicle weight rating (GVWR). In 2009, the FHWA changed methodologies and no longer publishes vehicle miles, fuel use, and fuel economy of light trucks separately from cars. They continue to publish vehicle registrations for pickups, vans, SUVs and other two-axle, four tire trucks under 10,000 lb. The methodology used by Oak Ridge National Laboratory (ORNL) to continue the data series on Table 4.2 after 2008 is based on the FHWA data for all light vehicles, thus uses the same definition of light trucks. See Section 7.2 in Appendix A for the methodology of light truck data on Table 4.2 after 2008. Data on energy use in Tables 2.7 through 2.9 also use the FHWA definition of light truck.

Tables 3.6, 4.4, and 4.7 are light truck sales based on Ward’s Communications data. Ward’s definition of light trucks includes pickups, vans, SUVs, and specialty purpose vehicles up to 14,000 lb GVWR. However, in most cases, data are available by individual GVWR and ORNL summarized only light trucks that were 10,000 lb GVWR or less and did not include the heavier trucks. Thus, the definition on these tables is nearly identical to the FHWA definition.

The Environmental Protection Agency (EPA) and the U. S. Department of Transportation, National Highway Traffic Safety Administration (NHTSA), issued joint rulemaking to establish Corporate Average Fuel Economy (CAFE) standards and greenhouse gas emissions standards beginning with model year 2012. The rulemaking established new definitions of cars and light trucks. Before the rule, CAFE standards applied to cars and light trucks (pickups, vans, SUVs, and other trucks) less than 8,500 lb GVWR. After the rule, some two-wheel drive SUVs are considered cars instead of light trucks, and personal passenger vehicles (vans and SUVs) up to 10,000 lb GVWR are considered light trucks. Thus, data are now categorized as cars, car SUVs, truck SUVs, pickups and vans. Table 4.10 gives a listing of which SUVs are considered car SUVs for model year 2016. The EPA revised their data series back to 1975, so the definitions are consistent historically. Data on tables 4.9 through 4.19 are based on EPA data and thus use this definition of cars and light trucks. The CAFE data on Table 4.27 apply to cars only through 2011 and cars plus car SUVs after that. The CAFE data on Table 4.28 are for trucks up to 8,500 lb GVWR through 2011 and after that are for truck SUVs and vans up to 10,000 lb GVWR, and pickup trucks up to 8,500 lb GVWR.

Because of these different definitions, caution is advised when comparing light truck data from different sources.



The data in this table from 1985–on DO NOT include minivans, pickups, or sport utility vehicles. Much of the data for 2009–on were estimated; the FHWA no longer publishes travel and fuel data for cars. A methodology change for the number of cars registered affected the series in 2012.

**Table 4.1**  
**Summary Statistics for Cars, 1970–2019**

Year	Registrations <sup>a</sup> (thousands)	Vehicle travel (billion miles)	Average annual miles per vehicle	Fuel use (million gallons)	Average fuel economy <sup>b</sup> per vehicle (miles per gallon)
1970	89,244	916.7	10,272	67,820	13.5
1975	106,706	1,034.0	9,690	74,140	13.9
1980	121,601	1,111.6	9,141	69,981	15.9
1985 <sup>c</sup>	127,885	1,246.8	9,749	71,518	17.4
1990	133,700	1,408.3	10,533	69,568	20.2
1991	128,300	1,358.2	10,586	64,318	21.1
1992	126,581	1,371.6	10,836	65,436	21.0
1993	127,327	1,374.7	10,797	67,047	20.5
1994	127,883	1,406.1	10,995	67,874	20.7
1995	128,387	1,438.3	11,203	68,072	21.1
1996	129,728	1,469.9	11,330	69,221	21.2
1997	129,749	1,502.6	11,580	69,892	21.5
1998	131,839	1,549.6	11,754	71,695	21.6
1999	132,432	1,569.1	11,848	73,283	21.4
2000	133,621	1,600.3	11,976	73,065	21.9
2001	137,633	1,628.3	11,831	73,559	22.1
2002	135,921	1,658.5	12,202	75,471	22.0
2003	135,670	1,672.1	12,325	74,590	22.4
2004	136,431	1,699.9	12,460	75,402	22.5
2005	136,568	1,708.4	12,510	77,418	22.1
2006	135,400	1,690.5	12,485	75,009	22.5
2007	135,933	1,672.5	12,304	74,377	22.5
2008	137,080	1,615.9	11,788	71,497	22.6 <sup>d</sup>
2009	134,880	1,566.8	11,616	66,587	23.5
2010	130,892	1,496.4	11,432	62,245	24.0
2011	125,657	1,457.8	11,601	59,646	24.4
2012	111,290	1,438.6	12,928	57,899	24.9
2013	113,676	1,446.0	12,720	57,290	25.2
2014	113,899	1,436.6	12,613	56,470	25.4
2015	112,864	1,445.4	12,807	55,212	26.2
2016	112,961	1,453.4	12,866	54,248	26.8
2017	111,177	1,424.3	12,811	52,268	27.3
2018	111,242	1,419.6	12,761	51,174	27.7
2019	108,548	1,374.3	12,661	48,579	28.3
<i>Average annual percentage change</i>					
1970-2019	0.4%	0.8%	0.4%	-0.7%	1.5%
2009-2019	-2.1%	-1.3%	0.9%	-3.1%	1.9%

**Source:**

1970-2008: U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2009*, Washington, DC, 2011, Table VM-1 and annual. 2009-on: See Section 7.1 in Appendix A. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> This number differs from IHS Automotive's estimates of "number of cars in use." See Table 3.4.

<sup>b</sup> Average fuel economy for all cars.

<sup>c</sup> Beginning in this year the data were revised to exclude minivans, pickups and sport utility vehicles which may have been previously included.

<sup>d</sup> Due to FHWA methodology changes, data from 2009-on are not comparable with previous data.

*Much of the data for 2009-on were estimated; the FHWA no longer publishes travel and fuel use data for two-axle, four-tire trucks. A methodology change for the number of registrations affected the data series in 2012.*

**Table 4.2**  
**Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2019**

Year	Registrations (thousands)	Vehicle travel (billion miles)	Average annual miles per vehicle	Fuel use (million gallons)	Average fuel economy <sup>a</sup> per vehicle (miles per gallon)
1970	14,211	123.3	8,675	12,313	10.0
1975	20,418	200.7	9,830	19,081	10.5
1980	27,876	290.9	10,437	23,796	12.2
1985 <sup>b</sup>	37,214	391.0	10,506	27,363	14.3
1990	48,275	574.6	11,902	35,611	16.1
1991	53,033	649.4	12,245	38,217	17.0
1992	57,091	706.9	12,381	40,929	17.3
1993	59,994	745.8	12,430	42,851	17.4
1994	62,904	764.6	12,156	44,112	17.3
1995	65,738	790.0	12,018	45,605	17.3
1996	69,134	816.5	11,811	47,354	17.2
1997	70,224	850.7	12,115	49,389	17.2
1998	71,330	868.3	12,173	50,462	17.2
1999	75,356	901.0	11,957	52,859	17.0
2000	79,085	923.1	11,672	52,939	17.4
2001	84,188	943.2	11,204	53,522	17.6
2002	85,011	966.0	11,364	55,220	17.5
2003	87,187	984.1	11,287	60,758	16.2
2004	91,845	1,027.2	11,184	63,417	16.2
2005	95,337	1,041.1	10,920	58,869	17.7
2006	99,125	1,082.5	10,920	60,685	17.8
2007	101,470	1,112.3	10,962	61,836	18.0
2008	101,235	1,108.6	10,951	61,199	18.1
2009	100,154	1,066.5	10,649	61,824	17.3
2010	102,702	1,152.1	11,218	64,687	17.8
2011	105,571	1,192.7	11,298	65,786	18.1
2012	120,847	1,225.5	10,142	66,395	18.5
2013	120,523	1,231.8	10,220	65,555	18.8
2014	124,681	1,274.0	10,218	69,012	18.5
2015	128,553	1,334.3	10,448	70,933	18.8
2016	132,716	1,396.4	10,521	73,107	19.1
2017	137,749	1,453.1	10,549	73,835	19.7
2018	138,357	1,477.5	10,679	73,802	20.0
2019	143,983	1,549.7	10,763	75,856	20.4
<i>Average annual percentage change</i>					
1970-2019	4.8%	5.3%	0.4%	3.8%	1.5%
2009-2019	3.7%	3.8%	0.1%	2.1%	1.7%

**Source:**

1970-2008: U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2009*, Washington, DC, 2011, Table MV-9. Previous years Table VM-1. 2009-on: See Section 7.2 in Appendix A. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Average fuel economy for all two-axle, four-tire trucks.

<sup>b</sup> Beginning in this year the data were revised to include all vans (including mini-vans), pickups and sport utility vehicles.

<sup>c</sup> Due to FHWA methodology changes, data from 2009-on are not comparable with previous data.

*These data are the combination of the car and two-axle, four-tire truck data from Tables 4.1 and 4.2 thus the data may not match exactly with the FHWA VM-1 table's light-duty vehicle data. The methodology change after 2008 affects these data as well.*

**Table 4.3**  
**Summary Statistics for Light Vehicles, 1970–2019**

Year	Registrations (thousands)	Vehicle travel (billion miles)	Average annual miles per vehicle	Fuel use (million gallons)	Average fuel economy <sup>a</sup> per vehicle (miles per gallon)
1970	103,455	1,040	10,053	80,133	13.0
1975	127,124	1,235	9,712	93,221	13.2
1980	149,477	1,403	9,383	93,777	15.0
1985 <sup>b</sup>	165,099	1,638	9,920	98,881	16.6
1986	169,386	1,694	10,001	102,248	16.6
1987	172,589	1,773	10,272	103,906	17.1
1988	177,641	1,872	10,541	105,998	17.7
1989	180,504	1,938	10,735	107,184	18.1
1990	181,975	1,983	10,896	105,179	18.9
1991	181,333	2,008	11,071	102,535	19.6
1992	183,672	2,078	11,316	106,365	19.5
1993	187,321	2,120	11,320	109,898	19.3
1994	190,787	2,171	11,378	111,986	19.4
1995	194,125	2,228	11,479	113,677	19.6
1996	198,862	2,286	11,497	116,575	19.6
1997	199,973	2,353	11,768	119,281	19.7
1998	203,169	2,418	11,901	122,157	19.8
1999	207,788	2,470	11,888	126,142	19.6
2000	212,706	2,523	11,863	126,004	20.0
2001	221,821	2,572	11,593	127,081	20.2
2002	220,932	2,625	11,879	130,691	20.1
2003	222,857	2,656	11,919	135,348	19.6
2004	228,276	2,727	11,946	138,819	19.6
2005	231,905	2,749	11,856	136,287	20.2
2006	234,525	2,773	11,824	135,694	20.4
2007	237,403	2,785	11,730	136,213	20.4
2008	238,315	2,724	11,432	132,696	20.5 <sup>c</sup>
2009	235,034	2,633	11,204	128,411	20.5
2010	233,594	2,648	11,338	126,932	20.9
2011	231,228	2,650	11,463	125,432	21.1
2012	232,137	2,664	11,476	124,294	21.4
2013	234,199	2,678	11,434	122,845	21.8
2014	238,580	2,711	11,361	125,482	21.6
2015	241,417	2,780	11,514	122,940	22.6
2016	245,677	2,850	11,599	127,355	22.4
2017	248,926	2,877	11,559	126,103	22.8
2018	249,599	2,897	11,607	124,976	23.2
2019	252,530	2,924	11,579	124,436	23.5
<i>Average annual percentage change</i>					
1970-2019	1.8%	2.1%	0.3%	0.9%	1.2%
2009-2019	0.7%	1.1%	0.3%	-0.3%	1.4%

**Sources:**

Tables 4.1 and 4.2.

<sup>a</sup> Average fuel economy for all light vehicles.

<sup>b</sup> Beginning in this year the data were revised to include all vans (including mini-vans), pickups and sport utility vehicles.

<sup>c</sup> Due to FHWA methodology changes, data from 2009-on are not comparable with previous data.

Because data on class 2b trucks are scarce, the U.S. DOE funded a study to investigate available sources of data. In the final report, four methodologies are described to estimate the sales of class 2b trucks. The 1999 data are the latest available for fuel use and vehicle miles of travel of class 2b trucks.

**Table 4.4**  
**Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks**

Class (truck weight)	CY 1999 truck sales (millions)	2000 truck population (millions)	Percent diesel trucks in population	Average age (years)	Estimated annual miles <sup>a</sup> (billions)	Estimated fuel use (billion <sup>a</sup> gallons)	Estimated fuel economy (miles per gallon)
Class 1 (0-6,000 lbs)	5.7	49.7	0.3%	7.3	672.7	37.4	18.0
Class 2a (6,001 – 8,500 lbs)	1.8	19.2	2.5%	7.4	251.9	18.0	14.0
Class 2b (8,501 – 10,000 lbs)	0.5	5.8	24.0%	8.6	76.7	5.5	13.9

**Note:** CY - calendar year.

**Source:**

Davis, S.C. and L.F. Truett, *Investigation of Class 2b Trucks (Vehicles of 8,500 to 10,000 lbs GVWR)*, ORNL/TM-2002/49, March 2002, Table 16.

**Table 4.5**  
**Example of Class 2b Vehicle Models, 2017**


Manufacturer	Model	Type
Chevrolet	Silverado 2500HD	Pickup
Chevrolet	Express 2500, 3500	Van
FCA	Dodge Ram 2500	Pickup
FCA	Dodge Ram ProMaster 1500	Van
Ford	E-Series 350	Van
Ford	F-250, F-350	Pickup
Ford	F-250, F-350 CC	Chassis Cab
Ford	Transit 150, 250, 350, 350HD	Van
Ford	Transit CC / CA 150, 250, 350, 350HD	Chassis Cab / Cutaway Van
GMC	Savana 2500	Van
GMC	Sierra 2500	Pickup
GMC	Yukon 2500	SUV
Mercedes-Benz	Sprinter	Van

**Source:**

Birky, Alicia, et al., *Electrification Beyond Light-Duty: Class 2b-3 Commercial Vehicles*, ORNL/TM-2017/744, December 2017.


<sup>a</sup> Estimates derived using 2000 population data and 1997 usage data. See source for details.

**Figure 4.1. Truck Registrations by Class and Type, 2014**



**Source:**  
 Birky, Alicia, et al., *Electrification Beyond Light Duty: Class 2b-3 Commercial Vehicles*, ORNL/TM-2017/744, December 2017.

**Figure 4.2. Class 2b and 3 Registrations by Fuel Type, 2014**



**Source:**  
 Birky, Alicia, et al., *Electrification Beyond Light Duty: Class 2b-3 Commercial Vehicles*, ORNL/TM-2017/744, December 2017.

*Car sales in 2020 were at the lowest point in this series. Consumer preference towards sport utility vehicles is likely the reason for the decline. In 1980, Chrysler/FCA, Ford and General Motors held 73.8% of the market; by 2020, that dropped to 17%.*

**Table 4.6**  
**New Retail Car Sales in the United States, 1970–2020**

Calendar year	Domestic <sup>a</sup>	Import <sup>b</sup> (thousands)	Total <sup>c</sup>	Percentage imports	Percentage	
					FCA/Ford/GM sales <sup>d</sup>	Percentage diesel
1970	7,112	1,209	8,321	14.5%	<sup>d</sup>	0.07%
1975	6,945	1,541	8,486	18.2%	<sup>d</sup>	0.32%
1980	6,580	2,369	8,949	26.5%	73.8%	4.32%
1985	8,205	2,775	10,979	25.3%	72.9%	0.83%
1990	6,917	2,384	9,301	25.6%	65.7%	0.08%
1995	7,114	1,506	8,620	17.5%	65.3%	0.03%
1996	7,206	1,272	8,479	15.0%	64.1%	0.09%
1997	6,862	1,355	8,217	16.5%	62.2%	0.09%
1998	6,705	1,380	8,085	17.1%	59.7%	0.14%
1999	6,919	1,719	8,638	19.9%	58.3%	0.16%
2000	6,762	2,016	8,778	23.0%	55.0%	0.26%
2001	6,254	2,098	8,352	25.1%	51.4%	0.18%
2002	5,817	2,226	8,042	27.7%	48.4%	0.39%
2003	5,473	2,083	7,556	27.6%	47.1%	0.52%
2004	5,333	2,149	7,483	28.7%	44.9%	0.40%
2005	5,473	2,187	7,660	28.5%	43.1%	0.63%
2006	5,417	2,345	7,762	30.2%	40.5%	0.82%
2007	5,197	2,365	7,562	31.3%	36.9%	0.11%
2008	4,491	2,278	6,769	33.7%	34.2%	0.11%
2009	3,558	1,843	5,402	34.1%	31.3%	2.93%
2010	3,791	1,844	5,636	32.7%	31.7%	2.69%
2011	4,146	1,947	6,093	32.0%	33.3%	1.47%
2012	5,120	2,125	7,245	29.3%	31.6%	2.69%
2013	5,433	2,153	7,586	28.4%	32.4%	2.45%
2014	5,610	2,098	7,708	27.2%	31.2%	2.41%
2015	5,595	1,922	7,517	25.6%	29.7%	1.14%
2016	5,146	1,727	6,873	25.1%	27.9%	0.12%
2017	4,593	1,488	6,081	24.5%	25.8%	0.09%
2018	4,087	1,217	5,304	22.9%	23.8%	0.08%
2019	3,544	1,171	4,715	24.8%	20.0%	0.02%
2020	2,560	842	3,402	24.8%	17.3%	0.00%
<i>Average annual percentage change</i>						
1970-2020	-2.0%	-0.7%	-1.8%			
2010-2020	-3.9%	-7.5%	-4.9%			

**Source:**

Domestic and import data - 1970–97: American Automobile Manufacturers Association, *Motor Vehicle Facts and Figures 1998*, Detroit, MI, 1998, p. 15, and annual. 1997 data from *Economic Indicators, 4th Quarter 1997*. 1998–2019: Ward’s Communication, [www.wardsauto.com](http://www.wardsauto.com).

<sup>a</sup> Any vehicle built in North America regardless of manufacturer.

<sup>b</sup> Any vehicle built outside of North America regardless of manufacturer. Does not include import tourist deliveries.

<sup>c</sup> Sums may not add to totals due to rounding.

<sup>d</sup> Data are not available.

*Light trucks, which include pick-ups, minivans, sport-utility vehicles, and other trucks less than 10,000 pounds gross vehicle weight (GVW), have grown more popular and by 2020 accounted for 75.9% of all light vehicle sales. Imports accounted for only 22.9% of 2020 light truck sales.*

**Table 4.7**  
**New Retail Sales of Trucks 10,000 Pounds GVW and Less in the United States, 1970–2020**

Calendar year	Light truck sales <sup>a</sup> (thousands)	Percentages				Light trucks of all light vehicle sales <sup>e</sup>	Light trucks of total truck sales
		Import <sup>b</sup>	FCA/Ford/GM sales <sup>c</sup>	Diesel <sup>d</sup>			
1970	1,457	4.5%	Not available	<sup>f</sup>	14.8%	77.8%	
1975	2,053	10.0%	Not available	<sup>f</sup>	20.9%	78.6%	
1980	1,960	24.4%	Not available	4.0%	17.5%	78.1%	
1985	3,688	22.6%	78.2%	4.0%	25.1%	77.7%	
1990	4,548	13.5%	80.9%	2.3%	32.8%	93.8%	
1991	4,122	13.1%	79.4%	3.2%	33.5%	94.4%	
1992	4,629	8.8%	83.1%	2.5%	36.0%	94.4%	
1993	5,351	7.1%	83.4%	2.3%	38.6%	94.2%	
1994	6,033	6.8%	82.9%	2.5%	40.2%	94.0%	
1995	6,053	6.6%	83.4%	3.8%	41.3%	93.2%	
1996	6,519	6.7%	83.8%	3.1%	43.5%	93.4%	
1997	6,797	8.5%	81.9%	2.7%	45.3%	93.4%	
1998	7,299	9.0%	80.5%	2.6%	47.4%	92.6%	
1999	8,073	9.6%	78.0%	2.9%	48.3%	92.0%	
2000	8,386	10.2%	76.1%	3.4%	48.9%	92.8%	
2001	8,598	11.4%	75.3%	2.9%	50.7%	94.3%	
2002	8,633	12.4%	74.7%	2.7%	51.8%	94.9%	
2003	8,938	13.7%	72.4%	2.9%	54.2%	95.0%	
2004	9,254	13.5%	70.1%	2.8%	55.3%	94.3%	
2005	9,114	13.3%	68.2%	2.7%	54.3%	93.1%	
2006	8,574	15.7%	63.9%	2.8%	52.5%	92.3%	
2007	8,305	16.7%	61.9%	3.2%	52.3%	93.3%	
2008	6,246	17.6%	61.2%	3.4%	48.0%	92.9%	
2009	4,834	18.3%	57.8%	4.2%	47.2%	93.0%	
2010	5,758	15.6%	57.6%	4.9%	50.5%	93.8%	
2011	6,449	15.2%	59.4%	5.4%	51.4%	92.7%	
2012	6,975	15.2%	57.7%	5.5%	49.0%	92.6%	
2013	7,693	16.1%	57.3%	5.3%	50.3%	92.7%	
2014	8,484	16.0%	57.6%	5.4%	52.4%	92.7%	
2015	9,578	18.6%	57.0%	5.5%	56.0%	92.7%	
2016	10,296	20.9%	55.6%	5.4%	60.0%	93.7%	
2017	10,738	22.4%	54.2%	4.4%	63.8%	93.6%	
2018	11,609	23.7%	53.1%	4.2%	68.6%	93.6%	
2019	11,911	22.0%	52.8%	3.3%	71.6%	93.3%	
2020	10,712	22.9%	51.7%	4.1%	75.9%	93.3%	
<i>Average annual percentage change</i>							
1970-2020	4.1%						
2010-2020	7.5%						

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).

<sup>a</sup> Includes all trucks of 10,000 pounds gross vehicle weight and less sold in the United States.

<sup>b</sup> Excluding transplants.

<sup>c</sup> Includes Ford, General Motors, and Fiat-Chrysler (and predecessor entities).


<sup>d</sup> Based on model year factory installations from 1970-2016. Based on retail sales thereafter.

<sup>e</sup> Includes cars and light trucks up to 10,000 lb gross vehicle weight.

<sup>f</sup> Indicates less than 1 percent.

*The relationship between gallons used over a given distance and miles per gallon (mpg) is not linear. Thus, an increase in fuel economy by 5 mpg does not translate to a constant fuel savings amount. Replacing a low-mpg car or truck with one that has just slightly better fuel economy will save more fuel than replacing a high-mpg car or truck with a more efficient vehicle. For example, replacing a truck that gets 10 mpg for a new one that gets 15 mpg will save 33 gallons of fuel for every 1,000 miles driven. In contrast, replacing a 30-mpg car with a new car that gets 35 mpg will save 5 gallons of fuel for every 1,000 miles driven.*

**Figure 4.3. Fuel Use versus Fuel Economy**



**Note:** Each category on the horizontal axis shows a five-mile per gallon improvement in fuel economy.

**Source:**

U.S. Department of Energy fuel economy data [www.fueleconomy.gov](http://www.fueleconomy.gov).



*The fuel economy values that manufacturers must use to comply with the Corporate Average Fuel Economy (CAFE) standards are not the same as fuel economy values on new vehicle window stickers. Nor are they the same as the real-world estimates published in Tables 4.9, 4.11, and 4.12. The number of test cycles used and the weighting of city and highway mileage differs with these three fuel economy metrics. The example of a 2021 Toyota Prius Eco shows a combined fuel economy of 81 miles per gallon (mpg) for CAFE purposes, 56 mpg for the window sticker, and 55 mpg as the best real-world estimate. The fuel economy difference is not constant among vehicle models.*

**Table 4.8**  
**Fuel Economy Comparison Among CAFE, Window Sticker, and Real-World Estimates**  
**for the 2021 Toyota Prius Eco**

Fuel economy metric	Purpose	City/highway weighting	Test basis	Fuel economy value (miles per gallon)		
				City	Hwy	Combined City/Hwy
CAFE unadjusted 2-cycle test	Basis for manufacturer compliance with CAFE standards	55%/45%	2-cycle	81	84	78
New vehicle window sticker	Consumer information to compare individual vehicles	55%/45%	5-cycle	56	58	53
Estimated real-world	Best estimate of real-world performance	43%/57%	5-cycle	55	58	53

**Notes:** CAFE estimates and standards are shown in Tables 4.27 and 4.28. Test cycles are shown in Figures 4.8-4.12.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

*The production-weighted fuel economy of cars increased dramatically from 1975 (13.5 mpg) to 1985 (23.0 mpg) but rose only 0.5 mpg from 1985 to 2005. Since 2005, fuel economy rose 8.2 mpg—from 23.5 mpg in 2005 to 31.7 mpg in 2021. The fuel economy values have been adjusted to provide the best estimate of real-world performance.*

**Table 4.9**  
**Production, Production Shares, and Production-Weighted Fuel Economies of New Domestic and Import Cars, Model Years 1975-2021<sup>a</sup>**

Model year	Car			Car SUV		
	Production (thousands)	Production share (%) <sup>b</sup>	Fuel economy (mpg)	Production (thousands)	Production share (%) <sup>b</sup>	Fuel economy (mpg)
1975	8,237	99.9%	13.5	10	0.1%	11.1
1980	9,443	100.0%	20.0	0	0.0%	14.6
1990	8,810	99.3%	23.3	65	0.7%	18.8
1991	8,524	97.4%	23.4	224	2.6%	18.2
1992	8,108	97.1%	23.1	243	2.9%	17.8
1993	8,456	94.7%	23.5	473	5.3%	17.0
1994	8,415	96.2%	23.3	332	3.8%	18.0
1995	9,396	97.7%	23.4	220	2.3%	17.8
1996	7,890	96.5%	23.3	287	3.5%	18.4
1997	8,334	95.8%	23.4	361	4.2%	19.2
1998	7,971	94.6%	23.4	454	5.4%	18.2
1999	8,376	94.5%	23.0	488	5.5%	18.5
2000	9,125	93.7%	22.9	617	6.3%	17.9
2001	8,405	91.9%	23.0	743	8.1%	18.8
2002	8,301	93.2%	23.1	603	6.8%	19.3
2003	7,921	93.2%	23.3	575	6.8%	19.9
2004	7,537	92.2%	23.1	639	7.8%	20.0
2005	8,027	90.8%	23.5	813	9.2%	20.2
2006	7,993	91.4%	23.3	751	8.6%	20.5
2007	8,082	89.8%	24.1	919	10.2%	20.6
2008	7,319	88.8%	24.3	924	11.2%	21.2
2009	5,636	90.3%	25.3	608	9.7%	22.0
2010	6,061	86.9%	26.2	915	13.1%	23.0
2011	5,743	82.6%	25.8	1,207	17.4%	23.5
2012	7,393	85.4%	27.6	1,265	14.6%	23.3
2013	8,226	84.5%	28.4	1,514	15.5%	24.3
2014	7,639	83.0%	28.4	1,566	17.0%	24.4
2015	7,899	82.3%	29.0	1,701	17.7%	25.1
2016	7,131	79.2%	29.2	1,870	20.8%	26.2
2017	6,979	78.1%	30.2	1,961	21.9%	26.2
2018	5,962	76.5%	30.8	1,831	23.5%	27.3
2019	5,279	73.6%	30.9	1,891	26.4%	27.5
2020	4,245	70.4%	31.7	1,785	29.6%	28.4
2021 <sup>c</sup>	<sup>d</sup>	69.9%	31.7	<sup>d</sup>	30.1%	30.5

**Note:** See Table 4.12 for all cars (car + car SUV). See Table 4.10 for car SUV listing.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

<sup>a</sup> The fuel economy data on this table are adjusted to provide the best estimate of real world performance. These data are typically 20-25% lower than Corporate Average Fuel Economy data.

<sup>b</sup> Production share is based on total of cars plus car SUVs. Percentages may not sum to totals due to rounding.

<sup>c</sup> Data for 2021 are preliminary.

<sup>d</sup> Data are not available.

*A vehicle classification was created to match the Corporate Average Fuel Economy (CAFE) methodology. Under CAFE, two-wheel and all-wheel drive sport utility vehicles that are under 6,000 lb gross vehicle weight and do not have off road capabilities will be held to the same standards as cars. The Environmental Protection Agency has labeled these vehicles as “car SUVs.”*

**Table 4.10**  
**Definition of Car Sport Utility Vehicles in Model Year 2021**

Acura RDX FWD	Jeep Renegade 4x2
Alfa Romeo Stelvio	Kia Soul Electric
BMW X3 sDrive30i	Kia Sportage FWD
Buick Encore FWD	Lexus NX 300
Buick Envision FWD	Lexus NX 300 AWD
Cadillac XT4 FWD	Lexus NX 300 AWD F Sport
Chevrolet Equinox FWD	Lexus RX 350
Chevrolet Trax FWD	Lexus RX 350 AWD
Ford Ecosport FWD	Lexus RX 350 L
Ford Edge FWD	Lincoln Corsair FWD
Ford Escape FWD	Lincoln Nautilus FWD
Ford Escape FWD HEV	Mazda CX-30 2WD
Ford Escape FWD PHEV	Mazda CX-5 2WD
Ford Mustang Mach-E GT	Mercedes GLA 250
GMC Terrain FWD	Mercedes GLB 250
Honda CR-V FWD	Mercedes GLC 300
Honda Passport FWD	Mitsubishi Outlander Sport 2WD
Hyundai Kona AWD	Nissan Rogue FWD
Hyundai Kona Electric	Nissan Rogue FWD SV/SL/Platinum
Hyundai Kona FWD	Nissan Rogue Sport
Hyundai Nexo	Tesla Model X
Hyundai Nexo Blue	Tesla Model Y
Hyundai Santa Fe AWD	Toyota RAV4
Hyundai Tucson AWD	Volvo XC40 FWD
Hyundai Tucson FWD	Volvo XC60 FWD
Infiniti QX50	VW Atlas Cross Sport
Jaguar I-Pace EV400	VW ID.4 1st
Jeep Cherokee FWD	VW ID.4 AWD Pro
Jeep Compass 4X2	VW ID.4 Pro

**Note:** 2WD = Two-wheel drive. AWD = All-wheel drive. FWD = Front-wheel drive.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

*Production of sport utility vehicles (SUVs) has grown substantially since 1975. The production-weighted fuel economy of truck SUVs was 24.0 mpg in 2021. Estimates show 67.8% of all light trucks produced in 2021 were truck SUVs.*

**Table 4.11**  
**Production, Production Shares, and Production-Weighted Fuel Economies of New Domestic and Import Light Trucks, Model Years 1975-2021<sup>a</sup>**

Model Year	Pickup			Van			Truck SUV		
	Production (Thousands)	Share (%) <sup>b</sup>	Fuel Economy (mpg)	Production (Thousands)	Share (%) <sup>b</sup>	Fuel Economy (mpg)	Production (Thousands)	Share (%) <sup>b</sup>	Fuel Economy (mpg)
1975	1,343	67.9%	11.9	457	23.1%	11.1	177	9.0%	11.0
1980	1,437	77.1%	16.5	242	13.0%	14.1	184	9.9%	13.2
1985	2,078	58.0%	18.2	855	23.9%	16.5	648	18.1%	16.5
1990	1,835	49.1%	17.4	1,262	33.7%	17.8	643	17.2%	16.4
1991	1,920	50.2%	18.2	1,034	27.0%	17.9	871	22.8%	16.7
1992	1,840	48.1%	17.5	1,221	31.9%	17.9	761	19.9%	16.2
1993	2,002	46.8%	17.6	1,441	33.7%	18.2	838	19.6%	16.3
1994	2,669	49.6%	17.4	1,418	26.4%	17.8	1,291	24.0%	16.0
1995	2,271	41.1%	16.9	1,662	30.1%	18.1	1,596	28.9%	16.0
1996	1,955	39.4%	17.1	1,409	28.4%	18.3	1,603	32.3%	16.2
1997	2,408	41.8%	16.8	1,265	22.0%	18.2	2,089	36.3%	16.1
1998	2,415	40.0%	17.0	1,489	24.7%	18.7	2,127	35.3%	16.2
1999	2,544	40.1%	16.3	1,463	23.0%	18.3	2,342	36.9%	16.1
2000	2,612	38.2%	16.7	1,691	24.8%	18.6	2,526	37.0%	16.0
2001	2,519	39.0%	16.0	1,232	19.1%	18.0	2,707	41.9%	16.4
2002	2,380	33.0%	15.8	1,243	17.2%	18.7	3,588	49.8%	16.3
2003	2,474	34.0%	16.1	1,232	16.9%	19.0	3,571	49.1%	16.4
2004	2,505	33.3%	15.7	953	12.7%	19.2	4,075	54.1%	16.5
2005	2,300	32.6%	15.8	1,481	21.0%	19.3	3,272	46.4%	16.7
2006	2,188	34.4%	16.1	1,166	18.3%	19.5	3,006	47.3%	17.2
2007	2,113	33.7%	16.2	847	13.5%	19.5	3,314	52.8%	17.7
2008	1,794	31.7%	16.5	790	14.0%	19.8	3,072	54.3%	18.2
2009	989	32.2%	16.9	368	12.0%	20.1	1,714	55.8%	19.3
2010	1,276	30.8%	16.9	559	13.5%	20.1	2,305	55.7%	19.7
2011	1,479	29.2%	17.2	521	10.3%	20.9	3,069	60.5%	19.8
2012	1,357	28.3%	17.2	662	13.8%	21.3	2,771	57.9%	20.0
2013	1,577	28.9%	17.5	571	10.5%	21.1	3,310	60.6%	20.8
2014	1,929	30.6%	18.0	672	10.6%	21.3	3,706	58.8%	21.6
2015	1,786	25.0%	18.8	655	9.2%	21.8	4,697	65.8%	21.9
2016	1,907	26.2%	18.9	630	8.7%	21.7	4,741	65.1%	22.2
2017	2,054	25.5%	18.9	617	7.7%	22.2	5,391	66.9%	22.3
2018	2,259	26.7%	19.1	508	6.0%	22.8	5,692	67.3%	23.1
2019	2,521	28.1%	19.0	555	6.2%	22.4	5,893	65.7%	23.5
2020	1,976	25.7%	19.2	402	5.2%	23.4	5,313	69.1%	23.8
2021 <sup>c</sup>	<sup>d</sup>	28.0%	19.4	<sup>d</sup>	4.3%	26.2	<sup>d</sup>	67.8%	24.0

**Note:** Data include pickups, vans, and truck SUV less than 8,500 lb. Beginning with 2011, truck SUV and passenger vans up to 10,000 lb were also included. See Table 4.12 for all light trucks (pickup + van + truck SUV).

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> The fuel economy data on this table are adjusted to provide the best estimate of real world performance. These data are typically 20-25% lower than Corporate Average Fuel Economy data.

<sup>b</sup> Production share is based on the total of pickups, plus vans and truck SUVs. Percentages may not sum to totals due to rounding.

<sup>c</sup> Data for 2021 are preliminary.

<sup>d</sup> Data are not available.

*The average fuel economy of cars more than doubled from 1975 to 2021 while the average fuel economy of light trucks grew by 94% in that same time period. This was not steady annual growth, but growth in the 1970's and early 1980's followed by a long period with little improvement. Growth resumed around 2008-2009.*

**Table 4.12**  
**Production and Production-Weighted Fuel Economies of New Domestic and Import Cars, Light Trucks and Light Vehicles, Model Years 1975-2021<sup>a</sup>**

Model Year	All Cars <sup>b</sup>		All Light Trucks		All Light Vehicles	
	Production (Thousands)	Fuel Economy (mpg)	Production (Thousands)	Fuel Economy (mpg)	Production (Thousands)	Fuel Economy (mpg)
1975	8,247	13.5	1,977	11.6	10,224	13.1
1980	9,444	20.0	1,863	15.8	11,307	19.2
1985	10,879	23.0	3,581	17.5	14,460	21.3
1990	8,875	23.3	3,740	17.4	12,615	21.2
1995	9,616	23.3	5,529	17.0	15,145	20.5
1996	8,177	23.1	4,967	17.2	13,144	20.4
1997	8,695	23.2	5,762	16.8	14,457	20.2
1998	8,425	23.0	6,030	17.1	14,455	20.1
1999	8,865	22.7	6,350	16.6	15,215	19.7
2000	9,742	22.5	6,829	16.8	16,571	19.8
2001	9,148	22.6	6,458	16.5	15,606	19.6
2002	8,904	22.8	7,211	16.5	16,115	19.5
2003	8,496	23.0	7,277	16.7	15,773	19.6
2004	8,176	22.9	7,533	16.5	15,709	19.3
2005	8,839	23.1	7,053	16.9	15,892	19.9
2006	8,744	23.0	6,360	17.2	15,104	20.1
2007	9,001	23.7	6,275	17.4	15,276	20.6
2008	8,243	23.9	5,656	17.8	13,898	21.0
2009	6,244	25.0	3,071	18.5	9,316	22.4
2010	6,976	25.7	4,141	18.8	11,116	22.6
2011	6,949	25.4	5,069	19.1	12,018	22.3
2012	8,659	26.9	4,790	19.3	13,449	23.6
2013	9,740	27.7	5,458	19.8	15,198	24.2
2014	9,205	27.6	6,307	20.3	15,512	24.1
2015	9,601	28.2	7,138	21.1	16,739	24.6
2016	9,001	28.5	7,277	21.2	16,278	24.7
2017	8,954	29.2	8,061	21.3	17,016	24.9
2018	7,800	29.9	8,459	21.9	16,259	25.1
2019	7,171	29.9	8,969	22.0	16,139	24.9
2020	6,030	30.7	7,691	22.4	13,721	25.4
2021 <sup>c</sup>	<sup>d</sup>	31.3	<sup>d</sup>	22.6	<sup>d</sup>	25.3

**Note:** Data include pickups, vans, and truck SUV less than 8,500 lb. Beginning with 2011, truck SUVs and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

<sup>a</sup> The fuel economy data on this table are adjusted to provide the best estimate of real world performance. These data are typically 20-25% lower than Corporate Average Fuel Economy data.

<sup>b</sup> All Cars include both car and car SUV categories.

<sup>c</sup> Data for 2021 are preliminary.

<sup>d</sup> Data are not available, but 38.9% of all light vehicles were cars (car + car SUV) and 61.1% were light trucks (pickups, vans, and truck SUV) in 2021.

*Back in 1975 only 19.3% of new light vehicles produced were light trucks. Because of the boom in production of minivans, sport utility vehicles, and pick-up trucks, that number rose to over 40% in 1998. Since 2018 more than half of light vehicles produced were light trucks. The car SUV category was 11.7% of production in 2021 and the truck SUVs were 41.4%.*

**Table 4.13**  
**Light Vehicle Production Shares<sup>a</sup>, Model Years 1975–2021**

Model Year	Light Vehicle Categories					Total Light Vehicles Produced (thousands)	Production Share	
	Car	Car SUV	Pickup	Van	Truck SUV		Cars <sup>b</sup>	Light Trucks
1975	80.6%	0.1%	13.1%	4.5%	1.7%	10,224	80.7%	19.3%
1980	83.5%	0.0%	12.7%	2.1%	1.6%	11,306	83.5%	16.5%
1985	74.6%	0.6%	14.4%	5.9%	4.5%	14,460	75.2%	24.8%
1990	69.8%	0.5%	14.5%	10.0%	5.1%	12,615	70.4%	29.6%
1991	67.8%	1.8%	15.3%	8.2%	6.9%	12,573	69.6%	30.4%
1992	66.6%	2.0%	15.1%	10.0%	6.2%	12,172	68.6%	31.4%
1993	64.0%	3.6%	15.2%	10.9%	6.3%	13,211	67.6%	32.4%
1994	59.6%	2.3%	18.9%	10.0%	9.1%	14,125	61.9%	38.1%
1995	62.0%	1.5%	15.0%	11.0%	10.5%	15,145	63.5%	36.5%
1996	60.0%	2.2%	14.9%	10.7%	12.2%	13,144	62.2%	37.8%
1997	57.6%	2.5%	16.7%	8.8%	14.5%	14,458	60.1%	39.9%
1998	55.1%	3.1%	16.7%	10.3%	14.7%	14,456	58.3%	41.7%
1999	55.1%	3.2%	16.7%	9.6%	15.4%	15,215	58.3%	41.7%
2000	55.1%	3.7%	15.8%	10.2%	15.2%	16,571	58.8%	41.2%
2001	53.9%	4.8%	16.1%	7.9%	17.3%	15,605	58.6%	41.4%
2002	51.5%	3.7%	14.8%	7.7%	22.3%	16,115	55.3%	44.7%
2003	50.2%	3.6%	15.7%	7.8%	22.6%	15,773	53.9%	46.1%
2004	48.0%	4.1%	15.9%	6.1%	25.9%	15,709	52.0%	48.0%
2005	50.5%	5.1%	14.5%	9.3%	20.6%	15,892	55.6%	44.4%
2006	52.9%	5.0%	14.5%	7.7%	19.9%	15,104	57.9%	42.1%
2007	52.9%	6.0%	13.8%	5.5%	21.7%	15,276	58.9%	41.1%
2008	52.7%	6.6%	12.9%	5.7%	22.1%	13,898	59.3%	40.7%
2009	60.5%	6.5%	10.6%	4.0%	18.4%	9,316	67.0%	33.0%
2010	54.5%	8.2%	11.5%	5.0%	20.7%	11,116	62.8%	37.3%
2011	47.8%	10.0%	12.3%	4.3%	25.5%	12,018	57.8%	42.2%
2012	55.0%	9.4%	10.1%	4.9%	20.6%	13,449	64.4%	35.6%
2013	54.1%	10.0%	10.4%	3.8%	21.8%	15,198	64.1%	35.9%
2014	49.2%	10.1%	12.4%	4.3%	23.9%	15,512	59.3%	40.7%
2015	47.2%	10.2%	10.7%	3.9%	28.1%	16,739	57.4%	42.6%
2016	43.8%	11.5%	11.7%	3.9%	29.1%	16,278	55.3%	44.7%
2017	41.0%	11.6%	12.1%	3.6%	31.7%	17,016	52.6%	47.4%
2018	36.7%	11.3%	13.9%	3.1%	35.0%	16,259	48.0%	52.0%
2019	32.7%	11.7%	15.6%	3.4%	36.5%	16,139	44.4%	55.6%
2020	30.9%	13.0%	14.4%	2.9%	38.7%	13,721	43.9%	56.1%
2021 <sup>c</sup>	27.2%	11.7%	17.1%	2.6%	41.4%	<sup>d</sup>	38.9%	61.1%

**Note:** Light truck data include pickups, vans, and truck SUVs less than 8,500 lb. Beginning with 2011, SUV and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> Percentages may not sum to totals due to rounding.


<sup>b</sup> Cars include both car and car SUV categories.

<sup>c</sup> Data for 2021 are preliminary.

<sup>d</sup> Data are not available.

The effects of the Japanese earthquake/tsunami in 2011 are apparent in the large decline in car production for that year. Light trucks were gaining market share from the early 1980s until 2004, mainly due to increases in the market share of sport utility vehicles (SUVs) and pickup trucks. Car SUVs are two-wheel drive SUVs that are counted as cars in the Corporate Average Fuel Economy Standards for model years 2011-on. A listing of the makes/models of car SUVs is in Table 4.10.

**Figure 4.4. Light Vehicle Production Shares, Model Years 1975–2021**




**Note:** Data for 2021 are preliminary.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

The number of transmission speeds in new light-duty vehicles has been growing over the last few decades. By 2021, 91% of cars and 96% of light trucks were at least six speeds. The share of light truck transmissions in the 9 & 10-speed category grew to 35% in 2021. Continuously variable transmissions (CVTs) were 43% of car production and 18% of light truck production. A greater number of gears improves fuel economy and performance by more closely matching the wheel speed to the optimum engine speed.

**Figure 4.5. Car and Light Truck Production by Transmission Speed, Model Years 1980-2021**



**Note:** Data are production-weighted averages for each model year. Data for model year 2021 are preliminary. CVT data include both hybrid and non-hybrid. The "Other" category includes electric vehicles and plug-in hybrid-electric vehicles. Data include light trucks less than 8,500 lb Beginning with 2011, SUVs and passenger vans up to 10,000 lb were also included.


**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)



*Increased performance typically comes as a trade-off with fuel economy. But light vehicle manufacturers have been able to employ advanced technologies to improve both performance and fuel economy. Despite a 143% increase in horsepower and 51% improvement in acceleration from model year 1980 to 2021, the fuel economy of vehicles improved 32%. In the 1990s and early 2000s, fuel economy decreased while vehicle weight increased. Fuel economy has improved nearly every year since 2004.*

**Figure 4.6. Horsepower, Fuel Economy, Weight, and 0-60 Time for New Light Vehicles, Model Years 1980-2021**



**Note:** Data are production-weighted averages for each model year. Data for model year 2021 are preliminary. CVT data include both hybrid and non-hybrid. Data include light trucks less than 8,500 lb Beginning with 2011, SUVs and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

*Manufacturers have introduced new technologies that have played a significant role in improving the fuel economy of passenger cars. Turbocharging has enabled manufacturers to downsize engines without sacrificing performance while gasoline direct injection has improved combustion efficiency in the engine. Cylinder deactivation is another strategy for reducing engine displacement that shuts down cylinders under light load conditions. Stop-start reduces unnecessary idling by automatically shutting down the engine when the vehicle is stopped and restarting the engine only when needed. Continuously variable transmissions improve efficiency by maintaining optimum engine speed as the vehicle speed varies. Penetration of direct injection has grown rapidly and was installed on 50.6% of all new cars in model year (MY) 2021. Turbochargers were installed on 35.0% of new cars produced in MY 2021.*

**Table 4.14**  
**Car Technology Penetration, 1996-2021**

Model year	Turbo	Continuously variable transmission (non-hybrid)	Continuously variable transmission (hybrid)	Gasoline direct injection	Cylinder deactivation	Stop-start (non-hybrid)	Stop-start (hybrid)
1996	0.3%	0.0%	a	a	a	a	a
1997	0.7%	0.1%	a	a	a	a	a
1998	1.4%	0.1%	a	a	a	a	a
1999	2.5%	0.0%	a	a	a	a	a
2000	2.2%	0.0%	a	a	a	a	0.1%
2001	3.3%	0.0%	0.2%	a	a	a	0.2%
2002	3.9%	0.1%	0.3%	a	a	a	0.3%
2003	2.0%	1.0%	0.5%	a	a	a	0.6%
2004	3.6%	0.9%	0.8%	a	a	a	0.9%
2005	2.4%	1.1%	1.7%	a	1.0%	a	1.9%
2006	3.2%	1.2%	1.5%	a	2.0%	a	1.5%
2007	3.6%	6.7%	3.0%	0.3%	0.9%	a	3.2%
2008	4.5%	7.7%	3.2%	3.1%	2.0%	a	3.3%
2009	4.0%	8.3%	2.8%	4.2%	1.8%	a	2.9%
2010	4.1%	8.4%	5.5%	9.2%	2.1%	a	5.6%
2011	8.2%	8.8%	3.1%	18.4%	1.3%	a	3.4%
2012	9.7%	11.0%	4.0%	27.4%	1.7%	1.3%	4.6%
2013	15.1%	13.7%	4.3%	37.3%	1.9%	3.5%	5.3%
2014	18.1%	21.3%	3.7%	42.7%	2.2%	10.7%	4.1%
2015	18.1%	26.3%	3.6%	44.0%	2.2%	12.7%	4.0%
2016	23.6%	27.2%	2.4%	49.5%	2.1%	12.1%	2.7%
2017	28.9%	29.1%	2.7%	52.4%	3.0%	15.7%	3.4%
2018	36.4%	28.2%	2.4%	52.5%	3.3%	21.8%	2.9%
2019	35.2%	32.1%	3.2%	53.1%	3.6%	25.2%	4.4%
2020	35.8%	40.5%	3.1%	52.1%	4.8%	29.0%	3.9%
2021 <sup>b</sup>	35.0%	40.1%	3.8%	50.6%	5.1%	27.5%	6.1%

**Note:** Based on production. Car category includes car SUV. See Table 4.10 for car SUV listing.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> The Environmental Protection Agency did not record market penetration for this technology in this year.

<sup>b</sup> Data for 2021 are preliminary.

Manufacturers have introduced a number of engine and transmission technologies to improve the fuel efficiency and performance of light trucks. Gasoline direct injection has seen rapid market penetration from about 1% of all new light trucks produced in model year (MY) 2008 to nearly 60% by MY 2021. Cylinder deactivation, turbocharging, and stop-start have all seen increased penetration with each of these technologies reaching more than 20% of production for light trucks in MY 2021. The penetration of continuously variable transmissions (CVT) is lower for light trucks than for cars because CVTs are not generally well suited to the high horsepower and high torque requirements of pickup trucks and large SUVs that provide greater load hauling and towing capability.

**Table 4.15**  
**Light Truck Technology Penetration, 2002-2021**

Model year	Turbo	Continuously variable transmission (non-hybrid)	Continuously variable transmission (hybrid)	Gasoline direct injection	Cylinder deactivation	Stop-start (non-hybrid)	Stop-start (hybrid)
2002	<sup>a</sup>	0.0%	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	
2003	0.2%	0.6%	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	
2004	0.8%	0.6%	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	0.0%
2005	0.7%	1.7%	0.1%	<sup>a</sup>	0.5%	<sup>a</sup>	0.1%
2006	0.6%	1.6%	1.5%	<sup>a</sup>	5.9%	<sup>a</sup>	1.5%
2007	1.0%	2.9%	0.7%	<sup>a</sup>	16.4%	<sup>a</sup>	0.8%
2008	1.0%	2.3%	1.3%	1.1%	13.5%	<sup>a</sup>	1.3%
2009	1.7%	5.1%	0.9%	4.2%	18.3%	<sup>a</sup>	0.9%
2010	1.8%	5.1%	0.8%	6.8%	13.8%	<sup>a</sup>	0.9%
2011	4.9%	6.9%	0.4%	11.3%	20.6%	<sup>a</sup>	0.4%
2012	6.1%	5.9%	0.3%	13.5%	19.6%	0.3%	0.4%
2013	11.7%	8.4%	0.4%	18.4%	18.0%	1.1%	0.4%
2014	9.9%	9.8%	0.3%	29.7%	22.9%	2.8%	0.4%
2015	12.6%	15.0%	0.3%	39.0%	21.7%	5.9%	0.3%
2016	15.3%	13.6%	0.8%	46.1%	20.7%	11.2%	0.8%
2017	17.3%	13.8%	1.0%	46.7%	21.8%	20.0%	1.1%
2018	24.1%	13.7%	1.1%	48.1%	20.9%	37.1%	1.8%
2019	25.8%	13.8%	1.4%	52.8%	24.0%	46.3%	3.2%
2020	33.8%	13.0%	2.6%	61.1%	22.5%	59.0%	5.7%
2021 <sup>b</sup>	34.1%	13.2%	5.1%	58.8%	25.0%	56.8%	10.6%

**Note:** Based on production. Data include pickups, vans, and truck SUV less than 8,500 lb. Beginning with 2011, truck SUVs and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> The Environmental Protection Agency did not record market penetration for this technology in this year.

<sup>b</sup> Data for 2021 are preliminary.

*The production-weighted average engine displacement of cars in 1975 was 4.73 liters but had declined to 2.29 liters by 2021. Car SUVs also experienced a decline in engine displacement. For a list of car SUVs, see Table 4.10.*

**Table 4.16**  
**Production-Weighted Engine Size of New Domestic and Import Cars,**  
**Model Years 1975-2021**  
**(liters<sup>a</sup>)**

Model Year	Car	Car SUV
1975	4.73	4.29
1980	3.08	4.59
1985	2.90	2.80
1986	2.74	2.78
1987	2.65	2.93
1988	2.63	3.26
1989	2.67	3.70
1990	2.67	3.42
1991	2.66	3.52
1992	2.78	3.44
1993	2.73	3.91
1994	2.75	3.42
1995	2.74	3.51
1996	2.71	3.52
1997	2.68	3.11
1998	2.68	3.58
1999	2.72	3.45
2000	2.71	3.47
2001	2.70	3.17
2002	2.71	3.00
2003	2.71	2.97
2004	2.76	3.13
2005	2.72	3.05
2006	2.82	3.01
2007	2.71	3.04
2008	2.70	2.93
2009	2.54	2.87
2010	2.56	2.81
2011	2.61	2.72
2012	2.42	2.74
2013	2.37	2.63
2014	2.40	2.52
2015	2.37	2.51
2016	2.32	2.33
2017	2.27	2.26
2018	2.26	2.09
2019	2.27	2.06
2020	2.24	2.02
2021 <sup>b</sup>	2.29	2.13
<i>Annual average percentage change</i>		
1975-2021	-1.6%	-1.5%
2011-2021	-1.3%	-2.4%

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> 1 liter = 61.02 cubic inches.

<sup>b</sup> Data for 2021 are preliminary.

*The production-weighted engine size of truck sport utility vehicles (SUVs) declined an average of 2.1% per year from 2011 to 2021, while the engine size of pickups decreased by only 0.8%.*

**Table 4.17**  
**Production-Weighted Engine Size of New Domestic and Import Light Trucks,**  
**Model Years 1975-2021**  
**(liters<sup>a</sup>)**

Model Year	Pickup	Van	Truck SUV
1975	5.02	5.20	5.44
1980	3.86	4.72	4.83
1985	3.63	3.87	3.63
1990	4.04	3.69	3.85
1991	3.80	3.60	3.82
1992	4.01	3.64	3.85
1993	4.00	3.57	4.00
1994	4.06	3.70	4.01
1995	4.20	3.79	4.01
1996	4.12	3.61	4.24
1997	4.33	3.61	4.19
1998	4.13	3.56	4.14
1999	4.38	3.65	4.14
2000	4.18	3.55	4.15
2001	4.41	3.75	3.92
2002	4.45	3.57	4.01
2003	4.33	3.59	4.05
2004	4.61	3.58	4.13
2005	4.65	3.53	4.00
2006	4.55	3.54	3.87
2007	4.69	3.59	3.94
2008	4.69	3.60	3.76
2009	4.70	3.53	3.46
2010	4.80	3.51	3.48
2011	4.63	3.47	3.56
2012	4.69	3.44	3.52
2013	4.62	3.43	3.36
2014	4.80	3.49	3.21
2015	4.54	3.32	3.24
2016	4.36	3.37	3.13
2017	4.48	3.37	3.11
2018	4.37	3.36	2.95
2019	4.38	3.34	2.93
2020	4.31	3.18	2.83
2021 <sup>b</sup>	4.25	2.95	2.87
	<i>Annual average percentage change</i>		
1975-2021	-0.4%	-1.2%	-1.4%
2011-2021	-0.8%	-1.6%	-2.1%

**Note:** Data include pickups, vans, and truck SUV less than 8,500 lb Beginning with 2011, truck SUVs and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> 1 liter = 61.02 cubic inches.

<sup>b</sup> Data for 2021 are preliminary.

The production-weighted loaded vehicle weight of cars declined by 454 lb from 1975 to 2021, while car SUVs declined by 183 lb.

**Table 4.18**  
**Production-Weighted Loaded Vehicle Weight<sup>a</sup> of New Domestic and Import Cars,**  
**Model Years 1975–2021**  
**(pounds)**

Model Year	Car	Car SUV
1975	4,058	4,000
1980	3,101	4,000
1985	3,093	3,469
1986	3,041	3,479
1987	3,031	3,492
1988	3,047	3,495
1989	3,099	3,497
1990	3,176	3,518
1991	3,154	3,733
1992	3,240	3,713
1993	3,207	3,848
1994	3,250	3,735
1995	3,263	3,763
1996	3,282	3,710
1997	3,274	3,549
1998	3,306	3,824
1999	3,365	3,831
2000	3,369	3,870
2001	3,380	3,765
2002	3,391	3,747
2003	3,417	3,716
2004	3,462	3,854
2005	3,463	3,848
2006	3,534	3,876
2007	3,507	3,935
2008	3,527	3,902
2009	3,464	3,846
2010	3,474	3,949
2011	3,559	3,890
2012	3,452	3,915
2013	3,465	3,966
2014	3,497	3,865
2015	3,489	3,868
2016	3,468	3,782
2017	3,471	3,860
2018	3,535	3,739
2019	3,512	3,714
2020	3,510	3,755
2021 <sup>b</sup>	3,603	3,817
<i>Annual average percentage change</i>		
1975-2021	-0.3%	-0.1%
2011-2021	0.1%	-0.2%

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> Loaded vehicle weight is equal to the vehicle's curb weight plus 300 pounds.

<sup>b</sup> Data for 2021 are preliminary.

*The production-weighted loaded vehicle weight of pickups, vans, and truck SUVs increased from 1975 to 2021. Pickups gained 1,192 lb while vans gained 414 lb and truck SUVs gained 258 lb.*

**Table 4.19**  
**Production-Weighted Loaded Vehicle Weight<sup>a</sup> of New Domestic and Import Light Trucks,**  
**Model Years 1975–2021**  
**(pounds)**

Model Year	Pickup	Van	Truck SUV
1975	4,012	4,196	4,214
1980	3,740	4,353	4,237
1985	3,642	3,975	4,092
1990	3,928	4,095	4,098
1991	3,779	4,133	4,157
1992	3,976	4,151	4,204
1993	3,996	4,105	4,331
1994	4,056	4,156	4,331
1995	4,182	4,110	4,323
1996	4,190	4,195	4,386
1997	4,415	4,240	4,463
1998	4,282	4,183	4,450
1999	4,486	4,306	4,518
2000	4,340	4,276	4,602
2001	4,551	4,518	4,546
2002	4,690	4,394	4,636
2003	4,642	4,393	4,754
2004	4,939	4,487	4,756
2005	4,988	4,430	4,756
2006	4,968	4,475	4,715
2007	5,144	4,479	4,797
2008	5,161	4,527	4,727
2009	5,176	4,572	4,548
2010	5,309	4,533	4,555
2011	5,268	4,502	4,665
2012	5,335	4,442	4,640
2013	5,429	4,543	4,584
2014	5,485	4,489	4,483
2015	5,165	4,416	4,533
2016	5,150	4,459	4,482
2017	5,217	4,503	4,510
2018	5,233	4,524	4,426
2019	5,085	4,497	4,444
2020	5,126	4,487	4,448
2021 <sup>b</sup>	5,204	4,609	4,472
<i>Annual average percentage change</i>			
1975-2021	0.6%	0.2%	0.1%
2011-2021	-0.1%	0.2%	-0.4%

**Note:** Data include pickups, vans, and truck SUV less than 8,500 lb. Beginning with 2011, truck SUVs and passenger vans up to 10,000 lb were also included.

**Source:**

U.S. Environmental Protection Agency, *The 2021 EPA Automotive Trends Report*, EPA-420-R-21-023, November 2021. (Additional resources: <https://www.epa.gov/fuel-economy-trends>)

<sup>a</sup> Loaded vehicle weight is equal to the vehicle's curb weight plus 300 pounds.

<sup>b</sup> Data for 2021 are preliminary.

*The average light vehicle in 2017 contained more than 2,000 pounds of steel, most of it conventional steel. High and medium strength steel, however, were more than 19% of the vehicle. The use of aluminum grew from 1995 to 2017, while the use of iron castings declined.*

**Table 4.20**  
**Average Material Consumption for a Domestic Light Vehicle,<sup>a</sup>**  
**Model Years 1995, 2000, and 2017**

Material	1995		2000		2017	
	Pounds	Percentage	Pounds	Percentage	Pounds	Percentage
Regular steel	1,630	44.1%	1,655	42.4%	1,222	30.9%
High and medium strength steel	324	8.8%	408	10.5%	765	19.3%
Stainless steel	51	1.4%	62	1.6%	72	1.8%
Other steels	46	1.2%	26	0.7%	31	0.8%
Iron castings	466	12.6%	432	11.1%	243	6.1%
Aluminum	231	6.3%	268	6.9%	416	10.5%
Magnesium castings	4	0.1%	8	0.2%	8	0.2%
Copper and brass	50	1.4%	52	1.3%	69	1.8%
Lead	33	0.9%	36	0.9%	37	0.9%
Zinc castings	19	0.5%	13	0.3%	9	0.2%
Powder metal parts	29	0.8%	36	0.9%	44	1.1%
Other metals	4	0.1%	4	0.1%	5	0.1%
Plastics and plastic composites	240	6.5%	286	7.3%	342	8.6%
Rubber	149	4.0%	166	4.3%	206	5.2%
Coatings	23	0.6%	25	0.6%	29	0.7%
Textiles	42	1.1%	44	1.1%	46	1.2%
Fluids and lubricants	192	5.2%	207	5.3%	222	5.6%
Glass	97	2.6%	103	2.6%	95	2.4%
Other materials	64	1.7%	71	1.8%	92	2.6%
<b>Total</b>	<b>3,694</b>	<b>100.0%</b>	<b>3,902</b>	<b>100.0%</b>	<b>3,953</b>	<b>100.0%</b>

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com). (Original source: American Chemistry Council)

<sup>a</sup> Data are for vehicles built in North America. Percentages may not sum to totals due to rounding.



*In the automotive industry, a Tier 1 supplier is a company that sells directly to the original equipment manufacturer (OEM). Globally, Robert Bosch GmbH is the top automotive supplier. Of the top 20 global Tier 1 suppliers, Magna International has the highest share of sales in North America (48%).*

**Table 4.21**  
**List of Top Twenty Tier 1 Global Suppliers, 2020**

Rank	Company	Headquarters location	Market share				Total
			North America	Europe	Asia	Rest of World	
1	Robert Bosch GmbH	Germany	15%	45%	39%	1%	100%
2	Denso Corp.	Japan	21%	10%	68%	1%	100%
3	ZF Friedrichshafen AG	Germany	26%	46%	25%	3%	100%
4	Magna International, Inc.	Canada	48%	44%	6%	1%	99%
5	Aisin Seiki	Japan	16%	10%	72%	2%	100%
6	Continental AG	Germany	25%	48%	24%	3%	100%
7	Hyundai Mobis	Korea	16%	13%	68%	4%	101%
8	Faurecia	France	25%	47%	24%	4%	100%
9	Lear Corp.	United States	39%	37%	21%	3%	100%
10	Valeo SA	France	19%	46%	33%	2%	100%
11	Yazaki Corp.	Japan	32%	17%	51%	0%	100%
12	Sumitomo Electric Industries	Japan	23%	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>	<sup>a</sup>
13	BASF	Germany	25%	34%	39%	2%	100%
14	Adient	United States	31%	26%	36%	7%	100%
15	Tenneco Inc.	United States	35%	35%	25%	5%	100%
16	Panasonic Automotive Systems Co	Japan	39%	6%	53%	2%	100%
17	Yanfeng	China	17%	13%	70%	0%	100%
18	Marelli	Japan	24%	38%	35%	3%	100%
19	Apitiv	Ireland	35%	34%	22%	9%	100%
20	JTEKT Corp.	Japan	19%	12%	69%	0%	100%

**Source:**

Crain Communications, Automotive News Supplement, "Top 100 Global Suppliers," June 2021. (Additional resources: [www.autonews.com](http://www.autonews.com))

<sup>a</sup> Data are not available.

*There are 22 U.S.-based companies in the top 100 automotive global suppliers. Ten of these companies had at least half of their sales in North America in 2020.*

**Table 4.22**  
**U.S.-Based Tier 1 Suppliers in the Global Top 100, 2020**

Rank	Company	Percent North American sales	Products
9	Lear Corp.	39.0%	Seating & electrical systems (E-Systems)
14	Adient	31.0%	Automotive seats
15	Tenneco, Inc.	35.0%	A leading designer, manufacturer & marketer of clean air, powertrain & ride performance products
23	BorgWarner, Inc.	31.0%	Electric drive modules, electric motors, turbochargers, high-voltage heaters, transfer cases & inverters
28	Flex-N-Gate Corp.	81.0%	Interior & exterior plastics, metal bumpers, towing devices, structural metal assemblies, forward & signal lighting, prototyping & sequencing
33	Dana Holding Corp.	51.0%	Drive systems, electrodynamics, gaskets, thermal-management products, motion systems & digital solutions (analytics)
47	American Axle & Mfg Holdings, Inc	75.0%	Driveline (including EV) & metal forming components
48	Joyson Safety Systems	27.0%	Steering wheels, seat belts, airbags & integrated safety solutions
62	Nexteer Automotive	63.0%	Electric power steering, hydraulic power steering, steering columns & intermediate shafts, driveline systems, ADAS & AD enabling technologies
64	Piston Group	91.0%	Batteries, cooling modules, brake corners, grilles, shocks, instrument panels, seat trim & parts, sun visors, shades, injection molding, brazed evaporator heater cores, HVAC units.
67	Visteon Corp.	24.0%	Digital instrument clusters, displays, Android-based infotainment systems, domain controllers, advanced driver-assistance systems (ADAS) & battery management systems
69	Novelis Inc.	51.0%	Flat-rolled aluminum sheet for vehicle structures, body panels, heat exchangers, heat shields & other automotive applications
70	Flex	43.0%	Scalable compute, autonomous sensing, domain control, gateway modules, infotainment, power converters/inverters, media hubs, wireless charging, lighting, overhead consoles, cabin monitoring & actuators
76	Cooper Standard Automotive	50.0%	Sealing, fuel & brake delivery & fluid transfer systems
80	Clarios	29.0%	Battery technologies that support virtually every type of passenger, commercial & recreational vehicle (conventional to fully electric)

(Continued)

**Table 4.22 (Continued)**  
**U.S.-Based Tier 1 Suppliers in the Global Top 100, 2020**

Rank	Company	Percent North American Sales	Products
83	Arconic Inc.	85.0%	Aluminum sheet for closure panels, hoods & trunks, bumper systems & crash management systems; extrusions for drive shafts
86	Gentex Corp.	39.0%	Interior & exterior auto-dimming mirrors & full display mirrors; HomeLink, SmartBeam, aerospace windows & fire protection products
90	Bridgewater Interiors	100.0%	Automotive seating systems
95	Varroc Lighting Systems	22.0%	Exterior lighting (front & rear) & electronics
98	Inteva Products	40.0%	Closure systems, interior systems, motors & electronic systems
99	Gentherm Inc.	41.0%	Solutions for automotive passenger climate comfort & convenience, battery thermal management & cell connecting systems
100	Henniges Automotive	62.0%	Automotive sealing systems & anti-vibration components

**Note:** Rank based on total global OEM automotive parts sales in 2020.

**Source:**

Crain Communications, Automotive News Supplement, "Top 100 Global Suppliers," June 2021. (Additional resources: [www.autonews.com](http://www.autonews.com))

The number of franchised dealerships which sell new light vehicles (cars and light trucks) has declined 46% since 1970. The average number of light vehicle sales per dealer in 2020 dropped to 849, which was the lowest since 2012.

**Table 4.23**  
**New Light Vehicle Dealerships and Sales, 1970–2020**

Calendar year	Number of franchised new light vehicle dealerships <sup>a</sup>	New light vehicle sales <sup>b</sup> (thousands)	Light vehicle sales per dealer
1970	30,800	9,778	320
1975	29,600	10,539	361
1980	27,900	10,909	391
1985	24,725	14,667	593
1986	24,825	15,998	644
1987	25,150	14,797	589
1988	25,025	15,344	613
1989	25,000	14,386	576
1990	24,825	13,849	558
1991	24,200	12,307	509
1992	23,500	12,842	546
1993	22,950	13,869	604
1994	22,850	15,024	657
1995	22,800	14,673	644
1996	22,750	14,998	659
1997	22,700	15,014	661
1998	22,600	15,384	681
1999	22,400	16,711	746
2000	22,250	17,164	771
2001	22,150	16,950	765
2002	21,800	16,675	765
2003	21,725	16,494	759
2004	21,650	16,737	773
2005	21,640	16,774	775
2006	21,495	16,336	760
2007	21,200	15,867	748
2008	20,770	13,015	627
2009	20,010	10,236	512
2010	18,460	11,394	617
2011	17,700	12,542	709
2012	17,540	14,220	811
2013	17,665	15,279	865
2014	16,396	16,192	988
2015	16,545	17,107	1,033
2016	16,708	17,179	1,028
2017	16,802	16,827	1,001
2018	16,753	16,919	1,010
2019	16,741	16,630	993
2020	16,623	14,114	849
	<i>Average annual percentage change</i>		
1970-2020	-1.2%	0.7%	2.0%
2010-2020	-1.0%	2.2%	3.2%

**Source:**

Number of dealers - National Automobile Dealers Association website, [www.nada.org](http://www.nada.org). (Additional resources: [www.nada.org](http://www.nada.org)). Light vehicle sales - See tables 4.5 and 4.6.

<sup>a</sup> As of the beginning of the year.

<sup>b</sup> Includes cars and trucks up to 10,000 lb gross vehicle weight.

**Table 4.24**  
**Conventional Refueling Stations, 1972–2020**

Year	Number of stations	Vehicles in operation (thousands)	Stations per thousand vehicles	Thousand vehicles per station
1972	287,000	106,212	2.70	0.37
1975	242,000	120,054	2.02	0.50
1976	230,000	124,378	1.85	0.54
1977	220,000	128,126	1.72	0.58
1978	210,000	133,522	1.57	0.64
1979	203,000	137,260	1.48	0.68
1980	196,000	139,832	1.40	0.71
1981	191,000	141,908	1.35	0.74
1982	186,000	143,854	1.29	0.77
1983	182,000	147,104	1.24	0.81
1984	180,000	152,162	1.18	0.85
1985	178,000	157,049	1.13	0.88
1986	177,000	162,094	1.09	0.92
1987	176,000	167,193	1.05	0.95
1988	176,000	171,740	1.02	0.98
1989	175,000	175,960	0.99	1.01
1990	174,000	179,299	0.97	1.03
1991	172,000	181,447	0.95	1.05
1992	169,000	181,519	0.93	1.07
1993	167,000	186,315	0.90	1.12
1994	165,000	188,714	0.87	1.14
1995	164,000	193,441	0.85	1.18
1996	163,000	198,294	0.82	1.22
1997	162,000	201,071	0.81	1.24
1998	147,000	205,043	0.72	1.39
1999	141,000	209,509	0.67	1.49
2000	139,000	213,300	0.65	1.53
2001	137,000	216,683	0.63	1.58
2002	135,000	221,027	0.61	1.64
2003	137,000	225,882	0.61	1.65
2004	140,000	232,167	0.60	1.66
2005	144,000	238,384	0.60	1.66
2006	148,000	244,643	0.60	1.65
2007	150,000	248,701	0.60	1.66
2008	151,000	249,813	0.60	1.65
2009	148,000	248,972	0.59	1.68
2010	147,000	248,232	0.59	1.69
2011	147,000	248,932	0.59	1.69
2012	146,000	251,497	0.58	1.72
2013	145,000	252,715	0.57	1.74
2014	145,000	258,027	0.56	1.78
2015	145,000	264,194	0.55	1.82
2016	144,000	270,566	0.53	1.88
2017	143,000	275,979	0.52	1.93
2018	143,000	281,499	0.51	1.97
2019	142,000	a	a	a
2020	142,000	a	a	a

**Notes:** Includes all outlets open to the public and selling gasoline. Lundberg survey dates were 1972, 1982, 2002, 2006, 2008, 2013, 2015, 2017, 2019 and 2020. Other years were estimated by Lundberg Survey, Inc.

**Sources:**

Conventional refueling stations: Lundberg Survey, Inc. Used with permission.  
Conventional vehicles: IHS Automotive, Detroit, MI. Used with permission.

<sup>a</sup> Data are not available.

*In April 2020, the National Highway Traffic Safety Administration and the Environmental Protection Agency issued joint rulemaking to regulate fuel economy and greenhouse gas emissions for model years (MY) 2021-2026 cars and light trucks.*

**Table 4.25**  
**Fuel Economy and Carbon Dioxide Emissions Standards, Model Years 2017–2026**

Model year	Cars	Light trucks	Combined cars and light trucks
Average required fuel economy (miles per gallon)			
2017	39.0	29.4	34.0
2018	40.4	30.0	34.9
2019	41.9	30.5	35.8
2020	43.6	31.1	36.9
2021	44.2	31.6	36.9
2022	44.9	32.1	36.9
2023	45.6	32.6	36.9
2024	46.3	33.1	37.0
2025	47.0	33.6	37.0
2026	47.7	34.1	37.0
Average projected emissions compliance levels (grams per mile)			
2017	220	306	254
2018	209	293	244
2019	197	281	236
2020	187	268	227
2021	178	257	241
2022	175	253	241
2023	171	250	241
2024	168	248	241
2025	167	245	240
2026	165	240	240

**Note:** The presented rates of increase in stringency for NHTSA CAFE standards are lower than the Environmental Protection Agency (EPA) rates of increase in stringency for greenhouse gas (GHG) standards. One major difference is that NHTSA's standards, unlike EPA's, do not reflect the inclusion of air conditioning system refrigerant and leakage improvements, but EPA's standards would allow consideration of such improvements which reduce GHGs but generally do not affect fuel economy. The agencies expect, however, that a portion of these improvements will be made through reductions in air conditioning leakage, which would not contribute to fuel economy.

**Source:**

Federal Register, Vol. 85, No. 84, April 30, 2020. (Additional resources: [www.nhtsa.gov/fuel-economy](http://www.nhtsa.gov/fuel-economy))

The target levels for the fuel economy and carbon dioxide emission standards for vehicles manufactured in model years 2012-on are assigned based on a vehicle's "footprint." Each footprint has a different target. The vehicle footprint is calculated as:

$$\text{footprint} = \text{track width} \times \text{wheelbase},$$

where

*track width* = lateral distance between the centerlines of the base tires at ground, and  
*wheelbase* = longitudinal distance between the front and rear wheel centerlines.

**Table 4.26**  
**Vehicle Footprint by Vehicle Type, Model Years 2008-2020**

Model Year	Car	Car SUV	All Cars	Pickup	Van	Truck SUV	All Light Trucks	All Light Vehicles
2008	45.2	46.2	45.3	63.0	54.1	48.7	54.0	48.9
2009	44.9	46.1	45.0	62.6	54.5	48.6	53.8	47.9
2010	45.2	46.9	45.4	63.5	54.2	48.3	53.8	48.5
2011	45.8	46.9	46.0	63.9	55.4	49.7	54.4	49.5
2012	45.4	46.8	45.7	64.3	54.8	49.7	54.5	48.8
2013	45.7	47.1	45.9	65.3	54.8	49.7	54.7	49.1
2014	46.0	46.5	46.1	66.2	55.1	49.2	55.0	49.7
2015	46.0	46.4	46.1	65.3	54.6	49.4	53.9	49.4
2016	46.2	46.1	46.1	64.5	55.2	49.1	53.7	49.5
2017	46.1	46.5	46.2	64.8	55.7	49.4	53.8	49.8
2018	46.7	46.0	46.5	65.5	55.5	49.2	53.9	50.4
2019	46.5	46.4	46.5	65.1	55.1	49.5	54.2	50.8
2020 <sup>a</sup>	46.7	46.9	46.8	64.4	55.3	49.1	53.1	50.4

**Source:**

U.S. Environmental Protection Agency, *The 2020 EPA Automotive Trends Report*, EPA-420-R-21-003, January 2021. (Additional resources: [www.epa.gov/fuel-economy-trends](http://www.epa.gov/fuel-economy-trends))

<sup>a</sup> Data for 2020 are preliminary.

*The Corporate Average Fuel Economy standards were first established by the U.S. Energy Policy and Conservation Act of 1975 (PL94-163). These standards must be met at the manufacturer level. Legislation passed in December 2007 changed the CAFE standard methodology beginning in the 2011 model year (MY). Some two-wheel drive sport utility vehicles are classified as cars under the final standards for MY 2011 on.*

**Table 4.27**  
**Car Corporate Average Fuel Economy (CAFE) Standards versus**  
**Sales-Weighted Fuel Economy Estimates, 1978–2017<sup>a</sup>**  
**(miles per gallon)**

Model year <sup>b</sup>	Cars				CAFE estimates
	CAFE standards		CAFE estimates <sup>c</sup>		Cars and light trucks combined
	Domestic	Import	Domestic	Import	
1978	18.0	18.0	18.7	27.3	19.9
1980	20.0	20.0	22.6	29.6	23.1
1985	27.5	27.5	26.3	31.5	25.4
1990	27.5	27.5	26.9	29.9	25.4
1991	27.5	27.5	27.3	30.1	25.6
1992	27.5	27.5	27.0	29.2	25.1
1993	27.5	27.5	27.8	29.6	25.2
1994	27.5	27.5	27.5	29.6	24.7
1995	27.5	27.5	27.7	30.3	24.9
1996	27.5	27.5	28.1	29.6	24.9
1997	27.5	27.5	27.8	30.1	24.6
1998	27.5	27.5	28.6	29.2	24.7
1999	27.5	27.5	28.0	29.0	24.5
2000	27.5	27.5	28.7	28.3	24.8
2001	27.5	27.5	28.7	29.0	24.5
2002	27.5	27.5	29.1	28.8	24.7
2003	27.5	27.5	29.1	29.9	25.1
2004	27.5	27.5	29.9	28.7	24.6
2005	27.5	27.5	30.5	29.9	25.4
2006	27.5	27.5	30.3	29.7	25.8
2007	27.5	27.5	30.6	32.2	26.6
2008	27.5 <sup>d</sup>	27.5	31.2	31.8	27.1
2009	27.5 <sup>d</sup>	27.5	32.1	33.8	29.0
2010	27.5 <sup>d</sup>	27.5	33.1	35.2	29.3
2011	30.0	30.4	32.7	33.7	29.0
2012	32.7	33.4	34.8	36.0	30.8
2013	33.2	33.9	36.1	36.8	31.6
2014	34.0	34.6	36.3	36.9	31.7
2015	35.2	35.8	37.2	37.3	32.2
2016	36.5	37.4	37.3	38.1	32.3
2017	38.5	39.6	39.2	39.7	33.4

**Source:**

U.S. Department of Transportation, NHTSA, "Summary of Fuel Economy Performance," Washington, DC, December 2014 and CAFE Public Information Center Reports, September 2020. (Additional resources: [www.nhtsa.gov](http://www.nhtsa.gov))

<sup>a</sup> Only vehicles with at least 75 percent domestic content can be counted in the average domestic fuel economy for a manufacturer.

<sup>b</sup> Model year as determined by the manufacturer on a vehicle by vehicle basis.

<sup>c</sup> All CAFE calculations are sales-weighted.

<sup>d</sup> Unreformed standards, which were an option from 2008-2010. See Table 4.25 for reformed standards.



*The Corporate Average Fuel Economy standards for light trucks are lower than the car standards. Light trucks include pickups, minivans, sport utility vehicles and vans. Legislation passed in December 2007 changed the CAFE standard methodology beginning in the 2011 model year (MY). Some two-wheel drive sport utility vehicles are classified as cars under the final standards for MY 2011 on.*

**Table 4.28**  
**Light Truck Corporate Average Fuel Economy (CAFE) Standards versus**  
**Sales-Weighted Fuel Economy Estimates, 1978–2017<sup>a</sup>**  
**(miles per gallon)**

Model year <sup>c</sup>	CAFE standards <sup>e</sup>	Light trucks <sup>b</sup>			CAFE estimates Cars and light trucks combined
		CAFE estimates <sup>d</sup>			
		Domestic <sup>f</sup>	Import <sup>f</sup>	Combined <sup>f</sup>	
1978					19.9
1980		16.8	24.3	18.5	23.1
1985	19.5	19.6	26.5	20.7	25.4
1990	20.0	20.3	23.0	20.8	25.4
1991	20.2	20.9	23.0	21.3	25.6
1992	20.2	20.5	22.7	20.8	25.1
1993	20.4	20.7	22.8	21.0	25.2
1994	20.5	20.5	22.1	20.8	24.7
1995	20.6	20.3	21.5	20.5	24.9
1996	20.7	20.5	22.2	20.8	24.9
1997	20.7	20.1	22.1	20.6	24.6
1998	20.7	20.5	23.0	21.0	24.7
1999	20.7	20.4	22.5	20.9	24.5
2000	20.7	21.1	19.7	21.3	24.8
2001	20.7	20.6	21.8	20.9	24.5
2002	20.7	20.6	21.9	21.4	24.7
2003	20.7	21.8	22.4	21.8	25.1
2004	20.7	20.7	22.3	21.5	24.6
2005	21.0	<sup>f</sup>	<sup>f</sup>	22.1	25.4
2006	21.6	<sup>f</sup>	<sup>f</sup>	22.5	25.8
2007	22.2	<sup>f</sup>	<sup>f</sup>	23.1	26.6
2008	22.4 <sup>g</sup>	<sup>f</sup>	<sup>f</sup>	23.6	27.1
2009	23.0 <sup>g</sup>	<sup>f</sup>	<sup>f</sup>	24.8	29.0
2010	23.4 <sup>g</sup>	<sup>f</sup>	<sup>f</sup>	25.2	29.3
2011	24.3	<sup>f</sup>	<sup>f</sup>	24.7	29.0
2012	25.3	<sup>f</sup>	<sup>f</sup>	25.0	30.8
2013	25.9	<sup>f</sup>	<sup>f</sup>	25.7	31.6
2014	26.3	<sup>f</sup>	<sup>f</sup>	26.5	31.7
2015	27.6	<sup>f</sup>	<sup>f</sup>	27.3	32.2
2016	28.8	<sup>f</sup>	<sup>f</sup>	27.4	32.3
2017	29.4	<sup>f</sup>	<sup>f</sup>	28.6	33.4

**Source:**

U.S. Department of Transportation, NHTSA, "Summary of Fuel Economy Performance," Washington, DC, December 2014 and CAFE Public Information Center Reports, September 2020. (Additional resources: [www.nhtsa.gov](http://www.nhtsa.gov))

<sup>a</sup> Only vehicles with at least 75% domestic content can be counted in the average domestic fuel economy for a manufacturer.

<sup>b</sup> Represents two- and four-wheel drive trucks combined. Gross vehicle weight of 0-6,000 pounds for model year 1978-1979 and 0-8,500 pounds for subsequent years.

<sup>c</sup> Model year as determined by the manufacturer on a vehicle by vehicle basis.

<sup>d</sup> All CAFE calculations are sales-weighted.

<sup>e</sup> Standards were set for two-wheel drive and four-wheel drive light trucks, but no combined standard was set in this year.

<sup>f</sup> Data are not available.

<sup>g</sup> Unreformed standards, which were an option from 2008-2010. See Table 4.25 for reformed standards.

*Manufacturers of cars and light trucks whose vehicles do not meet the CAFE standards are fined. Data from the National Highway Traffic Safety Administration show the CAFE fine in the year in which the money was collected, which may not be the same year in which it was assessed. A manufacturer can also use CAFE credits to offset fines. Fines for recent model years have not been collected.*

**Table 4.29**  
**Corporate Average Fuel Economy (CAFE) Fines Collected, as of February 2020<sup>a</sup>**

Model year	Current dollars	2017 constant dollars <sup>b</sup>
1982	\$120,000	\$304,812
1983	\$57,970	\$142,667
1984	\$5,958,020	\$14,056,110
1985	\$15,564,540	\$35,457,064
1986	\$29,871,815	\$66,808,205
1987	\$31,260,530	\$67,452,299
1988	\$44,519,450	\$92,245,204
1989	\$47,380,515	\$93,660,579
1990	\$48,308,615	\$90,599,906
1991	\$42,243,030	\$76,025,048
1992	\$38,286,565	\$66,890,968
1993	\$28,688,380	\$48,665,022
1994	\$31,498,570	\$52,098,040
1995	\$40,787,498	\$65,602,569
1996	\$19,301,930	\$30,154,806
1997	\$36,211,850	\$55,303,730
1998	\$21,739,774	\$32,692,351
1999	\$27,516,451	\$40,485,188
2000	\$51,067,038	\$72,691,942
2001	\$35,507,412	\$49,144,984
2002	\$20,041,533	\$27,307,284
2003	\$15,225,419	\$20,282,906
2004	\$33,637,439	\$43,648,539
2005	\$27,486,696	\$34,498,407
2006	\$38,584,106	\$46,913,373
2007	\$37,385,941	\$44,197,711
2008	\$12,922,256	\$14,711,840
2009	\$9,148,425	\$10,452,565
2010	\$23,803,412	\$26,757,770
2011	\$40,013,270	\$43,603,167
2012	\$14,962,382	\$15,974,193
2013	\$21,319,155	\$22,432,257
2014	\$2,289,788	\$2,370,880
2015	\$0	\$0
2016	\$77,268,703	\$78,914,800
2017	\$79,376,644	\$79,376,644

**Source:**

U.S. Department of Transportation, National Highway Traffic Safety Administration, Summary of Civil Penalties, February 2020. (Additional resources: [www.nhtsa.gov](http://www.nhtsa.gov))

<sup>a</sup> These are fines which are actually collected. Fines which are assessed in certain year may not have been collected in that year.

<sup>b</sup> Adjusted using the Consumer Price Inflation Index.

Consumers must pay the Gas Guzzler Tax when purchasing a car that has an Environmental Protection Agency (EPA) fuel economy rating (combined city and highway) less than that stipulated in the table below. The Gas Guzzler Tax doubled in 1991 after remaining constant from 1986 to 1990. The tax has not changed since 1991. This tax does not apply to light trucks such as pickups, minivans, sport utility vehicles, and vans.

**Table 4.30**  
**The Gas Guzzler Tax on New Cars**  
**(dollars per vehicle)**

Vehicle fuel economy (mpg)	1980	1981	1982	1983	1984	1985	1986-90	1991 - on
Over 22.5	0	0	0	0	0	0	0	0
22.0-22.5	0	0	0	0	0	0	500	1,000
21.5-22.0	0	0	0	0	0	0	500	1,000
21.0-21.5	0	0	0	0	0	0	650	1,300
20.5-21.0	0	0	0	0	0	500	650	1,300
20.0-20.5	0	0	0	0	0	500	850	1,700
19.5-20.0	0	0	0	0	0	600	850	1,700
19.0-19.5	0	0	0	0	450	600	1,050	2,100
18.5-19.0	0	0	0	350	450	800	1,050	2,100
18.0-18.5	0	0	200	350	600	800	1,300	2,600
17.5-18.0	0	0	200	500	600	1,000	1,300	2,600
17.0-17.5	0	0	350	500	750	1,000	1,500	3,000
16.5-17.0	0	200	350	650	750	1,200	1,500	3,000
16.0-16.5	0	200	450	650	950	1,200	1,850	3,700
15.5-16.0	0	350	450	800	950	1,500	1,850	3,700
15.0-15.5	0	350	600	800	1,150	1,500	2,250	4,500
14.5-15.0	200	450	600	1,000	1,150	1,800	2,250	4,500
14.0-14.5	200	450	750	1,000	1,450	1,800	2,700	5,400
13.5-14.0	300	550	750	1,250	1,450	2,200	2,700	5,400
13.0-13.5	300	550	950	1,250	1,750	2,200	3,200	6,400
12.5-13.0	550	650	950	1,550	1,750	2,650	3,200	6,400
Under 12.5	550	650	1,200	1,550	2,150	2,650	3,850	7,700

**Source:**

Internal Revenue Service, Form 6197, (Rev. 10-05), "Gas Guzzler Tax." (Additional resources: [www.irs.ustreas.gov](http://www.irs.ustreas.gov))

*Consumers who purchased these 2021 model year vehicles paid the Gas Guzzler tax. The tax is based on unadjusted combined city/highway fuel economy. Adjusted combined fuel economy is on the window sticker.*

**Table 4.31**  
**List of Model Year 2021 Cars with Gas Guzzler Taxes<sup>a</sup>**

Manufacturer	Model(s)	Size class	Unadjusted combined city/highway fuel economy	Adjusted combined city/highway fuel economy
Aston Martin Lagonda	DBS	Minicompact Cars	22	17
Audi	R8	Two Seaters	19	16
Audi	R8 2WD	Two Seaters	20	17
Audi	R8 Spyder	Two Seaters	19	16
Audi	R8 Spyder 2WD	Two Seaters	20	17
Audi	S8	Large Cars	21	16
Bentley	Continental GT	Subcompact Cars	19	15
Bentley	Continental GT Convertible	Minicompact Cars	19	15
Bentley	Flying Spur	Midsize Cars	22	17
Bentley	Flying Spur	Midsize Cars	19	15
BMW	M5	Midsize Cars	22	17
BMW	M5 Competition	Midsize Cars	22	17
BMW	M760i xDrive	Large Cars	20	16
BMW	M8 Competition Convertible	Subcompact Cars	22	17
BMW	M8 Competition Gran Coupe	Midsize Cars	22	17
BMW	M8 Gran Coupe	Midsize Cars	22	17
Bugatti	Chiron	Two Seaters	13	11
Bugatti	Chiron Pur Sport	Two Seaters	12	10
Chevrolet	Camero	Subcompact Cars	19	16
Chevrolet	Camero	Subcompact Cars	20	16
Dodge	Challenger	Midsize Cars	22	17
Dodge	Challenger SRT	Midsize Cars	20	16
Dodge	Challenger SRT	Midsize Cars	20	16
Dodge	Challenger SRT Widebody	Midsize Cars	19	15
Dodge	Challenger SRT Widebody	Midsize Cars	20	16
Dodge	Challenger Widebody	Midsize Cars	22	17
Dodge	Charger SRT Widebody	Large Cars	19	15
Ferrari	812 GTS	Two Seaters	17	13
Ferrari	812 Superfast	Two Seaters	17	13
Ferrari	F8 Spider	Two Seaters	20	16
Ferrari	F8 Tributo	Two Seaters	21	16
Ford	Ford GT	Two Seaters	18	14
Ford	Mustang Mach 1	Subcompact Cars	22	17
Ford	Shelby GT500 Mustang	Subcompact Cars	18	14
Lamborghini	Aventador Coupe	Two Seaters	13	10
Lamborghini	Aventador Roadster	Two Seaters	13	10
Lamborghini	Huracan	Two Seaters	19	15
Lamborghini	Huracan Spyder	Two Seaters	19	15
Lamborghini	Huracan Spyder 2WD	Two Seaters	19	15
Maserati	GHIBLI TROFEO	Midsize Cars	20	16
Maserati	Quattroporte Trofeo	Large Cars	20	16
Mercedes-Benz	AMG GT (coupe)	Two Seaters	22	17
Mercedes-Benz	AMG GT (roadster)	Two Seaters	21	17
Mercedes-Benz	AMG GT Black Series	Two Seaters	22	17
Mercedes-Benz	AMG GT C (coupe)	Two Seaters	21	17
Mercedes-Benz	AMG GT C (roadster)	Two Seaters	22	17
Mercedes-Benz	AMG GT R (coupe)	Two Seaters	21	16
Porsche	911 Turbo	Minicompact Cars	22	17
Porsche	911 Turbo Cabriolet	Minicompact Cars	22	17
Porsche	911 Turbo S Cabriolet	Minicompact Cars	22	17

**Table 4.31 (Continued)**  
**List of Model Year 2021 Cars with Gas Guzzler Taxes<sup>a</sup>**

Make	Model(s)	Size class	Unadjusted combined city/highway fuel economy	Adjusted combined city/highway fuel economy
Rolls-Royce	Cullinan	Midsize Station Wagons	18	14
Rolls-Royce	Cullinan Black Badge	Midsize Station Wagons	18	14
Rolls-Royce	Dawn	Compact Cars	18	14
Rolls-Royce	Dawn Black Badge	Compact Cars	18	14
Rolls-Royce	Ghost	Large Cars	18	14
Rolls-Royce	Ghost EWB	Large Cars	18	14
Rolls-Royce	Phantom	Large Cars	18	14
Rolls-Royce	Phantom EWB	Large Cars	18	14
Rolls-Royce	Wraith Black Badge	Midsize Cars	18	14
Rolls-Royce	Wraith	Midsize Cars	18	14

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Guide database, [www.fueleconomy.gov](http://www.fueleconomy.gov)

<sup>a</sup> Tax is based on unadjusted combined fuel economy; adjusted combined fuel economy is used on window stickers.

*The IRS collected \$42 million from those buying model year 2018 cars with combined city/highway fuel economy less than 22.5 miles per gallon. This tax does not apply to light trucks such as pickups, minivans, sport utility vehicles, and vans. It is worthy to note that total revenue from fines paid by consumers to purchase gas-guzzling vehicles greatly exceeds the overall fines paid by manufacturers whose vehicles fail to meet CAFE standards (see Table 4.279).*

**Table 4.32**  
**Tax Receipts from the Sale of Gas Guzzlers, 1980–2018**  
**(thousands)**

Model year	Current dollars	2018 constant dollars <sup>a</sup>
1980	740	2,255
1981	780	2,155
1982	1,720	4,476
1983	4,020	10,135
1984	8,820	21,316
1985	39,790	92,858
1986	147,660	338,307
1987	145,900	322,505
1988	116,780	247,881
1989	109,640	222,027
1990	103,200	198,273
1991	118,400	218,290
1992	144,200	258,087
1993	111,600	193,935
1994	64,100	108,610
1995	73,500	121,105
1996	52,600	84,182
1997	48,200	75,410
1998	47,700	73,483
1999	68,300	102,945
2000	70,800	103,243
2001	78,200	110,878
2002	79,700	111,246
2003	126,700	172,909
2004	140,800	187,167
2005	163,800	210,606
2006	201,700	251,232
2007	178,700	216,419
2008	172,400	201,069
2009	99,300	116,227
2010	85,200	98,114
2011	68,900	76,915
2012	73,500	80,387
2013	61,300	66,076
2014	48,200	51,126
2015	58,700	62,190
2016	72,500	75,853
2017	36,700	37,596
2018	42,000	42,000

**Source:**

Ward's Communications, Detroit, MI, 2020. Original data source: Internal Revenue Service. (Additional resources: [www.epa.gov/fueleconomy/guzzler](http://www.epa.gov/fueleconomy/guzzler))

<sup>a</sup> Adjusted using the Consumer Price Inflation Index.

*Autonomie is a system simulation tool for vehicle energy consumption and performance analysis. It is used to evaluate the energy consumption and cost of multiple advanced powertrain technologies. Autonomie was used to develop data on the relationship between steady-state vehicle speed and fuel economy.*

**Table 4.33**  
**Fuel Economy by Speed, Autonomie Model Results, Model Year 2016**

Speed (mph)	Gasoline conventional			Diesel conventional			Hybrid vehicle
	Midsize car	Small SUV	Large SUV	Midsize car	Small SUV	Large SUV	Midsize Car
	(miles per gallon)						
45	43	37	35	57	48	48	55
55	45	36	31	55	45	40	46
65	38	30	29	45	36	35	38
75	32	26	25	37	30	29	33
	<i>Fuel economy loss</i>						
55 - 65 mph	15%	16%	7%	18%	19%	13%	18%
65 - 75 mph	15%	16%	15%	18%	18%	17%	12%
55 - 75 mph	28%	29%	21%	33%	34%	27%	28%

**Source:**

Argonne National Laboratory, Autonomie model, August 2016, [www.autonomie.net](http://www.autonomie.net). (Additional resources: [www.anl.gov/energy/transportation](http://www.anl.gov/energy/transportation))

*The latest study of vehicle fuel economy by speed indicated higher fuel economy around 40 miles per hour, as did the 1973 and 1984 studies. Engineers at Oak Ridge National Laboratory believe that the lowest speed in the vehicle's highest gear is where the best fuel economy is typically obtained. That speed will be different for individual vehicles.*

**Table 4.34**  
**Fuel Economy by Speed, 1973, 1984, 1997, and 2012 Studies**  
(miles per gallon)

Speed (miles per hour)	1973 <sup>a</sup> (13 vehicles)	1984 <sup>b</sup> (15 vehicles)	1997 <sup>c</sup> (9 vehicles)	2012 <sup>d</sup> (74 vehicles)
15	e	21.1	24.4	e
20	e	25.5	27.9	e
25	e	30.0	30.5	e
30	21.1	31.8	31.7	e
35	21.1	33.6	31.2	e
40	21.1	33.6	31.0	33.2
45	20.3	33.5	31.6	e
50	19.5	31.9	32.4	31.9
55	18.5	30.3	32.4	e
60	17.5	27.6	31.4	27.9
65	16.2	24.9	29.2	e
70	14.9	22.5	26.8	24.1
75	e	20.0	24.8	e
80	e	e	e	20.5
<i>Fuel economy loss</i>				
50–60 mph	10.3%	13.5%	3.1%	12.5%
60–70 mph	14.9%	18.5%	14.6%	13.6%
50–70 mph	23.6%	29.5%	17.3%	24.5%


**Sources:**

- 1973- U.S. Department of Transportation, Federal Highway Administration, Office of Highway Planning, *The Effect of Speed on Automobile Gasoline Consumption Rates*, Washington, DC, October 1973.
- 1984 - U.S. Department of Transportation, Federal Highway Administration, *Fuel Consumption and Emission Values for Traffic Models*, Washington, DC, May 1985.
- 1997 - West, B.H., R.N. McGill, J.W. Hodgson, S.S. Sluder, and D.E. Smith, *Development and Verification of Light-Duty Modal Emissions and Fuel Consumption Values for Traffic Models*, FHWA-RD-99-068, U.S. Department of Transportation, Federal Highway Administration, Washington, DC, March 1999.
- 2012 - U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Guide website: [www.fueleconomy.gov](http://www.fueleconomy.gov). The Green Car Congress, "ORNL researchers quantify the effect of increasing highway speed on fuel economy." February 8, 2013.

- <sup>a</sup> Model years 1970 and earlier cars.
- <sup>b</sup> Model years 1981–84 cars and light trucks.
- <sup>c</sup> Model years 1988–97 cars and light trucks.
- <sup>d</sup> Model years 2003-2012 cars and light trucks.
- <sup>e</sup> Data are not available.



**Figure 4.7. Fuel Economy by Speed, 1973, 1984, 1997, and 2012 Studies and Autonomie Model 2016 Results**



Sources:  
See Tables 4.33 and 4.34.

*This table shows the driving cycles for the new methodology that the Environmental Protection Agency (EPA) used to determine fuel economy ratings for new vehicles beginning in model year 2008. In addition to the Urban Driving Cycle and the Highway Driving cycle, the EPA will also use three additional tests to adjust fuel economy ratings to account for higher speeds, air conditioner use, and colder temperatures. Though the EPA uses a complex combination of these five cycles to determine the fuel economy that will be posted on a new vehicle window sticker, the manufacturer's Corporate Average Fuel Economy is still calculated using only the city and highway driving cycles. To know more about new vehicle fuel economy ratings, visit [www.fueleconomy.gov](http://www.fueleconomy.gov).*

**Table 4.35**  
**Driving Cycle Attributes**

	Test schedule				
	City	Highway	High speed	Air conditioner (AC)	Cold temp
Trip type	Low speeds in stop-and-go urban traffic	Free-flow traffic at highway speeds	Higher speeds; harder acceleration & braking	AC use under hot ambient conditions	City test w/colder outside temperature
Top speed	56 mph	60 mph	80 mph	54.8 mph	56 mph
Average speed	21 mph	48 mph	48 mph	21 mph	21 mph
Max. acceleration	3.3 mph/sec	3.2 mph/sec	8.46 mph/sec	5.1 mph/sec	3.3 mph/sec
Simulated distance	11 mi.	10.3 mi.	8 mi.	3.6 mi.	11 mi.
Time	31.2 min.	12.6 min.	9.9 min.	9.9 min.	31.2 min.
Stops	23	None	4	5	23
Idling time	18% of time	None	7% of time	19% of time	18% of time
Engine startup <sup>a</sup>	Cold	Warm	Warm	Warm	Cold
Lab temperature	68-86° F	68-86° F	68-86° F	95° F	20° F
Vehicle air conditioning	Off	Off	Off	On	Off


**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy website, [www.fueleconomy.gov](http://www.fueleconomy.gov).


<sup>a</sup> A vehicle's engine doesn't reach maximum fuel efficiency until it is warm.

*These driving cycles simulate the performance of an engine while driving in the city and on the highway. Once the city cycle is completed, the engine is stopped, and then started again for the 8.5-minute hot start cycle. Three additional cycles also influence new vehicle fuel economy ratings beginning with the 2008 model year.*

**Figure 4.8. City Driving Cycle**



**Figure 4.9. Highway Driving Cycle**




**Source:**

*Code of Federal Regulations, 40CFR, "Subpart B - Fuel Economy Regulations for 1978 and Later Model Year Automobiles - Test Procedures," July 1, 1988 edition, p. 676.*

*Beginning with the 2008 model year, these cycles influence the new vehicle fuel economy ratings.*


**Figure 4.10. Air Conditioning (SC03) Driving Cycle**



**Source:**

U.S. Department of Energy and Environmental Protection Agency, Fuel Economy website, [www.fueleconomy.gov](http://www.fueleconomy.gov).

**Figure 4.11. Cold Temperature (Cold FTP) Driving Cycle<sup>a</sup>**




**Source:**

U.S. Department of Energy and Environmental Protection Agency, Fuel Economy website, [www.fueleconomy.gov](http://www.fueleconomy.gov).

<sup>a</sup> Cold FTP uses the same speeds as the city driving cycle. Tests the effects of colder outside temperatures on cold-start driving in stop-and-go traffic.

*Beginning with the 2008 model year, this cycle influences the new vehicle fuel economy ratings. The US06 driving cycle was originally developed as a supplement to the Federal Test Procedure. It is a short-duration cycle (600 seconds) which represents hard-acceleration driving.*

**Figure 4.12. High-Speed (US06) Driving Cycle**




**Source:**


U.S. Department of Energy and Environmental Protection Agency, Fuel Economy website, [www.fueleconomy.gov](http://www.fueleconomy.gov).

Two other test cycles are sometimes used by researchers and engineers to test new vehicles (although these do not affect the fuel economy ratings). The New York Test Cycle was developed in the 1970's in order to simulate driving in downtown congested areas. The Representative Number Five Test Cycle was developed in the 1990's to better represent actual on-road driving by combining modern city and freeway driving.

**Figure 4.13. New York City Driving Cycle**



**Figure 4.14. Representative Number Five Driving Cycle**



**Source:**

Data obtained from Michael Wang, Argonne National Laboratory, Argonne, IL, 1997.

*Testing cycles to determine vehicle fuel economy and emissions vary by country. The United States currently uses five different drive cycles to determine vehicle fuel economy. In Europe, the NEDC cycle is being replaced by the WLTC, but the NEDC continues to be used in China. The ARTEMIS cycles are not used in vehicle certification but are used to represent real world driving in Europe.*

**Table 4.36**  
**Comparison of U.S., European, and Japanese Driving Cycles Attributes**

Cycle	Time (seconds)	Distance (miles)	Average Speed (mph)	Maximum Speed (mph)	Maximum Acceleration (mph/s)
United States					
City	1,872	11.0	21.2	56.0	3.3
Highway	765	10.3	48.3	60.0	3.2
High-Speed	594	8.0	48.4	80.0	8.5
Air Conditioner Use	594	3.6	21.2	54.8	5.1
Cold Temperatures	1,872	11.0	21.2	56.0	3.3
World Light Vehicle Test Cycle (WLTC)					
Low	589	1.9	11.7	35.1	3.6
Medium	433	3.0	24.5	47.6	3.6
High	455	4.4	35.1	60.5	3.7
Extra High	323	5.1	57.0	81.6	2.3
Total WLTC	1,800	14.5	28.9	81.6	3.7
Japan					
JC08	1,204	5.1	15.2	50.7	3.8
New European Driving Cycle (NEDC)					
Urban Driving Cycle (UDC)	780	2.5	11.8	31.1	2.3
Extra Urban Driving Cycle (EUDC)	400	4.3	38.9	74.6	1.9
Total NEDC	1,180	6.8	20.9	74.6	2.3
ARTEMIS					
Urban	993	3.0	11.0	35.9	6.4
Rural Road	1,082	10.7	35.7	69.3	5.3
Motorway	1,068	17.9	60.1	81.9	4.3
Total ARTEMIS	3,143	31.6	36.2	81.9	6.4

**Source:**

United States - U.S. Department of Energy, Fuel Economy Guide website,  
[www.fueleconomy.gov/feg/fe\\_test\\_schedules.shtml](http://www.fueleconomy.gov/feg/fe_test_schedules.shtml)

All other - Compiled from public sources by Aymeric Rousseau, Argonne National Laboratory, September 2016.

*Testing cycles to determine vehicle fuel economy and emissions vary by country and therefore it is difficult to make a direct comparison. Simulation results show up to a 28% difference in the test cycles for each vehicle type. Note that the differences in these cycle results also vary with each individual vehicle tested.*

**Table 4.37**  
**Example of Differing Results Using the U.S., European, and Japanese Driving Cycles**

Vehicle type	Miles per gallon			Percentage difference from	
	U.S. Corporate Average Fuel Economy (CAFE) cycle	New European Driving Cycle (NEDC)	Japan JC08 cycle	CAFE to NEDC	CAFE to JC08
Small car	34.8	32.4	27.6	-7%	-21%
Large car	26.6	24.7	21.5	-7%	-19%
Minivan	23.9	20.5	17.2	-14%	-28%
Sport-utility vehicle	20.2	17.6	14.6	-13%	-28%
Pickup	18.8	15.9	13.5	-15%	-28%

**Note:** Simulation results for identical gasoline vehicles (i.e., results for the same small car on each of the three cycles).

**Source:**

The International Council on Clean Transportation, *Passenger Vehicle Greenhouse Gas and Fuel Economy Standards: A Global Update*, July 2009.



# HEAVY VEHICLES & CHARACTERISTICS


# Chapter 5



*Credit: Vitpho/iStock/Getty Images*

*There are eight truck classes, categorized by the gross vehicle weight rating that the vehicle is assigned when it is manufactured. The pictures below show examples of some of the different body types that would be included in each class. Many of the body types can be in more than one category, depending on the vehicle's attributes. Examples of this include pickups, box trucks, buses, and truck tractors.*

**Figure 5.1. Examples of Body Types in Each Truck Class**



**Source:**

Oak Ridge National Laboratory, National Transportation Research Center, Oak Ridge, TN. Gross vehicle weight category definitions from 49CFR565.6 (2000).

*Class 3-8 single-unit trucks include trucks over 10,000 lb gross vehicle weight with the cab/engine and cargo space together as one unit. Most of these trucks would be used for business or for individuals with heavy hauling or towing needs. Very heavy single-units, such as concrete mixers and dump trucks, are also in this category. The data series was changed by the FHWA back to 2007.*

**Table 5.1**  
**Summary Statistics for Class 3-8 Single-Unit Trucks, 1970–2019**

Year	Registrations (thousands)	Vehicle travel (million miles)	Average annual miles per vehicle	Fuel use (million gallons)	Average fuel economy per vehicle (miles per gallon)
1970	3,681	27,081	7,357	3,968	6.8
1975	4,232	34,606	8,177	5,420	6.4
1980	4,374	39,813	9,102	6,923	5.8
1985	4,593	45,441	9,894	7,399	6.1
1986	4,313	45,637	10,581	7,386	6.2
1987	4,188	48,022	11,467	7,523	6.4
1988	4,470	49,434	11,059	7,701	6.4
1989	4,519	50,870	11,257	7,779	6.5
1990	4,487	51,901	11,567	8,357	6.2
1991	4,481	52,898	11,805	8,172	6.5
1992	4,370	53,874	12,328	8,237	6.5
1993	4,408	56,772	12,879	8,488	6.7
1994	4,906	61,284	12,492	9,032	6.8
1995	5,024	62,705	12,481	9,216	6.8
1996	5,266	64,072	12,167	9,409	6.8
1997	5,293	66,893	12,638	9,576	7.0
1998	5,414	67,894	12,540	9,741	7.0
1999	5,763	70,304	12,199	9,372	7.5
2000	5,926	70,500	11,897	9,563	7.4
2001	5,704	72,448	12,701	9,667	7.5
2002	5,651	75,866	13,425	10,321	7.4
2003	5,849	77,757	13,294	8,881	8.8
2004	6,161	78,441	12,732	8,959	8.8
2005	6,395	78,496	12,275	9,501	8.3
2006	6,649	80,344	12,084	9,852	8.2 <sup>a</sup>
2007	8,117	119,979	14,781	16,314	7.3
2008	8,228	126,855	15,417	17,144	7.4
2009	8,356	120,207	14,386	16,253	7.4
2010	8,217	110,738	13,477	15,097	7.3
2011	7,819	103,803	13,276	14,214	7.3
2012	8,190	105,605	12,894	14,376	7.3
2013	8,126	106,582	13,116	14,502	7.3
2014	8,329	109,301	13,123	14,894	7.3
2015	8,456	109,597	12,961	14,850	7.4
2016	8,747	113,338	12,958	15,338	7.4
2017	9,337	116,102	12,435	15,600	7.4
2018	10,328	120,699	11,687	16,080	7.5
2019	10,160	124,746	12,278	16,657	7.5
<i>Average annual percentage change</i>					
1970-2019	2.1%	3.2%	1.1%	3.0%	0.2%
2009-2019	2.0%	0.4%	-1.6%	0.2%	0.1%

**Source:**

U. S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table VM-1 and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Due to FHWA methodology changes, data from 2007-on are not comparable with previous data.

*Class 7-8 combination trucks include all trucks designed to be used in combination with one or more trailers with a gross vehicle weight rating over 26,000 lb. The average vehicle travel of these trucks (on a per truck basis) far surpasses the travel of other trucks due to long-haul freight movement. The data series was changed by the FHWA back to 2007.*

**Table 5.2**  
**Summary Statistics for Class 7-8 Combination Trucks, 1970–2019**

Year	Registrations (thousands)	Vehicle travel <sup>a</sup> (million miles)	Average annual miles per vehicle	Fuel use (million gallons)	Average fuel economy per vehicle (miles per gallon)
1970	905	35,134	38,822	7,348	4.8
1975	1,131	46,724	41,312	9,177	5.1
1980	1,417	68,678	48,467	13,037	5.3
1985	1,403	78,063	55,640	14,005	5.6
1986	1,408	81,038	57,555	14,475	5.6
1987	1,530	85,495	55,879	14,990	5.7
1988	1,667	88,551	53,120	15,224	5.8
1989	1,707	91,879	53,825	15,733	5.8
1990	1,709	94,341	55,202	16,133	5.8
1991	1,691	96,645	57,153	16,809	5.7
1992	1,675	99,510	59,409	17,216	5.8
1993	1,680	103,116	61,379	17,748	5.8
1994	1,681	108,932	64,802	18,653	5.8
1995	1,696	115,451	68,073	19,777	5.8
1996	1,747	118,899	68,059	20,192	5.9
1997	1,790	124,584	69,600	20,302	6.1
1998	1,831	128,159	69,994	21,100	6.1
1999	2,029	132,384	65,246	24,537	5.4
2000	2,097	135,020	64,387	25,666	5.3
2001	2,154	136,584	63,409	25,512	5.4
2002	2,277	138,737	60,930	26,480	5.2
2003	1,908	140,160	73,459	23,815	5.9
2004	2,010	142,370	70,831	24,191	5.9
2005	2,087	144,028	69,012	27,689	5.2
2006	2,170	142,169	65,516	28,107	5.1 <sup>b</sup>
2007	2,635	184,199	69,905	30,904	6.0
2008	2,585	183,826	71,113	30,561	6.0
2009	2,617	168,100	64,234	28,050	6.0
2010	2,553	175,789	68,856	29,927	5.9
2011	2,452	163,791	66,809	28,181	5.8
2012	2,469	163,602	66,262	27,975	5.8
2013	2,471	168,436	68,155	28,795	5.8
2014	2,577	169,830	65,897	29,118	5.8
2015	2,747	170,246	61,978	28,886	5.9
2016	2,752	174,557	63,428	29,555	5.9
2017	2,892	181,490	62,751	30,364	6.0
2018	2,906	184,165	63,374	30,325	6.1
2019	2,925	175,305	59,929	28,987	6.0
			<i>Average annual percentage change</i>		
1970-2019	2.4%	3.3%	0.9%	2.8%	0.5%
2009-2019	1.1%	0.4%	-0.7%	0.3%	0.0%

**Source:**

U. S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table VM-1 and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> The Federal Highway Administration changed the combination truck travel methodology in 1993.

<sup>b</sup> Due to FHWA methodology changes, data from 2007-on are not comparable with previous data.

*Truck sales declined from 2019 to 2020. Trucks under 10,000 lb continue to dominate truck sales.*

**Table 5.3**  
**New Retail Truck Sales by Gross Vehicle Weight, 1970–2020<sup>a</sup>**  
**(thousands)**

Calendar year	Class 1 6,000 lb or less	Class 2 6,001– 10,000 lb	Class 3 10,001– 14,000 lb	Class 4 14,001– 16,000 lb	Class 5 16,001– 19,500 lb	Class 6 19,501– 26,000 lb	Class 7 26,001– 33,000 lb	Class 8 33,001 lb and over	Total
<b>Domestic sales (import data are not available)</b>									
1970 <sup>b</sup>	1,049	408	6	12	58	133	36	89	1,791
1975	1,101	952	23	1	9	159	23	83	2,351
1980	985	975	4	<sup>c</sup>	2	90	58	117	2,231
1981	896	850	1	<sup>c</sup>	2	72	51	100	1,972
1982	1,102	961	1	<sup>c</sup>	1	44	62	76	2,248
1983	1,314	1,207	<sup>c</sup>	<sup>c</sup>	1	47	59	82	2,710
1984	2,031	1,224	6	<sup>c</sup>	5	55	78	138	3,538
1985	2,408	1,280	11	<sup>c</sup>	5	48	97	134	3,983
<b>Domestic and import sales</b>									
1986	3,380	1,214	12	<sup>c</sup>	6	45	101	113	4,870
1990	3,451	1,097	21	27	5	38	85	121	4,846
1991	3,246	876	21	24	3	22	73	99	4,365
1992	3,608	1,021	26	26	4	28	73	119	4,903
1993	4,119	1,232	27	33	4	27	81	158	5,681
1994	4,527	1,506	35	44	4	20	98	186	6,421
1995	4,422	1,631	40	53	4	23	107	201	6,481
1996	4,829	1,690	52	59	7	19	104	170	6,930
1997	5,085	1,712	53	57	9	18	114	179	7,226
1998	5,263	2,036	102	43	25	32	115	209	7,826
1999	5,707	2,366	122	49	30	48	130	262	8,716
2000	5,965	2,421	117	47	29	51	123	212	8,965
2001	6,073	2,525	102	52	24	42	92	140	9,050
2002	6,068	2,565	80	38	24	45	69	146	9,035
2003	6,267	2,671	91	40	29	51	67	142	9,357
2004	6,458	2,796	107	47	36	70	75	203	9,793
2005	6,586	2,528	167	49	46	60	89	253	9,777
2006	6,136	2,438	150	50	49	70	91	284	9,268
2007	5,682	2,623	166	51	45	54	70	151	8,842
2008	4,358	1,888	135	36	40	39	49	133	6,680
2009	3,528	1,306	112	20	24	22	39	95	5,145
2010	4,245	1,513	161	12	31	29	38	107	6,137
2011	4,714	1,735	195	10	42	41	41	171	6,951
2012	5,164	1,811	223	9	55	40	47	195	7,544
2013	5,615	2,077	254	12	60	47	48	185	8,298
2014	6,209	2,275	264	13	67	52	54	220	9,154
2015	7,161	2,417	283	14	72	55	59	249	10,310
2016	7,724	2,572	296	14	72	62	60	193	10,993
2017	8,102	2,637	317	19	79	63	62	192	11,470
2018	8,881	2,728	301	21	81	72	64	251	12,398
2019	9,091	2,819	327	22	85	78	66	276	12,765
2020	8,189	2,523	349	22	93	52	51	192	11,470
<i>Average annual percentage change</i>									
1970-2020	4.2%	3.7%	8.5%	1.2%	1.0%	-1.9%	0.7%	1.5%	3.8%
1986-2020	2.6%	2.2%	10.4%	7.2% <sup>d</sup>	8.4%	0.4%	-2.0%	1.6%	2.6%
2009-2020	6.8%	5.2%	8.0%	6.1%	11.6%	6.1%	2.9%	6.0%	6.5%

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com). (Additional resources: [www.wardsauto.com](http://www.wardsauto.com))

<sup>a</sup> Sales include domestic-sponsored imports.

<sup>b</sup> Data for 1970 is based on new truck registrations.

<sup>c</sup> Data are not available.

<sup>d</sup> 1987-2019.

*Based on factory sales, the share of diesel medium/heavy trucks sold has declined from 1995 to 2019 for truck gross vehicle weight rating (GVWR) classes 4 and 5. Class 6 diesel sales share increased in that period and class 8 continued to be nearly 100% diesel. In 2020, possibly due to pandemic disruption, there were very few Class 7 trucks produced (about 20% of the normal annual volume) and all of them were diesel. The result for all class 4 through 8 trucks combined was a decline from 87% diesel share in 1995 to 82% in 2020.*

**Table 5.4**  
**Diesel Share of Medium and Heavy Truck Sales by Gross Vehicle Weight, 1995–2020<sup>a</sup>**

Calendar year	Class 4 14,001– 16,000 lb	Class 5 16,001– 19,500 lb	Class 6 19,501– 26,000 lb	Class 7 26,001– 33,000 lb	Class 8 33,001 lb and over	Total (Class 4 - Class 8)
1995	68%	87%	70%	74%	100%	87%
1996	66%	92%	69%	68%	100%	85%
1997	61%	90%	82%	70%	100%	85%
1998	72%	91%	88%	72%	100%	88%
1999	62%	86%	90%	74%	100%	88%
2000	62%	93%	54%	68%	100%	83%
2001	91%	90%	70%	59%	100%	84%
2002	68%	93%	66%	54%	100%	82%
2003	74%	92%	77%	47%	100%	83%
2004	71%	92%	76%	54%	100%	85%
2005	74%	92%	73%	56%	100%	87%
2006	76%	92%	75%	59%	100%	88%
2007	78%	92%	52%	50%	100%	81%
2008	81%	92%	58%	50%	100%	84%
2009	87%	91%	56%	36%	100%	80%
2010	94%	93%	92%	39%	100%	87%
2011	82%	80%	95%	49%	100%	91%
2012	14%	79%	95%	49%	100%	89%
2013	39%	80%	96%	46%	100%	88%
2014	32%	80%	91%	45%	100%	88%
2015	24%	80%	98%	48%	100%	89%
2016	21%	54%	89%	45%	100%	78%
2017	16%	52%	87%	45%	100%	75%
2018	18%	53%	87%	50%	100%	80%
2019	27%	58%	90%	45%	100%	82%
2020	25%	60%	90%	100%	99%	82%

**Source:**

Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com). (Additional resources: [www.wardsauto.com](http://www.wardsauto.com))

<sup>a</sup> Estimates based on available factory sales. May not represent the entire industry.

*The Vehicle Inventory and Use Survey (VIUS) was discontinued, thus the 2002 VIUS data remain the latest available.*

## Vehicle Inventory and Use Survey

The Vehicle Inventory and Use Survey (VIUS), which was formerly the Truck Inventory and Use Survey (TIUS), provides data on the physical and operational characteristics of the Nation's truck population. It is based on a probability sample of private and commercial trucks registered (or licensed) in each state. In 1997, the survey was changed to the Vehicle Inventory and Use Survey due to future possibilities of including additional vehicle types. The 2002 VIUS, however, only includes trucks. Internet site: [www.census.gov/econ/overview/se0501.html](http://www.census.gov/econ/overview/se0501.html)

Since 1987, the survey has included minivans, vans, station wagons on truck chassis, and sport utility vehicles in addition to the bigger trucks. The 1977 and 1982 surveys did not include those vehicle types. The estimated number of trucks that were within the scope of the 2002 VIUS and registered in the United States as of July 1, 2002 was 85.2 million. These trucks were estimated to have been driven a total of 1,115 billion miles during 2002, an increase of 6.8% from 1997. The average annual miles traveled per truck was estimated at 13,100 miles.

A new VIUS is planned for 2022 to collect data on 2021 truck activity and characteristics similar to the previous surveys. Data collection begins in February 2022. Once the data are released the tables in this chapter will be updated. Internet site for 2022 VIUS: [www.bts.gov/vius](http://www.bts.gov/vius).

**Table 5.5**  
**Truck Statistics by Gross Vehicle Weight Class, 2002**

Manufacturer's gross vehicle weight class	Number of trucks	Percentage of trucks	Average annual miles per truck	Harmonic mean fuel economy	Percentage of fuel use
1) 6,000 lb and less	51,941,389	61.0%	11,882	17.6	42.7%
2) 6,001 – 10,000 lb	28,041,234	32.9%	12,684	14.3	30.5%
3) 10,001 – 14,000 lb	691,342	0.8%	14,094	10.5	1.1%
4) 14,001 – 16,000 lb	290,980	0.3%	15,441	8.5	0.5%
5) 16,001 – 19,500 lb	166,472	0.2%	11,645	7.9	0.3%
6) 19,501 – 26,000 lb	1,709,574	2.0%	12,671	7.0	3.2%
7) 26,001 – 33,000 lb	179,790	0.2%	30,708	6.4	0.9%
8) 33,001 lb and up	2,153,996	2.5%	45,739	5.7	20.7%
<b>Total</b>	<b>85,174,777</b>	<b>100.0%</b>	<b>13,088</b>	<b>13.5</b>	<b>100.0%</b>
Light truck subtotal (1–2)	79,982,623	93.9%	12,163	16.2	73.2%
Medium truck subtotal (3–6)	2,858,368	3.4%	13,237	8.0	5.2%
Heavy truck subtotal (7–8)	2,333,786	2.7%	44,581	5.8	21.6%

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Microdata File on CD, 2005. (Additional resources: [www.census.gov/svsd/www.tiusview.html](http://www.census.gov/svsd/www.tiusview.html))

**Table 5.6**  
**Truck Harmonic Mean Fuel Economy by Size Class, 1992, 1997, and 2002**  
**(miles per gallon)**

Manufacturer's gross vehicle weight class	1992 TIUS	1997 VIUS	2002 VIUS
1) 6,000 lb and less	17.2	17.1	17.6
2) 6,001–10,000 lb	13.0	13.6	14.3
3) 10,000–14,000 lb	8.8	9.4	10.5
4) 14,001–16,000 lb	8.8	9.3	8.5
5) 16,001–19,500 lb	7.4	8.7	7.9
6) 19,501–26,000 lb	6.9	7.3	7.0
7) 26,001–33,000 lb	6.5	6.4	6.4
8) 33,001 lb and over	5.5	5.7	5.7
Light truck subtotal (1–2)	15.7	15.8	16.2
Medium truck subtotal (3–6)	7.3	8.6	8.0
Large truck subtotal (7–8)	5.6	6.1	5.8

**Note:** Based on average fuel economy as reported by respondent.

**Sources:**

Estimates are based on data provided on the following public use files: U.S. Department of Commerce, Bureau of the Census, Census of Transportation, Washington, DC, *1992 Truck Inventory and Use Survey*, 1995; *1997 Vehicle Inventory and Use Survey*, 2000, and *2002 Vehicle Inventory and Use Survey*, 2005. (Additional resources: [www.census.gov/svsd/www.tiusview.html](http://www.census.gov/svsd/www.tiusview.html))



*As expected, most light trucks travel within 50 miles of their home base and refuel at public stations. About sixty percent of heavy trucks travel over 50 miles from their home base and 36% of them refuel at central company-owned refueling stations.*

**Table 5.7**  
**Truck Statistics by Size, 2002**

	Manufacturer's gross vehicle weight class			Total
	Light (< 10,000 lb)	Medium (10,001– 26,000 lb)	Heavy (> 26,000 lb)	
	Typical trip miles or range of operation <sup>a</sup>			
Under 50 miles	69.2%	61.5%	40.7%	68.2%
51–100 miles	8.5%	11.7%	13.5%	8.7%
101–200 miles	2.4%	3.2%	6.7%	2.5%
201–500 miles	1.1%	1.8%	7.6%	1.3%
501 miles or more	1.4%	2.2%	10.4%	1.7%
Off-road	1.1%	3.5%	3.2%	1.2%
Vehicle not in use	2.2%	4.4%	3.2%	2.3%
Not reported	14.1%	11.7%	14.7%	14.1%
<b>Total<sup>b</sup></b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>
	Primary refueling facility			
Gas station	96.9%	62.4%	28.4%	93.9%
Truck stop	0.7%	7.7%	31.9%	1.8%
Own facility	2.0%	27.3%	36.2%	3.7%
Other nonpublic facility	0.3%	2.6%	3.5%	0.5%
Other	0.0%	0.0%	0.0%	0.0%
<b>Total<sup>b</sup></b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>	<b>100.0%</b>

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Microdata. File on CD, 2005. (Additional resources: [www.census.gov/svsd/www/tiusview.html](http://www.census.gov/svsd/www/tiusview.html))

<sup>a</sup> The respondent was asked to choose the category which best described the trips made by the vehicle.

<sup>b</sup> Percentages may not sum to totals due to rounding.

More medium truck owners listed construction as the truck's major use than any other major use category. Construction was the second highest major use for light trucks and heavy trucks.

**Table 5.8**  
**Percentage of Trucks by Size Ranked by Major Use, 2002**

Rank	Light (< 10,000 lb average weight)	Medium (10,001 – 26,000 lb average weight)	Heavy (> 26,000 lb average weight)
1	<b>Personal</b> 81.5%	<b>Construction</b> 18.4%	<b>For hire</b> 30.1%
2	<b>Construction</b> 4.6%	<b>Agriculture</b> 16.2%	<b>Construction</b> 15.9%
3	<b>Other services<sup>a</sup></b> 2.5%	<b>For hire</b> 9.6%	<b>Agriculture</b> 12.2%
4	<b>Not in use</b> 2.2%	<b>Retail</b> 7.1%	<b>Retail</b> 5.4%
5	<b>Agriculture</b> 1.9%	<b>Not in use</b> 6.4%	<b>Not in use</b> 5.1%
6	<b>Retail</b> 1.5%	<b>Leasing</b> 6.2%	<b>Waste management</b> 5.0%
7	<b>Unknown</b> 1.3%	<b>Wholesale</b> 5.5%	<b>Manufacturing</b> 4.9%
8	<b>Leasing</b> 0.7%	<b>Waste management</b> 5.4%	<b>Wholesale</b> 4.8%
9	<b>Manufacturing</b> 0.7%	<b>Utilities</b> 5.0%	<b>Leasing</b> 4.6%
10	<b>Utilities</b> 0.6%	<b>Personal</b> 4.8%	<b>Unknown</b> 3.2%
11	<b>Waste management</b> 0.6%	<b>Unknown</b> 4.4%	<b>Personal</b> 2.5%
12	<b>Wholesale</b> 0.6%	<b>Manufacturing</b> 3.3%	<b>Mining</b> 2.4%
13	<b>Information services</b> 0.4%	<b>Other services<sup>a</sup></b> 3.2%	<b>Other services<sup>a</sup></b> 1.3%
14	<b>For hire</b> 0.4%	<b>Food services</b> 1.6%	<b>Utilities</b> 1.1%
15	<b>Food services</b> 0.3%	<b>Information services</b> 1.3%	<b>Food services</b> 1.1%
16	<b>Arts</b> 0.2%	<b>Mining</b> 1.1%	<b>Arts</b> 0.3%
17	<b>Mining</b> 0.1%	<b>Arts</b> 0.5%	<b>Information services</b> 0.1%

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Micro data File on CD, 2005. (Additional resources: [www.census.gov/svsd/www/tiusview.html](http://www.census.gov/svsd/www/tiusview.html))

<sup>a</sup> Business and personal services.

Nearly half of trucks in fleets of 11-20 and 21-50 vehicles use company-owned facilities. Most trucks in smaller fleets use public gas stations for fueling.

**Table 5.9**  
**Percentage of Trucks by Fleet Size and Primary Fueling Facility, 2002**

Truck fleet size	Primary refueling facility				Total <sup>a</sup>
	Gas station	Truck stop	Own facility	Other's facility	
1-5	73.8%	6.1%	18.2%	1.9%	100.0%
6-10	55.3%	5.7%	35.5%	3.4%	100.0%
11-20	41.1%	5.1%	48.9%	4.9%	100.0%
21-50	42.9%	3.7%	49.8%	3.6%	100.0%
51 or more	48.3%	6.3%	44.4%	1.0%	100.0%
Fleets of 6 or more vehicles	47.6%	5.2%	43.9%	3.4%	100.0%
<b>No fleet</b>	<b>96.4%</b>	<b>1.6%</b>	<b>1.7%</b>	<b>0.3%</b>	<b>100.0%</b>

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Microdata File on CD, 2005. (Additional resources: [www.census.gov/svsd/www/tiusview.html](http://www.census.gov/svsd/www/tiusview.html))

<sup>a</sup> Percentages may not sum to totals due to rounding.

*Most trucks are fueled at gas stations, but for-hire or warehousing trucks are more often fueled at truck stops. Mining trucks and vehicle leasing or rental trucks fuel at the companies' own facility more than 30% of the time.*

**Table 5.10**  
**Share of Trucks by Major Use and Primary Fueling Facility, 2002**

Major use	Gas station	Truck stop	Own facility	Others facility	Other	All <sup>a</sup>
Personal	98.6%	0.6%	0.7%	0.1%	0.1%	100.0%
Other services	96.0%	1.4%	1.6%	0.9%	0.1%	100.0%
Information services	92.3%	0.4%	7.2%	0.1%	0.0%	100.0%
Retail trade	86.6%	3.5%	8.6%	1.2%	0.0%	100.0%
Construction	84.7%	3.3%	9.8%	2.2%	0.0%	100.0%
Accommodation or food services	82.4%	7.5%	8.8%	1.3%	0.0%	100.0%
Manufacturing	81.5%	5.1%	11.9%	1.5%	0.0%	100.0%
Arts, entertainment, recreation services	81.1%	4.3%	14.2%	0.3%	0.0%	100.0%
Waste mgmt, landscaping, admin/support services	78.2%	3.0%	17.1%	1.6%	0.0%	100.0%
Wholesale trade	76.2%	6.6%	12.0%	5.1%	0.0%	100.0%
Utilities	72.6%	1.8%	24.3%	1.3%	0.0%	100.0%
Agriculture, forestry, fishing, hunting	62.7%	6.7%	29.4%	1.0%	0.1%	100.0%
Vehicle leasing or rental	60.2%	1.3%	31.8%	6.8%	0.0%	100.0%
Mining	48.7%	8.5%	34.3%	8.5%	0.0%	100.0%
For-hire or warehousing	33.3%	38.7%	25.8%	2.3%	0.0%	100.0%
<b>Overall</b>	<b>93.9%</b>	<b>1.8%</b>	<b>3.7%</b>	<b>0.5%</b>	<b>0.0%</b>	<b>100.0%</b>


**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Microdata File on CD, 2005. (Additional resources: [www.census.gov/svsd/www/tiusview.html](http://www.census.gov/svsd/www/tiusview.html))

<sup>a</sup> Percentages may not sum to totals due to rounding.

The figure below shows the distribution of annual travel the two types of Class 7 and 8 vehicles—combination units (separate tractor and trailer) and single units (tractor and trailer on a single chassis). This information is for all trucks and trucks two years old or less. Combination trucks, dominated by box-type trailers, display the greatest amount of annual travel of all heavy vehicle types, as is evidenced both by the range of annual use. Most of the single-unit trucks in the survey travel 40,000 miles per year or less.

**Figure 5.2. Distribution of Trucks over 26,000 lb by Vehicle-Miles Traveled, 2002**




**Note:** Heavy trucks (class 7 & 8) are greater than 26,000 pounds gross vehicle weight based on the manufacturer’s rating.

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and Use Survey*, Microdata File on CD, 2005. (Additional resources: [www.census.gov/svsd/www/tiusview.html](http://www.census.gov/svsd/www/tiusview.html))

The latest *Vehicle Inventory and Use Survey* asked truck owners if the truck had certain features as permanent equipment on the truck. Some of the features asked about were onboard computers, idle-reduction devices, navigational systems, and Internet access. Of the 2.3 million heavy trucks (class 7 & 8) in the United States, nearly 10% were equipped with onboard computers that had communication capabilities and another 5% had onboard computers without communication capabilities. Six percent of heavy trucks were equipped with idle-reducing technology. Navigational systems and Internet access were available in less than one percent of heavy trucks.

**Figure 5.3. Share of Heavy Trucks with Selected Electronic Features, 2002**



**Note:** Heavy trucks (class 7 & 8) are greater than 26,000 pounds gross vehicle weight based on the manufacturer's rating.

**Source:**

U.S. Department of Commerce, Bureau of the Census, *2002 Vehicle Inventory and User Survey*, Microdata File on CD, 2005.

## Fuel Economy Study for Class 8 Trucks

As part of a study sponsored by the U.S. Department of Energy (DOE) Vehicle Technologies Office (VTO), the Oak Ridge National Laboratory (ORNL) in conjunction with several industry partners has collected data and information related to heavy-truck operation in real-world highway environments. The primary objective of the project was to collect real-world performance and spatial data for long-haul operations of Class 8 tractor-trailers from a fleet engaged in normal freight operations. Six model-year 2005 Class 8 trucks from the selected fleet, which operates within a large area of the country extending from the east coast to Mountain Time Zone and from Canada to the US-Mexican border, were instrumented and 60 channels of data were collected for over a year at a rate of 5 Hz (or 5 readings per second). Those channels included information such as instantaneous fuel rate, engine speed, gear ratio, vehicle speed, and other information read from the vehicle's databus; weather information (wind speed, precipitation, air temperature, etc.) gathered from an on-board weather station; spatial information (latitude, longitude, altitude) acquired from a GPS (Global Positioning System) device; and instantaneous tractor and trailer weight obtained from devices mounted on the six participating tractors and ten trailers. Three of the six instrumented tractors and five of the ten instrumented trailers were mounted with New Generation Single Wide-Based Tires and the others with regular dual tires. Over the duration of this phase of the project (just over a year) the six tractors traveled nearly 700,000 miles.

The final report on this project is available on-line at:  
[cta.ornl.gov/cta/Publications/Reports/ORNL\\_TM\\_2008-122.pdf](http://cta.ornl.gov/cta/Publications/Reports/ORNL_TM_2008-122.pdf).

*The type of terrain a truck is traveling on can cause significant differences in fuel efficiency. This study (see page 5–15 for project description) shows fuel economy on severe upslopes is less than half that on flat terrain. On severe downslopes, the fuel economy was two times higher than on flat terrain.*

**Table 5.11**  
**Effect of Terrain on Class 8 Truck Fuel Economy**

Type of terrain	Share of data records	Average fuel efficiency (mpg)			
		All trucks	Tractors with dual tires	Tractors with single (wide) tires	Difference between dual and single tires (percent)
Severe upslope (>4%)	0.7%	2.90	2.86	2.94	2.91%
Mild upslope (1% to 4%)	13.2%	4.35	4.25	4.44	4.35%
Flat terrain (1% to 1%)	72.4%	7.33	7.08	7.58	7.13%
Mild downslope (-4% to -1%)	12.6%	15.11	14.64	15.57	6.36%
Severe downslope (<-4%)	1.1%	23.5	21.82	25.3	15.97%

**Source:**

Capps, Gary, Oscar Franzese, Bill Knee, M.B. Lascrain, and Pedro Otaduy. *Class-8 Heavy Truck Duty Cycle Project Final Report*, ORNL/TM-2008/122, Oak Ridge National Laboratory, Oak Ridge, TN, December 2008. (Additional resources: [cta.ornl.gov/cta/Publications/Reports/ORNL\\_TM\\_2008-122.pdf](http://cta.ornl.gov/cta/Publications/Reports/ORNL_TM_2008-122.pdf))



This table presents a distribution of distance traveled, fuel consumed, and fuel economy by speed and by type of tires for the vehicles participating in the project (see page 5-15 for project description). The speed bins are divided into 5-mile intervals, going from 0+ mph (i.e., speed > 0.00 mph) to 85 mph, while the four main columns of the table are organized by the type of tires that were mounted on the tractor and trailers. The first row of the table contains information about fuel consumed while the vehicle was idling (i.e., the vehicle was static with the engine on) with the following rows presenting information about the distance traveled, fuel consumed, and fuel economy for each one of the speed intervals. The next-to-the-last row shows the totals for both traveled distances and fuel consumed as well as the overall fuel economy for each tire-combination category. The latter are then used to compute the percentage difference in terms of fuel economy from dual tire tractors and trailers, which is the most common tire setup for large trucks at the present time.

**Table 5.12**  
**Fuel Economy for Class 8 Trucks as a Function of Speed**  
**and Tractor-Trailer Tire Combination**

Speed (mph)	Dual tire tractor – dual tire trailer			Dual tire tractor – single (wide) tire trailer			Single (wide) tire tractor – dual tire trailer			Single (wide) tire tractor – single (wide) tire trailer		
	Distance traveled (miles)	Fuel cons. (gal)	Fuel econ. (MPG)	Distance traveled (miles)	Fuel cons. (gal)	Fuel econ. (MPG)	Distance traveled (miles)	Fuel cons. (gal)	Fuel econ. (MPG)	Distance traveled (miles)	Fuel cons. (gal)	Fuel econ. (MPG)
Idling	N/A	1,858.5	N/A	N/A	967.9	N/A	N/A	1,676.4	N/A	N/A	706.0	N/A
0+ to 5	281	101.8	2.76	148	50.4	2.93	368.0	124.2	3.0	156	52.8	2.96
5+ to 10	674	198.8	3.39	368	103.2	3.56	808.0	245.4	3.3	331	98.8	3.35
10+ to 15	723	192.0	3.77	396	98.3	4.03	848.0	216.5	3.9	343	87.0	3.95
15+ to 20	744	199.1	3.73	404	100.9	4.00	882.0	221.6	4.0	361	90.5	3.98
20+ to 25	938	228.4	4.11	489	113.6	4.31	1,111.0	244.2	4.6	462	101.1	4.57
25+ to 30	1,178	266.9	4.41	609	131.5	4.63	1,420.0	286.9	5.0	580	117.6	4.93
30+ to 35	1,481	336.8	4.40	753	154.2	4.88	1,774.0	341.1	5.2	708	141.1	5.02
35+ to 40	1,917	403.5	4.75	1,000	193.6	5.17	2,284.0	433.6	5.3	941	184.3	5.10
40+ to 45	2,955	584.1	5.06	1,543	285.9	5.40	3,380.0	603.6	5.6	1,350	254.4	5.31
45+ to 50	4,935	907.9	5.43	2,573	447.7	5.75	5,410.0	872.8	6.2	2,177	360.4	6.04
50+ to 55	9,397	1,629.8	5.77	4,962	811.5	6.11	10,046.0	1,622.7	6.2	3,877	625.5	6.20
55+ to 60	20,656	3,297.2	6.26	11,707	1,721.9	6.80	22,373.0	3,257.8	6.9	8,710	1,246.9	6.99
60+ to 65	38,964	5,879.6	6.63	21,472	2,980.8	7.20	34,517.0	4,840.0	7.1	14,944	2,049.4	7.29
NOT ADJUSTED FOR TERRAIN: See note below.												
65+ to 70	58,304	8,313.2	7.01	27,931	3,652.2	7.65	65,063.0	9,256.4	7.0	27,144	3,880.1	7.00
70+ to 75	56,378	7,483.2	7.53	21,751	2,745.5	7.92	66,882.0	8,435.6	7.9	32,887	4,056.1	8.11
75+ to 85	7,849	808.2	9.71	3,610	403.2	8.95	11,513.0	911.1	12.6	6,817	512.2	13.31
Total <sup>a</sup>	207,374	30,831.0	6.73	99,714	13,994.0	7.13	228,680.0	31,913.0	7.2	101,790	13,858.0	7.35
Percent increase in fuel economy from dual tire trac/trailer			0.00%			5.93%			6.53%			9.20%

**Note:** These data were not adjusted to account for the effects of terrain. The increase in fuel economy for speeds above 70 mph is likely due to the vehicle achieving high speeds while traveling down slope. Therefore, this increase in fuel economy is not expected to be characteristic of all travel at these higher speeds.

**Source:**


Capps, Gary, Oscar Franzese, Bill Knee, M.B. Lascrain, and Pedro Otaduy. *Class-8 Heavy Truck Duty Cycle Project Final Report*, ORNL/TM-2008/122, Oak Ridge National Laboratory, Oak Ridge, TN, December 2008. (Additional resources: [cta.ornl.gov/cta/Publications/Reports/ORNL\\_TM\\_2008-122.pdf](http://cta.ornl.gov/cta/Publications/Reports/ORNL_TM_2008-122.pdf))

<sup>a</sup> Total fuel consumed does not include fuel consumed while idling.

The fuel economy information presented in Table 5.12 is on the upper limits of today's large-truck fleets and is mostly a result of driver training and the extensive vehicle maintenance (including constant tire pressure) to which the fleet company participating in this project adheres. Nevertheless, the results of this extensive test indicate that there are substantial gains in terms of fuel economy for large trucks when single (wide) tires are used in combination with dual tires or alone (best case). Figure 5.4 shows the information from Table 5.12 in a graphical form (bars) and also displays for each speed bin the percentage of the total distance that is traveled at that speed (line). It is possible to observe that above 80% of the distance traveled by long-haul Class 8 trucks is done at speeds above 55 mph. Therefore, any gains in fuel economies at these speeds derived from a given tire combination would have a very large impact on the overall fuel economy of these types of trucks. Figure 5.4 shows that, except for the D-S combination within the 65+ to 70 mph, the combinations with all single (wide) tires perform better and, therefore, obtain the largest overall fuel economy.

**Figure 5.4. Class 8 Truck Fuel Economy as a Function of Speed and Tractor-Trailer Tire Combination and Percentage of Total Distance Traveled as a Function of Speed**

**NOT ADJUSTED FOR TERRAIN: See note below.**



**Note:** D = Dual tire. S = Single (wide) tire.

These data were not adjusted to account for the effects of terrain. The increase in fuel economy for speeds above 70 mph is likely due to the vehicle achieving high speeds while traveling down slope. Therefore, this increase in fuel economy is not expected to be characteristic of all travel at these higher speeds.


**Source:**

Capps, Gary, Oscar Franzese, Bill Knee, M.B. Lascrain, and Pedro Otaduy. *Class-8 Heavy Truck Duty Cycle Project Final Report*, ORNL/TM-2008/122, Oak Ridge National Laboratory, Oak Ridge, TN, December 2008. (Additional resources: [cta.ornl.gov/cta/Publications/Reports/ORNL\\_TM\\_2008-122.pdf](http://cta.ornl.gov/cta/Publications/Reports/ORNL_TM_2008-122.pdf))

*This graph presents for each one of the four tire-combination categories the percent of total fuel that is consumed when traveling at different speeds (bars) as well as the average percent of fuel consumed for each speed bin (line). As opposed to Table 5.12, the total fuel consumed on this graph includes the fuel consumed while idling.*

**Figure 5.5. Class 8 Truck Percent of Total Fuel Consumed as a Function of Speed and Tractor-Trailer Tire Combination**

**NOT ADJUSTED FOR TERRAIN: See note below**



**Note:** D = Dual tire. S = Single (wide) tire.

These data were not adjusted to account for the effects of terrain. The increase in fuel economy for speeds above 70 mph is likely due to the vehicle achieving high speeds while traveling down slope. Therefore, this increase in fuel economy is not expected to be characteristic of all travel at these higher speeds.

**Source:**

Capps, Gary, Oscar Franzese, Bill Knee, M.B. Lascurain, and Pedro Otaduy. *Class-8 Heavy Truck Duty Cycle Project Final Report*, ORNL/TM-2008/122, Oak Ridge National Laboratory, Oak Ridge, TN, December 2008. (Additional resources: [cta.ornl.gov/cta/Publications/Reports/ORNL\\_TM\\_2008-122.pdf](http://cta.ornl.gov/cta/Publications/Reports/ORNL_TM_2008-122.pdf))

*A typical class 8 truck tractor weighs about 17,000 lb. The powertrain is nearly a quarter of the weight (24%) while the truck body structure is 19%.*

**Table 5.13**  
**Class 8 Truck Weight by Component**

	Pounds	Share of total
Wheels and tires	1,700	10%
Chassis/frame	2,040	12%
Drivetrain and suspension	2,890	17%
Misc. accessories/systems	3,060	18%
Truck body structure	3,230	19%
Powertrain	4,080	24%
<b>Total</b>	<b>17,000</b>	<b>100%</b>

**Notes:**

- Powertrain includes engine and cooling system, transmission and accessories.
- Truck body structure includes cab-in-white, sleeper unit, hood and fairings, interior and glass.
- Miscellaneous accessories/systems include batteries, fuel system, and exhaust hardware.
- Drivetrain and suspension include drive axles, steer axle, and suspension system.
- Chassis/frame includes frame rails and crossmembers, fifth wheel and brackets. Wheels and tires include a set of 10 aluminum wheels, plus tires.

**Source:**

National Academy of Sciences, *Technologies and Approaches to Reducing the Fuel Consumption of Medium and Heavy-Duty Vehicles*, 2010, p. 117.

*The gross weight of a vehicle (GVW) is the weight of the empty vehicle plus the weight of the maximum payload that the vehicle was designed to carry. In cars and small light trucks, the difference between the empty weight of the vehicle and the GVW is not significantly different (1,000 to 1,500 lb). The largest trucks and tractor-trailers, however, have a payload capacity share of 200%, which means they can carry 200% of their empty weight. The medium-sized trucks (truck classes 3-6) have payload capacity shares between 50% and 100%.*

**Table 5.14**  
**Gross Vehicle Weight versus Empty Vehicle Weight**


Vehicle description	Truck class	Gross vehicle weight range (pounds)	Empty vehicle weight range (pounds)	Maximum payload capacity (pounds)	Payload capacity share (percent of empty weight)
Cars		3,200-6,000	2,400-5,000	1,000	20%
Minivans, small SUVs, small pick-ups	1	4,000-2,400	3,200-4,500	1,500	33%
Large SUVs, standard pick-ups	2a	6,001-8,500	4,500-6,000	2,500	40%
Large SUVs, standard pick-ups	2b	8,501-10,000	5,000-6,300	3,700	60%
Utility van, multi-purpose, mini-bus, step van	3	10,001-14,000	7,650-8,750	5,250	60%
City delivery, parcel delivery, large walk-in, bucket, landscaping	4	14,001-16,000	7,650-8,750	7,250	80%
City delivery, parcel delivery, large walk-in, bucket	5	16,001-19,500	9,500-10,000	8,700	80%
City delivery, school bus, large walk-in, bucket	6	19,501-26,000	11,500-14,500	11,500	80%
City bus, furniture, refrigerated, refuse, fuel tanker, dump, tow, concrete, fire engine, tractor-trailer	7	26,001-33,000	11,500-14,500	18,500	125%
Refuse, concrete, furniture, city bus, tow, fire engine (straight trucks)	8a	33,001-80,000	20,000-26,000	54,000	200%
Tractor-trailer: van, refrigerated, bulk tanker, flat bed (combination trucks)	8b	33,001-80,000	20,000-26,000	54,000	200%

**Source:**

National Academy of Sciences, *Technologies and Approaches to Reducing the Fuel Consumption of Medium and Heavy-Duty Vehicles*, 2010, pp. 18 and 116.

According to weigh-in-motion data collected by fifteen states, the majority of 5-axle tractor-trailers on the road weigh between 33,000 and 73,000 lb. Eleven percent of the tractor-trailers had weight recorded around 72,800 lb and 10% around 68,300 lb. Another 10% of tractor-trailers were on the lighter end of the scale – around 37,500 lb. These data show that only a small percent of trucks on the road are near the maximum roadway gross vehicle weight of 80,000 lb. Thus, most trucks are filling the trailer space to capacity (cubing-out) before they reach the maximum weight limit (weighing-out).

**Figure 5.6. Distribution of Class 8 Trucks by On-Road Vehicle Weight, 2008<sup>a</sup>**



**Note:** Data are from these 15 States: California, Connecticut, Florida, Georgia, Hawaii, Iowa, Minnesota, Missouri, Montana, North Carolina, Oregon, Pennsylvania, South Dakota, Texas, and Washington.

**Source:**

National Academy of Sciences, *Technologies and Approaches to Reducing the Fuel Consumption of Medium and Heavy-Duty Vehicles*, 2010, p. 118. Original source: Federal Highway Administration, Vehicle Travel Information System, 2008.

<sup>a</sup> Study reported data on 5-axle tractor-trailers which are class 8 trucks. Single-unit class 8 trucks were not considered in the study.

## Commodity Flow Survey

The Commodity Flow Survey (CFS) is designed to provide data on the flow of goods and materials by mode of transport. The survey was first conducted in various years from 1963 to 1977, and was again conducted in 1993, 1997, 2002, 2007, 2012, and 2017 with improvements in methodology, sample size, and scope. Final data for the 2017 survey was released in July 2020. It is a shipper-based survey which covers business establishments from these industries:

- Mining
- Manufacturing
- Wholesale trade
- Select Retail and Services

Industries not covered by CFS include transportation, construction, most retail and services industries, farms, fisheries, foreign establishments, and most government-owned establishments. Before 1993 data were collected only on the principal mode of travel, but after that time all modes of a shipment were captured in the data.

The CFS is a joint effort of the Bureau of Transportation Statistics and the U.S. Census Bureau. Additional information on the survey can be found at:

- [www.bts.gov/cfs](http://www.bts.gov/cfs)
- [www.census.gov/programs-surveys/cfs.html](http://www.census.gov/programs-surveys/cfs.html)

*Industries covered by the 2017 Commodity Flow Survey (CFS) shipped goods worth over \$14 trillion. Compared to the 1993 CFS, the value of shipments is up 1.2% per year. By value, multiple mode shipments increased 3.5% per year from 1993 to 2017.*

**Table 5.15**  
**Value of Goods Shipped in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys<sup>a</sup>**

	1993 (billion 2017 dollars)	1997 (billion 2017 dollars)	2002 (billion 2017 dollars)	2007 (billion 2017 dollars)	2012 (billion 2017 dollars)	2017 (billion dollars)	Average annual percent change (1993- 2017)
<b>All modes</b>	<b>10,790.0</b>	<b>10,605.0</b>	<b>11,441.5</b>	<b>13,813.9</b>	<b>14,788.8</b>	<b>14,517.8</b>	<b>1.2%</b>
<b>Single modes</b>	<b>9,120.0</b>	<b>8,735.1</b>	<b>9,605.0</b>	<b>11,277.1</b>	<b>12,705.1</b>	<b>11,738.0</b>	<b>1.1%</b>
Truck <sup>b</sup>	8,127.2	7,607.9	8,495.4	9,854.6	10,817.4	10,398.9	1.0%
For-hire truck	4,844.9	4,431.1	5,119.1	5,858.6	6,944.5	6,968.2	1.5%
Private truck	3,240.7	3,110.2	3,331.8	3,995.9	3,872.9	3,430.7	0.2%
Rail	456.6	488.1	423.6	516.0	505.1	254.2	-2.4%
Water	113.8	115.8	121.7	135.8	322.0	243.9	3.2%
Inland water	75.2	82.3	78.3	107.6	233.7	117.3	1.9%
Great Lakes	<sup>c</sup>	2.3	1.2	<sup>c</sup>	0.4	0.6	<sup>c</sup>
Deep sea	36.5	31.2	42.3	27.2	64.0	120.7	5.1%
Multiple waterways	<sup>c</sup>	<sup>d</sup>	<sup>d</sup>	<sup>d</sup>	23.8	5.3	<sup>c</sup>
Air (includes truck and air)	256.7	349.9	361.0	298.3	481.1	496.6	2.8%
Pipeline <sup>e</sup>	165.9	173.4	203.3	472.4	579.6	344.4	3.1%
<b>Multiple modes</b>	<b>1,222.9</b>	<b>1,444.6</b>	<b>1,470.4</b>	<b>2,206.9</b>	<b>2,082.7</b>	<b>2,777.7</b>	<b>3.5%</b>
Parcel, U.S.P.S. or courier	1,039.5	1,307.2	1,345.8	1,846.5	1,802.4	2,117.1	3.0%
Truck and rail	153.3	115.6	95.2	221.3	240.0	348.0	3.5%
Truck and water	17.3	12.6	19.5	69.1	31.0	251.4	11.8%
Rail and water	6.8	2.7	4.5	16.4	8.5	43.6	8.0%
Other multiple modes	6.0	6.5	5.2	53.6	0.7	17.5	4.6%
<b>Other and unknown modes</b>	<b>447.1</b>	<b>425.4</b>	<b>366.0</b>	<b>330.0</b>	<b>1.1</b>	<b>2.1</b>	<b>-20.0%</b>

**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics and U.S. Department of Commerce, Bureau of the Census, *1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys*, Table 1a. (Additional resources: <https://www.bts.gov/topics/commodity-flow-survey-data-and-reports>)

<sup>a</sup> Detail may not add to total because of rounding.

<sup>b</sup> "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>c</sup> Denotes data do not meet publication standards because of high sampling variability or poor response quality.

<sup>d</sup> Data are not available.

<sup>e</sup> CFS data for pipeline exclude most shipments of crude oil.



*Industries covered by the 2017 Commodity Flow Survey (CFS) shipped over 12 billion tons of goods nationwide. About 71% of the freight tonnage was shipped by truck.*

**Table 5.16**  
**Tons of Freight in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys<sup>a</sup>**

	1993 (millions)	1997 (millions)	2002 (millions)	2007 (millions)	2012 (millions)	2017 (millions)	Average annual percent change (1993- 2017)
<b>All modes</b>	<b>9,688.50</b>	<b>11,089.7</b>	<b>11,667.9</b>	<b>12,543.4</b>	<b>11,299.4</b>	<b>12,468.9</b>	<b>1.1%</b>
<b>Single modes</b>	<b>8,922.30</b>	<b>10,436.5</b>	<b>11,086.7</b>	<b>11,698.1</b>	<b>10,905.5</b>	<b>11,604.8</b>	<b>1.1%</b>
Truck <sup>b</sup>	6,385.90	7,700.7	7,842.8	8,778.7	8,060.2	8,843.3	1.4%
For-hire truck	2,808.30	3,402.6	3,657.3	4,075.1	4,298.7	5,232.0	2.6%
Private truck	3,543.50	4,137.3	4,149.7	4,703.6	3,761.3	3,611.3	0.1%
Rail	1,544.10	1,549.8	1,873.9	1,861.3	1,628.5	1,251.2	-0.9%
Water	505.4	563.4	681.2	403.6	576.0	804.4	2.0%
Inland water	362.5	414.8	458.6	343.3	424.5	471.9	1.1%
Great Lakes	33	38.4	38.0	17.8	31.4	41.9	1.0%
Deep sea	109.9	110.2	184.6	42.5	73.0	268.6	3.8%
Multiple waterways	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	47.1	22.0	<sup>c</sup>
Air (includes truck and air)	3.1	4.5	3.8	3.6	4.8	8.0	4.0%
Pipeline <sup>d</sup>	483.6	618.2	685.0	650.9	636.0	697.8	1.5%
<b>Multiple modes</b>	<b>225.7</b>	<b>216.7</b>	<b>216.7</b>	<b>573.7</b>	<b>357.0</b>	<b>770.5</b>	<b>5.2%</b>
Parcel, U.S.P.S. or courier	18.9	23.7	25.5	33.9	28.5	38.0	3.0%
Truck and rail	40.6	54.2	43.0	225.6	213.8	471.4	10.8%
Truck and water	68	33.2	23.3	145.5	56.7	109.9	2.0%
Rail and water	79.2	79.3	105.1	54.9	55.6	143.0	2.5%
Other multiple modes	18.9	26.2	19.8	113.8	2.5	8.2	-3.4%
<b>Other and unknown modes</b>	<b>540.5</b>	<b>436.5</b>	<b>364.6</b>	<b>271.6</b>	<b>36.8</b>	<b>93.6</b>	<b>-7.0%</b>

**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics and U.S. Department of Commerce, Bureau of the Census, *1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Survey*, Table 1a. (Additional resources: <https://www.bts.gov/topics/commodity-flow-survey-data-and-reports>)

<sup>a</sup> Detail may not add to total because of rounding.

<sup>b</sup> "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>c</sup> Data are not available.

<sup>d</sup> CFS data for pipeline exclude most shipments of crude oil.

*Industries covered by the 2017 Commodity Flow Survey (CFS) accounted for 3.1 trillion ton-miles on the nation's highways, railways, waterways, pipelines, and aviation system. Ton-miles increased an average of 1.1% per year from 1993 to 2017.*

**Table 5.17**  
**Ton-Miles of Freight in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys<sup>a</sup>**

	1993 (billions)	1997 (billions)	2002 (billions)	2007 (billions)	2012 (billions)	2017 (billions)	Average annual percent change (1993- 2017)
<b>All modes</b>	<b>2,420.90</b>	<b>2,661.4</b>	<b>3,137.9</b>	<b>3,344.7</b>	<b>2,969.5</b>	<b>3,116.9</b>	<b>1.1%</b>
<b>Single modes</b>	<b>2,136.90</b>	<b>2,383.5</b>	<b>2,867.9</b>	<b>2,894.3</b>	<b>2,697.4</b>	<b>2,479.6</b>	<b>0.6%</b>
Truck <sup>b</sup>	869.5	1,023.5	1,255.9	1,342.1	1,247.7	1,327.1	1.8%
For-hire truck	629	741.1	959.6	1,055.6	1,050.9	1,162.2	2.6%
Private truck	235.9	268.6	291.1	286.5	196.8	164.9	-1.5%
Rail	942.6	1,022.5	1,261.6	1,344.0	1,211.5	824.8	-0.6%
Water	272	261.7	282.7	157.3	192.9	259.6	-0.2%
Inland water	164.4	189.3	211.5	117.5	118.7	177.5	0.3%
Great Lakes	12.4	13.4	13.8	<sup>6.9</sup>	11.0	15.6	1.0%
Deep sea	95.2	59.0	57.4	33.0	22.1	50.9	-2.6%
Multiple waterways	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	41.0	15.6	<sup>c</sup>
Air (includes truck and air)	4	6.2	5.8	4.5	5.8	9.8	3.8%
Pipeline <sup>d</sup>	<sup>c</sup>	<sup>e</sup>	<sup>c</sup>	<sup>e</sup>	<sup>e</sup>	<sup>c</sup>	<sup>c</sup>
<b>Multiple modes</b>	<b>191.5</b>	<b>204.5</b>	<b>225.7</b>	<b>416.6</b>	<b>271.8</b>	<b>637.2</b>	<b>5.1%</b>
Parcel, U.S.P.S. or courier	13.2	18.0	19.0	28.0	22.7	29.8	3.5%
Truck and rail	37.7	55.6	45.5	196.8	169.5	443.2	10.8%
Truck and water	40.6	34.8	32.4	98.4	48.6	51.9	1.0%
Rail and water	70.2	77.6	115.0	47.1	29.2	102.7	1.6%
Other multiple modes	<sup>c</sup>	18.6	13.8	46.4	1.9	9.6	<sup>c</sup>
<b>Other and unknown modes</b>	<b>92.6</b>	<b>73.4</b>	<b>44.2</b>	<b>33.8</b>	<b>0.3</b>	<b>0.1</b>	<b>-24.0%</b>

**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics and U.S. Department of Commerce, Bureau of the Census, *1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys*, Table 1a. (Additional resources: <https://www.bts.gov/topics/commodity-flow-survey-data-and-reports>)

<sup>a</sup> Detail may not add to total because of rounding.

<sup>b</sup> "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>c</sup> Data are not available.

<sup>d</sup> CFS data for pipeline exclude most shipments of crude oil.

<sup>e</sup> Denotes data do not meet publication standards because of high sampling variability or poor response quality.

*Industries covered by the 2017 Commodity Flow Survey (CFS) had an average shipment length of 679 miles, a 60% increase from the 1993 survey. For single mode shipments, air had the highest shipment length in 2017; for multiple modes, truck and rail had the highest length.*

**Table 5.18**  
**Average Miles per Shipment in the United States: Comparison of the 1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys<sup>a</sup>**

	1993 (miles)	1997 (miles)	2002 (miles)	2007 (miles)	2012 (miles)	2017 (miles)	Average annual percent change (1997-2017)
<b>All modes</b>	<b>424</b>	<b>472</b>	<b>546</b>	<b>619</b>	<b>630</b>	<b>679</b>	<b>2.0%</b>
<b>Single modes</b>	<b>197</b>	<b>184</b>	<b>240</b>	<b>234</b>	<b>262</b>	<b>243</b>	<b>0.9%</b>
Truck <sup>b</sup>	144	144	173	206	227	206	1.5%
For-hire truck	472	485	523	599	508	369	-1.0%
Private truck	52	53	64	57	58	45	-0.6%
Rail	766	769	807	728	805	579	-1.2%
Water	<sup>c</sup>	482	568	520	908	259	<sup>c</sup>
Inland water	<sup>c</sup>	177	450	144	275	188	<sup>c</sup>
Great Lakes	534	204	339	657	347	304	-2.3%
Deep sea	1,861	1,024	664	923	1,157	359	-6.6%
Multiple waterways	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	<sup>c</sup>	1,034	525	<sup>c</sup>
Air (includes truck and air)	1,415	1,380	1,919	1,304	1,295	1,403	0.0%
Pipeline <sup>d</sup>	<sup>c</sup>	<sup>e</sup>	<sup>e</sup>	<sup>e</sup>	<sup>e</sup>	<sup>e</sup>	<sup>c</sup>
<b>Multiple modes</b>	<b>736</b>	<b>813</b>	<b>895</b>	<b>975</b>	<b>922</b>	<b>953</b>	<b>1.1%</b>
Parcel, U.S.P.S. or courier	734	813	894	975	922	953	1.1%
Truck and rail	1,403	1,347	1,413	1,007	988	1,177	-0.7%
Truck and water	1,417	1,265	1,950	1,429	1,562	784	-2.4%
Rail and water	627	1,092	957	1,928	1,073	1,075	2.3%
Other multiple modes	1,082	<sup>e</sup>	<sup>e</sup>	1,182.0	<sup>e</sup>	1,425.0	1.2%
<b>Other and unknown modes</b>	<b>229</b>	<b>122</b>	<b>130</b>	<b>116</b>	<b>2</b>	<b>1</b>	<b>-20.3%</b>

**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics and U.S. Department of Commerce, Bureau of the Census, *1993, 1997, 2002, 2007, 2012, and 2017 Commodity Flow Surveys*, Table 1a. (Additional resources: [www.census.gov/programs-surveys/cfs.html](http://www.census.gov/programs-surveys/cfs.html))

<sup>a</sup> Detail may not add to total because of rounding.

<sup>b</sup> "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

<sup>c</sup> Data are not available.

<sup>d</sup> CFS data for pipeline exclude most shipments of crude oil.

<sup>e</sup> Denotes data do not meet publication standards because of high sampling variability or poor response quality.

## **Freight Analysis Framework**

The Freight Analysis Framework is a combination of sources drawn together to create a comprehensive picture of freight movement in the U.S. in terms of tonnage, value, and ton-miles. Data are available by origin, destination, commodity type, distance band, and mode. FAF origin and destination data include state level or major metropolitan area. The sources of data for FAF are the Commodity Flow Survey, international trade data from the Census Bureau, and other data sources from agriculture, extraction, utility, construction, service, and other sectors.

Historically, FAF data are available for 1997, 2002, 2007, 2012, with estimated data for 2013-2018, and forecasted data from 2020-2045. A new version, FAF5, will be released in 2021 since the 2017 Commodity Flow Survey data were finalized in late 2020.

For additional information on FAF, see the website: [faf.ornl.gov/fafweb](http://faf.ornl.gov/fafweb).

*For shipments of 100 miles or less, trucks moved 7.5 billion tons of freight in 2018. Trucks moved more tons than other modes for all shipments less than 1,000 miles while rail moved more tons in shipments from 1,000-2,000 miles in length. More than 18 billion tons of freight were shipped in 2018.*

**Table 5.19**  
**Tons of Freight Moved in the United States by Mode and Distance Band, 2018**  
**(thousand tons)**

Mode	Distance Band <sup>a</sup> (miles)								Total
	Below 100	100 - 249	250 - 499	500 - 749	750 - 999	1,000 - 1,499	1,500 - 2,000	Over 2,000	
Truck	7,547,034	1,938,958	1,382,656	471,600	208,938	204,947	89,384	76,644	11,920,161
Rail	248,774	178,853	257,704	241,153	197,526	391,104	190,039	76,447	1,781,599
Water	371,926	124,936	150,171	43,223	39,839	54,992	20,365	32,453	837,905
Air (include truck-air)	33	110	1,753	886	588	659	568	1,175	5,772
Pipeline	983,057	726,167	1,094,492	307,404	121,052	109,975	3,354	209	3,345,711
Multiple modes & mail	39,928	118,820	99,677	56,293	40,155	63,687	27,000	58,212	503,773
No domestic mode	182,396	103	0	0	0	0	0	0	182,499
Other and unknown	28,617	9,355	307	48	103	124	46	35	38,636
<b>Total</b>	<b>9,401,764</b>	<b>3,097,303</b>	<b>2,986,761</b>	<b>1,120,608</b>	<b>608,201</b>	<b>825,488</b>	<b>330,756</b>	<b>245,175</b>	<b>18,616,056</b>

**Note:** Includes total flows moved between domestic origins and destinations and includes both domestic and foreign shipments. Mode of transportation is the mode used from zone of entry to the domestic destination, domestic origin to domestic destination, and domestic origin to zone of exit.

**Source:**

U.S. Department of Transportation, Freight Analysis Framework Version 4.5.1.

<sup>a</sup> Freight shipments categorized by origin to destination Great Circle Distance, which is commonly called “as-the-crow-flies.”

**Table 5.20**  
**Top Ten Commodities Moved in the United States by Weight, Ton-miles, and Value, 2018**

Weight	
Commodity	Billion Tons
Coal-not elsewhere classified	2.50
Gravel	2.10
Gasoline	1.24
Cereal grains	1.22
Crude petroleum	1.16
Non-metallic mineral products	1.11
Fuel oils	0.99
Coal	0.84
Natural sands	0.83
Other foodstuffs	0.68
Ton-Miles	
Commodity	Billion Ton-miles
Coal-not elsewhere classified	758.5
Coal	563.2
Crude petroleum	533.0
Cereal grains	312.8
Other foodstuffs	261.9
Other agricultural products	188.7
Non-metallic mineral products	175.3
Gasoline	169.5
Basic chemicals	158.0
Gravel	146.2
Value	
Commodity	Trillion dollars
Electronics	1.65
Motorized vehicles	1.59
Mixed freight	1.48
Gasoline	1.13
Machinery	1.05
Coal-not elsewhere classified	0.86
Pharmaceuticals	0.85
Fuel oils	0.83
Miscellaneous manufacturing products	0.76
Crude petroleum	0.72

**Note:** Commodities are based on Standard Classification of Transported Goods (SCTG) codes. See the Census Bureau web site for commodity details: [bhs.econ.census.gov/bhsphpext/brdsearch/scs\\_code.html](https://bhs.econ.census.gov/bhsphpext/brdsearch/scs_code.html).

**Source:**

U.S. Department of Transportation, Freight Analysis Framework Version 4.5.1. (Additional information: [faf.ornl.gov](https://faf.ornl.gov))

*The Freight Analysis Framework compiles data from a variety of sources to create a comprehensive picture of freight movement in the United States.*

**Table 5.21**  
**U.S. Freight Ton-Miles by State, 2018**  
**(million ton-miles)**

State	Within the given state	Outbound from the given state	Inbound to the given state
Alabama	15,296.2	76,900.4	82,542.3
Alaska	12,164.5	90,948.9	5,329.6
Arizona	10,467.1	30,917.0	58,460.2
Arkansas	11,566.6	46,243.0	52,384.9
California	120,177.2	228,830.9	386,860.0
Colorado	14,224.8	71,743.8	62,849.4
Connecticut	2,027.8	23,645.5	18,575.6
Delaware	603.8	4,887.0	16,970.8
District of Columbia	10.5	1,363.9	762.5
Florida	58,371.1	59,097.3	121,180.0
Georgia	16,988.7	77,710.3	114,734.5
Hawaii	1,281.8	5,566.5	10,578.3
Idaho	5,461.0	41,877.9	20,223.8
Illinois	28,859.7	187,645.6	246,414.4
Indiana	14,303.9	86,135.9	118,948.0
Iowa	10,372.0	118,939.0	76,112.8
Kansas	13,632.4	91,564.4	71,668.5
Kentucky	11,289.9	92,089.2	88,904.7
Louisiana	52,236.5	181,661.5	235,952.8
Maine	1,704.3	12,759.4	7,910.0
Maryland	3,980.1	20,098.2	38,511.4
Massachusetts	3,049.7	19,536.6	30,068.5
Michigan	19,460.5	101,238.1	158,312.1
Minnesota	18,890.0	153,727.0	137,208.0
Mississippi	12,170.8	59,885.3	70,135.5
Missouri	9,756.8	63,987.1	110,631.9
Montana	7,735.7	82,163.7	22,249.4
Nebraska	7,491.8	106,399.4	60,397.5
Nevada	2,168.8	16,572.9	25,490.3
New Hampshire	716.5	4,872.4	8,638.6
New Jersey	5,276.6	60,862.1	85,109.0
New Mexico	7,027.7	45,408.6	22,015.5
New York	17,480.6	64,085.1	87,250.5
North Carolina	12,667.7	52,803.9	81,760.9
North Dakota	10,721.3	227,555.7	39,126.5
Ohio	22,549.9	109,557.3	159,639.0
Oklahoma	19,874.6	96,799.5	77,383.6
Oregon	6,936.1	42,452.7	56,521.1
Pennsylvania	45,571.6	110,601.0	122,045.1
Rhode Island	254.9	3,725.7	3,554.0
South Carolina	4,954.4	38,770.3	61,242.2
South Dakota	4,814.7	37,006.4	16,674.6
Tennessee	8,173.7	65,054.5	78,915.9
Texas	298,078.8	386,177.1	488,870.7
Utah	5,251.0	40,315.0	35,784.4
Vermont	710.3	4,253.0	3,795.1
Virginia	12,112.8	38,986.9	76,583.1
Washington	22,893.6	74,095.3	118,478.3
West Virginia	3,470.8	75,954.4	32,781.2
Wisconsin	17,603.5	65,371.9	87,927.3
Wyoming	21,982.8	416,957.6	21,337.9


**Note:** Includes total flows moved between domestic origins and destinations and includes both domestic and foreign shipments.

**Source:**

U.S. Department of Transportation, Freight Analysis Framework Version 4.5.1.

*Ranging from a speed limit of 55 miles per hour (mph) to 85 mph, the maximum speed limit for trucks varies from state to state and sometimes from year to year. Currently, California has the most conservative maximum speed limit for trucks – 55 mph. At the other end of the spectrum, Texas has some roads where the truck speed limit is 85 mph. Because of the varying limits, there is not one common highway speed at which trucks travel. Manufacturers design the vehicle to perform well over the entire range of speeds.*

**Figure 5.7. Maximum Daytime Truck Speed Limits by State, 2021**




**Source:**  
 Insurance Institute for Highway Safety, Highway Loss Data Institute, “Speed Limits,” August 2021.  
 (Additional resources: [www.iihs.org/iihs/topics/speed/speed-limit-laws](http://www.iihs.org/iihs/topics/speed/speed-limit-laws))



Although all states allow the conventional combinations consisting of a 28-foot semi-trailer and a 28-foot trailer, only 14 states and six state turnpike authorities allow longer combination vehicles (LCVs) on at least some parts of their road networks. LCVs are tractors pulling a semi-trailer and trailer, with at least one of them – the semi-trailer, the trailer, or both – longer than 28 feet. The routes that these LCVs can travel have not changed since 1991.

**Figure 5.8. Routes Where Longer Combination Vehicles Are Permitted, 2017**



**Note:** Empty triples are allowed on I-80 in Nebraska.

**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics, *Freight Facts and Figures* digital version, July 2020. (Additional resources: [www.bts.gov/product/freight-facts-and-figures](http://www.bts.gov/product/freight-facts-and-figures)).



**ALTERNATIVE FUEL & ADVANCED TECHNOLOGY  
VEHICLES & CHARACTERISTICS**

**Chapter 6**



*Credit: Onurdongel/iStock/Getty Images*

## Alternative Fuels

The Energy Policy Act of 1992 defines alternative fuels and allows the U.S. Department of Energy (DOE) to add to the list of alternative fuels if the fuel is substantially nonpetroleum, yields substantial energy security benefits, and offers substantial environmental benefits. DOE currently recognizes the following as alternative fuels:

- methanol, ethanol, and other alcohols,
- blends of 85% or more of alcohol with gasoline,
- natural gas and liquid fuels domestically produced from natural gas,
- liquefied petroleum gas (propane),
- coal-derived liquid fuels,
- hydrogen,
- electricity,
- biodiesel (B100),
- fuels (other than alcohol) derived from biological materials,
- P-series.

## Alternative Fuels Data Center

DOE established the Alternative Fuels Data Center (AFDC) in 1991 to support its work aimed at fulfilling the Alternative Motor Fuels Act directives. Since then, the AFDC has expanded its focus to include all advanced transportation fuels, vehicles, and technologies. The AFDC is operated and managed by the National Renewable Energy Laboratory (NREL) in Golden, Colorado.

The purposes of the AFDC are:

- to gather and analyze information on the fuel consumption, emissions, operation, and durability of alternative fuel vehicles, and
- to provide unbiased, accurate information on alternative fuels and alternative fuel vehicles to government agencies, private industry, research institutions, and other interested organizations.

Much of the AFDC data can be obtained through their website: **[afdc.energy.gov](https://afdc.energy.gov)**. Several tables and graphs in this chapter contain statistics which were generated by the AFDC. Below are some links to specific areas of the AFDC website.

**Alternative & Advanced Fuels** – [afdc.energy.gov](https://afdc.energy.gov)

**Alternative Fueling Station Locator** – [afdc.energy.gov/stations/#/find/nearest](https://afdc.energy.gov/stations/#/find/nearest)

**Alternative & Advanced Vehicles** – [afdc.energy.gov/fuels](https://afdc.energy.gov/fuels)

**State & Federal Incentives & Laws** – [afdc.energy.gov/laws](https://afdc.energy.gov/laws)

**Data Analysis & Trends** – [afdc.energy.gov/data](https://afdc.energy.gov/data)

**Tools** – [afdc.energy.gov/tools](https://afdc.energy.gov/tools)

*The Energy Information Administration (EIA) is no longer publishing estimates of the number of alternative vehicles in use in the United States. EIA does publish the number of alternative fuel vehicles “made available” each year, beginning in 2004. The alternative fuel vehicles “made available” are estimates from vehicle manufacturer production and companies performing vehicle conversions. The data are more of a proxy for alternative fuel vehicle sales than for vehicle population, but EIA cautions that the data are not actual sales data.*

**Table 6.1**  
**Estimates of Alternative Fuel Highway Vehicles Made Available, 2004-2018**

Year	CNG	Electric <sup>a</sup>	E85	Hydrogen	LNG	LPG
2004	7,752	2,200	674,678	31	136	2,150
2005	3,304	2,281	743,948	74	68	700
2006	3,128	2,715	1,011,399	40	92	473
2007	2,487	3,152	1,115,069	63	26	356
2008	4,440	2,802	1,175,345	63	384	695
2009	3,770	2,255	805,777	26	126	861
2010	4,973	2,229	1,484,945	64	231	747
2011	5,674	25,382	2,116,273	107	137	1,054
2012	7,672	46,624	2,446,966	56	101	1,134
2013	9,454	130,323	2,665,470	10	344	2,700
2014	6,662	92,594	2,433,113	3	535	1,708
2015	8,744	118,560	1,881,500	2	7	2,248
2016	7,840	162,951	1,272,091	29	10	1,932
2017	5,939	258,689	1,150,097	2,842	0	2,837
2018	4,451	253,678	813,774	2,513	0	2,468
	<i>Average annual percentage change</i>					
2004-2018	-3.9%	40.4%	1.3%	36.9%	-100.0%	1.0%
2008-2018	0.0%	56.9%	-3.6%	44.6%	-100.0%	13.5%

**Note:** “Made available” refers to the supply of warranted alternative fuel vehicles by manufacturers and aftermarket conversion companies. These do not represent sales.

**Source:**

U. S. Department of Energy, Energy Information Administration website, “Alternative Fuel Vehicle Data,” [www.eia.gov/renewable/afv](http://www.eia.gov/renewable/afv), September 2019. (Additional resources: [www.eia.gov](http://www.eia.gov))

<sup>a</sup> Includes plug-in hybrid-electric vehicles and all-electric vehicles.

Hybrid vehicle sales began in 1999 and plug-in electric vehicle sales began in 2010. Hybrids captured 3.2% of the light vehicle market in 2013 and again in 2020. All-electric vehicles accounted for 1.7% of the light vehicle market in 2020.

**Table 6.2**  
**Hybrid and Plug-In Vehicle Sales, 1999-2020**

Calendar year	Hybrid vehicle sales (thousands)	Plug-in hybrid vehicle sales (thousands)	All-electric vehicle sales <sup>a</sup> (thousands)	All light vehicle sales <sup>a</sup> (thousands)	Hybrid share of all light vehicles	Plug-in hybrid share of all light vehicles	All-electric share of all light vehicles
1999	0.0	0.0	0.0	16,711	0.0%	0.0%	0.0%
2000	9.4	0.0	0.0	17,164	0.1%	0.0%	0.0%
2001	20.3	0.0	0.0	16,950	0.1%	0.0%	0.0%
2002	36.0	0.0	0.0	16,675	0.2%	0.0%	0.0%
2003	47.6	0.0	0.0	16,494	0.3%	0.0%	0.0%
2004	84.2	0.0	0.0	16,737	0.5%	0.0%	0.0%
2005	205.9	0.0	0.0	16,774	1.2%	0.0%	0.0%
2006	251.9	0.0	0.0	16,336	1.5%	0.0%	0.0%
2007	351.1	0.0	0.0	15,867	2.2%	0.0%	0.0%
2008	315.8	0.0	0.0	13,015	2.4%	0.0%	0.0%
2009	290.3	0.0	0.0	10,236	2.8%	0.0%	0.0%
2010	274.6	0.3	0.0	11,394	2.4%	0.0%	0.0%
2011	266.5	7.7	10.1	12,542	2.1%	0.1%	0.1%
2012	434.6	38.6	14.6	14,220	3.1%	0.3%	0.1%
2013	495.5	49.0	48.1	15,279	3.2%	0.3%	0.3%
2014	452.2	55.4	63.5	16,192	2.8%	0.3%	0.4%
2015	384.4	43.0	71.1	17,107	2.2%	0.3%	0.4%
2016	346.9	72.9	86.7	17,179	2.0%	0.4%	0.5%
2017	362.9	91.2	104.5	16,827	2.2%	0.5%	0.6%
2018	338.1	123.9	207.1	16,919	2.0%	0.7%	1.2%
2019	380.8	85.8	233.8	16,630	2.3%	0.5%	1.4%
2020	454.9	66.2	240.1	14,114	3.2%	0.5%	1.7%
<i>Average annual percentage change</i>							
2000-2020	21.4%	<sup>c</sup>	<sup>c</sup>	-1.0%			
2011-2020	6.0%	27.0%	42.2%	1.3%			

**Note:** Plug-in vehicle sales include only those vehicles certified for highway use. Small electric carts and neighborhood electric vehicles are excluded.

**Sources:**

Hybrid and Electric Vehicle Sales – Compiled by the Transportation Research Center at Argonne National Laboratory, 2021. (Additional resources: [www.anl.gov/energy-systems/project/light-duty-electric-drive-vehicles-monthly-sales-updates](http://www.anl.gov/energy-systems/project/light-duty-electric-drive-vehicles-monthly-sales-updates))

All Light Vehicle Sales – Table 3.11.

<sup>a</sup> Includes plug-in hybrid-electric vehicles and all-electric vehicles.

<sup>b</sup> Includes cars and trucks up to 10,000 lb gross vehicle weight.

<sup>c</sup> Data are not available.

*Trolleybus, heavy rail, and light rail use nearly all alternative fuels. However, the 53.4% of buses using alternative fuels in 2020 replace a lot of traditional fuel use.*

**Table 6.3**  
**Transit Vehicle Alternative Fuel Shares by Mode, 1992-2020**

Year	Bus <sup>a</sup>	Trolleybus	Vanpool	Demand response	Commuter rail self-propelled <sup>b</sup>	Commuter rail locomotive <sup>b</sup>	Heavy rail <sup>c</sup>	Light rail <sup>d</sup>
1992	2.0%	e	e	e	e	e	e	e
1993	4.1%	e	e	5.8%	e	e	e	e
1994	6.5%	e	e	7.5%	e	e	e	e
1995	6.3%	e	e	11.2%	e	e	e	e
1996	6.4%	100.0%	e	14.0%	e	e	99.9%	100.0%
1997	5.6%	100.0%	e	13.8%	e	e	100.0%	100.0%
1998	6.5%	100.0%	e	13.2%	e	e	100.0%	100.0%
1999	7.5%	100.0%	e	11.4%	e	e	100.0%	100.0%
2000	7.9%	100.0%	e	8.5%	e	e	100.0%	100.0%
2001	9.8%	100.0%	e	5.8%	e	e	100.0%	100.0%
2002	11.8%	100.0%	e	5.1%	e	e	100.0%	100.0%
2003	13.0%	100.0%	e	5.1%	e	e	100.0%	100.0%
2004	13.3%	100.0%	e	5.1%	e	e	100.0%	98.9%
2005	16.0%	100.0%	e	4.9%	e	e	100.0%	100.0%
2006	20.8%	100.0%	e	6.4%	99.3%	11.0%	100.0%	98.0%
2007	22.4%	100.0%	e	5.3%	99.5%	10.2%	100.0%	98.4%
2008	31.6%	100.0%	e	10.9%	99.1%	3.6%	100.0%	99.2%
2009	30.4%	100.0%	e	10.5%	99.5%	10.0%	100.0%	98.2%
2010	33.5%	100.0%	e	8.0%	99.5%	11.3%	100.0%	98.3%
2011	36.6%	100.0%	e	7.7%	99.8%	11.6%	100.0%	98.4%
2013	40.4%	100.0%	e	8.3%	99.2%	16.6%	100.0%	98.4%
2014	41.4%	100.0%	17.0%	16.4%	95.0%	4.1%	100.0%	100.0%
2015	46.9%	100.0%	27.4%	17.0%	98.0%	3.2%	100.0%	100.0%
2016	49.1%	100.0%	29.3%	15.9%	98.2%	1.7%	100.0%	100.0%
2017	54.3%	100.0%	32.1%	19.5%	67.9%	4.4%	100.0%	100.0%
2018	53.8%	100.0%	30.3%	14.4%	98.9%	2.5%	100.0%	100.0%
2019	54.5%	100.0%	0.4%	17.0%	98.9%	2.5%	100.0%	100.0%
2020	53.4%	100.0%	0.2%	13.6%	99.5%	6.6%	100.0%	100.0%

**Source:**

American Public Transportation Association, *2021 Public Transportation Fact Book*, Washington, DC, May 2021, Appendix A. (Additional resources: [www.apta.com](http://www.apta.com))

<sup>a</sup> Includes bus rapid transit and commuter bus vehicles.

<sup>b</sup> Electric car or diesel-propelled railway for urban passenger train service between a central city and adjacent suburbs.

<sup>c</sup> An electric railway with the capacity for a heavy volume of traffic.

<sup>d</sup> An electric railway with a light volume traffic capacity with power drawn from an overhead electric line.

<sup>e</sup> Data are not available.

**Table 6.4**  
**E85 Flex-Fuel Vehicles Available by Manufacturer, Model Year 2021**

Model	EPA Size Class	Range E85 (Miles)
Chevrolet Silverado 2WD	Standard Pick-up Trucks 2WD	288/340
Chevrolet Silverado 4WD	Standard Pick-up Trucks 4WD	288/340
Ford Explorer FFV AWD	Standard SUV 4WD	283
Ford F150 Pickup 2WD FFV	Standard Pick-up Trucks 2WD	382/432
Ford F150 Pickup 2WD FFV	Standard Pick-up Trucks 2WD	335/378
Ford F150 Pickup 4WD FFV	Standard Pick-up Trucks 4WD	358/405
Ford F150 Pickup 4WD FFV	Standard Pick-up Trucks 4WD	311/351
Ford Transit Connect Van FFV	Special Purpose Vehicle 2WD	300
Ford Transit Connect Wagon LWB FFV	Special Purpose Vehicle 2WD	300
Ford Transit T150 Wagon 2WD FFV	Vans, Passenger Type	296
Ford Transit T150 Wagon 4WD FFV	Vans, Passenger Type	296
GMC Sierra 2WD	Standard Pick-up Trucks 2WD	288/340
GMC Sierra 4WD	Standard Pick-up Trucks 4WD	288/340

**Note:** Vehicles with two ranges listed have two fuel tank size options.

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Website, Power Search [www.fueleconomy.gov/feg/powerSearch.jsp](http://www.fueleconomy.gov/feg/powerSearch.jsp). Data accessed: July 29, 2021.



**Table 6.5**  
**B20, CNG, and LPG Vehicles Available by Manufacturer, Model Year 2021**

Model	Fuel <sup>a</sup>	EPA Size Class	Range (Miles)
Cadillac Escalade 2WD	B20	Standard SUV 2WD	<sup>a</sup>
Cadillac Escalade 4WD	B20	Standard SUV 4WD	<sup>a</sup>
Chevrolet Colorado 2WD	B20	Small Pick-up Trucks 2WD	483
Chevrolet Colorado 4WD	B20	Small Pick-up Trucks 4WD	462
Chevrolet Colorado ZR2 4WD	B20	Small Pick-up Trucks 4WD	399
Chevrolet Silverado 2WD	B20	Standard Pick-up Trucks 2WD	648
Chevrolet Silverado 4WD	B20	Standard Pick-up Trucks 4WD	576
Chevrolet Suburban 2WD	B20	Standard SUV 2WD	644
Chevrolet Suburban 4WD	B20	Standard SUV 4WD	616
Chevrolet Tahoe 2WD	B20	Standard SUV 2WD	672
Chevrolet Tahoe 4WD	B20	Standard SUV 4WD	616
Ford F150 Pickup 4WD	B20	Standard Pick-up Trucks 4WD	529/598
GMC Canyon 2WD	B20	Small Pick-up Trucks 2WD	483
GMC Canyon 4WD	B20	Small Pick-up Trucks 4WD	462
GMC Sierra 2WD	B20	Standard Pick-up Trucks 2WD	624
GMC Sierra 4WD	B20	Standard Pick-up Trucks 4WD	576
GMC Sierra 4WD AT4	B20	Standard Pick-up Trucks 4WD	576
GMC Yukon 2WD	B20	Standard SUV 2WD	598
GMC Yukon 4WD	B20	Standard SUV 4WD	572
GMC Yukon XL 2WD	B20	Standard SUV 2WD	713
GMC Yukon XL 4WD	B20	Standard SUV 4WD	682
Jeep Gladiator EcoDiesel 4x4	B20	Standard Pick-up Trucks 4WD	<sup>a</sup>
Jeep Gladiator Rubicon EcoDiesel 4x4	B20	Standard Pick-up Trucks 4WD	<sup>a</sup>
Jeep Wrangler 4dr EcoDiesel 4x4	B20	Small SUV 4WD	458
Jeep Wrangler Rubic 4dr EcoDiesel 4x4	B20	Small SUV 4WD	421
Land Rover Range Rover	B20	Standard SUV 4WD	545
Land Rover Range Rover Sport	B20	Standard SUV 4WD	545
RAM 1500 4X2	B20	Standard Pick-up Trucks 2WD	598/676
RAM 1500 4X4	B20	Standard Pick-up Trucks 4WD	552/624
RAM 1500 HFE 4X2	B20	Standard Pick-up Trucks 2WD	<sup>a</sup>
No light vehicles fueled with CNG are available in this model year.			
No light vehicles fueled with LPG are available in this model year.			

**Note:** Vehicles with two ranges listed have two fuel tank size options.

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Website, Power Search [www.fueleconomy.gov/feg/powerSearch.jsp](http://www.fueleconomy.gov/feg/powerSearch.jsp). Data accessed July 29, 2021.

<sup>a</sup> All diesel vehicles are capable of using B20.

**Table 6.6**  
**Hybrid-Electric Vehicles Available by Manufacturer, Model Year 2021**

Model	EPA Size Class	Range (Miles)
Acura NSX	Two Seaters	a
Audi A4 allroad quattro	Small Station Wagons	398
Audi A4 quattro	Compact Cars	428
Audi A4 S line quattro	Compact Cars	413
Audi A5 Cabriolet quattro	Subcompact Cars	a
Audi A5 quattro	Subcompact Cars	a
Audi A5 Sportback quattro	Midsize Cars	a
Audi A5 Sportback S line quattro	Midsize Cars	a
Audi A6 Allroad	Midsize Station Wagons	a
Audi A6 quattro 2L	Midsize Cars	502
Audi A6 quattro 3L	Midsize Cars	a
Audi A7 quattro	Midsize Cars	463
Audi A8 3L	Large Cars	a
Audi A8 4L	Large Cars	391
Audi Q5	Small SUV 4WD	462
Audi Q5 Sportback	Small SUV 4WD	a
Audi Q7	Standard SUV 4WD	450
Audi Q8	Standard SUV 4WD	450
Audi RS 6 Avant	Midsize Station Wagons	a
Audi RS 7	Midsize Cars	a
Audi RS Q8	Standard SUV 4WD	a
Audi S6	Midsize Cars	a
Audi S7	Midsize Cars	a
Audi S8	Large Cars	a
BMW 540i	Midsize Cars	a
BMW 540i xDrive	Midsize Cars	468
BMW M340i	Compact Cars	a
BMW M340i xDrive	Compact Cars	a
BMW M440i Convertible	Subcompact Cars	a
BMW M440i xDrive Coupe	Subcompact Cars	390
BMW X5 sDrive40i	Standard SUV 2WD	504
BMW X5 xDrive40i	Standard SUV 4WD	504
BMW X6 sDrive40i	Standard SUV 2WD	504
BMW X6 xDrive40i	Standard SUV 4WD	504
BMW X7 xDrive40i	Standard SUV 4WD	460
Ford Escape AWD HEV	Small SUV 4WD	a
Ford Escape FWD HEV	Small SUV 2WD	a
Ford Explorer HEV AWD	Standard SUV 4WD	465
Ford Explorer HEV RWD	Standard SUV 2WD	502
Ford F150 Pickup 2WD HEV	Standard Pick-up Trucks 2WD	765
Ford F150 Pickup 4WD HEV	Standard Pick-up Trucks 4WD	734
Honda Accord	Large Cars	614
Honda Accord Sport/Touring	Large Cars	550
Honda CR-V AWD	Small SUV 4WD	406
Honda Insight	Midsize Cars	551
Honda Insight Touring	Compact Cars	509
Hyundai Motor Company Elantra Hybrid	Midsize Cars	550
Hyundai Motor Company Elantra Hybrid Blue	Midsize Cars	594
Hyundai Motor Company Ioniq	Large Cars	a
Hyundai Motor Company Ioniq Blue	Large Cars	a
Hyundai Motor Company Santa Fe Hybrid	Small SUV 4WD	a
Hyundai Motor Company Santa Fe Hybrid Blue	Small SUV 4WD	a
Hyundai Motor Company Sonata Hybrid	Large Cars	620
Hyundai Motor Company Sonata Hybrid Blue	Large Cars	686
Jaguar E-PACE MHEV	Small SUV 4WD	a
Jaguar F-PACE P340 MHEV	Small SUV 4WD	a
Jaguar F-PACE P400 MHEV	Small SUV 4WD	a

**Table 6.6 (continued)**  
**Hybrid-Electric Vehicles Available by Manufacturer, Model Year 2021**

Model	EPA Size Class	Range (Miles)
Jeep Wrangler 2dr 4X4	Small SUV 4WD	368
Jeep Wrangler 4dr 4X4	Small SUV 4WD	452
Kia Motors Corporation Niro	Small Station Wagons	a
Kia Motors Corporation Niro FE	Small Station Wagons	a
Kia Motors Corporation Niro Touring	Small Station Wagons	a
Kia Motors Corporation Sorento Hybrid	Small SUV 2WD	a
Land Rover Defender 110 MHEV	Standard SUV 4WD	a
Land Rover Defender 90 MHEV	Standard SUV 4WD	a
Land Rover Discovery MHEV	Standard SUV 4WD	a
Land Rover Range Rover MHEV	Standard SUV 4WD	550
Land Rover Range Rover Sport MHEV	Standard SUV 4WD	580
Land Rover Range Rover Velar P340 MHEV	Small SUV 4WD	a
Land Rover Range Rover Velar P400 MHEV	Small SUV 4WD	a
Lexus ES 300h	Midsize Cars	581
Lexus LC 500h	Subcompact Cars	644
Lexus LS 500h	Midsize Cars	a
Lexus LS 500h AWD	Midsize Cars	a
Lexus NX 300h AWD	Small SUV 4WD	459
Lexus RX 450h AWD	Standard SUV 4WD	516
Lexus RX 450h L AWD	Standard SUV 4WD	499
Lexus UX 250h	Compact Cars	445
Lexus UX 250h AWD	Compact Cars	413
Mercedes-Benz AMG CLS53 4MATIC+	Compact Cars	547
Mercedes-Benz AMG E53 4MATIC+	Midsize Cars	a
Mercedes-Benz AMG E53 4MATIC+ (Convertible)	Subcompact Cars	485
Mercedes-Benz AMG E53 4MATIC+ (Coupe)	Subcompact Cars	418
Mercedes-Benz AMG GLE 53 4MATIC+	Standard SUV 4WD	428
Mercedes-Benz AMG GLE 53 4MATIC+ (coupe)	Standard SUV 4WD	450
Mercedes-Benz AMG GLE 63 S 4MATIC+	Standard SUV 4WD	360
Mercedes-Benz AMG GLE 63 S 4MATIC+ (coupe)	Standard SUV 4WD	382
Mercedes-Benz AMG GLS 63 4MATIC+	Standard SUV 4WD	381
Mercedes-Benz AMG GT 43 4MATIC+	Compact Cars	a
Mercedes-Benz AMG GT 53 4MATIC+	Compact Cars	a
Mercedes-Benz CLS 450	Compact Cars	a
Mercedes-Benz CLS 450 4MATIC	Compact Cars	a
Mercedes-Benz E 450 (convertible)	Subcompact Cars	435
Mercedes-Benz E 450 (coupe)	Subcompact Cars	452
Mercedes-Benz E 450 4MATIC	Midsize Cars	549
Mercedes-Benz E 450 4MATIC (convertible)	Subcompact Cars	435
Mercedes-Benz E 450 4MATIC (coupe)	Subcompact Cars	435
Mercedes-Benz E 450 4MATIC All-Terrain (wagon)	Midsize Station Wagons	506
Mercedes-Benz GLE 450 4MATIC	Standard SUV 4WD	518
Mercedes-Benz GLE 580 4MATIC	Standard SUV 4WD	428
Mercedes-Benz GLS 450 4MATIC	Standard SUV 4WD	500
Mercedes-Benz GLS 580 4MATIC	Standard SUV 4WD	428
Mercedes-Benz GLS 600 4MATIC Maybach	Standard SUV 4WD	381
Mercedes-Benz S 500 4MATIC	Large Cars	a
Mercedes-Benz S 580 4MATIC	Large Cars	a
Mercedes-Benz S 580 4MATIC Maybach	Large Cars	a
RAM 1500 3.6L 4X2	Standard Pick-up Trucks 2WD	506/572
RAM 1500 5.7L 4X2	Standard Pick-up Trucks 2WD	437/494
RAM 1500 HFE 4X2	Standard Pick-up Trucks 2WD	a
RAM 3.6L 1500 4X4	Standard Pick-up Trucks 4WD	483/546
RAM 5.7L 1500 4X4	Standard Pick-up Trucks 4WD	437/494
Toyota Avalon Hybrid	Midsize Cars	568
Toyota Avalon Hybrid XLE	Midsize Cars	581
Toyota Camry Hybrid LE	Midsize Cars	686
Toyota Camry Hybrid SE/XLE/XSE	Midsize Cars	607
Toyota Corolla Hybrid	Compact Cars	593
Toyota Highlander Hybrid	Small SUV 2WD	616

**Table 6.6 (continued)**  
**Hybrid-Electric Vehicles Available by Manufacturer, Model Year 2021**

Toyota Highlander Hybrid AWD	Standard SUV 4WD	598
Toyota Highlander Hybrid AWD LTD/PLAT	Standard SUV 4WD	598
Toyota Prius	Midsize Cars	588
Toyota Prius AWD	Midsize Cars	519
Toyota Prius Eco	Midsize Cars	633
Toyota RAV4 Hybrid AWD	Small SUV 4WD	580
TOYOTA Sienna AWD	Special Purpose Vehicle, minivan 2WD	648
TOYOTA Sienna AWD	Special Purpose Vehicle, minivan 4WD	630
Toyota Venza AWD	Small SUV 4WD	566

**Note:** Vehicles with two ranges listed have two fuel tank size options.

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Website, Power Search [www.fueleconomy.gov/feg/powerSearch.jsp](http://www.fueleconomy.gov/feg/powerSearch.jsp). Data accessed July 29, 2021.

---

<sup>a</sup>Data are not available.

**Table 6.7**  
**Plug-in Hybrid Vehicles Available by Manufacturer, Model Year 2021**

Model	EPA Size Class	Range (Miles)
Audi A7 quattro (PHEV)	Midsize Cars	Elec 24 / Total 416
Audi A8L (PHEV)	Large Cars	Elec 18 / Total 397
Audi Q5 (PHEV)	Small SUV 4WD	Elec 19 / Total 378
Bentley Bentayga (PHEV)	Standard SUV 4WD	Elec 18 / Total 372
BMW 330e (PHEV)	Compact Cars	Elec 23 / Total 302
BMW 330e xDrive (PHEV)	Compact Cars	Elec 20 / Total 271
BMW 530e (PHEV)	Compact Cars	Elec 21 / Total 323
BMW 530e xDrive (PHEV)	Compact Cars	Elec 19 / Total 302
BMW 745e xDrive (PHEV)	Large Cars	Elec 17 / Total 270
BMW I3 with Range Extender (PHEV)	Subcompact Cars	Elec 126 / Total 72
BMW I3s with Range Extender (PHEV)	Subcompact Cars	Elec 126 / Total 72
BMW Mini Cooper SE Countryman ALL4 (PHEV)	Midsize Cars	Elec 18 / Total 280
BMW X3 xDrive30e (PHEV)	Small SUV 4WD	Elec 18 / Total 318
BMW X5 xDrive45e (PHEV)	Standard SUV 4WD	Elec 31 / Total 373
Chrysler Pacifica Hybrid (PHEV)	Minivan 2WD	Elec 32 / Total 487
Ferrari SF90 Stradale Coupe (PHEV)	Two Seaters	Elec 9 / Total 320
Ford Escape FWD PHEV	Small SUV 2WD	Elec 37 / Total 487
Jeep Wrangler 4dr 4xe (PHEV)	Small SUV 4WD	Elec 22 / Total 346
Karma GS-6 PHEV (21-inch wheels)	Subcompact Cars	Elec 61 / Total 266
Karma GS-6 PHEV (22-inch wheels)	Subcompact Cars	Elec 54 / Total 224
Karma Revero GT PHEV (21-inch wheels)	Subcompact Cars	Elec 61 / Total 266
Karma Revero GT PHEV (22-inch wheels)	Subcompact Cars	Elec 54 / Total 224
Kia Niro Plug-in Hybrid	Small Station Wagons	Elec 26 / Total 530
Land Rover Range Rover (PHEV)	Standard SUV 4WD	Elec 19 / Total 461
Land Rover Range Rover Sport (PHEV)	Standard SUV 4WD	Elec 19 / Total 461
Lincoln Aviator AWD (PHEV)	Standard SUV 4WD	Elec 21 / Total 443
Lincoln Corsair AWD (PHEV)	Small SUV 4WD	Elec 28 / Total 400
Mitsubishi Outlander PHEV	Small SUV 4WD	Elec 24 / Total 292
Polestar Automotive Polestar-1 (PHEV)	Minicompact Cars	Elec 52 / Total 417
Porsche Cayenne e-Hybrid (PHEV)	Standard SUV 4WD	Elec 17 / Total 414
Porsche Cayenne e-Hybrid Coupe (PHEV)	Standard SUV 4WD	Elec 17 / Total 414
Porsche Cayenne Turbo S e-Hybrid (PHEV)	Standard SUV 4WD	Elec 15 / Total 359
Porsche Cayenne Turbo S e-Hybrid Coupe (PHEV)	Standard SUV 4WD	Elec 15 / Total 359
Porsche Panamera 4 E-Hybrid (PHEV)	Large Cars	Elec 19 / Total 463
Porsche Panamera 4 E-Hybrid Executive (PHEV)	Large Cars	Elec 19 / Total 463
Porsche Panamera 4S E-Hybrid (PHEV)	Large Cars	Elec 19 / Total 461
Porsche Panamera 4S E-Hybrid Executive (PHEV)	Large Cars	Elec 19 / Total 461
Porsche Panamera 4S E-Hybrid Sport Turismo (PHEV)	Large Cars	Elec 19 / Total 461
Porsche Panamera Turbo S E-Hybrid (PHEV)	Large Cars	Elec 17 / Total 413
Porsche Panamera Turbo S E-Hybrid Executive (PHEV)	Large Cars	Elec 17 / Total 413
Porsche Panamera Turbo S E-Hybrid Sport Turismo (PHEV)	Large Cars	Elec 17 / Total 413
Subaru Crosstrek Hybrid AWD (PHEV)	Small SUV 4WD	Elec 17 / Total 464
Toyota Prius Prime (PHEV)	Midsize Cars	Elec 25 / Total 618
Toyota RAV4 Prime AWD (PHEV)	Small SUV 4WD	Elec 42 / Total 558
Volvo S60 AWD (PHEV)	Compact Cars	Elec 22 / Total 485
Volvo S90 AWD (PHEV)	Midsize Cars	Elec 21 / Total 473
Volvo V60 AWD (PHEV)	Small Station Wagons	Elec 22 / Total 485
Volvo XC60 AWD (PHEV)	Small SUV 4WD	Elec 19 / Total 502
Volvo XC90 AWD (PHEV)	Standard SUV 4WD	Elec 18 / Total 505

**Note:** For Range, the term "Elec" refers to the charge depleting portion of operation where electricity is exclusively or primarily used.

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Website, Power Search [www.fueleconomy.gov/feg/powerSearch.jsp](http://www.fueleconomy.gov/feg/powerSearch.jsp). Data accessed July 29, 2021.

**Table 6.8**  
**All-Electric and Fuel Cell Vehicles Available by Manufacturer, Model Year 2021**

Model	Drive Type	EPA Size Class	Range (Miles)
Audi e-tron	EV	Standard SUV 4WD	222
Audi e-tron Sportback	EV	Standard SUV 4WD	218
BMW I3 BEV (120 Ah battery)	EV	Subcompact Cars	153
BMW I3s BEV (120 Ah battery)	EV	Subcompact Cars	153
Chevy Bolt (BEV)	EV	Small Station Wagons	259
Ford Mustang Mach-E AWD	EV	Small Station Wagons	211
Ford Mustang Mach-E AWD Extended	EV	Small Station Wagons	270
Ford Mustang Mach-E California Route 1 (RWD)	EV	Small Station Wagons	305
Ford Mustang Mach-E RWD	EV	Small Station Wagons	230
Ford Mustang Mach-E RWD Extended	EV	Small Station Wagons	300
Hyundai Ioniq Electric	EV	Midsize Cars	170
Hyundai Kona Electric	EV	Small SUV 2WD	258
Jaguar I-Pace EV400	EV	Small SUV 4WD	234
Kandi K27	EV	Compact Cars	59
Kia Niro Electric	EV	Small Station Wagons	239
Mini Cooper SE Hardtop 2 Door	EV	Subcompact Cars	110
Nissan Leaf (40 kW-hr battery pack)	EV	Midsize Cars	149
Nissan Leaf (62 kW-hr battery pack)	EV	Midsize Cars	226
Nissan Leaf SV/SL (62 kW-hr battery pack)	EV	Midsize Cars	215
Porsche Taycan Performance Battery	EV	Compact Cars	200
Porsche Taycan Performance Battery Plus	EV	Compact Cars	225
Porsche Taycan 4S Performance Battery	EV	Large Cars	199
Porsche Taycan 4S Performance Battery Plus	EV	Large Cars	227
Porsche Taycan Turbo	EV	Large Cars	212
Porsche Taycan Turbo S	EV	Large Cars	201
Tesla Model 3 Long Range AWD	EV	Midsize Cars	353
Tesla Model 3 Performance AWD	EV	Midsize Cars	315
Tesla Model 3 Standard Range Plus RWD	EV	Midsize Cars	263
Tesla Model S Long Range	EV	Large Cars	405
Tesla Model S Performance (19" Wheels)	EV	Large Cars	387
Tesla Model S Performance (21" Wheels)	EV	Large Cars	334
Tesla Model S Plaid (21" Wheels)	EV	Large Cars	348
Tesla Model X Long Range Plus	EV	Standard SUV 4WD	371
Tesla Model X Performance (20" Wheels)	EV	Standard SUV 4WD	341
Tesla Model X Performance (22" Wheels)	EV	Standard SUV 4WD	300
Tesla Model Y Long Range AWD	EV	Small SUV 4WD	326
Tesla Model Y Performance AWD	EV	Small SUV 4WD	303
Tesla Model Y Standard Range Plus RWD	EV	Small SUV 2WD	244
Volkswagen ID.4 1st	EV	Small SUV 2WD	250
Volkswagen ID.4 Pro	EV	Small SUV 2WD	260
Volkswagen ID.4 Pro S	EV	Small SUV 2WD	250
Volvo Polestar 2	EV	Midsize Cars	233
Volvo XC40 AWD BEV	EV	Small SUV 4WD	208
Honda Clarity	FCEV	Midsize Cars	360
Hyundai Nexo	FCEV	Small SUV 2WD	354
Hyundai Nexo Blue	FCEV	Small SUV 2WD	380
Toyota Mirai Limited	FCEV	Compact Cars	357
Toyota Mirai XLE	FCEV	Compact Cars	402

**Note:** EV = electric vehicle; FCEV = hydrogen fuel cell vehicle.

**Source:**

U.S. Department of Energy and U.S. Environmental Protection Agency, Fuel Economy Website, Power Search [www.fueleconomy.gov/feg/powerSearch.jsp](http://www.fueleconomy.gov/feg/powerSearch.jsp). Data accessed July 29, 2021.

*In 1991 there were only two alternative fuel vehicle (AFV) models on the market which were fueled by M85. In 2020 there were 130 different models of AFV on the market, with 64% of those being electric vehicles which include plug-in hybrid-electric vehicles. Another 19% of the models available in 2020 were fueled by E85.*

**Table 6.9**  
**Number of Alternative Fuel Light Vehicle Models Available, 1991–2020**  
**(number of models available)**

Model year	Propane <sup>a</sup>	CNG <sup>a</sup>	Ethanol (E85)	Methanol (M85)	Electric vehicle <sup>b</sup>	Hydrogen	Total	
1991	0	0	0	2	0	0	2	
1992	0	2	1	2	0	0	5	
1993	0	2	1	4	0	0	7	
1994	0	2	1	2	0	0	5	
1995	0	10	0	2	1	0	13	
1996	0	10	1	1	0	0	12	
1997	3	9	1	1	3	0	17	
1998	3	12	2	0	8	0	25	
1999	5	16	6	0	16	0	43	
2000	2	15	8	0	12	0	37	
2001	5	16	11	0	10	0	42	
2002	5	18	16	0	6	0	45	
2003	1	16	22	0	5	0	44	
2004	1	16	19	0	1	0	37	
2005	0	5	24	0	0	0	29	
2006	0	5	22	0	0	0	27	
2007	0	1	31	0	0	0	32	
2008	1	1	31	0	1	0	34	
2009	1	1	36	0	1	0	39	
2010	0	1	34	0	1	0	36	
2011	0	1	72	0	2	0	75	
2012	1	6	62	0	6	1	76	
2013	6	11	84	0	15	1	117	
2014	14	19	90	0	16	2	141	
2015	10	17	84	0	27	3	141	
2016	5	12	66	0	29	3	115	
2017	8	9	45	0	51	2	115	
2018	7	9	53	0	57	2	128	
2019	7	7	40	0	72	4	130	
2020	8	10	25	0	83	4	130	
			<i>Average annual percentage change</i>					
1991-2019	c	c	c	-100.0%	c	c	15.5%	
2009-2019	c	25.9%	-3.0%	c	55.56%	c	13.7%	

**Note:** Model count differs from data on Tables 6.4-6.7 because heavier vehicles, such as Ford F-250 or RAM 2500 are included.

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, “Light-Duty AFV, HEV, and Diesel Model Offerings, By Fuel Type,” [www.afdc.energy.gov/data/10303](http://www.afdc.energy.gov/data/10303), August 2021. (Additional resources: [www.afdc.energy.gov](http://www.afdc.energy.gov))

<sup>a</sup> Dedicated and bi-fuel vehicles.

<sup>b</sup> Electric vehicles include plug-in hybrid-electric vehicles but do not include neighborhood electric vehicles, low-speed electric vehicles, or two-wheeled electric vehicles.

<sup>c</sup> Average annual percentage change cannot be calculated from zero.

**Table 6.10**  
**Hybrid-Electric Medium/Heavy Trucks and Buses Available by Manufacturer, 2021**

Manufacturer - Model	Drive type	Truck type
Ford E350, E450 Cutaway	Hybrid Electric	Vocational/Cab Chassis
Ford E350, E450 Stripped Chassis	Hybrid Electric	Vocational/Cab Chassis
Ford F-59 Stripped Chassis	Hybrid Electric	Vocational/Cab Chassis
Ford Super Duty Chassis Cab F350, F450, F550	Hybrid Electric	Vocational/Cab Chassis
Ford Super Duty F250, F350, F450	Hybrid Electric	Pickup
Ford Transit 250/350 Cargo Van	Hybrid Electric	Van
Ford Transit 250/350 Passenger Van	Hybrid Electric	Passenger Van/Shuttle Bus
Ford Transit CC-CA 250, 350	Hybrid Electric	Vocational/Cab Chassis
Ford F-59 Stripped Chassis	Hybrid E85 Electric	Vocational/Cab Chassis
ENC AXESS 35'	Hybrid Diesel Electric	Transit Bus
ENC AXESS 40'	Hybrid Diesel Electric	Transit Bus
ENC E-Z RIDER II 30'	Hybrid Diesel Electric	Transit Bus
ENC E-Z RIDER II 32'	Hybrid Diesel Electric	Transit Bus
ENC E-Z RIDER II 35'	Hybrid Diesel Electric	Transit Bus
Gillig BRT, BRT Plus, Commuter	Hybrid Diesel Electric	Transit Bus
Gillig Low Floor, Low Floor Plus	Hybrid Diesel Electric	Transit Bus
Gillig Trolley	Hybrid Diesel Electric	Transit Bus
Global M4 Hybrid	Hybrid Diesel Electric	Street Sweeper
Hino 195h, 195hDC Hybrid Cab-Over	Hybrid Diesel Electric	Vocational/Cab Chassis
Hometown Trolley Streetcar	Hybrid Diesel Electric	Passenger Van/Shuttle Bus
MCI D4000 Hybrid Commuter Coach	Hybrid Diesel Electric	Transit Bus
MCI D4500 Hybrid Commuter Coach	Hybrid Diesel Electric	Transit Bus
New Flyer Xcelsior 40'	Hybrid Diesel Electric	Transit Bus
New Flyer Xcelsior 60'	Hybrid Diesel Electric	Transit Bus
Nova Bus LFS Artic HEV	Hybrid Diesel Electric	Transit Bus
Nova Bus LFS HEV	Hybrid Diesel Electric	Transit Bus
US Hybrid HySweep sweeper	Hybrid Diesel Electric	Street Sweeper

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, [www.afdc.energy.gov/vehicles/search](http://www.afdc.energy.gov/vehicles/search), August 2021. (Additional resources: [www.afdc.energy.gov](http://www.afdc.energy.gov))



**Table 6.11**  
**Electric-Drive Medium/Heavy Trucks and Buses Available by Manufacturer, 2021**

Manufacturer - Model	Drive type	Truck type
Ford Super Duty F250, F350, F450	Plug-in Hybrid Electric	Pickup
US Hybrid H2Truck	Plug-in Hybrid Electric	Tractor
US Hybrid H2Cargo	Plug-in Hybrid Electric	Step Van
US Hybrid H2Ride 30	Plug-in Hybrid Electric	Passenger Van/Shuttle Bus
US Hybrid H2Ride 32	Plug-in Hybrid Electric	Passenger Van/Shuttle Bus
Blue Bird All American RE Electric	Electric	School Bus
Blue Bird All American RE Electric Activity	Electric	Passenger Van/Shuttle Bus
Blue Bird Micro Bird Activity G5 Electric	Electric	Passenger Van/Shuttle Bus
Blue Bird Micro Bird G5 Electric	Electric	School Bus
Blue Bird Vision Electric	Electric	School Bus
Blue Bird Vision Electric Activity	Electric	Passenger Van/Shuttle Bus
BYD 23' Electric Motor Coach	Electric	Passenger Van/Shuttle Bus
BYD 30' Electric transit	Electric	Transit Bus
BYD 35' Double Decker Electric Bus	Electric	Transit Bus
BYD 35' Electric Motor Coach	Electric	Passenger Van/Shuttle Bus
BYD 35' Electric Transit	Electric	Transit Bus
BYD 40' Electric Motor Coach	Electric	Passenger Van/Shuttle Bus
BYD 40' Electric Transit	Electric	Transit Bus
BYD 45' Double Decker Electric Bus	Electric	Transit Bus
BYD 45' Electric Motor Coach	Electric	Passenger Van/Shuttle Bus
BYD 60' Electric Transit	Electric	Transit Bus
BYD 6F	Electric	Vocational/Cab Chassis
BYD 6R	Electric	Refuse
BYD 8R	Electric	Refuse
BYD 8TT Day Cab	Electric	Tractor
BYD 8Y Terminal Tractor	Electric	Tractor
Chanje V8100 Panel Van	Electric	Van
COBUS Industries e.COBUS 2700	Electric	Transit Bus
COBUS Industries e.COBUS 2700S	Electric	Transit Bus
COBUS Industries e.COBUS 3000	Electric	Transit Bus
Collins Bus Type A School Bus (DE516)	Electric	School Bus
Collins Bus Type A School Bus (DE516WF)	Electric	School Bus
Ford E-450 Box Truck	Electric	Vocational/Cab Chassis
Ford E450 Cutaway	Electric	Vocational/Cab Chassis
Ford E-450 School Bus	Electric	School Bus
Ford E-450 Shuttle	Electric	Passenger Van/Shuttle Bus
Ford E-450 Step Van	Electric	Step Van
Ford E450 Stripped Chassis	Electric	Vocational/Cab Chassis
Ford E-450 Work Truck	Electric	Vocational/Cab Chassis
Ford F-550 Bus	Electric	Passenger Van/Shuttle Bus
Ford F-59 School Bus	Electric	School Bus
Ford F-59 Shuttle Bus	Electric	Passenger Van/Shuttle Bus
Ford F-59 Step Van	Electric	Step Van
Ford F-59 Stripped Chassis	Electric	Vocational/Cab Chassis
Ford F-650 Box Truck	Electric	Vocational/Cab Chassis
Ford Transit 250/350 Cargo Van	Electric	Van
Ford Transit 250/350 Passenger Van	Electric	Passenger Van/Shuttle Bus
Ford Transit CC-CA 250, 350	Electric	Vocational/Cab Chassis
Gillig Low Floor Plus	Electric	Transit Bus
Global M3 SUPERCHARGED	Electric	Street Sweeper

**Table 6.11 (Continued)**  
**Electric-Drive Medium/Heavy Trucks and Buses Available by Manufacturer, 2021**

Global M4 SUPERCHARGED	Electric	Street Sweeper
GreenPower Motor Co AV Star	Electric	Passenger Van/Shuttle Bus
GreenPower Motor Co BEAST	Electric	School Bus
GreenPower Motor Co EV250	Electric	Transit Bus
GreenPower Motor Co EV350	Electric	Transit Bus
GreenPower Motor Co EV550	Electric	Transit Bus
GreenPower Motor Co EV Star	Electric	Passenger Van/Shuttle Bus
GreenPower Motor Co EV Star+	Electric	Passenger Van/Shuttle Bus
GreenPower Motor Co EV Star Cargo	Electric	Van
GreenPower Motor Co EV Star Cargo+	Electric	Van/Vocational/Cab Chassis
GreenPower Motor Co EV Star CC	Electric	Vocational/Cab Chassis
Hometown Trolley Commuter	Electric	Passenger Van/Shuttle Bus
Hometown Trolley Mainstreet	Electric	Transit Bus
Hometown Trolley Streetcar	Electric	Transit Bus
Hometown Trolley Urban	Electric	Transit Bus
Hometown Trolley View	Electric	Transit Bus
Hometown Trolley Villager	Electric	Passenger Van/Shuttle Bus
Kalmar Ottawa T2E	Electric	Tractor
Lion Electric LION6	Electric	Vocational/Cab Chassis
Lion Electric LION8	Electric	Vocational/Cab Chassis
Lion Electric LION8	Electric	Refuse
Lion Electric LION8T	Electric	Tractor
Lion Electric LIONA	Electric	School Bus
Lion Electric LIONC	Electric	School Bus
Lion Electric LIOND	Electric	School Bus
Lion Electric LIONM	Electric	Passenger Van/Shuttle Bus
Mack LR	Electric	Refuse
MCI D45 CRT LE CHARGE	Electric	Transit Bus
MCI J4500e CHARGE	Electric	Transit Bus
Mercedes-Benz eSprinter	Electric	Van
New Flyer Xcelsior CHARGE 35'	Electric	Transit Bus
New Flyer Xcelsior CHARGE 40'	Electric	Transit Bus
New Flyer Xcelsior CHARGE 60'	Electric	Transit Bus
Nova Bus LFSe	Electric	Transit Bus
Nova Bus LFSe+	Electric	Transit Bus
Orange EV T Series terminal	Electric	Tractor
Peterbilt 220EV	Electric	Vocational/Cab Chassis
Peterbilt 520EV	Electric	Refuse
Peterbilt 579EV	Electric	Tractor
Proterra ZX5 35-Foot Bus	Electric	Transit Bus
Proterra ZX5+ 35-Foot Bus	Electric	Transit Bus
Proterra ZX5 40-Foot Bus	Electric	Transit Bus
Proterra ZX5+ 40-Foot Bus	Electric	Transit Bus
Proterra ZX5MAX 40-Foot Bus	Electric	Transit Bus
Starcraft Allstar 22	Electric	Passenger Van/Shuttle Bus
Starcraft E-Quest	Electric	School Bus
Starcraft E-Quest XL	Electric	School Bus
Thomas Built Saf-T-Liner C2 Jouley	Electric	School Bus
Turtle Top Ford - Terra Transit	Electric	Passenger Van/Shuttle Bus
US Hybrid eCargo	Electric	Step Van
US Hybrid eTruck drayage	Electric	Tractor
Van Hool CX45E	Electric	Transit Bus
Volvo VNR Electric	Electric	Tractor
Workhorse C-Series	Electric	Step Van
ENC AXESS-FC 35'	Hydrogen Fuel Cell	Transit Bus

**Table 6.11 (Continued)**  
**Electric-Drive Medium/Heavy Trucks and Buses Available by Manufacturer, 2021**

ENC AXESS-FC 40'	Hydrogen Fuel Cell	Transit Bus
New Flyer Xcelsior CHARGE H2 40'	Hydrogen Fuel Cell	Transit Bus
New Flyer Xcelsior CHARGE H2 60'	Hydrogen Fuel Cell	Transit Bus
US Hybrid H2Truck	Hydrogen Fuel Cell	Tractor
US Hybrid H2Cargo	Hydrogen Fuel Cell	Step Van
US Hybrid H2Ride 30	Hydrogen Fuel Cell	Passenger Van/Shuttle Bus
US Hybrid H2Ride 32	Hydrogen Fuel Cell	Passenger Van/Shuttle Bus

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, [www.afdc.energy.gov/vehicles/search](http://www.afdc.energy.gov/vehicles/search), August 2021. (Additional resources: [www.afdc.energy.gov](http://www.afdc.energy.gov))

*This list includes public and private refuel sites; therefore, not all of these sites are available to the public.*

**Table 6.12**  
**Number of Alternative Refuel Sites by State and Fuel Type, 2021**

State	B20 sites	CNG sites	E85 sites	Electric stations	Electric charging outlets	Hydrogen sites	LNG sites	LPG sites	Totals by State <sup>a</sup>
Alabama	10	31	33	257	627	0	2	70	773
Alaska	0	1	0	39	69	0	0	3	73
Arizona	75	29	19	791	2,006	1	7	78	2,215
Arkansas	17	15	66	144	425	0	0	35	558
California	22	326	251	13,891	39,091	52	41	261	40,044
Colorado	6	33	87	1486	3,682	1	0	52	3,861
Connecticut	1	17	3	518	1,373	1	0	20	1,415
Delaware	0	2	1	114	277	1	0	9	290
Dist. of Columbia	7	2	4	278	781	0	0	0	794
Florida	7	57	110	2,480	6,368	0	3	139	6,684
Georgia	4	50	65	1555	3,842	0	4	87	4,052
Hawaii	8	0	1	388	824	2	0	1	836
Idaho	0	11	5	136	340	0	0	24	380
Illinois	20	40	298	997	2,552	0	2	94	3,006
Indiana	7	32	238	342	897	0	1	53	1,228
Iowa	12	11	333	252	528	0	0	33	917
Kansas	7	21	60	480	985	0	1	37	1,111
Kentucky	3	9	71	177	409	0	1	22	515
Louisiana	2	22	22	158	383	0	1	50	480
Maine	1	2	0	274	577	0	0	8	588
Maryland	27	15	45	1171	3,142	0	0	28	3,257
Massachusetts	8	13	7	1902	4,287	2	1	30	4,348
Michigan	10	24	246	781	1,700	2	0	87	2,069
Minnesota	157	22	445	562	1,297	0	0	48	1,969
Mississippi	1	7	4	110	427	0	2	73	514
Missouri	2	20	120	1012	2,116	0	1	64	2,323
Montana	0	1	2	70	200	0	0	27	230
Nebraska	3	9	88	160	341	0	1	27	469
Nevada	1	6	11	427	1280	0	0	23	1321
New Hampshire	2	4	0	152	322	0	0	18	346
New Jersey	5	28	7	710	1,891	0	0	13	1,944
New Mexico	2	11	18	173	425	0	1	55	512
New York	26	55	83	2,774	7,018	1	0	45	7,228
North Carolina	109	39	99	1029	2,537	0	1	80	2,865
North Dakota	1	1	46	55	122	0	0	19	189
Ohio	10	52	209	847	1,948	2	4	73	2,298
Oklahoma	1	116	74	294	1045	0	0	122	1358
Oregon	37	16	4	948	2,360	0	2	44	2,463
Pennsylvania	5	90	146	1071	2,494	0	3	86	2,824
Rhode Island	3	3	0	227	576	0	0	5	587
South Carolina	33	11	47	371	790	0	1	49	931
South Dakota	0	0	81	50	137	0	0	22	240
Tennessee	8	20	91	674	1,582	0	4	66	1,771
Texas	18	108	269	2,190	5,145	0	15	382	5,937
Utah	1	46	1	847	1,777	0	0	42	1,867
Vermont	2	3	0	309	837	0	0	1	843
Virginia	4	24	66	1017	2,947	1	1	84	3,127
Washington	33	25	14	1,711	4,208	1	1	83	4,365
West Virginia	0	2	38	105	283	0	0	14	337
Wisconsin	4	42	259	469	910	0	1	63	1,279
Wyoming	0	8	9	65	178	0	0	20	215
<b>Totals by Fuel</b>	<b>722</b>	<b>1,532</b>	<b>4,196</b>	<b>47,040</b>	<b>120,358</b>	<b>67</b>	<b>102</b>	<b>2,869</b>	<b>129,846</b>

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website,  
[www.afdc.energy.gov/afdc/fuels/stations\\_counts.html](http://www.afdc.energy.gov/afdc/fuels/stations_counts.html), August 2021. (Additional resources: [www.afdc.energy.gov](http://www.afdc.energy.gov))

<sup>a</sup> Totals by State is the total number of fuel types available at stations. Stations are counted once for each type of fuel available. For electric, the number of charging outlets was used.

There were just over 3,000 propane stations in the United States in 1992 making up 89% of all alternative refueling stations. Electric vehicle stations are now counted as all other fuels, with a station being one geographic location where electricity is provided. Previously, the series changed to use the number of charging plugs in 2011. There were more electric vehicle refueling stations in 2021 than any other alternative fuel.

**Table 6.13**  
**Number of Alternative Refuel Stations, 1992–2021**  
**(number of stations)**

Year	Propane	CNG	LNG	Biodiesel <sup>a</sup>	Ethanol (E85)	Methanol (M85)	Electric vehicle <sup>b</sup>	Hydrogen	Total	
1992	3,297	349	c	0	2	43	c	c	3,691	
1993	3,297	497	c	0	7	50	c	c	3,851	
1994	3,299	1,042	c	0	32	82	c	c	4,455	
1995	3,299	1,065	c	0	37	88	188	c	4,677	
1996	4,252	1,419	72	0	68	95	194	c	6,100	
1997	4,255	1,426	71	0	71	106	310	c	6,239	
1998	5,318	1,268	66	0	40	91	486	c	7,269	
1999	4,153	1,267	46	0	49	51	490	c	6,056	
2000	3,268	1,217	44	2	113	3	558	c	5,205	
2001	3,403	1,232	44	16	154	0	693	c	5,542	
2002	3,431	1,166	36	79	149	0	873	7	5,741	
2003	3,966	1,035	62	142	188	0	830	7	6,230	
2004	3,689	917	58	176	200	0	671	9	5,720	
2005	2,995	787	40	304	436	0	588	14	5,164	
2006	2,619	732	37	459	762	0	465	17	5,091	
2007	2,331	731	35	805	1,325	0	432	33	5,692	
2008	2,110	771	38	633	1,699	0	440	51	5,742	
2009	2,420	803	37	660	1,982	0	484	63	6,449	
2010	2,604	869	43	615	2,296	0	626	58	7,111	
2011	2,551	941	43	633	2,494	0	2,100	56	8,818	
2012	2,644	1,155	61	690	2,519	0	6,200	58	13,327	
2013	2,967	1,290	84	832	2,616	0	8,100	53	15,942	
2014	2,931	1,495	103	783	2,840	0	10,712	51	18,915	
2015	3,749	1,607	117	713	3,012	0	13,696	35	22,929	
2016	3,654	1,730	140	716	3,095	0	17,723	58	27,116	
2017	3,510	1,682	137	704	3,379	0	19,792	63	29,267	
2018	3,319	1,621	129	680	3,627	0	22,826	62	32,264	
2019	3,176	1,576	118	611	3,786	0	26,959	64	36,290	
2020	2,956	1,549	106	712	3,946	0	31,738	63	41,070	
2021	2,869	1,532	102	722	4,196	0	47,040	67	56,528	
				<i>Average annual percentage change</i>						
1992-2021	-0.5%	5.2%	c	c	30.2%	-100.0%	c	c	9.9%	
2011-2021	1.2%	5.0%	9.0%	1.3%	5.3%	c	36.5%	1.8%	20.4%	

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, “U.S. Alternative Fueling Stations by Fuel Type,” [www.afdc.energy.gov/data/10332](http://www.afdc.energy.gov/data/10332). (Additional resources: [www.afdc.energy.gov](http://www.afdc.energy.gov))


<sup>a</sup> Stations selling biodiesel blends less than B20 are included in the station count for years 2005-2007 only.

<sup>b</sup> For all years, an electric vehicle station is one geographic location where electric vehicles can charge..

<sup>c</sup> Data are not available.

*Clean Cities is a locally-based government/industry partnership, coordinated by the U.S. Department of Energy to expand the use of alternatives to gasoline and diesel fuel. By combining the decision-making with voluntary action by partners, the "grass-roots" approach of Clean Cities departs from traditional "top-down" Federal programs.*

**Figure 6.1. Clean Cities Coalitions**



**Source:**  
 U.S. Department of Energy, Clean Cities website, "Clean Cities Coalition Locations,"  
[cleancities.energy.gov/coalitions/locations](http://cleancities.energy.gov/coalitions/locations), February 2022. (Additional resources: [cleancities.energy.gov](http://cleancities.energy.gov))

## The 2019 California Vehicle Survey

Data on vehicles operating in California are necessary for the California Energy Commission to forecast future state transportation needs. The California Vehicle Survey was begun two decades ago to meet those needs and has been conducted periodically since that time. The survey uses a multi-method sampling approach with samples stratified by the six regions defined across California (San Francisco, Sacramento, Central Valley, Los Angeles, San Diego, and the Rest of California). The survey includes both residential and commercial light vehicle owners, as well as an add-on survey for those who own or lease plug-in electric vehicles (PEV). The PEV owner survey asks questions related to vehicle refueling, charging, use, and incentives. Data from the California Vehicle Survey are shown in Tables 6.14-6.16 and Figures 6.2 and 6.3. Additional information on this survey can be found at: [www.energy.ca.gov/data-reports/surveys/california-vehicle-survey](http://www.energy.ca.gov/data-reports/surveys/california-vehicle-survey).

*In the 2019 California Vehicle Survey, Level 1 and Level 2 charging are still the primary charging type to both residential and commercial plug-in electric vehicle owners. The commercial plug-in electric vehicle owners were more likely to report charging DC fast chargers.*

**Table 6.14**  
**Primary Vehicle Charging Type, 2019 California Vehicle Survey**

Charging frequency	Plug-in hybrid electric vehicle owners		All-electric vehicle owners		Total	
	Count	Percent	Count	Percent	Count	Percent
<b>Residential Vehicle Owners</b>						
Level 1 (120 V)	156	72%	116	35%	272	49%
Level 2 (240 V)	50	23%	211	63%	261	47%
Direct Current (DC) fast charger	11	5%	8	2%	19	3%
Total	217	100%	335	100%	552	100%
<b>Commercial Vehicle Owners</b>						
Level 1 (120 V)	5	28%	7	29%	12	29%
Level 2 (240 V)	10	56%	13	54%	23	55%
Direct Current (DC) fast charger	3	17%	4	17%	7	17%
Total	18	100%	24	100%	42	100%


**Note:** Vehicle owners were asked to name the primary charging type regardless of location.

**Source:**  
2019 California Vehicle Survey, California Energy Commission (2021).



*California residential plug-in vehicle charging occurs more frequently in the overnight and evening hours. Some utilities offer lower rates for off-peak electricity usage which usually begins in the evening. Plug-in vehicle owners in those areas can schedule their charging to take advantage of lower rates.*

**Figure 6.2. Typical Daily Charging Times for Residential Plug-in Electric Vehicles, 2019 California Vehicle Survey**




**Note:** All-electric vehicle samples N=249. Plug-in hybrid electric vehicle samples N=153.

**Source:**

2019 California Vehicle Survey, California Energy Commission (2021). Accessed December 21, 2021, from <https://www.energy.ca.gov/data-reports/surveys/california-vehicle-survey>

*California commercial plug-in vehicle patterns showed most charging occurring during morning and overnight periods. All-electric vehicles were more likely to charge during the overnight time period.*

**Figure 6.3. Typical Daily Charging Times for Commercial Plug-in Electric Vehicles Onsite, 2019 California Vehicle Survey**



**Note:** Electric vehicles include both all-electric and plug-in hybrid electric vehicles. N=267.

**Source:**

2019 California Vehicle Survey, California Energy Commission (2021). Accessed December 30, 2021, from <https://www.energy.ca.gov/data-reports/surve>

*The 2019 California Vehicle Survey revealed that state rebates and federal tax incentives were the two most important factors cited by household owners in making it possible to buy or lease a plug-in vehicle.*

**Table 6.15**  
**Ranking of Important Incentives for Household Acquiring an Electric Vehicle,**  
**2019 California Vehicle Survey**

How important were each of the following factors in making it possible for you to buy or lease your electric vehicle?	Share of PEV owners answering "extremely important" or "very important"
Federal tax credit (up to \$7,000)	69%
State rebate (up to \$2,500)	66%
HOV lane access	55%
Local/utility incentive (rebate or tax incentive, up to \$5,000)	35%
Manufacturer/dealer incentives (e.g. low interest rate, cash back)	33%
Parking incentives (employer, business, or government)	13%
The availability of car share/car rental as part of purchase	7%

**Source:**

*2019 California Vehicle Survey, California Energy Commission (2021). Accessed December 21, 2021, from <https://www.energy.ca.gov/data-reports/surveys/california-vehicle-survey>*

*The 2019 California Vehicle Survey showed the satisfaction of residential and commercial plug-in electric vehicle owners. Overall, the owners in California were favorable to plug-in electric vehicles. The satisfaction for residential vehicle owners was higher than for commercial vehicle owners.*

**Table 6.16**  
**Overall Experience with Plug-in Electric Vehicles, 2019 California Vehicle Survey**

Overall experience with the plug-in electric vehicles	Residential vehicle owners	Commercial vehicle owners
I hate it	0.2%	0.7%
A failure	0.2%	0.4%
Unsatisfactory	1.6%	0.7%
Satisfactory	7.1%	17.6%
Excellent	18.4%	24.0%
Delightful	10.0%	6.0%
I love it	62.5%	50.6%

**Note:** The survey had responses from 282 residential vehicle owners and 135 commercial vehicle owners.

**Source:**

*2019 California Vehicle Survey, California Energy Commission (2021).* Accessed December 30, 2021, from <https://www.energy.ca.gov/data-reports/surveys/california-vehicle-survey>

**Table 6.17**  
**Properties of Conventional and Alternative Liquid Fuels**

Property	Liquid Fuels			
	Gasoline	Low-sulfur diesel	Methanol	Ethanol (E100)
Standard chemical formula <sup>a</sup>	C <sub>4</sub> to C <sub>12</sub>	C <sub>8</sub> to C <sub>25</sub>	CH <sub>3</sub> OH	CH <sub>3</sub> CH <sub>2</sub> OH
Physical state	Liquid	Liquid	Liquid	Liquid
Molecular weight	100–105	~200	32.04	46.07
Composition (weight %)				
Carbon	85–88	87	37.5	52.2
Hydrogen	12–15	13	12.6	13.1
Oxygen	0	0	49.9	34.7
Main fuel source(s)	Crude oil	Crude oil	Natural gas, coal, or woody biomass	Corn, grains, or agricultural waste
Gasoline gallon equivalent (GGE) (Fuel unit measured/GGE)	1.0 (E0 gasoline)	0.889 (Diesel gal/GGE)	2.04 Methanol gal/GGE)	1.20-1.37 (E85 <sup>b</sup> gal/GGE) 1.03 (E10 gal/GGE)
Specific gravity (60° F/ 60° F)	0.72–0.78	0.85	0.796	0.794
Density (lb./gal @ 60° F)	6.0–6.5	7.079	6.63	6.61
Boiling temperature (F°)	80–437	356–644	149	172
Freezing point (F°)	-40	-40–30	-143.5	-173.2
Autoignition temperature (F°)	495	~600	897	793
Reid vapor pressure (psi)	8–15	<0.2	4.6	2.3

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, “Fuel Properties Comparison,” [www.afdc.energy.gov/fuels/fuel\\_comparison\\_chart.pdf](http://www.afdc.energy.gov/fuels/fuel_comparison_chart.pdf), July 2015, and communication with George Mitchell, National Renewable Energy Laboratory, July 2015.

<sup>a</sup> Standard Chemical Formulas represent idealized fuels. Some table values are expressed in ranges to represent typical fuel variations that are encountered in the field.

<sup>b</sup> 1 gallon of E85 has 73% to 83% of the energy of one gallon of gasoline (variation due to ethanol content in E85).

**Table 6.18**  
**Properties of Conventional and Alternative Gaseous Fuels**

Property	Gaseous Fuels		
	Propane (LPG)	CNG	Hydrogen
Standard chemical formula <sup>a</sup>	C <sub>3</sub> H <sub>8</sub>	CH <sub>4</sub>	H <sub>2</sub>
Physical state	Pressurized liquid	Compressed gas	Compressed gas or liquid
Molecular weight	44.1	16.04	2.02
Composition (weight %)			
Carbon	82	75	0
Hydrogen	18	25	100
Oxygen	n/a	n/a	0
Main fuel source(s)	Underground reserves	Underground reserves and renewable Bio-gas	Natural gas, methanol, electrolysis, and other energy sources
Gasoline gallon equivalent (GGE) (Fuel unit measured/GGE)	1.34-1.38 (LPG gal/GGE)	5.56-5.71 (lb. mass/GGE) <sup>b</sup>	0.991-1.017 (kg mass/GGE)
Diesel gallon equivalent (DGE) (Fuel unit measured/DGE)	1.54 (LPG gal/DGE)	6.38 (lb. mass/DGE)	n/a
Specific Gravity (60° F/60° F)	1.55	0.60	0.069
Density (lb./cu ft @ 60° F)	0.124	0.0458	0.0056
Freezing point (°F)	-305.8	-296	-435
Boiling Point (°F)	-44	-260	-423
Autoignition temperature (°F)	850-950	1,004	1,050-1,080
Reid vapor pressure (psi)	208	n/a	n/a

**Note:** n/a = not applicable.

**Source:**

U.S. Department of Energy, Alternative Fuels Data Center website, "Fuel Properties Comparison," [www.afdc.energy.gov/fuels/fuel\\_comparison\\_chart.pdf](http://www.afdc.energy.gov/fuels/fuel_comparison_chart.pdf), July 2015, and communication with George Mitchell, National Renewable Energy Laboratory, July 2015.

<sup>a</sup> Standard Chemical Formulas represent idealized fuels.

<sup>b</sup> CNG: 1 Gasoline Gallon Equivalent = 5.66 lb. (as referenced by NIST Special Publication 854; Report of the 78th NCWM (1993); p. 326; NG data derived from field sampling of pipeline natural gas by IGT/GRI).

# TRANSIT & OTHER SHARED MOBILITY

# Chapter 7



*Credit: John Coletti/The Image Bank/Getty Images*

*In 2007, the data changed substantially due to improved estimation methodologies. Unfortunately, those data are no longer comparable to the rest of the historical series.*

**Table 7.1**  
**Summary Statistics on Transit Buses and Trolleybuses, 1994–2019**

Year	Number of active buses	Vehicle-miles (millions)	Passenger-miles (millions)	Btu/passenger-mile	Energy use (trillion Btu)
1994	68,766	2,176	19,019	4,225	80.4
1995	67,802	2,198	19,005	4,271	81.2
1996	72,353	2,234	19,280	4,315	83.2
1997	73,425	2,259	19,793	4,407	87.2
1998	72,788	2,188	20,542	4,374	89.9
1999	74,885	2,290	21,391	4,320	92.4
2000	75,665	2,329	21,433	4,506	96.6
2001	76,675	2,389	22,209	4,123	91.6
2002	76,806	2,425	22,029	4,110	90.5
2003	78,000	2,435	21,438	4,191	89.8
2004	81,630	2,484	21,550	4,342	93.6
2005	82,642	2,498	21,998	4,229	93.0
2006	83,689	2,507	22,985	4,297	93.0 <sup>a</sup>
2007	65,808	2,314	21,132	4,352	92.0
2008	67,096	2,388	21,918	4,328	94.9
2009	65,363	2,345	21,645	4,233	91.6
2010	66,810	2,425	21,172	4,107	86.9
2011	69,654	2,425	21,574	4,232	91.3
2012	70,757	2,417	21,251	4,023	89.5
2013	71,699	2,425	22,306	4,052	90.4
2014	71,603	2,445	22,614	3,810	86.2
2015	72,686	2,439	21,822	4,059	88.6
2016	72,557	2,495	21,452	4,283	91.9
2017	72,877	2,513	20,209	4,535	91.6
2018	72,314	2,543	19,559	4,560	89.2
2019	73,237	2,566	19,311	4,634	89.5
<i>Average annual percentage change</i>					
1994-2019	0.3%	0.7%	0.1%	0.4%	0.4%
2009-2019	1.1%	0.9%	-1.1%	0.9%	-0.2%

**Source:**

American Public Transportation Association, *2021 Public Transportation Fact Book*, Washington, DC, May 2021, Appendix A. (Additional resources: [www.apta.com](http://www.apta.com))

<sup>a</sup> Data are not continuous between 2006 and 2007 due to changes in estimation methodology. See source document for details.



*Demand response vehicles (also called paratransit or dial-a-ride) are widely used by transit agencies. The vehicles do not operate over a fixed route or on a fixed schedule. The vehicle may be dispatched to pick up several passengers at different pick-up points before taking them to their respective destinations and may even be interrupted en route to these destinations to pick up other passengers. Demand response service is provided primarily by vans. In 2007, the data changed substantially due to improved estimation methodologies. Unfortunately, those data are no longer comparable to the rest of the historical series.*

**Table 7.2**  
**Summary Statistics on Demand Response Vehicles, 1994–2019**

Year	Number of agencies	Number of active vehicles	Vehicle-miles (millions)	Average annual miles per vehicle	Passenger-miles (millions)	Average load factor <sup>a</sup>	Energy use (trillion Btu)
1994	5,214	28,729	464	16,140	577	<sup>b</sup>	9.5
1995	5,214	29,352	507	17,256	607	1.41	9.2
1996	5,214	30,804	548	17,800	656	1.21	9.9
1997	5,214	32,509	585	18,004	754	1.36	9.8
1998	5,214	29,646	671	22,630	735	1.21	10.4
1999	5,252	31,884	718	22,532	813	1.34	10.6
2000	5,252	33,080	759	22,941	839	1.30	10.8
2001	5,251	34,661	789	22,772	855	1.28	11.3
2002	5,251	34,699	803	23,130	853	1.24	11.6
2003	5,346	35,954	864	24,031	930	1.27	12.9
2004	5,960	37,078	890	23,990	962	1.25	13.3
2005	5,960	41,958	978	23,316	1,058	1.25	14.8
2006	5,960	43,509	1,013	23,283	1,078	1.24	15.5 <sup>c</sup>
2007	7,300	64,865	1,471	22,684	1,502	1.18	24.7
2008	7,200	65,799	1,495	22,724	1,412	1.09	24.7
2009	6,700	68,957	1,529	22,176	1,477	1.12	23.1
2010	6,741	68,621	1,694	24,680	1,494	1.03	22.8
2011	6,600	65,336	1,612	24,669	1,580	1.13	24.1
2012	6,511	68,632	1,618	23,576	1,756	1.24	24.8
2013	6,270	68,559	1,565	22,829	2,171	1.59	26.4
2014	6,370	71,359	1,595	22,353	2,267	1.65	32.0
2015	6,340	71,299	1,617	22,679	2,056	1.48	26.0
2016	6,532	68,059	1,692	24,855	1,976	1.35	25.8
2017	6,426	69,316	1,705	24,594	2,031	1.38	26.6
2018	6,343	70,093	1,702	24,281	1,821	1.24	26.7
2019	<sup>b</sup>	73,155	1,629	22,262	1,823	1.24	28.3
<i>Average annual percentage change</i>							
1994-2019	<sup>b</sup>	3.8%	5.2%	1.3%	4.7%	-0.5%	4.5%
2009-2019	<sup>b</sup>	0.6%	0.6%	0.0%	2.1%	1.0%	2.0%

**Note:** See Glossary for a detailed definition of demand response.

**Source:**

American Public Transportation Association, *2020 Public Transportation Fact Book*, Washington, DC, March 2020.  
(Additional resources: [www.apta.com](http://www.apta.com))

<sup>a</sup> Load factor for revenue service.

<sup>b</sup> Data are not available.

<sup>c</sup> Data are not continuous between 2006 and 2007 due to changes in estimation methodology. See source document for details.

*Commuter rail, which is also known as regional rail or suburban rail, is long-haul rail passenger service operating between metropolitan and suburban areas, whether within or across state lines. Commuter rail lines usually have reduced fares for multiple rides and commutation tickets for regular, recurring riders.*

**Table 7.3**  
**Summary Statistics for Commuter Rail Operations, 1984–2019**

Year	Number of passenger vehicles	Vehicle-miles (millions)	Passenger trips (millions)	Passenger-miles (millions)	Average trip length (miles)	Energy intensity (Btu/passenger-mile) <sup>a</sup>	Energy use (trillion Btu) <sup>a</sup>	
1984	4,075	167.9	267	6,207	23.2	1,798	11.2	
1985	4,035	182.7	275	6,534	23.8	1,720	11.2	
1990	4,982	212.7	328	7,082	21.6	1,622	11.5	
1991	5,126	214.9	318	7,344	23.1	1,601	11.8	
1992	5,164	218.8	314	7,320	23.3	1,565	11.5	
1993	4,982	223.9	322	6,940	21.6	1,782	12.4	
1994	5,126	230.8	339	7,996	23.6	1,605	12.8	
1995	5,164	237.7	344	8,244	24.0	1,580	13.0	
1996	5,240	241.9	352	8,351	23.7	1,541	12.9	
1997	5,426	250.7	357	8,038	22.5	1,630	13.1	
1998	5,536	259.5	381	8,704	22.8	1,612	14.0	
1999	5,550	265.9	396	8,766	22.1	1,670	14.6	
2000	5,498	270.9	413	9,402	22.8	1,542	14.5	
2001	5,572	277.3	419	9,548	22.8	1,533	14.6	
2002	5,724	283.7	414	9,504	22.9	1,542	14.7	
2003	5,959	286.0	410	9,559	23.3	1,542	14.7	
2004	6,228	294.7	414	9,719	23.5	1,536	14.9	
2005	6,392	303.4	423	9,473	22.4	1,658	15.7	
2006	6,403	314.7	441	10,361	23.5	1,539	15.9	
2007	6,391	325.7	459	11,153	24.3	1,543	17.2	
2008	6,617	310.2	472	11,049	23.4	1,579	17.4	
2009	6,941	343.5	468	11,232	24.0	1,714	19.2	
2010	6,927	345.3	464	10,874	23.4	1,753	19.1	
2011	7,193	345.2	466	11,427	24.5	1,681	19.2	
2012	7,059	346.4	471	11,181	23.7	1,703	19.0	
2013	7,310	359.1	480	11,862	24.7	1,676	19.9	
2014	7,337	370.8	490	11,718	23.9	1,638	19.2	
2015	7,216	373.7	495	11,813	23.9	1,661	19.6	
2016	7,350	376.0	504	11,899	23.6	1,705	20.3	
2017	7,290	378.2	503	12,384	24.6	1,657	20.5	
2018	7,184	376.6	505	12,821	25.4	1,580	20.3	
2019	7,209	381.8	511	12,928	25.3	1,583	20.5	
			<i>Average annual percentage change</i>					
1984-2019	1.6%	2.4%	1.9%	2.1%	0.2%	-0.4%	1.7%	
2009-2019	0.4%	1.1%	0.9%	1.4%	0.5%	-0.8%	0.6%	


**Source:**

American Public Transportation Association, *2021 Public Transportation Fact Book*, Washington, DC, May 2021, Appendix A. (Additional resources: [www.apta.com](http://www.apta.com))

<sup>a</sup> Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this table.

The energy intensity of commuter rail systems, measured in Btu per passenger-mile, varies greatly. The average of all commuter rail systems in 2019 was 1,589 Btu/passenger-mile. Most of these 27 systems used diesel power, but five systems used both diesel and electricity, and another four systems used only electricity.

Figure 7.1. Energy Intensity of Commuter Rail Systems<sup>a</sup>, 2019



**Note:** Does not include systems classified as hybrid rail, which is a subset of commuter rail operating exclusively on freight railroad right-of-way.


**Source:**

U.S. Department of Transportation, *2019 National Transit Database*, December 2020. (Additional resources: [www.transit.dot.gov/ntd](http://www.transit.dot.gov/ntd))

<sup>a</sup> Electric railcar or diesel-propelled railway for urban passenger train service between a central city and adjacent suburbs. Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this figure.

The energy intensity of heavy rail systems, measured in Btu per passenger-mile, varies greatly. The average of all heavy rail systems in 2019 was 779 Btu/passenger-mile.

**Figure 7.2. Energy Intensity of Heavy Rail Systems<sup>a</sup>, 2019**




**Source:**

U.S. Department of Transportation, *2019 National Transit Database*, December 2020. (Additional resources: [www.transit.dot.gov/ntd](http://www.transit.dot.gov/ntd))

<sup>a</sup> An electric railway with the capacity for a heavy volume of traffic. Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this figure.

The energy intensity of light rail systems, measured in Btu per passenger-mile, varies greatly. The average of all light rail systems in 2019 was 1,307 Btu/passenger-mile.

**Figure 7.3. Energy Intensity of Light Rail Transit Systems<sup>a</sup>, 2019**



**Source:**

U.S. Department of Transportation, 2019 *National Transit Database*, December 2020. (Additional resources: [www.transit.dot.gov/ntd](http://www.transit.dot.gov/ntd))

<sup>a</sup> An electric railway with a light volume traffic capacity with power drawn from an overhead electric line. Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this figure.

*This table on transit rail operations includes data on light rail and heavy rail systems. Light rail vehicles are usually single vehicles driven electrically with power drawn from overhead wires. Heavy rail is characterized by high speed and rapid acceleration of rail cars operating on a separate right-of-way.*

**Table 7.4**  
**Summary Statistics for Rail Transit Operations, 1970–2019<sup>a</sup>**

Year	Number of passenger vehicles	Vehicle-miles (millions)	Passenger trips (millions) <sup>b</sup>	Passenger-miles (millions) <sup>c</sup>	Average trip length (miles) <sup>d</sup>	Energy intensity (Btu/passenger-mile) <sup>e</sup>	Energy use (trillion Btu) <sup>e</sup>
1970	10,548	440.8	2,116	12,273	<sup>f</sup>	712	8.7
1975	10,617	446.9	1,797	10,423	<sup>f</sup>	866	9.0
1980	10,654	402.2	2,241	10,939	4.9	763	8.3
1985	11,109	467.8	2,422	10,777	4.4	927	10.0
1990	11,332	560.9	2,521	12,046	4.8	998	12.0
1995	11,156	571.8	2,284	11,419	5.0	1,102	12.6
1996	11,341	580.7	2,418	12,487	5.2	996	12.4
1997	11,471	598.9	2,692	13,091	4.9	943	12.3
1998	11,521	609.5	2,669	13,412	5.0	931	12.5
1999	11,603	626.4	2,813	14,108	5.0	919	13.0
2000	12,168	648.0	2,952	15,200	5.1	923	14.0
2001	12,084	662.4	3,064	15,615	5.1	925	14.4
2002	12,479	681.9	3,025	15,095	5.0	948	14.3
2003	12,236	694.2	3,005	15,082	5.0	936	14.1
2004	12,480	709.7	3,098	15,930	5.1	907	14.5
2005	12,755	715.4	3,189	16,118	5.1	919	14.8
2006	12,853	726.4	3,334	16,587	5.0	893	14.8
2007	13,032	741.2	3,879	18,070	4.7	851	15.4
2008	13,346	762.8	4,001	18,941	4.7	832	15.8
2009	13,529	775.3	3,955	19,004	4.8	830	15.8
2010	13,614	759.6	4,007	18,580	4.6	832	15.5
2011	13,328	744.1	4,083	19,520	4.8	812	15.8
2012	12,455	749.5	4,192	19,835	4.7	791	15.7
2013	12,434	774.3	4,275	20,381	4.8	793	16.2
2014	12,608	780.9	4,411	20,829	4.7	786	16.4
2015	12,820	803.2	4,339	20,710	4.8	777	16.1
2016	12,912	810.2	4,346	20,922	4.8	761	15.9
2017	12,848	823.6	4,314	20,169	4.7	788	15.9
2018	13,046	826.3	4,211	19,452	4.6	844	16.4
2019	13,523	842.9	4,269	19,859	4.7	851	16.9
<i>Average annual percentage change</i>							
1970-2019	0.5%	1.3%	1.4%	1.0%	-0.6%	0.4%	1.4%
2009-2019	0.0%	0.8%	0.8%	0.4%	-0.3%	0.2%	0.7%

**Sources:**

American Public Transportation Association, *2021 Public Transportation Fact Book*, Washington, DC, May 2021, Appendix A. (Additional resources: [www.apta.com](http://www.apta.com))  
Energy use – See Appendix A for Rail Transit Energy Use.

<sup>a</sup> Heavy rail and light rail. Series not continuous between 1983 and 1984 because of a change in data source by the American Public Transit Association (APTA). Beginning in 1984, data provided by APTA are taken from mandatory reports filed with the Urban Mass Transit Administration (UMTA). Data for prior years were provided on a voluntary basis by APTA members and expanded statistically.

<sup>b</sup> 1970–79 data represents total passenger rides; after 1979, data represents unlinked passenger trips.

<sup>c</sup> Estimated for years 1970–76 based on an average trip length of 5.8 miles.

<sup>d</sup> Calculated as the ratio of passenger-miles to passenger trips.

<sup>e</sup> Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this table. Large system-to-system variations exist for energy intensities.

<sup>f</sup> Data are not available.

<sup>g</sup> Average annual percentage change is calculated for years 1977–2019.

*Uber is the United States' largest transportation network company (TNC), which allows customers to hail a ride on demand via a phone app. The ride fare and tip are paid via credit card stored in the app and feedback is encouraged after each ride. Through the end of 2018, the Uber app has facilitated 10 billion trips worldwide.*

**Table 7.5**  
**Uber Ride Hailing Statistics as of December 2018**

First Uber trip taken	July 5, 2010
Countries in which Uber operates, 2018	63 countries
Cumulative number of worldwide trips from 2010-2015	1 billion
Cumulative number of worldwide trips from 2010-2018	10 billion
Trips completed per day, December 2018	14 million
Monthly active platform customers, 2018	91 million
Number of drivers, 2018	3.9 million
Number of company employees, 2018	22,000

**Source:**

Uber, Uber Newsroom, [www.nber.org/papers/w22843.pdf](http://www.nber.org/papers/w22843.pdf), accessed September 9, 2019.

*In December 2014, the Benenson Survey Group (BSG) conducted a web survey of Uber's driver-partners in 20 market areas that represented 85 percent of all of Uber's U.S. driver-partners. Jonathan V. Hall, an Uber employee, and Alan B. Krueger, an Uber consultant, compared the BSG Survey results to the 2012-2013 American Community Survey data from the U.S. Census Bureau, resulting in a Working Paper for the National Bureau of Economic Research.*

**Table 7.6**  
**Characteristics of Uber's Driver-Partners, Taxi Drivers and All Workers**

	Uber's Driver-Partners (2014 BSG Survey)	Taxi Drivers and Chauffeurs (2012-13 ACS)	All workers (2012-13 ACS)
Age 18-29	19%	9%	22%
30-39	30%	20%	23%
40-49	26%	27%	23%
50-64	22%	37%	27%
65+	3%	8%	5%
Male	86%	92%	53%
Female	14%	8%	47%
Less than HS	3%	16%	9%
High School	9%	36%	21%
Some College / Associate's	40%	29%	28%
College Degree	37%	15%	25%
Postgraduate Degree	11%	4%	16%
White Non-Hispanic	40%	26%	56%
Black Non-Hispanic	20%	32%	15%
Asian Non-Hispanic	17%	18%	8%
Other Non-Hispanic	6%	2%	2%
Hispanic	18%	22%	20%
Married	50%	59%	53%
Have Children at Home	46%	45%	42%
Currently Attending School	7%	5%	10%
Veteran	7%	5%	5%
Number of Observations	601	2,080	648,494

**Notes:** ACS data pertain to the same 20 markets as the BSG survey and are for 2012 and 2013. The 20 markets were: Atlanta, Austin, Baltimore, Boston, Chicago, Dallas, Denver, Houston, Los Angeles, Miami, Minneapolis, New Jersey, New York City, Orange County, Philadelphia, Phoenix, San Diego, San Francisco, Seattle, and Washington, DC.

**Source:**

National Bureau of Economic Research, *An Analysis of The Labor Market for Uber's Driver-Partners in the United States*, NBER Working Paper No. 22843, November 2016.



*Lyft is the second-largest transportation network company (TNC) in the United States. As with Uber, a mobile app is used to hail a ride on demand. In 2020, 35% of Lyft riders did not own or lease a personal vehicle.*

**Table 7.7**  
**Lyft Ride Hailing Statistics, 2021**

Areas served by Lyft, 2021	All U.S. States and the District of Columbia
Share of drivers that are veterans, 2021	8%
Share of drivers that are female, 2021	21%
Share of drivers that are in a minority group, 2021	69%
Share of drivers that are over the age of 50, 2021	25%
Share of drivers that drive fewer than 20 hours per week, 2021	95%
Share of Lyft riders who do not own or lease a personal vehicle, 2021	45%
Share of Lyft riders that are students, 2021	19%
Share of Lyft riders that are in a minority group, 2021	48%
Share of U.S. population in a minority group, 2020	39%
Median annual household income of Lyft riders, 2021	\$54,000
Share of Lyft trips that start or end in a low-income area, 2021	46%

**Source:**

Lyft, Economic Impact Report 2021, United States, <https://www.lyft.com/impact/economic-impact-report>, website accessed September 24, 2021.

*Carshare programs provide one alternative to car ownership. Typically, a carshare program has membership requirements and hourly rates for use of a common fleet of vehicles located throughout an area. The carshare operator typically provides insurance, gasoline, parking, and maintenance.*

**Table 7.8**  
**Carshare Members and Vehicles by World Region, 2006–2018**

	2006	2008	2010	2012	2014	2016	2018
<b>Asia</b>							
Members	15,700	12,546	81,817	160,500	955,880	8,722,138	22,707,000
Vehicles	608	810	4,315	6,155	20,344	67,329	108,097
Member-Vehicle Ratio	25.8	15.5	19.0	26.1	47.0	129.5	210.1
<b>Europe</b>							
Members	212,124	334,168	552,868	691,943	2,206,884	4,371,151	6,761,688
Vehicles	7,491	10,833	16,779	20,464	57,947	57,857	60,622
Member-Vehicle Ratio	28.3	30.8	32.9	33.8	38.1	75.6	111.5
<b>North America</b>							
Members	117,656	318,898	516,100	908,584	1,625,652	1,837,854	2,110,111
Vehicles	3,337	7,505	10,420	15,795	24,210	26,691	23,376
Member-Vehicle Ratio	35.3	42.5	49.5	57.5	67.1	68.9	90.3
<b>Oceania</b>							
Members	1,130	5,210	12,750	25,500	50,700	96,600	201,000
Vehicles	65	255	440	1,080	1,524	5,040	5,500
Member-Vehicle Ratio	17.4	20.4	29.0	23.6	33.3	19.2	36.5
<b>South America</b>							
Members	0	0	110	1,500	3,500	7,350	16,892
Vehicles	0	0	13	60	100	120	363
Member-Vehicle Ratio	0	0	8.5	25	35	61.3	46.5

**Note:** Data are as of October of each year listed.

**Source:**

Transportation Sustainability Research Center, University of California, Berkeley, *Innovative Mobility: Carsharing Outlook*, Spring 2020. (Additional information: <https://tsrc.berkeley.edu/research/shared-mobility>)

## Shared Micromobility

Shared micromobility refers to small fleets of fully or partially human-powered vehicles including bikes, e-bikes and e-scooters. Many cities in the United States now have some form of shared micromobility available. Two different sources for shared micromobility data are highlighted in Table 7.9 and Figures 7.4 through 7.9.

The National Association of City Transportation Officials (NACTO) began collecting data on U.S. micromobility as early as 2010 and have published the data in annual reports entitled *Shared Micromobility in the U.S.* The latest data available are for calendar year 2019. NACTO's trip count includes systems with over 150 bikes or scooters and only includes data reported by 105 large cities. It does not include private or closed campus systems like those operating on university campuses. Data from several cities are combined to report more details on shared micromobility, such as miles/minutes per trip, reasons for using shared bikes, and mode replacement data.

In 2019 the North American Bikeshare and Scootershare Association (NABSA) began publishing a report entitled *Shared Micromobility State of the Industry Report*. Two reports have been published, one with 2019 data and another with 2020 data. The scope of this report is all of North America (Canada, Mexico, United States). The 2020 report includes pandemic-related data, in addition to industry, vehicle, and trip data. The primary data for this report were collected through surveys distributed to all known shared micromobility operators and agencies in North America.

*In North American micromobility systems, large cities had a higher number of vehicles per system than small and medium cities in 2020. Utilization of bikes was 158% higher in large cities than in small and medium cities in 2020. Utilization of e-scooters was 76% higher in large cities.*

**Table 7.9**  
**North American Shared Micromobility Systems, 2020**


Metric	Small and Medium Cities		Large Cities	
	Bikes	E-scooters	Bikes	E-scooters
Number of systems	126	97	43	31
Average vehicles per system	197	241	1,725	704
Average vehicles per 1,000 people	1.2	2	1.6	2.6
Average vehicles per square mile	4.5	7.6	11.6	13.4
Average trips per vehicle per service day (utilization)	0.4	1.2	1.8	1.6
Median number of operators per city	2		3	

**Source:**

North American Bikeshare and Scootershare Association (NABSA), 2<sup>nd</sup> Annual Shared Micromobility State of the Industry Report, 2021. (Additional information: [nabsa.net](http://nabsa.net))

*The number of e-scooters that North Americans had access to decreased from 2019 to 2020, while the number of e-bikes nearly doubled. There was only a slight decline in the number of available pedal bikes.*

**Figure 7.4. Shared Micromobility Vehicles in North America, 2019–2020**




**Source:**

North American Bikeshare and Scootershare Association (NABSA), 2<sup>nd</sup> Annual Shared Micromobility State of the Industry Report, 2021. (Additional information: [nabsa.net](http://nabsa.net))

*Micromobility sharing services (bikes and scooters) have expanded rapidly in cities across the United States. The number of shared bike trips in the 100 largest U.S. cities has been estimated by the National Association of City Transportation Officials (NACTO). The number of bike trips increased from 321 thousand in 2010 to 40 million in 2019, with another 10 million electronic e-bike trips in addition. Shared scooter trips were added to the NACTO study in 2018. There were 86 million scooter trips in 2019 representing 63% of the 136 million shared micromobility trips taken.*

**Figure 7.5. Shared Micromobility Trips in the United States, 2010–2019**




**Notes:** Includes systems with over 150 bikes or scooters and only includes data reported by 105 large cities. Does not include private or closed campus systems like those operating on university campuses. For more detail, see the full report.

**Source:**

National Association of City Transportation Officials (NACTO), *Shared Micromobility in the U.S.: 2019, 2020*.  
(Additional information: [nacto.org/shared-micromobility-2019](https://nacto.org/shared-micromobility-2019))

*In the United States, the most common reasons cited for bike sharing trips were connecting to transit, social trips, and commuting to and from work. A higher percent of shared scooter trips was attributed to recreation/exercise. Connection to transit and social purposes were a greater percent of shared bike trips.*

**Figure 7.6. Reasons for Using Shared Bikes and Scooters in the United States, 2018**




**Notes:** Data were not released for 2019. Data for scooters come from Denver, Portland, and Baltimore. Data for bike share come from Washington, DC, New York City, and Chicago. The social and recreation/exercise categories were only available from Washington, DC.

**Source:**

National Association of City Transportation Officials (NACTO), *Shared Micromobility in the U.S.: 2018*, April 2019. (Additional information: [nacto.org/2019/04/17/84-million-trips-on-shared-bikes-and-scooters](https://nacto.org/2019/04/17/84-million-trips-on-shared-bikes-and-scooters))

*For shared bikes and scooters, casual users of station-based bikes travel the farthest and for the longest duration.*

**Figure 7.7. Average Miles per Trip for U.S. Shared Bikes and Scooters, 2019**




**Note:** Based on data from Washington, D.C., Boston, MA, Chicago, IL, San Francisco, CA, and New York, NY.

**Source:**

National Association of City Transportation Officials (NACTO), *Shared Micromobility in the U.S.: 2019, 2020*.  
(Additional information: [nacto.org/shared-micromobility-2019](https://nacto.org/shared-micromobility-2019))

**Figure 7.8. Average Minutes per Trip for U.S. Shared Bikes and Scooters, 2019**



**Note:** Based on data from Washington, D.C., Boston, MA, Chicago, IL, San Francisco, CA, and New York, NY.


**Source:**

National Association of City Transportation Officials (NACTO), *Shared Micromobility in the U.S.: 2019, 2020*.  
(Additional information: [nacto.org/shared-micromobility-2019](https://nacto.org/shared-micromobility-2019))



*Micromobility users in seven different U.S. cities were asked what mode they would have used to complete their trip if a dockless bike or scooter had not been available. Just under half (45%) said they would have used a personal car or ride hail vehicle and another 9% said they would have used transit.*

**Figure 7.9. Share of U.S. Trips Replaced by Dockless Bikes and Scooters by Mode, 2019**



**Note:** Includes data from surveys in Santa Monica, CA, Alexandria, VA, Bloomington, IN, Brookline, MA, Hoboken, NJ, Oakland, CA, and San Francisco, CA.

**Source:**

National Association of City Transportation Officials (NACTO), Shared Micromobility in the U.S.: 2019, 2020. (Additional information: [nacto.org/shared-micromobility-2019](https://nacto.org/shared-micromobility-2019))



# FLEET VEHICLES & CHARACTERISTICS


# Chapter 8



*Credit: DKAR Images/Tetra images/Getty Images*

*Vehicles in fleets of 15 or more are counted as fleet vehicles, as well as vehicles in fleets where five or more vehicles are purchased annually. There are more trucks in fleets than cars in 2020.*

**Figure 8.1. Fleet Vehicles in Service as of January 1, 2020**



**Source:**

Bobit Publishing Company, Automotive Fleet Research Department, *Automotive Fleet Factbook 2020*, Redondo Beach, CA, 2021.

<sup>a</sup> Rental category includes vans and sports utility vehicles under cars, not trucks.

<sup>b</sup> Fleets of 15 or more in operation or 5 or more fleet vehicles purchased annually. Taxi and police fleet data are not available.

Data for fleet vehicles (cars and trucks less than 19,501 pounds) show that rental fleets are the largest share of cars and commercial fleets are the largest share of trucks. Government fleets are the second largest share for both cars and trucks.

**Table 8.1**  
**Fleet Vehicles in Service, 2006-2020**  
**(thousands of vehicles)**

Year	Commercial	Rental <sup>a</sup>	Government	Police & Taxi <sup>b</sup>	Total
Cars <sup>c</sup>					
2006	896.9	1,623.0	1,195.9	555.2	4,271.0
2007	911.8	1,650.0	1,215.8	564.5	4,342.0
2008	879.1	1,465.1	1,255.8	586.0	4,186.0
2009	791.0	1,289.0	1,299.0	607.0	3,986.0
2010	741.2	1,175.0	1,352.0	575.7	3,843.8
2011	803.9	1,553.2	1,330.0	578.6	4,265.7
2012	834.7	1,745.0	1,240.0	556.6	4,376.3
2013	727.7	1,850.0	1,290.0	570.6	4,438.3
2014	688.5	1,920.0	1,245.2	582.4	4,443.2
2015	659.2	2,040.0	1,325.0	595.8	4,620.0
2016	685.0	2,156.0	1,340.0	575.8	4,756.8
2017	628.2	1,930.0	1,278.0	<sup>d</sup>	3,836.2
2018	613.4	1,820.0	1,236.0	<sup>d</sup>	3,669.4
2019	635.0	1,780.0	1,217.0	<sup>d</sup>	3,632.0
2020	626.0	1,630.0	1,168.0	<sup>d</sup>	3,424.0
Trucks <sup>c</sup> <19,501 lbs.					
2006	2,362.4	499.7	1,635.5	45.4	4,543.0
2007	2,383.2	560.8	1,682.3	46.7	4,673.0
2008	2,318.5	500.1	1,682.0	45.5	4,546.0
2009	2,224.0	381.0	1,701.0	59.0	4,365.0
2010	1,999.5	380.0	1,751.0	55.4	4,185.8
2011	2,136.3	391.0	1,684.0	58.4	4,269.7
2012	2,236.8	417.0	1,512.0	62.0	4,227.8
2013	2,186.9	465.0	1,560.0	66.5	4,278.4
2014	2,136.4	480.0	1,631.5	74.9	4,322.8
2015	2,231.8	535.0	1,727.4	77.4	4,571.6
2016	2,340.0	582.0	1,810.0	77.4	4,809.0
2017	2,377.7	542.0	1,807.0	<sup>d</sup>	4,726.7
2018	2,564.2	496.0	1,898.0	<sup>d</sup>	4,958.2
2019	2,587.0	475.0	1,778.0	<sup>d</sup>	4,840.0
2020	2,445.0	525.0	1,746.0	<sup>d</sup>	4,716.0

**Source:**

Bobit Publishing Company, Automotive Fleet Research Department, *Automotive Fleet Factbook 2020*, and annual, Redondo Beach, CA, 2021. (Additional resources: [www.fleet-central.com](http://www.fleet-central.com))

<sup>a</sup> Rental category includes vans and sports utility vehicles under cars, not trucks.

<sup>b</sup> Taxi category includes vans.

<sup>c</sup> Fleets of 15 or more in operation or 5 or more fleet vehicles purchased annually.

<sup>d</sup> Data are not available.

*In commercial fleets, pickup trucks stayed in service the longest in 2020—an average of 62 months in 2020. Commercial fleet vehicles averaged just under 20,500 miles in 2020, a decline from the two previous years.*

**Table 8.2**  
**Average Length of Time Commercial Fleet Vehicles Are in Service, 2018-2020**

Vehicle type	Average months in service		
	2018	2019	2020
Compact cars	38	41	47
Intermediate cars	33	39	42
Pickup trucks	48	51	62
Minivans	46	40	48
Sport utility vehicles	33	35	39
Full-size vans	53	63	58

**Note:** Based on data collected from four leading Fleet Management companies.

**Source:**

Bobit Publishing Company, *Automotive Fleet*, Redondo Beach, CA, December 2018, January 2020, and November 2020. (Additional resources: [www.automotive-fleet.com](http://www.automotive-fleet.com))

**Table 8.3**  
**Average Annual Vehicle-Miles of Travel for Commercial Fleet Vehicles, 2018-2020**


Vehicle type	Average annual miles of travel		
	2018	2019	2020
Compact cars	21,168	20,832	22,644
Intermediate cars	23,412	20,688	20,940
Pickup trucks	23,340	25,680	22,056
Minivans	23,940	23,244	18,636
Sport utility vehicles	22,800	21,396	20,124
Full-size vans	21,888	23,520	18,684

**Source:**

Bobit Publishing Company, *Automotive Fleet*, Redondo Beach, CA, December 2018, January 2020, and November 2020. (Additional resources: [www.automotive-fleet.com](http://www.automotive-fleet.com))

*These data, which apply to domestic Federal fleet vehicles, indicate that sedans have the highest average annual miles per vehicle, followed closely by sport utility vehicles (SUVs).*

**Figure 8.2. Average Miles per Domestic Federal Vehicle by Vehicle Type, 2019**



**Note:** Light trucks = less than 8,500 pounds gross vehicle weight (GVW).  
 Medium trucks = 8,501-23,999 pounds GVW.  
 Heavy trucks = 24,000 pounds GVW or more.  
 LSEVs = low-speed electric vehicles.

**Source:**

U.S. General Services Administration, Federal Vehicle Policy Division, *FY 2019 Federal Fleet Report*, Washington, DC, 2020, Table 4-2. (Additional resources: [www.gsa.gov](http://www.gsa.gov))

*The Federal Government vehicle inventory includes 21% more light trucks than passenger vehicles.*

**Table 8.4**  
**Federal Government Vehicle Inventory, FY 2001-2019**

Vehicle Type	2001	2005	2010	2015	2017	2018	2019
<b>Passenger vehicles</b>							
Low-speed electric vehicle	0	0	3,029	3,686	2,369	2,931	2,790
Subcompact	5,462	2,401	6,797	27,356	27,566	25,977	25,752
Compact	60,938	58,284	46,489	38,766	38,043	38,674	38,138
Midsize	36,921	36,656	48,242	24,775	24,558	22,656	23,158
Large	11,107	15,966	10,063	7,150	3,516	2,929	2,642
Limousines	116	191	412	83	52	3	3
Light duty passenger vans	56,563	42,109	41,676	37,448	32,379	31,734	31,779
Medium duty passenger vans	727	13,252	15,218	14,617	15,364	15,266	15,860
Light duty SUVs	40,842	50,445	66,316	73,203	75,850	75,117	78,517
Medium duty SUVs	0	6,096	11,117	8,235	6,284	5,780	5,588
<b>Total passenger vehicles</b>	<b>212,676</b>	<b>225,400</b>	<b>249,359</b>	<b>235,319</b>	<b>225,981</b>	<b>221,067</b>	<b>224,227</b>
<b>Trucks and other vehicles</b>							
Light trucks 4x2	227,937	243,477	241,011	232,914	223,558	221,874	216,308
Light trucks 4x4	29,975	35,417	40,105	49,079	50,092	53,430	55,344
Medium trucks	88,993	83,747	89,253	79,421	99,079	102,661	101,999
Heavy trucks	27,988	35,230	32,760	34,049	33,585	36,827	38,837
Ambulances	1,819	1,580	1,480	1,349	1,385	903	847
Buses	6,726	7,837	8,186	8,173	7,238	7,783	7,485
<b>Total trucks and other vehicles</b>	<b>383,438</b>	<b>407,288</b>	<b>412,795</b>	<b>404,985</b>	<b>414,937</b>	<b>423,478</b>	<b>420,820</b>
<b>GRAND TOTAL ALL VEHICLES</b>	<b>596,114</b>	<b>632,688</b>	<b>662,154</b>	<b>640,304</b>	<b>640,918</b>	<b>644,545</b>	<b>645,047</b>

**Note:** Light trucks = less than 8,500 pounds gross vehicle weight rating (GVWR).

Medium trucks = 8,501-23,999 pounds GVWR.

Heavy trucks = 24,000 pounds GVWR or more.

**Source:**

U.S. General Services Administration, Federal Supply Service, *FY 2019 Federal Fleet Report*, Washington, DC, 2020, Tables 2-5T and 2-6T. (Additional resources: [www.gsa.gov](http://www.gsa.gov))



**Table 8.5**  
**Federal Fleet Vehicle Acquisitions**  
**by Fuel Type, FY 2002–2019**

Fuel type	2002	2005	2010	2015	2016	2017	2018	2019
Gasoline	44,850	41,247	26,547	17,080	30,311	23,312	26,309	21,445
Gasoline hybrid	<sup>a</sup>	222	4,853	2,500	3,147	4,475	4,814	3,207
Gasoline LGHG <sup>b</sup>	0	0	0	0	38	945	1672	1128
Gasoline plug-in hybrid	0	0	0	263	86	191	302	212
Diesel	8,107	6,049	4,136	6,215	6,136	5,626	5,970	7,339
Diesel hybrid	<sup>c</sup>	1	27	7	11	10	23	8
Diesel LGHG <sup>b</sup>	0	0	0	0	0	0	1	3
CNG	1,267	188	60	241	67	12	11	14
E-85	8,054	16,892	26,789	24,651	27,243	24,110	15,252	17,306
Electric	7	13	1,376	231	180	303	194	167
LNG	3	0	0	0	0	0	0	0
LPG	59	1	2	6	9	2	1	1
M-85	25	0	0	0	0	0	0	0
Hydrogen	0	0	4	0	0	0	0	0
<b>Grand total</b>	<b>62,372</b>	<b>64,613</b>	<b>63,794</b>	<b>51,194</b>	<b>67,228</b>	<b>58,986</b>	<b>54,549</b>	<b>50,830</b>

**Source:**

U.S. General Services Administration, Federal Vehicle Policy Division, *FY 2019 Federal Fleet Report*, Washington, DC, 2020, Table 5-4. (Additional resources: [www.gsa.gov](http://www.gsa.gov))

**Table 8.6**  
**Fuel Consumed by Federal Government Fleets, FY 2000–2019**  
**(thousand gasoline equivalent gallons)**

	2000	2005	2009	2010	2015	2016	2017	2018	2019
Gasoline	284,480	300,261	301,437	322,023	310,416	315,043	305,978	307,561	312,172
Diesel	70,181	53,363	76,456	75,329	66,736	69,990	72,351	57,593	62,291
CNG	865	1,245	499	504	400	397	357	280	117
Electricity	1	6	4	36	197	86	64	31	39
Biodiesel (B20)	569	8,052	7,393	8,258	4,722	4,404	4,206	2,256	1,946
Biodiesel (B100) <sup>d</sup>	0	0	5	0	11	0	155	115	48
Methanol/M-85	14	0	0	0	0	19	190	201	200
LPG	34	231	208	195	0	0	0	0	0
Ethanol/E-85	347	3,060	7,923	8,201	150	231	239	236	256
LNG	0	102	35	0	13,512	11,942	10,431	10,446	9,323
Hydrogen	0	0	0	1	7	4	0	0	0
<b>Total</b>	<b>356,491</b>	<b>366,320</b>	<b>393,961</b>	<b>414,548</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

**Source:**

U.S. General Services Administration, Federal Vehicle Policy Division, *FY 2019 Federal Fleet Report*, Washington, DC, 2020, Table 5-1. (Additional resources: [www.gsa.gov](http://www.gsa.gov))

<sup>a</sup> Combined with gasoline.

<sup>b</sup> Low greenhouse gas emissions.

<sup>c</sup> Combined with diesel.

<sup>d</sup> B100 cannot be separated from B20 from 2000-2007.

*The U.S. Postal Service owned 44.2% of all federal light trucks.*

**Table 8.7**  
**Federal Government Vehicles by Agency, FY 2019**

Department or agency	Cars	Light trucks	Medium trucks	Heavy trucks	Total
<b>CIVILIAN</b>					
American Battle Monuments Commission	22	26	2	0	50
Consumer Product Safety Commission	55	30	0	0	85
Court Services and Offender Supervision Agency	54	21	0	0	75
Department of Agriculture	4,602	21,683	8,524	2,352	37,161
Department of Commerce	259	1,215	412	59	1,945
Department of Education	43	39	0	0	82
Department of Energy	750	7,420	3,818	2,278	14,266
Department of Health and Human Services	1,993	2,340	267	77	4,677
Department of Homeland Security	9,368	35,753	3,861	1,828	50,810
Department of Housing and Urban Development	238	70	0	0	308
Department of Justice	16,266	28,501	954	1,490	47,211
Department of Labor	974	2,130	252	536	3,892
Department of State	1,612	10,404	769	782	13,567
Department of the Interior	2,107	15,976	9,223	3,388	30,694
Department of the Treasury	1,465	1,425	11	10	2,911
Department of Transportation	1,171	3,532	966	135	5,804
Department of Veterans Affairs	7,866	10,640	1,395	1,975	21,876
Environmental Protection Agency	210	576	114	33	933
Equal Employment Opportunity Commission	67	12	0	0	79
Federal Communications Commission	0	56	0	0	56
Federal Housing Finance Agency	1	3	0	0	4
Federal Maritime Commission	6	0	0	0	6
Federal Trade Commission	1	2	1	0	4
General Services Administration	521	412	17	2	952
Government Printing Office	0	0	0	0	0
Library of Congress	4	4	1	6	15
National Aeronautics and Space Administration	334	1,312	461	387	2,494
National Archives & Records Administration	1	36	10	7	54
National Gallery of Art	0	6	2	3	11
National Labor Relations Board	13	1	0	0	14
National Science Foundation	22	240	181	68	511
National Transportation Safety Board	0	2	0	0	2
Nuclear Regulatory Commission	5	20	0	2	27
Office of Personnel Management	26	15	0	0	41
Peace Corps	17	578	0	12	607
Pretrial Services Agency for the Dist of Columbia	2	1	0	0	3
Small Business Administration	82	78	1	0	161
Smithsonian Institution	16	324	78	44	462
Social Security Administration	220	181	5	27	433
Tennessee Valley Authority	279	1,168	941	143	2,531
US Agency for Global Media	0	99	17	20	136
US Agency for International Development	69	475	19	20	583
US International Trade Commission	0	2	0	0	2
<b>TOTAL CIVILIAN AGENCIES</b>	<b>50,741</b>	<b>146,808</b>	<b>32,302</b>	<b>15,684</b>	<b>245,535</b>
<b>MILITARY</b>					
Corps of Engineers, Civil Works	554	4,066	1,800	649	7,069
Defense Agencies	1,823	2,333	525	670	5,351
Department of Air Force	4,372	22,186	13,207	8,919	48,684
Department of Army	15,021	27,104	12,340	7,226	61,691
Department of Navy	6,997	17,727	7,913	3,787	36,424
United States Marine Corps	3,255	4,888	1,901	1,791	11,835
<b>TOTAL MILITARY AGENCIES</b>	<b>32,022</b>	<b>78,304</b>	<b>37,686</b>	<b>23,042</b>	<b>171,054</b>
<b>U. S. POSTAL SERVICE</b>	<b>6,930</b>	<b>178,284</b>	<b>32,858</b>	<b>7,596</b>	<b>225,668</b>
<b>TOTAL ALL FLEETS</b>	<b>89,693</b>	<b>403,396</b>	<b>102,846</b>	<b>46,322</b>	<b>642,257</b>

**Note:** Light trucks include SUVs, vans, and pickups less than 8,500 lb gross vehicle weight (GVW). Medium trucks are 8,501-23,999 lb GVW and include ambulances. Heavy trucks are 24,000 lb GVW or more and include buses. Does not include low-speed vehicles.

**Source:**

U.S. General Services Administration, Federal Supply Service, *FY 2019 Federal Fleet Report*, Washington, DC, 2020, Table 2-1. (Additional resources: [www.gsa.gov](http://www.gsa.gov))

# HOUSEHOLD VEHICLES & CHARACTERISTICS

# Chapter 9



*Credit: Benjamin Rondel/The Image Bank/Getty Images*

*The number of vehicles in the United States is growing faster than the population. The growth in vehicle-miles has slowed to 1% per year from 2009-2019. See Table 9.2 for vehicles per capita and vehicle-miles per capita.*

**Table 9.1**  
**Population and Vehicle Profile, 1950–2019**

Year	Resident population <sup>a</sup> (thousands)	Total households (thousands)	Number of vehicles in operation (thousands)	Total vehicle-miles (millions)	Number of licensed drivers (thousands)	Number of civilian employed persons (thousands)
1950	151,868	43,554	43,501	458,246	62,194	58,920
1955	165,069	47,874	56,540	605,646	74,686	62,171
1960	179,979	52,799	67,906	718,762	87,253	65,778
1965	193,526	57,436	82,066	887,812	98,502	71,088
1970	205,052	63,401	98,136	1,109,724	111,543	78,628
1975	215,973	71,120	120,054	1,327,664	129,791	85,846
1980	227,226	80,776	139,831	1,527,295	145,295	99,303
1985	238,466	86,789	157,048	1,774,826	156,868	107,150
1990	250,132	93,347	179,299	2,144,362	167,015	118,793
1995	266,557	98,990	193,441	2,422,696	176,628	124,900
1996	269,667	99,627	198,294	2,485,848	179,539	126,708
1997	272,912	101,018	201,071	2,561,695	182,709	129,558
1998	276,115	102,528	205,043	2,631,522	184,980	131,463
1999	279,295	103,874	209,509	2,691,056	187,170	133,488
2000	282,385	104,705	213,300	2,746,925	190,625	136,891
2001	285,309	108,209	216,683	2,797,287	191,276	136,933
2002	288,105	109,297	221,027	2,855,508	194,296	136,485
2003	290,820	111,278	225,882	2,890,450	196,166	137,736
2004	293,463	112,000	232,167	2,964,788	198,889	139,252
2005	296,186	113,343	238,384	2,989,430	200,549	141,730
2006	298,996	114,384	244,643	3,014,371	202,810	144,427
2007	302,004	116,011	248,701	3,031,124	205,742	146,047
2008	304,798	116,783	249,813	2,976,528	208,321	145,362
2009	307,439	117,181	248,972	2,956,764	209,618	139,877
2010	309,322	117,538	248,231	2,967,266	210,115	139,064
2011	311,557	118,682	248,932	2,950,402	211,875	139,869
2012	313,831	121,084	251,497	2,969,433	211,815	142,469
2013	315,994	122,459	252,715	2,988,280	212,160	143,929
2014	318,301	123,229	258,027	3,025,656	214,092	146,305
2015	320,635	124,587	264,194	3,095,373	218,084	148,834
2016	322,941	125,819	270,566	3,174,408	221,712	151,436
2017	324,986	126,224	275,979	3,212,347	225,346	153,337
2018	326,688	127,586	281,499	3,240,327	227,558	155,761
2019	328,240	128,579	286,884	3,261,772	228,680	157,538
<i>Average annual percentage change</i>						
1950-2019	1.1%	1.6%	2.8%	2.9%	1.9%	1.4%
2009-2019	0.7%	0.9%	1.4%	1.0%	0.9%	1.2%

**Sources:**

Resident population and civilian employed persons – U.S. Department of Commerce, Bureau of the Census, Online Data Retrieval, Washington, DC, 2020. (Additional resources: [www.census.gov](http://www.census.gov))

Vehicles in operation – IHS Automotive. Used with permission. FURTHER REPRODUCTION PROHIBITED. (Additional resources: <https://www.ihs.com/industry/automotive.html>)

Licensed drivers and vehicle-miles – U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Tables DL-20 and VM-1, and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Estimates as of July 1. Includes Armed Forces in the United States.

*In 2019, vehicles per capita reached a new high of 0.874. Vehicle-miles per capita were over 10,000 miles from 2004 to 2007 but were 9,937 miles in 2019. There were 1.821 vehicles for every employed civilian in the United States in 2019.*

**Table 9.2**  
**Vehicles and Vehicle-Miles per Capita, 1950–2019<sup>a</sup>**

Year	Vehicles per capita	Vehicles per household	Vehicles per licensed driver	Vehicles per civilian employed persons	Vehicle-miles per capita	Vehicle-miles per licensed driver	
1950	0.286	0.999	0.699	0.738	3,017	7,368	
1955	0.343	1.181	0.757	0.909	3,669	8,109	
1960	0.377	1.286	0.778	1.032	3,994	8,238	
1965	0.424	1.429	0.833	1.154	4,588	9,013	
1970	0.479	1.548	0.880	1.247	5,412	9,949	
1975	0.556	1.688	0.925	1.398	6,147	10,229	
1980	0.614	1.731	0.962	1.408	6,707	10,512	
1985	0.659	1.810	1.001	1.466	7,443	11,314	
1990	0.717	1.921	1.074	1.509	8,573	12,839	
1995	0.726	1.954	1.095	1.549	9,089	13,716	
1996	0.735	1.990	1.104	1.565	9,218	13,846	
1997	0.737	1.990	1.100	1.552	9,387	14,021	
1998	0.743	2.000	1.108	1.560	9,531	14,226	
1999	0.750	2.017	1.119	1.569	9,635	14,378	
2000	0.755	2.037	1.119	1.558	9,728	14,410	
2001	0.759	2.002	1.133	1.582	9,804	14,624	
2002	0.767	2.022	1.138	1.619	9,911	14,697	
2003	0.777	2.030	1.151	1.640	9,939	14,735	
2004	0.791	2.073	1.167	1.667	10,103	14,907	
2005	0.805	2.103	1.189	1.682	10,093	14,906	
2006	0.818	2.139	1.206	1.694	10,082	14,863	
2007	0.824	2.144	1.209	1.703	10,037	14,733	
2008	0.820	2.139	1.199	1.719	9,766	14,288	
2009	0.810	2.125	1.188	1.780	9,617	14,105	
2010	0.803	2.112	1.181	1.785	9,593	14,122	
2011	0.799	2.097	1.175	1.780	9,470	13,925	
2012	0.801	2.077	1.187	1.765	9,462	14,019	
2013	0.800	2.064	1.191	1.756	9,457	14,085	
2014	0.811	2.094	1.205	1.764	9,506	14,133	
2015	0.824	2.100	1.211	1.775	9,654	14,193	
2016	0.838	2.133	1.220	1.787	9,830	14,318	
2017	0.849	2.186	1.225	1.800	9,885	14,255	
2018	0.862	2.206	1.237	1.807	9,919	14,240	
2019	0.874	2.231	1.255	1.821	9,937	14,263	
			<i>Average annual percentage change</i>				
1950-2019	1.6%	1.2%	0.9%	1.3%	1.7%	1.0%	
2009-2019	0.8%	0.5%	0.5%	0.2%	0.3%	0.1%	

**Sources:**

Resident population and civilian employed persons – U.S. Department of Commerce, Bureau of the Census, Online Data Retrieval, Washington, DC, 2021. (Additional resources: [www.census.gov](http://www.census.gov))

Vehicles in operation – IHS Automotive. Used with permission. FURTHER REPRODUCTION PROHIBITED. (Additional resources: <https://www.ihs.com/industry/automotive.html>)

Vehicle-miles – U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Table VM-1 and annual. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

<sup>a</sup> Includes all vehicles (light and heavy).

*In 1985 there was about one licensed driver for every vehicle in the United States. Since that time, there are more vehicles than licensed drivers. The average number of licensed drivers per household in 2019 was 1.779.*

**Table 9.3**  
**Licensed Driver Statistics, 1950–2019<sup>a</sup>**

Year	Licensed drivers per capita	Licensed drivers per capita 16 years old and up	Licensed drivers per household	Licensed drivers per vehicle	Licensed drivers per civilian employed persons
1950	0.410	b	1.428	1.430	1.056
1955	0.452	b	1.560	1.321	1.201
1960	0.485	b	1.653	1.285	1.326
1965	0.509	b	1.715	1.200	1.386
1970	0.544	b	1.759	1.137	1.418
1975	0.601	b	1.825	1.081	1.512
1980	0.638	b	1.799	1.039	1.463
1985	0.658	b	1.807	0.999	1.464
1990	0.668	0.861	1.789	0.931	1.406
1991	0.667	0.870	1.792	0.931	1.436
1992	0.674	0.885	1.810	0.954	1.461
1993	0.665	0.877	1.796	0.929	1.440
1994	0.666	0.880	1.806	0.929	1.425
1995	0.663	0.878	1.784	0.913	1.414
1996	0.666	0.881	1.802	0.905	1.417
1997	0.669	0.888	1.809	0.909	1.410
1998	0.670	0.888	1.804	0.902	1.407
1999	0.670	0.890	1.802	0.893	1.402
2000	0.675	0.886	1.821	0.894	1.393
2001	0.670	0.868	1.768	0.883	1.397
2002	0.674	0.869	1.778	0.879	1.424
2003	0.675	0.868	1.763	0.868	1.424
2004	0.678	0.870	1.776	0.857	1.428
2005	0.677	0.867	1.769	0.841	1.415
2006	0.678	0.866	1.773	0.829	1.404
2007	0.681	0.870	1.773	0.827	1.409
2008	0.683	0.873	1.784	0.834	1.433
2009	0.682	0.870	1.789	0.842	1.499
2010	0.679	0.862	1.788	0.846	1.511
2011	0.680	0.860	1.785	0.851	1.515
2012	0.675	0.852	1.749	0.842	1.487
2013	0.671	0.846	1.732	0.840	1.474
2014	0.673	0.846	1.737	0.830	1.463
2015	0.680	0.854	1.750	0.825	1.465
2016	0.687	0.860	1.762	0.819	1.464
2017	0.693	0.867	1.785	0.817	1.470
2018	0.697	0.869	1.784	0.808	1.461
2019	0.697	0.868	1.779	0.797	1.452
<i>Average annual percentage change</i>					
1950-2019	0.8%	b	0.3%	-0.8%	0.5%
2009-2019	0.2%	0.0%	-0.1%	-0.5%	-0.3%

**Sources:**

Resident population, population 16 years and older, and civilian employed persons – U.S. Department of Commerce, Bureau of the Census, Online Data Retrieval, Washington, DC, 2021. (Additional resources: [www.census.gov](http://www.census.gov))  
Vehicles in operation – IHS Automotive. Used with permission. FURTHER REPRODUCTION PROHIBITED. (Additional resources: <https://www.ihs.com/industry/automotive.html>)

<sup>a</sup> Includes all vehicles (light and heavy).

<sup>b</sup> Data are not available.

*Household vehicle ownership shows a dramatic increase from 1960 to 1990. In 1960, nearly 79% of households owned less than two vehicles; by 1990, it declined to 45%. Census data prior to 1990 indicated that the majority of households owned one vehicle; in 1990 that changed to two vehicles. Since 2000, less than 10% of households had no vehicles. The share of households with three or more vehicles peaked in 2018. The American Community Survey now collects these data on an annual basis, thus annual data are available after 2010.*

**Table 9.4**  
**Household Vehicle Ownership, 1960–2019**  
**(percentage)**

	No vehicles	One vehicle	Two vehicles	Three or more vehicles
1960	21.5%	56.9%	19.0%	2.5%
1970	17.5%	47.7%	29.3%	5.5%
1980	12.9%	35.5%	34.0%	17.5%
1990	11.5%	33.7%	37.4%	17.3%
2000	9.4%	33.8%	38.6%	18.3%
2010	9.1%	33.8%	37.6%	19.5%
2011	9.3%	34.1%	37.5%	19.1%
2012	9.2%	34.1%	37.3%	19.3%
2013	9.1%	33.9%	37.3%	19.7%
2014	9.1%	33.7%	37.3%	19.9%
2015	8.9%	33.5%	37.2%	20.3%
2016	8.7%	33.2%	37.1%	21.0%
2017	8.6%	32.7%	37.3%	21.5%
2018	8.5%	32.5%	37.1%	21.9%
2019	8.6%	32.7%	37.2%	21.4%

**Source:**

U. S. Department of Transportation, Volpe National Transportation Systems Center, *Journey-to-Work Trends in the United States and its Major Metropolitan Area, 1960–1990*, Cambridge, MA, 1994, p. 2-2.

2000 data – U.S. Bureau of the Census, American Fact Finder, [factfinder.census.gov](http://factfinder.census.gov), Table QT-04, August 2001.  
(Additional resources: [www.census.gov](http://www.census.gov))

2010-2019 data – U.S. Bureau of the Census, American Community Survey, 1-year estimates, Table CP04, 2020.

## 2017 National Household Travel Survey Daily Trip Data

The U. S. Department of Transportation (DOT) collected data on daily trips in 1969, 1977, 1983, 1990 and 1995 via the Nationwide Personal Transportation Survey (NPTS). For 2001, the DOT combined the collection of long trip and daily trip data into one survey – the 2001 National Household Travel Survey (NHTS). The long trip data were not included in the 2009 or 2017 NHTS.

The NHTS is the nation’s inventory of daily travel. The survey includes demographic characteristics of households, people, vehicles, and detailed information on daily travel for all purposes by all modes. NHTS survey data are collected from a sample of U.S. households and expanded to provide national estimates of trips and miles by travel mode, trip purpose, and a host of household attributes.

The NHTS was designed to continue the NPTS series, but as with all data surveys, caution should be used when comparing statistics from one survey to another due to changes in terminology, survey procedures, and target population. The NHTS surveys collected data on trips of children under 5 years of age, while the previous NPTS did not. Improved methodologies first used in the collection of trip information in the 1995 NPTS make it difficult to compare these data with past NPTS survey data. Thus, the 1990 NPTS trip data have been adjusted to make it comparable with the later surveys.

In the 2017 survey, households were able to respond online as well as by phone. The online survey included a mapping feature that allowed more accurate trip distances to be collected. These derived trip distances appear to be about 10% shorter than self-reported trips.

A vehicle trip in the NHTS is defined as a one-way trip by a single privately-operated vehicle regardless of the number of persons in the vehicle. A person trip is defined as a movement in the public space between two identifiable points. Two household members traveling together in one car would be counted as two person trips and one vehicle trip. Trips made in other highway vehicles, such as buses, streetcars, taxis (including Uber/Lyft), and school buses are collected in the NHTS, but these are shown as person trips by those modes because there is no way to trace movement of those vehicles throughout the day.

**Table 9.5**  
**Demographic Statistics from the 1969, 1977, 1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS**

	1969	1977	1983	1990	1995	2001	2009	2017	Percent change 1969–2017
Persons per household	3.16	2.83	2.69	2.56	2.63	2.58	2.50	2.55	-19%
Vehicles per household	1.16	1.59	1.68	1.77	1.78	1.89	1.87	1.87	61%
Workers per household	1.21	1.23	1.21	1.27	1.33	1.35	1.34	1.33	10%
Licensed drivers per household	1.65	1.69	1.72	1.75	1.78	1.77	1.88	1.89	14%
Vehicles per worker	0.96	1.29	1.39	1.40	1.34	1.39	1.40	1.41	47%
Vehicles per licensed driver	0.70	0.94	0.98	1.01	1.00	1.06	1.00	0.99	42%
Average vehicle trip length (miles)	8.89	8.34	7.90	8.98	9.06	9.87	9.72	9.55	7%

**Note:** Average vehicle trip length for 1990 and 1995 is calculated using only those records with trip mileage information present. The 1969 survey does not include pickups and other light trucks as household vehicles. Data on vehicles per household and licensed drivers per household will not match Table 9.2 and 8.3 because they come from a different source.

### Sources:

U.S. Department of Transportation, Federal Highway Administration, *1990 Nationwide Personal Transportation Survey: Summary of Travel Trends*, FHWA-PL-92-027, Washington, DC, March 1992, Table 2. Data for 1995, 2001, 2009, and 2017 were generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov). (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))



*Due to methodology improvements in collecting trip information, the 2001 and 1995 data should be compared only to the 1990 adjusted data. The original 1990 data are comparable to all previous surveys; however, comparisons should always be made with caution because of differing survey methodologies.*

**Table 9.6**  
**Average Annual Vehicle-Miles, Vehicle Trips, and Trip Length per Household**  
**1969, 1977, 1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS**

	Journey-to-work <sup>a</sup>	All trips
<i>Average annual vehicle-miles per household</i>		
1969	4,183	12,423
1977	3,815	12,036
1983	3,538	11,739
1990 original	4,853	15,100
1990 adjusted	4,853	18,161
1995	6,492	20,895
2001	5,724	21,171
2009	5,513	19,850
2017	5,379	20,629
<i>Average annual vehicle trips per household</i>		
1969	445	1,396
1977	423	1,442
1983	414	1,486
1990 original	448	1,702
1990 adjusted	448	2,077
1995	553	2,321
2001	479	2,171
2009	457	2,068
2017	450	1,865
<i>Average vehicle trip length (miles)</i>		
1969	9.4	8.9
1977	9.0	8.4
1983	8.5	7.9
1990 original	11.0	9.0
1990 adjusted	11.0	8.9
1995	11.8	9.1
2001	12.2	9.9
2009	12.2	9.7
2017	12.0	9.6

**Note:** A vehicle trip is defined as one start and end movement from location to location in a single privately-operated vehicle regardless of the number of persons in the vehicle. The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.

**Sources:**

U.S. Department of Transportation, Federal Highway Administration, *1990 Nationwide Personal Transportation Survey: Summary of Travel Trends*, FHWA-PL-92-027, Washington, DC, March 1992, Table 7. 1990 adjusted data – Oak Ridge National Laboratory, Oak Ridge, TN, August 1998. 1995 NPTS, 2001, 2009, 2017 NHTS data were generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov). (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov), [nhts.ornl.gov](http://nhts.ornl.gov))

<sup>a</sup> It is believed that the methodology changes in the 1995 NPTS did not affect journey-to-work trips; therefore, no adjustment is necessary.

*The number of drivers in a household makes a difference in vehicle miles of travel (vmt), as does the presence of children in the household. Households with children have 64% more vmt than households without children in 2017. Rural households have more vehicles, on average, than urban households.*

**Table 9.7**  
**Average Number of Vehicles and Vehicle Travel per Household,**  
**1990 NPTS and 2001, 2009, and 2017 NHTS**

Number of licensed drivers	Average number of vehicles per household				Average vehicle-miles traveled per household <sup>a</sup>			
	1990	2001	2009	2017	1990	2001	2009	2017
1	1.5	1.2	1.1	1.2	15,200	9,700	8,800	11,700
2	2.1	2.2	2.2	2.2	22,900	25,800	23,500	24,500
3	2.9	3.0	3.0	3.1	29,400	37,900	37,700	35,900
4 or more	3.8	3.8	3.9	4.1	40,500	47,200	55,200	48,400
<b>Household size</b>								
1 person	1.2	1.0	1.0	1.0	11,400	7,500	7,100	9,300
2 persons	1.9	2.0	2.0	2.0	19,300	21,200	17,500	20,100
3 persons	2.2	2.3	2.3	2.3	23,700	28,400	27,900	26,800
4 persons	2.4	2.4	2.4	2.5	25,300	28,600	33,200	30,000
5 persons	2.4	2.4	2.4	2.6	24,900	33,200	33,700	32,500
6 or more persons	2.7	2.5	2.4	2.7	29,200	33,800	33,600	34,400
<b>Household urban status</b>								
Urban	1.9	1.8	1.7	1.8	19,000	19,300	17,600	19,200
Rural	2.1	2.3	2.4	2.5	22,200	28,400	27,700	27,100
<b>Household composition</b>								
With children	2.2	2.2	2.2	2.2	24,100	28,300	30,400	27,800
Without children	1.8	1.7	1.7	1.7	17,600	16,700	14,400	17,100
<b>All households</b>	<b>1.8</b>	<b>1.9</b>	<b>1.9</b>	<b>1.9</b>	<b>18,300</b>	<b>21,200</b>	<b>19,900</b>	<b>20,600</b>

**Note:** The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.

**Source:**

Generated from the U.S. Department of Transportation, Federal Highway Administration, Nationwide Personal Transportation Survey Public Use Files, Washington, DC, 2000 and the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov). (Additional resources: [nhts.ornl.gov](https://nhts.ornl.gov))

<sup>a</sup> Average vehicle-miles traveled per household is the total movement in miles of all privately operated vehicles, regardless of the number of people in the vehicle, divided by the total number of households in the survey.

*In 2017, 24% of vehicle trips were traveling to and from work. Another 20% of trips were for shopping which is down slightly from 2001. Shopping is done close to home, as the average trip length for shopping was only seven miles.*

**Table 9.8**  
**Trip Statistics<sup>a</sup> by Trip Purpose, 2001 and 2017 NHTS**

Trip purpose	Share of trips		Share of vehicle-miles traveled		Trip length (miles)		Trip length (minutes)	
	2001	2017	2001	2017	2001	2017	2001	2017
To/from work	22.1%	24.1%	27.0%	30.2%	12.1	12.0	22.3	25.0
Work-related business	4.1%	2.0%	8.4%	3.2%	20.3	15.2	30.9	28.1
Shopping	21.1%	19.9%	14.5%	14.7%	6.7	7.0	14.4	16.1
Other family/personal business	24.7%	20.9%	18.7%	14.3%	7.5	6.6	15.2	16.1
School/church	4.9%	5.2%	3.7%	5.4%	7.5	9.9	15.8	20.2
Medical/dental	2.2%	2.4%	2.2%	2.4%	9.9	9.5	20.7	23.1
Visit friends/relatives	6.3%	5.7%	9.4%	8.8%	14.9	14.6	24.4	26.8
Other social/recreational	13.7%	15.8%	13.2%	14.6%	9.6	8.8	18.2	19.4
Other	0.5%	3.8%	1.0%	6.4%	18.1	16.0	31.4	31.1
All	100.0%	100.0%	100.0%	100.0%	9.9	9.6	18.7	20.6

**Note:** The "All" category for average trip length and duration includes records for which trip purpose was not identified. The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.


**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).

<sup>a</sup> Percentages may not sum to totals due to rounding.

*Overall, household vehicle occupancy remained the same in 2017 as in 2009. Sport utility vehicle occupancy declined from 1.90 to 1.83 from 2009 to 2017, while pickup truck occupancy stayed the same. Car occupancy was nearly the same in those years as well.*

**Figure 9.1. Average Household Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2009, 2017 NHTS**




**Note:** Average vehicle occupancy is mileage-weighted and only includes privately operated household vehicles.

**Sources:**

Generated from the U. S. Department of Transportation, Federal Highway Administration, Nationwide Personal Transportation Survey Public Use Files, Washington, DC, 2000 and the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov). (Additional resources: [nhts.ornl.gov](https://nhts.ornl.gov))

The average vehicle occupancy, calculated as person-miles per vehicle-mile, is highest for social and recreational purposes. The highest vehicle occupancy levels for all purposes were in 1977. The increase in number of vehicles per household and the decrease in average household size could have contributed to the decline since then.

**Figure 9.2. Average Household Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2009, 2017 NHTS**



**Note:** Average vehicle occupancy is mileage-weighted and only includes privately operated household vehicles. The “All purposes” category includes other purposes not shown above, such as trips to school, church, doctor, dentist, and work-related business.

**Sources:**

U.S. Department of Transportation, Federal Highway Administration, *1990 Nationwide Personal Transportation Survey: Summary of Travel Trends*, FHWA-PL-92027, Washington, DC, March 1992, Figure 6. Data from 2009 and 2017 NHTS were generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov). (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov), [nhts.ornl.gov](http://nhts.ornl.gov))

*The 1990 household survey reports the highest average annual miles per vehicle and the 2017 survey reports the lowest. These data show that younger vehicles are typically driven more miles than older vehicles.*

**Table 9.9**  
**Average Annual Miles per Household Vehicle by Vehicle Age,**  
**1983, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS**

Vehicle age (years)	1983 self-reported	1990 self-reported	1995 self-reported	2001 self-reported	2009 self-reported	2017 self-reported
Under 1	8,200	19,600	15,900	15,500	13,200	13,000
1	15,200	16,800	16,800	14,300	14,600	14,000
2	16,800	16,600	15,500	14,000	13,900	14,200
3	14,500	14,700	14,400	13,100	12,700	12,400
4	13,000	13,600	14,100	12,500	12,600	12,900
5	12,100	12,900	13,500	12,000	12,800	13,100
6	11,300	13,200	13,200	11,800	12,100	12,400
7	10,000	12,400	12,800	11,600	11,900	12,300
8	9,800	12,600	12,200	10,900	11,500	11,400
9	9,000	11,500	12,200	10,800	11,300	12,000
10 and older	7,300	9,200	8,900	7,400	9,300	9,400
All household vehicles	10,400	12,500	12,200	11,100	11,300	11,200

**Note:** Data include all household vehicles and have been rounded to the nearest hundred. The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.

**Sources:**

Nationwide Personal Transportation Study—1983: D. Klinger and J. Richard Kuzmyak, COMSIS Corporation, *Personal Travel in the United States, Volume 1: 1983–84 Nationwide Personal Travel Study*, prepared for the U.S. Department of Transportation, Washington, DC, August 1986, Table 4-22, p. 4-21. 1990: Generated from the *1990 Nationwide Personal Transportation Study Public Use Tape*, March 1992. 1995, 2001, 2009, and 2017: Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov). (Additional resources: [nhts.ornl.gov](http://nhts.ornl.gov))

*Historically, the data from the Nationwide Personal Transportation Survey (NPTS) are based on estimates reported by survey respondents. For the 1995 NPTS and the 2001 National Household Travel Survey (NHTS), odometer data were also collected. The 1995 data indicate that respondents overestimate the number of miles they drive in a year, but the 2001 data do not show that same trend.*

**Table 9.10**  
**Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS and 2001 NHTS**


Vehicle age (years)	1995 self-reported	1995 odometer	2001 self-reported	2001 odometer
Under 1	15,900	15,600	15,500	14,500
1	16,800	14,500	14,300	14,200
2	15,500	14,800	14,000	13,700
3	14,400	13,800	13,100	14,100
4	14,100	12,900	12,500	13,400
5	13,500	12,700	12,000	12,900
6	13,200	12,400	11,800	12,400
7	12,800	11,600	11,600	12,100
8	12,200	11,300	10,900	11,300
9	12,200	11,200	10,800	10,500
10 and older	8,900	9,000	7,400	8,100
All household vehicles	12,200	11,800	11,000	11,800

**Note:** The 2009 NHTS did not collect similar data. Survey methodology on odometer reading data differs from 1995 to 2001 data.

**Source:**

Generated from the 2009 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov) and 2001 NHTS public use file.


**Figure 9.3. Share of Vehicle Trips by Trip Distance, 2017 NHTS**



**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov).

**Figure 9.4. Share of Vehicle Trips to Work by Trip Distance, 2017 NHTS**



**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov).



*Fifteen percent of new vehicles (1-year-old and under) travel over 20,000 miles per year. Seventy-five percent of the vehicles over 20 years old travel less than 4,000 miles in a year.*

**Table 9.11**  
**Share of Vehicles by Annual Miles of Travel and Vehicle Age, 2017 NHTS**

Annual vehicle miles of travel	Vehicle age (years)						
	1 and under	2	3	4	5	6	7
< 1,000 miles	2%	2%	2%	3%	3%	3%	3%
1 - 2,000 miles	2%	2%	3%	3%	2%	3%	3%
2 - 4,000 miles	7%	8%	7%	6%	7%	7%	7%
4 - 6,000 miles	9%	11%	11%	8%	8%	9%	10%
6 - 8,000 miles	10%	10%	11%	10%	11%	11%	11%
8 - 10,000 miles	11%	13%	12%	12%	13%	12%	13%
10 - 12,000 miles	11%	11%	12%	11%	12%	12%	12%
12 - 15,000 miles	14%	13%	15%	15%	13%	15%	14%
15 - 20,000 miles	15%	15%	14%	17%	16%	13%	14%
20 - 30,000 miles	13%	10%	11%	11%	12%	11%	9%
>30,000 miles	6%	5%	3%	4%	4%	4%	4%
All	100%	100%	100%	100%	100%	100%	100%
	Vehicle age (years)						
	8	9	10	11-15	16-20	Over 20	
< 1,000 miles	5%	4%	4%	6%	9%	16%	
1 - 2,000 miles	3%	3%	4%	5%	8%	10%	
2 - 4,000 miles	9%	9%	8%	12%	15%	17%	
4 - 6,000 miles	10%	12%	11%	13%	16%	16%	
6 - 8,000 miles	13%	12%	12%	13%	13%	11%	
8 - 10,000 miles	12%	11%	12%	12%	10%	8%	
10 - 12,000 miles	10%	11%	10%	10%	8%	6%	
12 - 15,000 miles	13%	13%	13%	11%	7%	5%	
15 - 20,000 miles	12%	13%	12%	10%	7%	5%	
20 - 30,000 miles	9%	9%	10%	6%	5%	4%	
>30,000 miles	3%	4%	3%	3%	2%	1%	
All	100%	100%	100%	100%	100%	100%	

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://www.nhts.gov). (Additional resources: [nhts.ornl.gov](https://www.nhts.gov))

*The average driver made 2.7 trips per day with an average of 9.6 miles for each trip in 2017.*

**Table 9.12**  
**Household Vehicle Trips, 1990, 1995 NPTS and 2001, 2009, 2017 NHTS**


	Number of daily vehicle trips (per driver)	Average vehicle trip length (miles)	Daily vehicle miles of travel (per driver)
1990	3.3	8.9	28.5
1995	3.6	9.1	32.1
2001	3.4	9.9	32.7
2009	3.0	9.7	29.0
2017	2.7	9.6	25.9

**Note:** The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).

**Figure 9.5. Average Daily Miles Driven (per Driver), 2017 NHTS**



**Note:** Center city = urban area; suburban = urban cluster and area surrounded by urban areas; rural = not in urban area.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).

**Table 9.13**  
**Daily Vehicle Miles of Travel (per Vehicle) by Number of Vehicles**  
**in the Household, 2001, 2009, and 2017 NHTS**

Number of household vehicles	Daily miles per vehicle		
	2001	2009	2017
1	25.6	29.1	30.9
2	27.5	32.7	32.2
3	24.2	31.3	30.6
4	23.0	30.2	28.3
5	21.1	27.6	27.4
More than 5	18.4	27.2	24.7
All	25.2	31.1	30.5

**Note:** The 2017 survey featured some online trip mapping which collected more accurate trip distances. The derived distances appear to be about 10% shorter than self-reported trips.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).


**Table 9.14**  
**Daily and Annual Vehicle Miles of Travel and Average Age for**  
**Each Vehicle in a Household, 2017 NHTS**

Vehicle number	Average daily miles	Average annual miles	Average age (years)
One-vehicle household			
1	31.0	11,300	9.3
Two-vehicle household			
1	44.1	16,100	8.2
2	20.3	7,400	9.8
Three-vehicle household			
1	50.7	18,500	9.0
2	27.1	9,900	10.3
3	13.4	4,900	13.1
Four-vehicle household			
1	52.9	19,300	9.6
2	30.4	11,100	11.0
3	18.6	6,800	12.4
4	9.6	3,500	14.9
Five-vehicle household			
1	56.2	20,500	9.9
2	34.0	12,400	11.6
3	22.2	8,100	13.3
4	14.5	5,300	14.2
5	7.7	2,800	15.9
Six-vehicle household			
1	58.6	21,400	10.6
2	35.6	13,000	12.0
3	24.9	9,100	13.4
4	17.5	6,400	15.7
5	10.4	3,800	16.9
6	4.9	1,800	18.0

**Source:**


Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).

**Figure 9.6. Daily Vehicle Miles of Travel for Each Vehicle in a Household, 2017 NHTS**



**Source:**  
Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://www.nhts.gov).


**Figure 9.7. Annual Vehicle Miles of Travel for Each Vehicle in a Household, 2017 NHTS**



**Source:**  
Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://www.nhts.gov).

*Household vehicles fueled with gasoline were driven an average of 11,103 miles in 2017, while electric vehicles were driven an average of 10,582.*

**Figure 9.8. Annual Vehicle Miles of Travel by Fuel Type, 2017 NHTS**



**Note:** HEV = hybrid-electric vehicle. PHEV = plug-in hybrid vehicle. Includes household vehicles only.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov).

**Table 9.15**  
**Characteristics of U.S. Daily per Vehicle Driving by Housing Density, 2017 NHTS**

Housing units per square mile <sup>a</sup>	Share of vehicles in density type	Hours per vehicle per day	Average vehicle speed (miles/hour)	Miles per vehicle per day
0–99	21.5%	0.79	34.1	26.8
100–499	19.7%	0.87	31.0	27.1
500–999	14.1%	0.90	29.1	26.0
1,000–1,999	19.8%	0.96	26.1	25.0
2,000–3,999	16.3%	1.05	24.0	25.3
4,000–9,999	6.3%	1.14	22.2	25.2
10,000–24,999	1.8%	1.31	16.7	21.8
25,000–999,999	0.6%	1.14	16.9	19.2
All	100.0%	0.93	27.9	25.9

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov).

*The ability to charge an electric vehicle (EV) at home depends upon access to electricity. A home with a garage or carport is more likely to have electricity access close to the vehicle, thus making it more convenient to refuel. Nearly three-fourths of newly constructed homes and 82% of single-unit dwellings had a garage or carport in 2019.*

**Table 9.16**  
**Housing Unit Characteristics, 2019**

	Share of occupied housing units	Percent with garage or carport
<b>Housing unit age</b>		
New construction (< 2 years)	0.8%	73.4%
New construction (2-5 years)	2.0%	71.4%
Older construction (6+ years)	97.2%	66.6%
<b>Housing unit structure</b>		
Single-unit dwelling	69.1%	82.2%
Multi-unit dwelling	25.3%	30.3%
Manufactured/mobile homes	5.4%	39.7%
Other	0.1%	<sup>a</sup>
<b>Geographic location (Census Region)</b>		
Northeast	17.8%	52.2%
Midwest	22.0%	75.1%
South	37.7%	60.9%
West	22.5%	79.7%
<b>Urban/Rural location</b>		
Rural	1.5%	62.2%
Urban, adjacent to metropolitan area	13.8%	65.0%
Metropolitan area	84.7%	67.1%
<b>Household Income</b>		
Less than \$10,000	8.3%	43.8%
\$10,000 to \$19,999	8.3%	45.2%
\$20,000 to \$29,999	8.4%	52.2%
\$30,000 to \$39,999	8.9%	59.1%
\$40,000 to \$49,999	7.8%	61.1%
\$50,000 to \$59,999	7.5%	64.1%
\$60,000 to \$79,999	12.7%	70.4%
\$80,000 to \$99,999	9.3%	75.8%
\$100,000 to \$119,999	7.4%	80.6%
\$120,000 or more	21.3%	84.9%
<b>Household Race</b>		
White only	78.1%	70.2%
Black only	13.8%	46.4%
American Indian or Alaska Native only	1.2%	49.0%
Asian only	5.1%	73.8%
Pacific Islander only	0.3%	67.2%
Two or more races	1.5%	60.4%
<b>Tenure</b>		
Owner	64.0%	81.7%
Renter	36.0%	40.0%
<b>All occupied units</b>	<b>124,135,000 units</b>	<b>66.7%</b>

**Note:** The American Housing Survey is updated every two years.

**Source:**

U.S. Bureau of the Census, *2019 American Housing Survey*, Table Creator, accessed September 22, 2021. (Additional information: [www.census.gov/programs-surveys/ahs](http://www.census.gov/programs-surveys/ahs))

<sup>a</sup> Data withheld.

*Trips to and from work by 21 different modes averaged 11.45 miles and 26.58 minutes in 2017. Sixty-two percent of workers traveled less than 30 minutes to work in 2019.*

**Table 9.17**  
**Average Length and Duration of Trips To and From Work by Mode, 2017 NHTS**

Mode	Trip Length (miles)	Trip Duration (minutes)
Walk	1.19	15.26
Bicycle	2.72	21.79
Car	12.21	25.47
SUV	10.76	23.79
Van	10.73	23.33
Pickup truck	12.60	25.97
Golf cart / Segway	0.39	5.00
Motorcycle / Moped	10.12	22.53
RV (motor home, ATV, snowmobile)	5.37	16.19
School bus	5.78	36.03
Public or commuter bus	10.35	56.97
Paratransit / Dial-a-ride	8.63	41.51
Private / Charter / Tour / Shuttle bus	19.32	50.94
City-to-city bus (Greyhound, Megabus)	58.97	117.86
Amtrak / Commuter rail	25.57	78.13
Subway / elevated / light rail / streetcar	9.90	53.41
Taxi / limo (including Uber / Lyft)	5.91	22.54
Rental car (including Zipcar / Car2Go)	15.68	26.22
Airplane	718.69	134.83
Boat / ferry / water taxi	11.64	55.34
Something else	37.79	52.99
All	11.45	26.58

**Note:** A trip is defined as a movement in the public space between two identifiable points.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](http://nhts.ornl.gov).

**Table 9.18**  
**Workers by Commute Time, 1990, 2000, 2010, and 2019**

Commute time (one-way)	1990	2000	2010	2019
Less than 15 minutes	32.5%	29.4%	28.6%	25.5%
15–29 minutes	37.0%	36.1%	36.2%	36.0%
30–39 minutes	15.2%	15.8%	16.1%	16.8%
40–59 minutes	9.2%	10.7%	11.1%	12.3%
60 minutes or more	6.1%	8.0%	8.0%	9.3%
Average travel time (minutes)	22.4	25.5	25.2	26.9

**Sources:**

1990-2000 – U.S. Bureau of the Census, *Journey to Work: 2000*, Tables 1 and 2, 1990-2000, March 2004.

2010-2019 – U.S. Bureau of the Census, *2015-2019 American Community Survey, 5-Year Estimates*, Tables S0802 and B08303. (Additional [www.census.gov](http://www.census.gov), [data.census.gov/cedsci](http://data.census.gov/cedsci))



According to the U.S. Census data, the share of workers who car pooled has dropped from 19.7% in 1980 to 9.0% in 2019. The share of workers using public transportation declined from 6.2% to 5.0% in the same time period. Those driving alone and those working at home increased. The average travel time increased by 5.2 minutes from 1980 to 2019. The American Community Survey (ACS) now collects journey-to-work data on an annual basis. It shows the average commute time as 26.9 minutes in 2019.

**Table 9.19**  
**Means of Transportation to Work, 1980, 1990, 2000, and 2019**

Means of transportation	1980 Census		1990 Census		2000 Census		2019 ACS	
	Number of workers (thousands)	Share	Number of workers (thousands)	Share	Number of workers (thousands)	Share	Number of workers (thousands)	Share
Private vehicle	81,258	84.1%	99,593	86.5%	112,737	87.9%	130,348	85.3%
<i>Drove alone</i>	62,193	64.4%	84,215	73.2%	97,102	75.7%	116,585	76.3%
<i>Car pooled</i>	19,065	19.7%	15,378	13.4%	15,635	12.2%	13,764	9.0%
Public transportation	6,008	6.2%	5,889	5.1%	5,868	4.6%	7,641	5.0%
<i>Bus or trolley bus<sup>a</sup></i>	3,925	4.1%	3,445	3.0%	3,207	2.5%	3,664	2.4%
<i>Streetcar or trolley car<sup>a</sup></i>	<i>b</i>	<i>b</i>	78	0.1%	73	0.1%	120	0.1%
<i>Subway or elevated</i>	1,529	1.6%	1,755	1.5%	1,886	1.5%	2,890	1.9%
<i>Railroad</i>	554	0.6%	574	0.5%	658	0.5%	120	0.1%
<i>Ferryboat</i>	<i>b</i>	<i>b</i>	37	0.0%	44	0.0%	64	0.0%
Taxicab	167	0.2%	179	0.2%	200	0.2%	286	0.2%
Motorcycle	419	0.4%	237	0.2%	142	0.1%	238	0.2%
Bicycle	468	0.5%	467	0.4%	488	0.4%	838	0.5%
Walked only	5,413	5.6%	4,489	3.9%	3,759	2.9%	4,074	2.7%
Other means	703	0.7%	809	0.7%	901	0.7%	1,412	0.9%
Worked at home	2,180	2.3%	3,406	3.0%	4,184	3.3%	7,899	5.2%
Total workers	96,616	100.0%	115,069	100.0%	128,279	100.0%	152,736	100.0%
Average travel time (minutes)	21.7		22.4		25.5		26.9	

**Sources:**

1980-1990 data – Provided by the Journey-to-Work and Migration Statistics Branch, Population Division, U.S. Bureau of the Census.

2000 data – U.S. Bureau of the Census, *Journey to Work: 2000*, Tables 1 and 2, 1990-2000, March 2004 ([www.census.gov/population/www/socdemo/journey.html](http://www.census.gov/population/www/socdemo/journey.html)).


2019 data – U.S. Bureau of the Census, *2015-2019 American Community Survey Five-Year Estimates*, "Explore Census Data," Beta version. ([www.census.gov/data.census.gov/cedsci](http://www.census.gov/data.census.gov/cedsci))

<sup>a</sup> This category was "Bus or streetcar" in 1980.

<sup>b</sup> Data are not available.

*In 2017, 6% of walk trips and 20% of bike trips were to/from work. Thirty-one percent of all bike trips were for social/recreational purposes. Fourteen percent of walk trips were shopping trips.*

**Figure 9.9. Walk and Bike Trips by Trip Purpose, 2017 NHTS**



**Note:** Percentages may not sum to totals due to rounding.

**Source:**

Generated from the 2017 National Household Travel Survey website [nhts.ornl.gov](https://nhts.ornl.gov).

*After 2001, only data on daily trips were collected in the NHTS. The 2001 data are still the latest available on long-distance trips.*

## **Long Distance Trips – 2001 National Household Travel Survey**

The 2001 National Household Travel Survey (NHTS) collected data on long-distance trips as well as everyday travel. The everyday travel data is a continuation of the Nationwide Personal Transportation Survey (NPTS), while the long-distance travel data is a continuation of the American Travel Survey (ATS) which was collected in 1977 and 1985. The survey collected trip-related data such as mode of transportation, duration, distance and purpose of trip. It also gathered demographic, geographic, and economic data for analysis purposes.

A long-distance trip is defined as a trip of 50 miles or more, one-way. Long-trip data from the 2001 NHTS were released in the summer of 2004. For additional information about the 2001 NHTS data, go to the following website: [nhts.ornl.gov](http://nhts.ornl.gov).

**Table 9.20**  
**Long-Distance Trip<sup>a</sup> Characteristics, 2001 NHTS**

Trip characteristic	Person trips		Person miles	
	(thousands)	(percent)	(thousands)	(percent)
Total	2,554,068	100.0	1,138,322,697	100.0
Principal means of transportation:				
Personal use vehicles	2,310,376	90.5	735,882,255	64.7
Airplane	165,039	6.5	367,888,741	32.3
Commercial airplane	158,880	6.2	361,717,015	31.8
Bus <sup>b</sup>	52,962	2.1	23,747,433	2.1
Intercity bus	3,456	0.1	1,765,696	0.2
Charter, tour, or school bus	45,952	1.8	21,019,942	1.9
Train	20,672	0.8	9,266,373	0.8
Round trip distance:				
100 to 300 miles	1,688,358	66.1	284,586,370	25.0
300 to 499 miles	373,550	14.6	143,571,597	12.6
500 to 999 miles	261,802	10.3	180,669,482	15.9
1,000 to 1,999 miles	125,665	4.9	178,629,838	15.7
2,000 miles or more	104,694	4.1	350,865,409	30.8
Mean (miles)	446	c	c	c
Median (miles)	206	c	c	c
Calendar quarter:				
1st quarter	566,502	22.2	246,556,190	21.7
2nd quarter	653,310	25.6	298,154,812	26.2
3rd quarter	734,878	28.8	341,021,290	30.0
4th quarter	599,378	23.5	252,590,405	22.2
Main purpose of trip:				
Commuting	329,395	12.9	65,877,968	5.8
Other business	405,866	15.9	242,353,212	21.3
Personal/leisure	1,406,411	55.1	667,471,358	58.7
Personal business	322,645	12.6	130,020,982	11.4
Other	88,230	3.5	32,031,679	2.8
Nights away from home:				
None	1,454,847	57.0	304,469,524	26.8
1 to 3 nights	808,281	31.7	414,219,147	36.4
4 to 7 nights	214,464	8.4	269,265,597	23.7
8 or more nights	76,475	3.0	150,368,429	13.2
Destination:				
Within Census division	2,077,810	81.4	549,651,116	48.3
Across Census division, within Census	196,890	7.7	134,930,113	11.9
Across Census region	279,367	10.9	453,741,468	39.9

**Note:** Long-distance trips were not included in the 2009 or 2017 NHTS.

**Source:**

U.S. Bureau of Transportation Statistics and the U.S. Federal Highway Administration, *2001 National Household Transportation Survey*. (Additional resources: [nhts.ornl.gov](http://nhts.ornl.gov))

<sup>a</sup> A long-distance trip is defined as a trip of 50 miles or more, one-way.

<sup>b</sup> Includes other types of buses.

<sup>c</sup> Not applicable.

# NONHIGHWAY MODES

# Chapter 10



*Credit: Bfk92/E+/Getty Images*

*Nonhighway transportation modes accounted for 18.7% of total transportation energy use in 2018.*

**Table 10.1**  
**Nonhighway Energy Use Shares, 1970–2019**

Year	Share of transportation energy use					Nonhighway total	Transportation total (trillion Btu) <sup>a</sup>
	Air	Water	Pipeline	Rail			
1970	8.5%	5.5%	5.4%	3.5%		22.9%	15,192
1975	7.2%	5.4%	4.0%	3.1%		19.7%	17,204
1976	7.0%	5.9%	3.5%	3.1%		19.6%	18,266
1977	7.1%	6.2%	3.3%	3.0%		19.7%	18,951
1978	7.1%	6.9%	3.1%	2.9%		20.1%	19,922
1979	7.6%	5.9%	3.6%	3.0%		20.2%	19,473
1980	7.6%	7.4%	3.9%	3.0%		22.0%	18,760
1981	7.8%	6.8%	4.0%	2.9%		21.6%	18,558
1982	8.0%	5.9%	3.8%	2.5%		20.3%	18,055
1983	7.9%	5.4%	3.2%	2.5%		19.0%	18,188
1984	8.6%	5.1%	3.3%	2.7%		19.7%	18,773
1985	8.8%	4.6%	3.1%	2.5%		19.0%	19,017
1986	9.1%	6.6%	2.9%	2.3%		20.8%	20,086
1987	9.2%	6.7%	3.0%	2.3%		21.2%	20,578
1988	9.4%	6.7%	3.4%	2.3%		21.7%	21,131
1989	9.2%	7.1%	3.4%	2.2%		21.9%	21,487
1990	9.6%	6.7%	3.6%	2.2%		22.1%	21,383
1991	9.1%	7.3%	3.3%	2.1%		21.8%	20,985
1992	9.0%	7.4%	3.2%	2.1%		21.6%	21,646
1993	9.0%	6.5%	3.3%	2.1%		20.9%	22,125
1994	9.1%	6.1%	3.5%	2.2%		20.9%	22,729
1995	9.2%	6.3%	3.5%	2.2%		21.2%	23,263
1996	9.3%	5.9%	3.4%	2.3%		20.9%	23,773
1997	9.5%	5.2%	3.5%	2.2%		20.5%	24,126
1998	9.3%	5.0%	3.0%	2.2%		19.5%	24,461
1999	9.6%	5.3%	2.9%	2.2%		20.0%	25,760
2000	9.8%	5.6%	2.8%	2.1%		20.4%	26,071
2001	9.3%	4.6%	2.8%	2.2%		18.9%	25,741
2002	8.5%	4.7%	2.9%	2.1%		18.3%	26,329
2003	8.5%	4.0%	2.6%	2.2%		17.3%	26,509
2004	9.1%	4.8%	2.5%	2.3%		18.6%	26,965
2005	9.3%	5.0%	2.5%	2.2%		19.0%	27,373
2006	9.1%	5.2%	2.5%	2.3%		19.1%	27,546
2007	8.7%	5.3%	2.5%	2.1%		18.6%	29,004
2008	8.4%	5.1%	2.6%	2.1%		18.2%	28,365
2009	7.9%	4.9%	2.9%	1.8%		17.5%	26,878
2010	8.0%	5.4%	2.9%	2.0%		18.2%	26,949
2011	8.2%	5.2%	3.0%	2.1%		18.5%	26,357
2012	8.0%	4.4%	3.2%	2.1%		17.8%	25,966
2013	7.9%	3.9%	3.6%	2.2%		17.6%	25,868
2014	7.9%	3.4%	3.1%	2.3%		16.7%	25,949
2015	8.1%	3.9%	3.0%	2.2%		17.1%	26,084
2016	8.2%	4.2%	3.0%	2.0%		17.4%	26,485
2017	8.4%	4.3%	3.1%	2.0%		17.8%	26,593
2018	8.8%	4.2%	3.7%	2.1%		18.7%	26,826
2019	8.9%	3.8%	4.0%	2.0%		18.7%	26,600

**Source:**

See Appendix A, Section 2.3. Nonhighway Energy Use.

<sup>a</sup> Only end-use energy was counted for electricity. Before Edition 36, primary energy use (which included generation and distribution losses) was shown in this table.

*These data include ALL international and domestic certificated route air carrier statistics; therefore, the data are different than those in Chapter 2. The effects of the pandemic are evident in the 2020 data. Revenue passenger-miles declined by 64% from 2019 to 2020.*

**Table 10.2**  
**Summary Statistics for U.S. Domestic and International Certificated**  
**Route Air Carriers (Combined Totals), 1970–2020<sup>a</sup>**

Year	Revenue aircraft-miles (millions)	Revenue passenger-miles (millions)	Available seat-miles (millions)	Available seats per aircraft <sup>b</sup>	Passenger load factor (percentage) <sup>c</sup>	Revenue cargo ton-miles (millions)	Energy use (trillion Btu) <sup>d</sup>
1970	2,542	148,137	264,904	104	55.9%	3,755	1,363.4
1975	2,241	173,324	315,823	141	54.9%	5,062	1,283.4
1980	2,924	267,722	448,479	153	59.7%	7,885	1,386.0
1985	3,462	351,073	565,677	163	62.1%	9,048	1,701.4
1990	4,724	472,236	753,211	159	62.7%	16,403	2,180.2
1995	5,627	558,794	832,081	148	67.2%	23,375	2,338.6
1996	5,855	596,164	859,721	147	69.3%	24,892	2,409.1
1997	6,025	620,029	880,715	146	70.4%	27,610	2,513.6
1998	6,220	634,933	899,029	145	70.6%	28,015	2,459.5
1999	6,558	668,626	942,311	144	71.0%	25,147	2,665.0
2000	6,946	708,926	981,080	141	72.3%	30,221	2,750.4
2001	6,814	664,849	950,519	139	69.9%	27,882	2,592.5
2002	6,834	655,215	913,898	134	71.7%	30,507	2,430.1
2003	7,367	674,160	922,440	125	73.1%	32,446	2,470.6
2004	7,479	752,341	1,000,193	134	75.2%	37,958	2,657.2
2005	7,716	795,117	1,029,316	133	77.2%	39,286	2,693.3
2006	8,220	810,086	1,027,526	125	78.8%	38,251	2,661.1
2007	8,415	842,007	1,060,093	126	79.4%	38,433	2,684.6
2008	8,142	823,783	1,040,840	128	79.1%	35,227	2,547.8
2009	7,534	779,997	975,307	129	80.0%	30,317	2,303.2
2010	7,666	809,051	991,934	129	81.6%	35,209	2,335.3
2011	7,783	825,916	1,012,597	130	81.6%	35,713	2,370.3
2012	7,727	832,733	1,012,261	131	82.3%	34,937	2,287.7
2013	7,725	848,000	1,025,616	133	82.7%	33,561	2,271.3
2014	7,740	869,688	1,048,107	135	83.0%	34,471	2,265.3
2015	7,877	908,795	1,090,185	138	83.4%	35,011	2,342.1
2016	8,077	939,240	1,131,983	140	83.0%	35,920	2,385.2
2017	8,223	969,904	1,168,055	142	83.0%	39,867	2,433.9
2018	8,545	1,016,994	1,220,539	143	83.3%	42,629	2,531.2
2019	8,763	1,061,005	1,259,515	144	84.2%	42,220	2,592.6
2020	5,288	382,096	655,534	124	58.3%	45,352	1,549.9
			<i>Average annual percentage change</i>				
1970-2020	1.5%	1.9%	1.8%	0.3%	0.1%	5.1%	0.3%
2010-2020	-3.6%	-7.2%	-4.1%	-0.4%	-3.3%	2.6%	-4.0%

**Sources:**

U.S. Department of Transportation, Bureau of Transportation Statistics, [www.transtats.bts.gov](http://www.transtats.bts.gov). (Additional resources: [www.bts.gov](http://www.bts.gov))

1970–76 Energy Use – U.S. Department of Transportation, Civil Aeronautics Board, *Fuel Cost and Consumption*, Washington, DC, 1981, and annual.

<sup>a</sup> Data are for all U.S. air carriers reporting on Form 41.

<sup>b</sup> Available seats per aircraft is calculated as the ratio of available seat-miles to revenue aircraft-miles.

<sup>c</sup> Passenger load factor is calculated as the ratio of revenue passenger-miles to available seat-miles for scheduled and nonscheduled services.

<sup>d</sup> Energy use includes fuel purchased abroad for international flights.

*General aviation includes: (1) aircraft operating under general operating and flight rules; (2) not-for-hire airplanes with a seating capacity of 20 or more or a maximum payload capacity of 6,000 lbs. or more; (3) rotorcraft external load operations; (4) on-demand and commuter operations not covered under Federal Aviation Regulations Part 121; and (5) agricultural aircraft operations.*

**Table 10.3**  
**Summary Statistics for General Aviation, 1970–2019**

Calendar year	Total number of aircraft	Aircraft hours flown (thousands)	Energy use (trillion Btu)
1970	131,700 <sup>a</sup>	26,030 <sup>b</sup>	94.3
1975	168,475	30,298	110.7
1980	211,045	41,016	165.9
1985	196,500	31,456	143.9
1986	205,300	31,782	147.9
1987	202,700	30,883	139.1
1988	196,200	31,114	148.5
1989	205,000	32,332	134.1
1990	198,000	32,096	131.8
1991	196,874	29,862	120.0
1992	185,650	26,747	103.7
1993	177,120	24,455	93.6
1994	172,935	24,092	95.3
1995	188,089	26,612	106.6
1996	191,129	26,909	111.0
1997	192,414	27,713	121.1
1998	204,710	28,100	147.4
1999	219,464	31,231	172.1
2000	217,533	29,960	175.2
2001	211,446	27,017	165.1
2002	211,244	27,040	141.5
2003	209,708	27,329	141.4
2004	219,426	28,126	175.9
2005	224,352	26,982	242.4
2006	221,943	27,705	256.3
2007	231,607	27,852	243.6
2008	228,663	26,009	265.7
2009	223,877	23,763	210.3
2010	223,370	24,802	221.2
2011	220,770	24,570	227.1
2012	209,034	24,403	228.8
2013	199,927	22,876	203.6
2014	204,408	23,271	221.0
2015	210,030	24,142	208.9
2016	211,793	24,833	217.8
2017	211,757	25,212	232.2
2018	211,749	25,506	272.8
2019	210,981	25,566	227.1
	<i>Average annual percentage change</i>		
1970-2019	1.0%	0.0%	1.8%
2009-2019	-0.6%	0.7%	0.8%

**Sources:**

U.S. Department of Transportation, Federal Aviation Administration, *General Aviation and Part 135 Activity Surveys, CY 2019*, Tables 1.1, 1.4, 5.1, and annual. 2011 Data: *Aviation Forecasts*, Tables 28 and 29, May 2013. (Additional resources: [www.faa.gov/data-research/aviation\\_data\\_statistics/general\\_aviation](http://www.faa.gov/data-research/aviation_data_statistics/general_aviation))

<sup>a</sup> Active fixed-wing general aviation aircraft only.

<sup>b</sup> Includes rotorcraft.



*In the early seventies, domestic waterborne commerce accounted for over 60% of total tonnage, but by 1994 foreign tonnage grew to more than half of all waterborne tonnage. Total foreign and domestic tons shipped reached a peak of 2.59 billion tons in 2006 and in 2019 were 2.36 billion tons.*

**Table 10.4**  
**Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2019**  
**(million tons shipped)**

Year	Foreign and domestic total	Foreign total <sup>a</sup>	Domestic total <sup>b</sup>	Percent domestic of total
1970	1,532	581	951	62.1%
1975	1,695	749	946	55.8%
1980	1,999	921	1,077	53.9%
1985	1,788	774	1,014	56.7%
1990	2,164	1,042	1,122	51.8%
1995	2,240	1,147	1,093	48.8%
1996	2,284	1,183	1,101	48.2%
1997	2,333	1,221	1,113	47.7%
1998	2,340	1,245	1,094	46.8%
1999	2,323	1,261	1,062	45.7%
2000	2,425	1,355	1,070	44.1%
2001	2,393	1,351	1,042	43.5%
2002	2,340	1,319	1,021	43.6%
2003	2,394	1,378	1,016	42.4%
2004	2,552	1,505	1,050	41.0%
2005	2,527	1,499	1,029	40.7%
2006	2,588	1,565	1,028	39.5%
2007	2,564	1,543	1,022	39.9%
2008	2,477	1,521	956	38.6%
2009	2,211	1,354	858	38.8%
2010	2,335	1,441	894	38.3%
2011	2,368	1,480	892	37.5%
2012	2,307	1,422	890	38.4%
2013	2,274	1,383	891	39.2%
2014	2,346	1,409	937	39.9%
2015	2,279	1,374	905	39.7%
2016	2,292	1,415	877	38.3%
2017	2,385	1,512	873	36.6%
2018	2,438	1,589	849	34.8%
2019	2,361	1,543	818	34.6%
<i>Average annual percentage change</i>				
1970-2019	0.9%	2.0%	-0.3%	
2009-2019	0.7%	1.3%	-0.5%	

**Source:**

1970–2016—U.S. Department of the Army, Corps of Engineers, *Waterborne Commerce of the United States, Calendar Year 2016, Part 5—National Summaries*, 2017, Table 1-1. (Additional resources: [www.navigationdatacenter.us/index.htm](http://www.navigationdatacenter.us/index.htm))

2017–2019—U.S. Department of the Army, Corps of Engineers, *The U.S. Waterway System, 2019 Transportation Facts and Information*, New Orleans, LA, 2020 and annual.

<sup>a</sup> All movements between the United States and foreign countries and between Puerto Rico and the Virgin Islands and foreign countries are classified as foreign trade.

<sup>b</sup> All movements between U.S. ports, continental and noncontiguous, and on the inland rivers, canals, and connecting channels of the United States, Puerto Rico, and the Virgin Islands, excluding the Panama Canal. Beginning in 1996, fish was excluded for internal and intra-port domestic traffic.

*The U.S. Army Corps of Engineers Navigation Data Center collects a wealth of waterborne commerce data. Energy use data, however, have never been collected as part of this effort. The average length of haul in domestic waterborne commerce was 560 miles in 2019.*

**Table 10.5**  
**Summary Statistics for Domestic Waterborne Commerce, 1970–2019**

Year	Number of vessels <sup>a</sup>	Ton-miles (billions)	Tons shipped <sup>b</sup> (millions)	Average length of haul (miles)
1970	25,832	596	949	628.2
1975	31,666	566	944	599.9
1980	38,792	922	1,074	856.4
1985	41,672	893	1,011	883.5
1990	41,119	834	1,118	745.7
1995	36,860	808	1,086	743.6
1996	37,945	765	1,093	699.4
1997	41,419	707	1,106	639.5
1998	42,032	673	1,087	618.9
1999	41,766	656	1,056	621.1
2000	40,665	646	1,064	606.8
2001	41,003	622	1,037	599.7
2002	41,002	612	1,016	602.5
2003	39,983	606	1,010	600.3
2004	40,290	621	1,045	596.7
2005	41,354	591	1,025	577.3
2006	40,104	563	1,022	551.3
2007	40,695	553	1,016	544.2
2008	40,301	521	952	546.7
2009	40,109	477	853	559.7
2010	39,883	502	889	565.0
2011	40,545	500	888	562.4
2012	40,530	475	888	535.0
2013	39,999	465	890	522.6
2014	40,381	505	936	539.1
2015	40,791	491	903	543.2
2016	42,674	478	875	546.1
2017	42,539	489	873	560.1
2018	42,138	492	849	579.5
2019	43,254	456	818	557.7
<i>Average annual percentage change</i>				
1970-2019	1.1%	-0.5%	-0.3%	-0.2%
2009-2019	0.8%	-0.4%	-0.4%	0.0%

**Sources:**

Number of vessels 1970–92, 1995–2018 – U.S. Department of the Army, Corps of Engineers, *Waterborne Transportation Lines of the United States, 2018*, New Orleans, LA, 2018, Table 2 and annual. 1993–94 – U.S. Department of the Army, Corps of Engineers, *The U.S. Waterway System-Facts*, Navigation Data Center, New Orleans, Louisiana, January 1996.

Ton-miles, tons shipped, average length of haul. 1970–2016 – U.S. Department of the Army, Corps of Engineers, *Waterborne Commerce of the United States, Calendar Year 2016, Part 5: National Summaries*, New Orleans, LA, 2017, Table 1-4 and annual. 2017–19 – U.S. Department of the Army, Corps of Engineers, *The U.S. Waterway System, 2019 Transportation Facts and Information*, New Orleans, LA, 2020. (Additional resources: [www.navigationdatacenter.us/index.htm](http://www.navigationdatacenter.us/index.htm))

<sup>a</sup> Grand total for self-propelled and non-self-propelled.

<sup>b</sup> These figures are not consistent with the figures on Table 10.4 because intra-territory tons are not included in this table. Intra-territory traffic is traffic between ports in Puerto Rico and the Virgin Islands.

The data displayed in this table come from 1970 to 1998 are from the Environmental Protection Agency's The MOVES2014a model. From 1999-2018, the data are from the updated MOVES2014b model. In 2019 the data are from MOVES3.0.1 model.

**Table 10.6**  
**Recreational Boat Energy Use, 1970–2019**

Year	Number of boats (thousands)	Diesel fuel	Gasoline (trillion Btu)	Total energy use
1970	10,087	5.5	151.7	157.2
1975	10,337	10.7	156.4	167.1
1980	10,587	16.0	161.2	177.1
1981	10,637	17.0	162.1	179.1
1982	10,687	18.0	163.1	181.1
1983	10,737	19.1	164.0	183.1
1984	10,787	20.1	165.0	185.1
1985	10,837	21.2	165.9	187.1
1986	10,887	22.2	166.9	189.1
1987	10,937	23.3	167.8	191.1
1988	11,030	24.3	170.4	194.7
1989	11,122	25.4	172.9	198.3
1990	11,215	26.4	175.4	201.8
1991	11,327	27.5	178.7	206.2
1992	11,440	28.5	182.0	210.5
1993	11,553	29.5	185.3	214.8
1994	11,770	30.6	192.5	223.1
1995	11,988	31.6	199.7	231.3
1996	12,206	32.7	206.8	239.5
1997	12,244	33.7	207.2	240.9
1998	12,283	34.8	207.4	242.2
1999	12,358	38.0	207.6	245.6
2000	12,405	38.0	207.3	245.3
2001	12,465	38.1	207.1	245.2
2002	12,513	38.2	206.1	244.3
2003	12,573	38.3	204.9	243.2
2004	12,584	38.3	202.6	240.9
2005	12,777	38.7	202.7	241.5
2006	12,704	38.5	199.1	237.6
2007	12,776	38.7	197.6	236.3
2008	12,547	38.0	191.9	229.9
2009	12,583	38.1	190.0	228.1
2010	12,293	37.2	183.4	220.6
2011	12,064	36.6	177.7	214.2
2012	11,967	36.2	173.9	210.2
2013	11,907	36.0	171.0	207.0
2014	11,810	35.8	167.7	203.5
2015	11,978	37.6	168.0	205.6
2016	12,202	39.0	169.3	208.3
2017	12,397	39.9	170.4	210.3
2018	12,569	40.7	171.4	212.1
2019	12,692	41.4	171.9	213.3
<i>Average annual percentage change</i>				
1970-2019	0.5%	4.2%	0.3%	0.6%
2009-2019	0.1%	0.8%	-1.0%	-0.7%

**Sources:**

1970–1998: U.S. Environmental Protection Agency, MOVES2014a model.

1999–2018: U.S. Environmental Protection Agency, MOVES2014b model.

2019: U.S. Environmental Protection Agency, MOVES3.0.1 model, <https://www.epa.gov/moves>.

*The Interstate Commerce Commission designates Class I railroads on the basis of annual gross revenues. In 2019, seven railroads were given this designation. The number of railroads designated as Class I has changed considerably in the last 30 years; in 1976 there were 52 railroads given Class I designation.*

**Table 10.7**  
**Class I Railroad Freight Systems in the United States**  
**Ranked by Revenue Ton-Miles, 2019**

Railroad	Revenue ton-miles (billions)	Percent
BNSF Railway Company	665	41.2%
Union Pacific Railroad Company	423	26.2%
CSX Transportation	199	12.3%
Norfolk Southern Railway	194	12.0%
Grand Trunk Corporation	63	3.9%
Soo Line Corporation	38	2.4%
Kansas City Southern Railway Company	33	2.0%
<b>Total</b>	<b>1,615</b>	<b>100.0%</b>

**Source:**

Association of American Railroads, *Railroad Facts, 2020 Edition*, Washington, DC, October 2020, p. 64. (Additional resources: [www.aar.org](http://www.aar.org))

Revenue ton-miles for Class I freight railroads was about 1.6 trillion in 2019. Though there are many regional and local freight railroads, the Class I freight railroads accounted for 94% of the railroad industry's freight revenue in 2019 and 68% of the industry's mileage operated. The energy intensity of Class I railroads hit an all-time low of 289 Btu/ton-mile in 2010 and continued to be below 300 Btu/ton-mile in 2019.

**Table 10.8**  
**Summary Statistics for Class I Freight Railroads, 1970–2019**

Year	Number of locomotives in service <sup>a</sup>	Number of freight cars (thousands) <sup>b</sup>	Train-miles (millions)	Car-miles (millions)	Tons originated <sup>c</sup> (millions)	Average length of haul (miles)	Revenue ton-miles (millions)	Energy intensity (Btu/ton-mile)	Energy use (trillion Btu)
1970	27,077 <sup>d</sup>	1,424	427	29,890	1,485	515	764,809	691	528.1
1975	27,846	1,359	403	27,656	1,395	541	754,252	687	518.3
1980	28,094	1,168	428	29,277	1,492	616	918,958	597	548.7
1985	22,548	867	347	24,920	1,320	665	876,984	497	436.1
1986	20,790	799	347	24,414	1,306	664	867,722	486	421.5
1987	19,647	749	361	25,627	1,372	688	943,747	456	430.3
1988	19,364	725	379	26,339	1,430	697	996,182	443	441.4
1989	19,015	682	383	26,196	1,403	723	1,013,841	437	442.6
1990	18,835	659	380	26,159	1,425	726	1,033,969	420	434.7
1991	18,344	633	375	25,628	1,383	751	1,038,875	391	405.8
1992	18,004	605	390	26,128	1,399	763	1,066,781	393	419.2
1993	18,161	587	405	26,883	1,397	794	1,109,309	389	431.6
1994	18,505	591	441	28,485	1,470	817	1,200,701	388	465.4
1995	18,812	583	458	30,383	1,550	843	1,305,688	372	485.9
1996	19,269	571	469	31,715	1,611	842	1,355,975	368	499.4
1997	19,684	568	475	31,660	1,585	851	1,348,926	370	499.7
1998	20,261	576	475	32,657	1,649	835	1,376,802	365	502.0
1999	20,256	579	490	33,851	1,717	835	1,433,461	363	520.0
2000	20,028	560	504	34,590	1,738	843	1,465,960	352	516.0
2001	19,745	500	500	34,243	1,742	859	1,495,472	346	517.3
2002	20,506	478	500	34,680	1,767	853	1,507,011	345	520.3
2003	20,774	467	516	35,555	1,799	862	1,551,438	344	533.9
2004	22,015	474	535	37,071	1,844	902	1,662,598	341	566.2
2005	22,779	475	548	37,712	1,899	894	1,696,425	337	571.4
2006	23,732	475	563	38,995	1,957	906	1,771,897	330	584.5
2007	24,143	460	543	38,186	1,940	913	1,770,545	320	566.9
2008	24,003	450	524	37,226	1,934	919	1,777,236	305	542.5
2009	24,045	416	436	32,115	1,668	919	1,532,214	291	446.6
2010	23,893	398	476	35,541	1,851	914	1,691,004	289	488.1
2011	24,250	381	493	36,649	1,885	917	1,729,256	298	514.6
2012	24,707	381	500	36,525	1,760	973	1,712,567	294	504.0
2013	25,033	374	504	35,253	1,758	990	1,740,687	296	514.9
2014	25,916	372	518	37,193	1,840	1,006	1,851,229	292	540.5
2015	26,574	331	495	35,853	1,740	1,020	1,738,283	297	516.4
2016	26,716	315	453	32,572	1,554	1,021	1,585,440	299	474.2
2017	26,547	306	465	34,065	1,622	1,033	1,674,784	293	490.5
2018	26,086	294	477	35,018	1,653	1,046	1,729,638	296	512.8
2019	24,597	270	444	33,242	1,565	1,032	1,614,498	298	480.4
<i>Average annual percentage change</i>									
1970-2019	-0.2%	-3.3%	0.1%	0.2%	0.1%	1.4%	1.5%	-1.7%	-0.2%
2009-2019	0.2%	-4.2%	0.2%	0.3%	-0.6%	1.2%	0.5%	0.2%	0.7%

**Source:**

Association of American Railroads, *Railroad Facts, 2020 Edition*, Washington, DC, October 2020, pp. 30, 31, 36, 37, 39, 50, and 65. (Additional resources: [www.aar.org](http://www.aar.org))

<sup>a</sup> Does not include self-powered units.

<sup>b</sup> Does not include private or shipper-owned cars. Beginning in 2001, Canadian-owned U.S. railroads are excluded.

<sup>c</sup> Tons originated is a more accurate representation of total tonnage than revenue tons. Revenue tons often produces double-counting of loads switched between rail companies.

<sup>d</sup> Data represent total locomotives used in freight and passenger service. Separate estimates are not available.

According to the 2017 Commodity Flow Survey, 18% of all freight ton-miles are rail intermodal shipments (truck/rail or rail/water). See Table 5.17 for details. Containerization has increased in the last two decades, evidenced by the 449% increase in the number of containers from 1988 to 2019. The number of trailers moved by rail fell to an all-time low in 2019.

**Table 10.9**  
**Intermodal Rail Traffic, 1965–2019<sup>a</sup>**

Year	Trailers & containers	Trailers	Containers
1965	1,664,929	b	b
1970	2,363,200	b	b
1975	2,238,117	b	b
1980	3,059,402	b	b
1985	4,590,952	b	b
1986	4,997,229	b	b
1987	5,503,819	b	b
1988	5,779,547	3,481,020	2,298,527
1989	5,987,355	3,496,262	2,491,093
1990	6,206,782	3,451,953	2,754,829
1991	6,246,134	3,201,560	3,044,574
1992	6,627,841	3,264,597	3,363,244
1993	7,156,628	3,464,126	3,692,502
1994	8,128,228	3,752,502	4,375,726
1995	7,936,172	3,492,463	4,443,709
1996	8,143,258	3,302,128	4,841,130
1997	8,698,308	3,453,907	5,244,401
1998	8,772,663	3,353,032	5,419,631
1999	8,907,626	3,207,407	5,700,219
2000	9,176,890	2,888,630	6,288,260
2001	8,935,444	2,603,423	6,332,021
2002	9,312,360	2,531,338	6,781,022
2003	9,955,605	2,625,837	7,329,768
2004	10,993,662	2,928,123	8,065,539
2005	11,693,512	2,979,906	8,713,606
2006	12,282,221	2,882,699	9,399,522
2007	12,026,631	2,600,635	9,425,996
2008	11,499,978	2,478,890	9,021,088
2009	9,875,967	1,639,603	8,236,364
2010	11,283,151	1,684,684	9,598,467
2011	11,892,418	1,698,615	10,193,803
2012	12,267,416	1,518,323	10,749,093
2013	12,831,311	1,483,938	11,347,373
2014	13,496,876	1,530,759	11,965,117
2015	13,710,662	1,467,913	12,242,749
2016	13,490,713	1,170,305	12,320,408
2017	13,721,632	1,142,232	12,579,400
2018	14,472,849	1,319,846	13,153,003
2019	13,732,570	1,116,523	12,616,047
	<i>Average annual percentage change</i>		
1965–2019	4.0%	b	b
2009–2019	3.4%	-3.8%	4.4%

**Source:**

Association of American Railroads, *Railroad Facts, 2020 Edition*, Washington, DC, October 2020, p. 29. (Additional resources: [www.aar.org](http://www.aar.org))

<sup>a</sup> Beginning in 1995, the Grand Trunk Western Railroad and the Soo Line Railroad Company are excluded. Beginning in 1999, the Illinois Central data are excluded. Beginning in 2002, the Wisconsin Central data are excluded.

<sup>b</sup> Data are not available.

*The National Railroad Passenger Corporation, known as Amtrak, began operation in 1971. Amtrak revenue passenger-miles have grown at an average annual rate of 2.5% from 1971 to 2019.*

**Table 10.10**  
**Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971–2019**

Year	Number of locomotives in service	Number of passenger cars	Train-miles (thousands)	Car-miles (thousands)	Revenue passenger-miles (millions)	Average trip length (miles)	Energy intensity (Btu per revenue passenger-mile)	Energy use (trillion Btu) <sup>a</sup>
1971	<sup>b</sup>	1,165	16,537	140,147	1,993	188	<sup>b</sup>	<sup>b</sup>
1975	355	1,913	30,166	253,898	3,753	224	3,311	12.4
1980	448	2,128	29,487	235,235	4,503	217	2,859	12.9
1985	382	1,818	30,038	250,642	4,785	238	2,237	10.7
1990	318	1,863	33,000	300,996	6,057	273	2,052	12.4
1995	422	1,907	31,579	282,579	5,401	266	2,071	11.2
1996	348	1,501	30,542	277,750	5,066	257	2,194	11.1
1997	292	1,572	32,000	287,760	5,166	255	2,289	11.8
1998	362	1,347	32,926	315,823	5,325	251	2,246	12.0
1999	385	1,285	34,080	349,337	5,289	245	2,362	12.5
2000	385	1,891	35,404	371,215	5,574	243	2,651	14.8
2001	401	2,084	36,512	377,705	5,571	238	2,690	15.0
2002	372	2,896	37,624	378,542	5,314	228	2,537	13.5
2003	442	1,623	37,459	331,864	5,680	231	2,145	12.2
2004	276	1,211	37,159	308,437	5,511	219	2,068	11.4
2005	258	1,186	36,199	264,796	5,381	215	2,025	10.9
2006	319	1,191	36,083	263,908	5,410	220	1,948	10.5
2007	270	1,164	37,484	266,545	5,784	218	1,824	10.5
2008	278	1,177	37,736	271,762	6,179	215	1,745	10.8
2009	274	1,214	38,300	282,764	5,914	217	1,773	10.5
2010	282	1,274	37,453	294,820	6,420	220	1,668	10.7
2011	287	1,301	37,090	296,315	6,670	213	1,628	10.7
2012	485	2,090	37,640	319,088	6,804	218	1,561	10.6
2013	418	1,447	38,410	324,949	6,810	218	1,608	11.0
2014	428	1,419	38,013	324,683	6,675	218	1,629	10.9
2015	423	1,428	37,798	319,464	6,536	218	1,589	10.4
2016	434	1,402	37,808	316,384	6,520	208	1,551	10.1
2017	419	1,405	37,859	316,148	6,563	205	1,524	10.0
2018	431	1,403	37,825	272,540	6,363	200	1,579	10.0
2019	403	1,415	38,205	278,889	6,479	198	1,506	9.8
<i>Average annual percentage change</i>								
1971-2019	<sup>b</sup>	0.4%	1.8%	1.4%	2.5%	0.1%	<sup>b</sup>	<sup>b</sup>
2009-2019	3.9%	1.5%	0.0%	-0.1%	0.9%	-0.9%	-1.6%	-0.7%

**Sources:**

1971–83 – Association of American Railroads, Economics and Finance Department, *Statistics of Class I Railroads*, Washington, DC, and annual.

1984–88 – Association of American Railroads, *Railroad Facts*, 1988 Edition, Washington, DC, December 1989, p. 61, and annual.

1989–93 – Personal communication with the Corporate Accounting Office of Amtrak, Washington, DC.

1994–2019 – Number of locomotives in service, number of passenger cars, train-miles, car-miles, revenue passenger-miles, and average trip length - Association of American Railroads, *Railroad Facts*, 2020 Edition, Washington, DC, 2020, p. 73.

Energy use – Personal communication with the Amtrak, Washington, DC. (Additional resources: [www.amtrak.com](http://www.amtrak.com), [www.aar.org](http://www.aar.org))

<sup>a</sup> Only end-use energy was counted for electricity. Previous editions included primary energy use for electricity which included generation and distribution losses. Energy use for 1994 on is not directly comparable to earlier years. Some commuter rail energy use may have been inadvertently included in earlier years.

<sup>b</sup> Data are not available.





# TRANSPORTATION & THE ECONOMY

# Chapter 11



*Credit: Artit/EyeEm/Getty Images*

## **Adjusting Dollar Amounts for Inflation**

A dollar spent in 1970 does not have the purchasing power of a dollar spent in 2019 due to the inflation of prices for all goods and services. Thus, prices in a historical series must be adjusted in order to provide proper comparison. The term “current dollars” is used in this report for dollar amounts that were current as of the year listed – this can also be referred to as “nominal dollars.” The term “constant 2019 dollars” is used in this report for dollar amounts that have been adjusted to a constant purchasing power (2019, in this example) and thus the data are comparable historically – this can also be referred to as “real dollars.”

Appendix B, Table B.17 contains the Consumer Price Inflation Index and Table B.18 contains the Gross National Product Implicit Price Deflator since 1970. Tables in the report with constant dollars have a footnote indicating which of these inflation adjustment indices were used.

The Transportation Services Index (TSI) was created by the U.S. Department of Transportation Bureau of Transportation Statistics (BTS). It is an index that measures the movement of freight and passengers.

The Freight TSI consists of:

- for-hire trucking (parcel services are not included);
- freight railroad services (including rail-based intermodal shipments such as containers on flat cars);
- inland waterway traffic;
- pipeline movements (including principally petroleum and petroleum products and natural gas); and
- air freight.

The index does not include international or coastal steamship movements, private trucking, courier services, or the United States Postal Services.


The Passenger TSI consists of:

- local mass transit;
- intercity passenger rail; and
- passenger air transportation.

The index does not include intercity bus, sightseeing services, taxi service, private car usage, or bicycling and other nonmotorized means of transportation.

The sharp travel declines in March and April 2020 were due to the COVID-19 pandemic.

**Figure 11.1. Transportation Services Index, January 1990–December 2020**



**Source:**

U.S. Department of Transportation, Bureau of Transportation Statistics, Transportation Services Index website, [www.transtats.bts.gov/OSEA/TSI/](http://www.transtats.bts.gov/OSEA/TSI/). (Additional resources: [www.bts.gov](http://www.bts.gov))

**Table 11.1**  
**Average Annual Expenditures of Households by Income, 2019<sup>a</sup>**

	All households	Income before taxes			
		Less than \$15,000	\$15,000–\$29,999	\$30,000–\$39,999	\$40,000–\$49,999
Total expenditures	\$63,036	\$26,194	\$34,201	\$40,942	\$47,299
		Percentage of total expenditures <sup>b</sup>			
Food <sup>c</sup>	13.9%	15.7%	15.3%	15.0%	16.1%
Housing	32.8%	40.8%	39.1%	36.3%	35.4%
Apparel and services	3.0%	3.3%	2.7%	2.9%	3.0%
Transportation	17.0%	16.2%	16.1%	18.2%	17.7%
<b>Vehicle purchases (net outlay)</b>	<b>7.0%</b>	<b>6.1%</b>	<b>6.1%</b>	<b>6.7%</b>	<b>6.5%</b>
<b>Gasoline and motor oil</b>	<b>3.3%</b>	<b>3.7%</b>	<b>3.4%</b>	<b>4.1%</b>	<b>3.9%</b>
<b>Other vehicle expenditures</b>	<b>5.5%</b>	<b>5.0%</b>	<b>5.6%</b>	<b>6.6%</b>	<b>6.1%</b>
<b>Public transportation</b>	<b>1.2%</b>	<b>1.3%</b>	<b>1.0%</b>	<b>0.8%</b>	<b>1.1%</b>
Health care	8.2%	8.8%	10.8%	9.9%	9.6%
Entertainment	4.9%	4.0%	4.4%	4.4%	4.1%
Personal Insurance & pensions	11.4%	1.9%	3.3%	5.1%	6.6%
Others <sup>d</sup>	8.7%	9.2%	8.4%	8.1%	7.6%
Households <sup>e</sup> (thousands)	132,242	15,848	19,856	12,991	11,208
Percentage of households	100%	12.0%	15.0%	9.8%	8.5%
Average number of vehicles in HH	1.9	0.9	1.3	1.6	1.7

		Income before taxes			
		\$50,000–\$69,999	\$70,000–\$99,999	\$100,000–\$149,999	\$150,000–\$199,999
Total expenditures	\$53,104	\$65,814	\$85,730	\$108,909	\$158,738
		Percentage of total expenditures <sup>b</sup>			
Food <sup>c</sup>	14.4%	13.9%	13.5%	12.7%	11.7%
Housing	33.7%	32.4%	30.7%	29.9%	29.5%
Apparel and services	2.9%	2.8%	3.0%	3.2%	3.0%
Transportation	19.1%	18.3%	17.7%	17.5%	13.9%
<b>Vehicle purchases (net outlay)</b>	<b>8.1%</b>	<b>7.7%</b>	<b>7.3%</b>	<b>8.0%</b>	<b>5.6%</b>
<b>Gasoline and motor oil</b>	<b>4.0%</b>	<b>3.7%</b>	<b>3.4%</b>	<b>2.9%</b>	<b>2.0%</b>
<b>Other vehicle expenditures</b>	<b>6.1%</b>	<b>5.8%</b>	<b>5.8%</b>	<b>5.2%</b>	<b>4.3%</b>
<b>Public transportation</b>	<b>0.9%</b>	<b>1.0%</b>	<b>1.2%</b>	<b>1.3%</b>	<b>1.9%</b>
Health care	8.6%	8.7%	7.9%	7.0%	6.5%
Entertainment	4.4%	4.7%	4.9%	5.2%	6.1%
Personal Insurance & pensions	9.2%	11.4%	14.0%	15.9%	17.6%
Others <sup>d</sup>	7.5%	7.8%	8.2%	8.6%	11.7%
Households <sup>e</sup> (thousands)	17,470	19,119	18,225	8,266	9,260
Percentage of households	13.2%	14.5%	13.8%	6.3%	7.0%
Average number of vehicles in HH	2.0	2.2	2.6	2.8	3.0

**Source:**

U.S. Department of Labor, Bureau of Labor Statistics, website: [www.bls.gov/cex](http://www.bls.gov/cex), September 2020. (Additional resources: [www.bls.gov](http://www.bls.gov))

<sup>a</sup> Public assistance monies are included in reported income. Data for those reporting incomes.

<sup>b</sup> Percentages may not sum to totals due to rounding.

<sup>c</sup> Includes alcoholic beverages.

<sup>d</sup> Includes personal care, reading, education, tobacco and smoking supplies, cash contributions, and miscellaneous items.

<sup>e</sup> The term household refers to a “consumer unit,” which is defined differently than households on Table 8.1.

The average amount of money that a household spends in a year has grown about 11% between 1985 and 2019 in constant dollar terms. Expenditures on transportation were 19.4% of the total in 1985 but were only 17.0% in 2019. Vehicle purchases made up about 41% of transportation expenditures in 2019, while gas and oil were 19%.

**Table 11.2**  
**Annual Household Expenditures for Transportation, 1985-2019**  
**(constant 2019 dollars<sup>a</sup>)**

Year	Transportation expenditures					Average annual household expenditures	Transportation share of annual expenditures
	Vehicle purchases	Gas & Oil	Other vehicle expenses <sup>b</sup>	Public transportation	Total transportation		
1985	4,902	2,485	3,032	630	11,046	56,967	19.4%
1986	5,454	2,153	3,205	583	11,395	57,007	20.0%
1987	4,537	1,983	3,220	583	10,325	55,758	18.5%
1988	5,161	2,018	3,356	575	11,108	57,029	19.5%
1989	4,841	2,035	3,431	573	10,880	58,395	18.6%
1990	4,247	2,062	3,263	593	10,164	56,847	17.9%
1991	4,043	1,873	3,334	578	9,826	57,226	17.2%
1992	3,949	1,773	3,291	523	9,534	55,627	17.1%
1993	4,094	1,729	3,340	563	9,724	55,618	17.5%
1994	4,663	1,708	3,431	678	10,482	56,479	18.6%
1995	4,489	1,701	3,461	616	10,268	56,360	18.2%
1996	4,761	1,802	3,498	697	10,757	57,993	18.5%
1997	4,549	1,768	3,683	621	10,623	57,576	18.5%
1998	4,773	1,616	3,584	670	10,642	58,440	18.2%
1999	5,228	1,644	3,583	626	11,083	60,067	18.5%
2000	5,146	1,954	3,482	655	11,236	59,739	18.8%
2001	5,454	1,862	3,532	585	11,432	59,757	19.1%
2002	5,369	1,779	3,624	574	11,346	60,478	18.8%
2003	5,379	1,880	3,357	556	11,172	59,387	18.8%
2004	4,597	2,163	3,201	597	10,558	58,731	18.0%
2005	4,639	2,635	3,062	586	10,923	60,752	18.0%
2006	4,338	2,824	2,986	640	10,789	61,375	17.6%
2007	4,000	2,940	3,196	663	10,799	61,205	17.6%
2008	3,271	3,224	3,112	609	10,217	59,949	17.0%
2009	3,166	2,367	3,022	571	9,126	58,472	15.6%
2010	3,034	2,500	2,889	578	9,001	56,405	16.0%
2011	3,033	3,018	2,789	586	9,426	56,493	16.7%
2012	3,574	3,069	2,773	604	10,019	57,282	17.5%
2013	3,590	2,865	2,836	589	9,881	56,079	17.6%
2014	3,565	2,665	2,941	627	9,798	57,771	17.0%
2015	4,311	2,254	2,973	713	10,250	60,380	17.0%
2016	3,871	2,033	3,072	664	9,639	61,048	15.8%
2017	4,228	2,053	2,964	743	9,988	62,642	15.9%
2018	4,047	2,147	2,911	833	9,938	62,333	15.9%
2019	4,394	2,094	3,474	781	10,742	63,036	17.0%
						<i>Average annual percentage change</i>	
1985-2019	-0.3%	-0.5%	0.4%	0.6%	-0.1%	0.3%	
2009-2019	3.3%	-1.2%	1.4%	3.2%	1.6%	0.8%	

**Source:**

U.S. Department of Labor, Bureau of Labor Statistics, Consumer Expenditure Survey, [www.bls.gov/cex](http://www.bls.gov/cex), September 2020. (Additional resources: [www.bls.gov](http://www.bls.gov))

<sup>a</sup> Adjusted using the U.S. Consumer Price Inflation Index.

<sup>b</sup> Other vehicle expenses include vehicle finance charges, maintenance and repairs, insurance, licenses, and other vehicle charges.

*The United States prices are the lowest of these listed countries. Those in France, the United Kingdom, and Germany paid, on average, over \$6 per gallon in 2019.*

**Table 11.3**  
**Gasoline Prices<sup>a</sup> for Selected Countries, 1990–2019**

	Current dollars per gallon							Average annual percentage change
	1990	1995	2000	2005	2010	2015	2019	1990–2019
China	b	1.03	b	1.70	3.71	b	b	b
Japan	3.16	4.43	3.65	4.28	5.73	4.30	5.18	1.7%
India	b	b	b	3.71	4.29	b	b	b
South Korea	b	b	b	5.28	5.60	5.05	5.80	b
France <sup>c</sup>	3.63	4.26	3.80	5.46	6.74	5.68	6.39	2.0%
United Kingdom <sup>c</sup>	2.82	3.21	4.58	5.97	6.83	6.43	6.03	2.7%
Germany <sup>c</sup>	2.65	3.96	3.45	5.75	7.11	5.88	6.12	2.9%
Canada	1.87	1.53	1.86	2.89	3.80	3.22	3.42	2.1%
United States <sup>d</sup>	1.16	1.15	1.51	2.27	2.78	2.43	2.87	3.2%
	Constant 2019 dollars <sup>e</sup> per gallon							Average annual percentage change
	1990	1995	2000	2005	2010	2015	2019	1990–2019
China	b	1.73	b	2.23	4.35	b	b	b
Japan	6.18	7.43	5.42	5.60	6.72	4.64	5.18	-0.6%
India	b	b	b	4.86	5.03	b	b	b
South Korea	b	b	b	6.91	6.56	5.45	5.18	b
France <sup>c</sup>	7.10	7.15	5.64	7.15	7.90	6.12	6.39	-0.4%
United Kingdom <sup>c</sup>	5.52	5.38	6.80	7.81	8.01	6.93	6.03	0.3%
Germany <sup>c</sup>	5.18	6.64	5.12	7.53	8.33	6.35	6.12	0.6%
Canada	3.66	2.57	2.76	3.78	4.46	3.47	3.42	-0.2%
United States <sup>d</sup>	2.27	1.93	2.24	2.97	3.26	2.62	2.87	0.8%

**Note:** Comparisons between prices and price trends in different countries require care. They are of limited validity because of fluctuations in exchange rates; differences in product quality, marketing practices, and market structures; and the extent to which the standard categories of sales are representative of total national sales for a given period.

**Source:**

1990–2018: International Energy Agency, *Monthly Oil Price Statistics*, April 2019, Paris, France, 2019. (Additional resources: [www.iea.org](http://www.iea.org))

2019: Organization for Economic Co-operation and Development (OECD) iLibrary, *Consumption Tax Trends 2020: VAT/GST and Excise Rates, Trends and Policy Issues*, 2020.

<sup>a</sup> Prices represent the retail prices (including taxes) for regular unleaded gasoline, except for Korea, France, Germany and the United Kingdom which are premium unleaded gasoline.

<sup>b</sup> Data are not available.

<sup>c</sup> Premium gasoline.

<sup>d</sup> These estimates are international comparisons only and do not necessarily correspond to gasoline price estimates in other sections of the book.

<sup>e</sup> Adjusted by the U.S. Consumer Price Inflation Index.

*Of these selected countries, the United Kingdom had the highest diesel fuel price average in 2019, while the United States had the lowest. All of the countries listed except the United States had diesel prices over \$4 per gallon in 2019.*

**Table 11.4**  
**Diesel Fuel Prices<sup>a</sup> for Selected Countries, 1990–2019**

	Current dollars per gallon						Average annual percentage change
	1990	2000	2005	2010	2015	2019	1990–2019
China	b	b	1.69	3.65	b	2019	b
Japan	1.75	2.85	3.44	4.86	3.66	b	3.3%
South Korea	b	2.05	3.98	4.92	4.35	4.45	b
France	1.78	2.95	4.81	5.74	4.83	4.35	4.3%
United Kingdom	2.04	4.66	6.25	6.97	6.65	6.11	4.0%
Germany	2.72	2.79	5.01	6.15	4.99	6.35	2.4%
United States <sup>c</sup>	0.99	1.50	2.40	2.99	2.71	5.49	4.0%
	Constant 2018 dollars <sup>d</sup> per gallon						Average annual percentage change
	1990	2000	2005	2010	2015	2019	1990–2019
China	b	b	2.22	4.28	b	b	b
Japan	3.42	4.24	4.51	5.70	3.95	4.45	0.9%
South Korea	b	3.05	5.21	5.77	4.69	4.35	b
France	3.48	4.38	6.30	6.73	5.21	6.11	2.0%
United Kingdom	3.99	6.91	8.19	8.18	7.17	6.35	1.6%
Germany	5.32	4.15	6.56	7.21	5.39	5.49	0.1%
United States <sup>c</sup>	1.94	2.22	3.14	3.51	2.92	3.07	1.6%

**Note:** Comparisons between prices and price trends in different countries require care. They are of limited validity because of fluctuations in exchange rates; differences in product quality, marketing practices, and market structures; and the extent to which the standard categories of sales are representative of total national sales for a given period.

**Source:**

1990–2018: International Energy Agency, *Monthly Oil Price Statistics*, April 2019, Paris, France, 2019. (Additional resources: [www.iea.org](http://www.iea.org))

2019: Organization for Economic Co-operation and Development (OECD) iLibrary, *Consumption Tax Trends 2020: VAT/GST and Excise Rates, Trends and Policy Issues*, 2020.

<sup>a</sup> Prices represent the retail prices (including taxes) for car diesel fuel for non-commercial (household) use.


<sup>b</sup> Data are not available.

<sup>c</sup> These estimates are for international comparisons only and do not necessarily correspond to gasoline price estimates in other sections of the book.

<sup>d</sup> Adjusted by the U.S. Consumer Price Inflation Index.

*In 2019 over sixty percent of the cost of gasoline in France, Germany, and the United Kingdom went for taxes. Of the listed countries, the United States has the lowest percentage of taxes.*

**Figure 11.2. Gasoline Prices for Selected Countries, 1990 and 2019**



**Sources:**


1990–2018: International Energy Agency, *Monthly Oil Price Statistics*, April 2019, Paris, France, 2019. (Additional resources: [www.iea.org](http://www.iea.org))

2019: Organization for Economic Co-operation and Development (OECD) iLibrary, *Consumption Tax Trends 2020: VAT/GST and Excise Rates, Trends and Policy Issues*, 2020.



*Diesel fuel is taxed heavily in the European countries shown here. The U.S. diesel fuel tax share is the lowest of the listed countries.*

**Figure 11.3. Diesel Prices for Selected Countries, 1990 and 2019**



**Note:** Data for Canada are not available.

**Sources:**

1990–2018: International Energy Agency, *Monthly Oil Price Statistics*, April 2019, Paris, France, 2019. (Additional resources: [www.iea.org](http://www.iea.org))

2019: Organization for Economic Co-operation and Development (OECD) iLibrary, *Consumption Tax Trends 2020: VAT/GST and Excise Rates, Trends and Policy Issues*, 2020.

*The cost of crude oil influences the price of gasoline, but it is not the only factor which determines the price at the pump. Refining cost, transportation cost, marketing cost, and taxes also play a part of the cost of a gallon of gasoline. The average price of a barrel of crude oil declined to 39.8 dollars per barrel in 2020 from a high of 117.2 in 2011 (constant 2020 dollars).*

**Table 11.5**  
**Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2020**

Year	Crude oil <sup>a</sup> (dollars per barrel)		Gasoline <sup>b</sup> (dollars per gallon)		Ratio of gasoline price to crude oil price
	Current	Constant 2020 <sup>c</sup>	Current	Constant 2020 <sup>c</sup>	
1978	12.5	49.5	0.65	2.59	2.2
1980	28.1	88.2	1.22	3.84	1.8
1985	26.8	64.3	1.20	2.88	1.9
1990	22.2	44.0	1.22	2.41	2.3
1995	17.2	29.3	1.21	2.05	2.9
1996	20.7	34.2	1.29	2.12	2.6
1997	19.0	30.7	1.29	2.08	2.8
1998	12.5	19.9	1.12	1.77	3.7
1999	17.5	27.2	1.22	1.90	2.9
2000	28.3	42.5	1.56	2.35	2.3
2001	23.0	33.5	1.53	2.24	2.8
2002	24.1	34.7	1.44	2.07	2.5
2003	28.5	40.1	1.64	2.30	2.4
2004	37.0	50.7	1.92	2.63	2.2
2005	50.2	66.6	2.34	3.10	2.0
2006	60.2	77.3	2.64	3.38	1.8
2007	67.9	84.8	2.85	3.56	1.8
2008	94.7	113.9	3.32	3.99	1.5
2009	59.3	71.5	2.40	2.90	1.7
2010	76.7	91.0	2.84	3.37	1.6
2011	101.9	117.2	3.58	4.12	1.5
2012	100.9	113.8	3.70	4.17	1.5
2013	100.5	111.6	3.58	3.98	1.5
2014	92.0	100.6	3.43	3.74	1.6
2015	48.4	52.8	2.51	2.74	2.2
2016	40.7	43.8	2.20	2.38	2.3
2017	50.7	53.5	2.47	2.61	2.0
2018	64.4	66.4	2.79	2.88	1.8
2019	59.4	60.1	2.70	2.73	1.9
2020	39.8	39.8	2.24	2.24	2.4
<i>Average annual percentage change</i>					
1978-2020	2.8%	-0.5%	3.0%	-0.3%	
2010-2020	-6.3%	-7.9%	-2.3%	-4.0%	

**Sources:**

Crude oil – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 9.1.

Gasoline – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 9.4. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))


<sup>a</sup> Refiner acquisition cost of composite (domestic and imported) crude oil.

<sup>b</sup> Average for all types. These prices were collected from a sample of service stations in 85 urban areas selected to represent all urban consumers. Urban consumers make up about 80% of the total U.S. population.

<sup>c</sup> Adjusted by the Consumer Price Inflation Index.

*Because crude oil is the main cost component for gasoline, the prices of a barrel of crude oil and a gallon of gasoline show similar trends.*

**Figure 11.4. Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2020**




**Sources:**

Crude oil – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 9.1.

Gasoline – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 9.4. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

*The price of a gallon of gasoline changes depending on different price components, including taxes, distribution and marketing, refining, and crude oil. The largest component of gasoline price is crude oil. The cost of refining and the cost of crude oil are the most variable over the series.*

**Figure 11.5. Gasoline Price Components, 2000–2020**



**Note:** Based on regular motor gasoline in all areas. Annual averages were created from monthly component price data.

**Source:**

Energy Information Administration, Gasoline and Diesel Fuel Update, Gasoline Pump Components History, [https://www.eia.gov/petroleum/gasdiesel/gaspump\\_hist.php](https://www.eia.gov/petroleum/gasdiesel/gaspump_hist.php).  
(Additional resources: [www.eia.gov/petroleum/gasdiesel](http://www.eia.gov/petroleum/gasdiesel))

*The average price of diesel fuel has been consistently higher than regular gasoline (in constant dollars) since 2005. Premium gasoline in 2020 averaged 62 cents higher than regular gasoline. Prices for diesel and gasoline declined substantially in 2016 but rose again in 2017 and 2018 before declining again in 2019 and 2020.*

**Table 11.6**  
**Retail Prices for Motor Fuel, 1978–2020**  
**(dollars per gallon, including tax)**

Year	Diesel fuel <sup>a</sup>		Unleaded regular gasoline		Unleaded premium gasoline	
	Current	Constant 2019 <sup>b</sup>	Current	Constant 2018 <sup>b</sup>	Current	Constant 2019 <sup>b</sup>
1978	<sup>c</sup>	<sup>c</sup>	0.67	2.66	<sup>c</sup>	<sup>c</sup>
1980	1.01	3.17	1.25	3.91	<sup>c</sup>	<sup>c</sup>
1985	1.22	2.93	1.20	2.89	1.34	3.22
1990	1.07	2.12	1.16	2.30	1.35	2.67
1991	0.91	1.73	1.14	2.17	1.32	2.51
1992	1.06	1.96	1.13	2.08	1.32	2.43
1993	0.98	1.76	1.11	1.98	1.30	2.33
1994	1.11	1.95	1.11	1.94	1.31	2.28
1995	1.11	1.88	1.15	1.95	1.34	2.27
1996	1.24	2.04	1.23	2.03	1.41	2.33
1997	1.20	1.93	1.23	1.99	1.42	2.28
1998	1.04	1.66	1.06	1.68	1.25	1.98
1999	1.12	1.74	1.17	1.81	1.36	2.11
2000	1.49	2.24	1.51	2.27	1.69	2.54
2001	1.40	2.05	1.46	2.14	1.66	2.42
2002	1.32	1.90	1.36	1.95	1.56	2.24
2003	1.51	2.12	1.59	2.24	1.78	2.50
2004	1.81	2.48	1.88	2.58	2.07	2.83
2005	2.40	3.18	2.30	3.04	2.49	3.30
2006	2.71	3.47	2.59	3.32	2.81	3.60
2007	2.89	3.60	2.80	3.50	3.03	3.79
2008	3.80	4.57	3.27	3.93	3.52	4.23
2009	2.47	2.98	2.35	2.83	2.61	3.15
2010	2.99	3.55	2.79	3.31	3.05	3.62
2011	3.84	4.42	3.53	4.06	3.79	4.36
2012	3.97	4.47	3.64	4.11	3.92	4.42
2013	3.92	4.36	3.53	3.92	3.84	4.27
2014	3.83	4.18	3.37	3.68	3.71	4.06
2015	2.71	2.96	2.45	2.67	2.87	3.13
2016	2.30	2.48	2.14	2.31	2.61	2.81
2017	2.65	2.80	2.41	2.54	2.91	3.07
2018	3.18	3.28	2.74	2.82	3.27	3.37
2019	3.06	3.09	2.64	2.67	3.21	3.25
2020	2.55	2.55	2.17	2.17	2.79	2.79
	<i>Average annual percentage change</i>					
1978-2020	2.3% <sup>d</sup>	-0.5% <sup>d</sup>	1.4%	-1.5%	1.7% <sup>d</sup>	-1.0% <sup>d</sup>
2010-2020	-1.6%	-1.4%	-0.7%	-2.4%	0.6%	-1.1%

**Sources:**

Gasoline – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2021, Washington, DC, Table 9.4.

Diesel – 1980-1994 U.S. Department of Energy, Energy Information Administration, *International Energy Annual 2004*, Washington, DC, June 2004, Table 7.2. 1995–2020 from *Monthly Energy Review*, March 2021, Table 9.4. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> 1980-1993: Collected from a survey of prices on January 1 of the current year. 1994-on: Annual average.


<sup>b</sup> Adjusted by the Consumer Price Inflation Index.

<sup>c</sup> Data are not available.

<sup>d</sup> Average annual percentage change is from the earliest year possible to 2020.

Major oil price shocks have disrupted world energy markets five times in the past 30 years (1973-74, 1979-80, 1990-91, 1999-2000, 2008). Most of the oil price shocks were followed by an economic recession in the United States.

Figure 11.6. Oil Price and Economic Growth, 1970–2020




Source:

Greene, D.L. and N. I. Tishchishyna, *Costs of Oil Dependence: A 2000 Update*, Oak Ridge National Laboratory, ORNL/TM-2000/152, Oak Ridge, TN, 2000, and data updates, 2021.

*The United States has long recognized the problem of oil dependence and the economic problems that arise from it. Greene, Lee and Hopson define oil dependence as a combination of four factors: (1) a noncompetitive world oil market strongly influenced by the Organization of the Petroleum Exporting Countries (OPEC) cartel, (2) high levels of U.S. imports, (3) the importance of oil to the U.S. economy, and (4) the lack of economical and readily available substitutes for oil. The most recent study shows that the U.S. economy suffered the greatest losses in 2008 when wealth transfer and gross domestic product (GDP) losses (combined) amounted to nearly half a trillion dollars. However, when comparing oil dependence to the size of the economy, the year 1980 is the highest. Low oil prices in 2009-2010 and 2013-2014 caused total dependence cost to drop; in 2018, the total cost was about \$100 billion (in 2018 dollars).*

**Figure 11.7. Costs of Oil Dependence to the U.S. Economy, 1970–2018**



**Notes:**

**Wealth Transfer** is the product of total U.S. oil imports and the difference between the actual market price of oil (influenced by market power) and what the price would have been in a competitive market.

**Dislocation Losses** are temporary reductions in GDP as a result of oil price shocks.

**Loss of Potential Gross Domestic Product (GDP)** results because a basic resource used by the economy to produce output has become more expensive. As a consequence, with the same endowment of labor, capital, and other resources, our economy cannot produce quite as much as it could have at a lower oil price.

**Source:**

Greene, David L., Roderick Lee, and Janet L. Hopson, "OPEC and the Costs to the U.S. Economy of Oil Dependence: 1970-2010," Oak Ridge National Laboratory Memorandum, 2011, and updates from the ORNL Transportation Energy Evolution Modeling Team.

The fuel prices shown here are **refiner sales prices** of transportation fuels to end users, excluding tax. Sales to end users are those made directly to the ultimate consumer, including bulk consumers. Bulk sales to utility, industrial, and commercial accounts previously included in the wholesale category are now counted as sales to end users. Both propane and diesel prices fell drastically in 2015. Although both fuels experienced price increases from 2016 to 2018, they declined again in 2019 and 2020.

**Table 11.7**  
**Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2020**  
 (dollars per gallon, excluding tax)

Year	Propane <sup>a</sup>		No 2. diesel fuel	
	Current	Constant 2020 <sup>b</sup>	Current	Constant 2020 <sup>b</sup>
1978	0.34	1.33	0.38	1.50
1980	0.48	1.51	0.82	2.57
1985	0.72	1.72	0.79	1.90
1990	0.75	1.48	0.73	1.44
1991	0.73	1.39	0.65	1.23
1992	0.64	1.19	0.62	1.14
1993	0.67	1.21	0.60	1.08
1994	0.53	0.93	0.55	0.97
1995	0.49	0.84	0.56	0.95
1996	0.61	1.00	0.68	1.12
1997	0.55	0.89	0.64	1.04
1998	0.41	0.64	0.49	0.78
1999	0.46	0.71	0.58	0.91
2000	0.60	0.91	0.94	1.41
2001	0.51	0.74	0.84	1.23
2002	0.42	0.60	0.76	1.10
2003	0.58	0.81	0.94	1.33
2004	0.84	1.15	1.24	1.70
2005	1.09	1.44	1.79	2.37
2006	1.36	1.74	2.10	2.69
2007	1.49	1.86	2.27	2.83
2008	1.89	2.27	3.15	3.79
2009	1.22	1.47	1.83	2.21
2010	1.48	1.76	2.31	2.75
2011	1.71	1.97	3.12	3.59
2012	1.14	1.28	3.20	3.61
2013	1.03	1.14	3.12	3.47
2014	1.10	1.20	2.92	3.20
2015	0.48	0.53	1.82	1.99
2016	0.50	0.54	1.51	1.63
2017	0.77	0.82	1.81	1.91
2018	0.93	0.95	2.26	2.33
2019	0.60	0.61	2.11	2.14
2020	0.50	0.50	1.49	1.49
	<i>Average annual percentage change</i>			
1978-2020	1.0%	-2.3%	3.3%	0.0%
2010-2020	-10.3%	-11.8%	-4.3%	-6.0%

**Source:**

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, Washington, DC, April 2021, Table 9.7. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Consumer grade.

<sup>b</sup> Adjusted by the Consumer Price Inflation Index.



Prices of finished aviation gasoline (current dollars) dropped in 2009 but then began to climb. After five years of data withheld, the 2020 price of aviation gasoline was \$2.69 per gallon. In 2012 kerosene-type jet fuel reached its all-time high. Prices were under \$2.00 per gallon in 2019 and 2020.

**Table 11.8**  
**Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2020**  
**(dollars per gallon, excluding tax)**

Year	Finished aviation gasoline		Kerosene-type jet fuel	
	Current	Constant 2020 <sup>a</sup>	Current	Constant 2020 <sup>a</sup>
1978	0.52	2.05	0.39	1.54
1980	1.08	3.40	0.87	2.73
1985	1.20	2.89	0.80	1.91
1986	1.01	2.39	0.53	1.25
1987	0.91	2.07	0.54	1.24
1988	0.89	1.95	0.51	1.12
1989	1.00	2.08	0.59	1.24
1990	1.12	2.22	0.77	1.52
1991	1.05	1.99	0.65	1.24
1992	1.03	1.89	0.61	1.13
1993	0.99	1.77	0.58	1.04
1994	0.96	1.67	0.53	0.93
1995	1.01	1.71	0.54	0.92
1996	1.12	1.84	0.65	1.07
1997	1.13	1.82	0.61	0.99
1998	0.96	1.52	0.45	0.72
1999	1.06	1.65	0.54	0.84
2000	1.31	1.96	0.90	1.35
2001	1.32	1.93	0.78	1.13
2002	1.29	1.85	0.72	1.04
2003	1.49	2.10	0.87	1.23
2004	1.82	2.49	1.21	1.65
2005	2.23	2.96	1.74	2.30
2006	2.68	3.44	2.00	2.57
2007	2.85	3.56	2.17	2.70
2008	3.27	3.93	3.05	3.67
2009	2.44	2.95	1.70	2.06
2010	3.03	3.59	2.20	2.61
2011	3.80	4.38	3.05	3.51
2012	3.97	4.48	3.10	3.50
2013	3.93	4.37	2.98	3.31
2014	3.99	4.36	2.77	3.03
2015	b	b	1.63	1.78
2016	b	b	1.32	1.42
2017	b	b	1.63	1.72
2018	b	b	2.12	2.18
2019	b	b	1.97	1.99
2020	2.69	2.69	1.29	1.29
		<i>Average annual percentage change</i>		
1978-2020	4.0%	0.6%	2.9%	-0.4%
2010-2020	-1.2%	-2.9%	-5.2%	-6.8%

**Source:**

U.S. Department of Energy, Energy Information Administration, Petroleum Data Analysis Tools, *Refiner Petroleum Product Prices by Sales Type*, April 2021, Washington, DC. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> Adjusted by the Consumer Price Inflation Index.

<sup>b</sup> EIA withheld value to avoid disclosure of individual company data.

*The federal government taxes highway motor fuel and uses the money to pay for roadway upkeep and improvement, as well as other related expenditures. Compressed natural gas (CNG) and liquefied petroleum gas (LPG) taxes are calculated per energy equivalent of a gallon of gasoline, while liquified natural gas tax is calculated per energy equivalent of diesel.*

**Table 11.9**  
**Federal Excise Taxes on Motor Fuels, 2020**

Fuel	Cents per gallon	Effective Date
Gasoline	18.4	October 1, 1997
Diesel and kerosene	24.4	October 1, 1997
Gasohol <sup>a</sup>	18.4	January 1, 2005
CNG	18.3 <sup>c</sup>	October 1, 2006
LNG	24.3 <sup>d</sup>	January 1, 2016
LPG	18.3 <sup>c</sup>	January 1, 2016
Other alternative fuels <sup>b</sup>	18.4	October 1, 1997

**Sources:**

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2019*, Washington, DC, 2021, Table FE-21B. (Additional resources: [www.fhwa.dot.gov](http://www.fhwa.dot.gov))

Public Law 114-41, July 31, 2015. (Additional resources: [www.congress.gov](http://www.congress.gov))

<sup>a</sup> All gasohol blends are taxed at the same rate.

<sup>b</sup> Includes benzol, benzene, naphtha, and other liquids used as a motor fuel.

<sup>c</sup> Compressed natural gas and liquefied petroleum gas are 18.3 cents per energy equivalent of a gallon of gasoline.

<sup>d</sup> Liquefied natural gas is 24.3 cents per energy equivalent of a gallon of diesel.

*In addition to the 18.4 cents per gallon federal gasoline tax, the states also tax gasoline at varying rates. Some states have sales and/or use taxes added to gasoline excise taxes while others have inspection fees, environmental fees, leaking underground storage tank taxes, etc. The Energy Information Administration has compiled gasoline excise taxes, along with other state taxes and fees, to arrive at an estimate of the amount of state taxes consumers are paying per gallon.*

**Table 11.10**  
**State Gasoline Tax Rates, February 2021**  
**(cents per gallon)**

State	Tax Rate	State	Tax Rate
Alabama	27.0	Montana	32.8
Alaska	9.0	Nebraska	29.6
Arizona	19.0	Nevada	23.8
Arkansas	24.8	New Hampshire	23.8
California	57.7	New Jersey	50.8
Colorado	23.6	New Mexico	18.9
Connecticut	25.0	New York	33.0
Delaware	23.0	North Carolina	36.4
District of Columbia	23.5	North Dakota	23.0
Florida	34.7	Ohio	38.5
Georgia	29.5	Oklahoma	20.0
Hawaii	18.5	Oregon	36.0
Idaho	33.0	Pennsylvania	58.7
Illinois	50.8	Rhode Island	35.1
Indiana	42.2	South Carolina	24.8
Iowa	30.0	South Dakota	30.0
Kansas	25.0	Tennessee	27.4
Kentucky	26.0	Texas	20.0
Louisiana	20.9	Utah	32.1
Maine	31.4	Vermont	30.5
Maryland	36.5	Virginia	21.8
Massachusetts	26.9	Washington	52.2
Michigan	37.2	West Virginia	35.7
Minnesota	30.6	Wisconsin	32.9
Mississippi	18.4	Wyoming	24.0
Missouri	17.4		

**Note:** Includes gasoline tax plus other per gallon fees, such as leaking underground storage tank fees. See source for additional specifics on individual state rates.

**Source:**

Energy Information Administration, Petroleum Supply Monthly, Federal and state motor fuels taxes, accessed April 26, 2021. (Additional resources: <https://www.eia.gov/petroleum/marketing/monthly/xls/fueltaxes.xls>)

*Federal, state, and local jurisdictions have laws and incentives for alternative fuels production and use.*

**Table 11.11**  
**Federal, State, and Local Alternative Fuel Incentives, 2020**  
**(number of incentives)**

State (including jurisdictions in the State)	Biodiesel	Ethanol	Natural Gas	Liquefied petroleum gas (LPG)	Electric vehicles (EVs)	Neighborhood electric vehicles (NEVs)	Hydrogen fuel cells	Aftermarket conversions
Federal	35	29	29	28	30	3	27	6
Alabama	3	3	5	4	7	0	1	2
Alaska	1	2	1	1	5	1	1	1
Arizona	4	4	14	13	23	1	11	0
Arkansas	4	3	5	4	4	0	2	1
California	14	13	34	17	123	3	50	5
Colorado	8	6	16	11	35	1	9	2
Connecticut	3	4	6	4	24	0	8	4
Delaware	2	2	4	5	10	1	1	0
Dist. of Columbia	3	4	4	4	13	0	7	1
Florida	6	5	4	3	13	1	1	0
Georgia	4	4	3	2	6	0	2	1
Hawaii	8	8	5	6	13	1	9	0
Idaho	4	2	3	3	7	2	2	0
Illinois	11	9	7	6	14	1	4	2
Indiana	12	9	13	9	10	1	5	4
Iowa	10	12	7	5	12	1	5	2
Kansas	7	12	5	3	3	1	0	2
Kentucky	7	7	5	4	2	1	2	1
Louisiana	6	4	8	8	6	1	0	2
Maine	4	3	3	3	12	2	3	1
Maryland	1	1	3	3	25	2	4	1
Massachusetts	5	3	7	6	32	1	11	2
Michigan	2	1	7	6	12	0	6	0
Minnesota	7	9	7	3	22	4	2	0
Mississippi	3	3	8	6	4	1	2	2
Missouri	6	6	8	8	7	1	4	1
Montana	7	7	6	6	7	2	4	1
Nebraska	2	5	6	3	5	1	1	1
Nevada	5	4	7	5	16	2	4	1
New Hampshire	4	1	3	3	13	2	1	2
New Jersey	3	2	4	3	21	1	8	0
New Mexico	11	7	11	7	14	1	9	1
New York	2	2	9	3	38	1	7	3
North Carolina	10	9	8	7	20	0	8	1
North Dakota	10	7	2	2	3	1	2	0
Ohio	5	5	8	7	9	0	4	1
Oklahoma	8	10	16	11	16	1	9	6
Oregon	9	10	10	9	33	1	10	2
Pennsylvania	3	3	6	4	14	0	6	3
Rhode Island	4	3	5	3	18	3	6	2
South Carolina	7	5	5	5	7	1	8	2
South Dakota	7	9	3	4	3	0	1	0
Tennessee	5	6	7	3	5	1	1	0
Texas	5	6	15	8	18	1	7	5
Utah	2	1	10	5	18	1	6	2
Vermont	2	1	4	2	27	1	4	1
Virginia	13	12	15	8	25	1	12	2
Washington	11	8	10	7	31	1	13	1
West Virginia	4	4	8	5	6	1	5	0
Wisconsin	12	9	9	9	16	1	5	0
Wyoming	4	5	7	5	6	0	2	1
<b>Total</b>	<b>335</b>	<b>309</b>	<b>415</b>	<b>309</b>	<b>863</b>	<b>56</b>	<b>322</b>	<b>81</b>

**Source:**

U.S. Department of Energy, Energy Efficiency and Renewable Energy, Alternative Fuels Data Center. Data downloaded August 2021. (Additional resources: [www.eere.energy.gov/afdc/laws/matrix/tech](http://www.eere.energy.gov/afdc/laws/matrix/tech))

**Table 11.12**  
**Federal, State, and Local Advanced Technology Incentives, 2020**  
**(number of incentives)**

State (including jurisdictions in the State)	Hybrid electric vehicles (HEV)	Plug-in hybrid vehicles (PHEVs)	Fuel economy or efficiency	Idle reduction	Connected and Autonomous Vehicles	Other <sup>a</sup>
Federal	10	27	13	7	2	8
Alabama	2	7	1	3	1	0
Alaska	0	4	1	1	0	0
Arizona	3	19	0	2	3	1
Arkansas	1	4	0	1	1	1
California	11	111	7	5	4	14
Colorado	3	30	1	2	1	3
Connecticut	2	23	1	2	1	1
Delaware	1	10	1	2	1	0
Dist. of Columbia	1	11	2	1	1	2
Florida	0	13	1	1	1	0
Georgia	1	6	0	1	1	0
Hawaii	3	13	1	1	1	1
Idaho	2	6	0	0	1	0
Illinois	3	11	3	4	2	0
Indiana	5	10	3	4	0	2
Iowa	0	11	0	1	1	0
Kansas	1	3	0	1	0	0
Kentucky	0	2	0	0	0	1
Louisiana	1	5	1	0	0	0
Maine	0	12	2	2	1	3
Maryland	0	22	0	2	0	1
Massachusetts	4	26	2	4	2	3
Michigan	1	11	0	0	0	0
Minnesota	2	21	1	4	1	1
Mississippi	2	3	1	1	0	0
Missouri	0	5	0	1	0	0
Montana	2	7	2	0	0	0
Nebraska	0	3	0	1	1	1
Nevada	3	11	0	2	2	0
New Hampshire	0	12	2	5	2	3
New Jersey	4	18	3	1	1	4
New Mexico	3	12	2	1	0	1
New York	6	36	3	3	0	5
North Carolina	4	16	1	3	1	1
North Dakota	0	2	0	1	4	0
Ohio	2	7	0	1	1	0
Oklahoma	2	14	1	2	3	3
Oregon	2	30	1	3	1	4
Pennsylvania	1	12	2	3	1	1
Rhode Island	3	14	3	4	0	8
South Carolina	5	8	0	2	0	0
South Dakota	2	3	0	1	0	1
Tennessee	2	3	1	1	1	1
Texas	3	17	1	3	1	2
Utah	4	16	3	3	1	3
Vermont	1	27	1	3	1	1
Virginia	4	24	2	2	0	3
Washington	1	28	2	1	1	1
West Virginia	0	6	0	2	0	1
Wisconsin	1	15	0	3	1	1
Wyoming	1	6	1	1	0	0
<b>Total</b>	<b>115</b>	<b>773</b>	<b>73</b>	<b>105</b>	<b>49</b>	<b>87</b>

**Source:**

U.S. Department of Energy, Energy Efficiency and Renewable Energy, Alternative Fuels Data Center. Data downloaded August 2021. (Additional resources: [www.eere.energy.gov/afdc/laws/matrix/tech](http://www.eere.energy.gov/afdc/laws/matrix/tech))

<sup>a</sup> Includes Clean Fuel Initiatives and Pollution Prevention.

*In current dollars, import cars, on average, were less expensive than domestic cars until 1982. Since then, import prices have more than tripled, while domestic prices have more than doubled (current dollars). The average price for cars increased from 2019 to 2020.*

**Table 11.13**  
**Average Price of a New Car (Domestic and Import), 1970–2020**

Year	Domestic <sup>a</sup>		Import		Total	
	Current dollars	Constant 2020 dollars <sup>b</sup>	Current dollars	Constant 2020 dollars <sup>b</sup>	Current dollars	Constant 2020 dollars <sup>b</sup>
1970	3,706	24,417	2,649	17,457	3,543	23,344
1975	5,096	24,215	4,367	20,751	4,961	23,576
1980	7,591	23,554	7,468	23,171	7,557	23,448
1985	11,576	27,505	12,843	30,514	11,835	28,119
1990	14,483	28,330	16,615	32,501	15,033	29,405
1991	15,188	28,509	16,343	30,677	15,476	29,049
1992	15,635	28,491	18,589	33,872	16,331	29,758
1993	15,936	28,195	20,230	35,792	16,833	29,782
1994	16,817	29,011	21,885	37,753	17,798	30,702
1995	16,797	28,177	23,069	38,699	17,892	30,015
1996	17,180	27,993	26,049	42,445	18,504	30,150
1997	17,532	27,927	27,682	44,095	19,182	30,555
1998	18,488	28,997	28,708	45,026	20,238	31,742
1999	19,006	29,165	27,485	42,178	20,701	31,766
2000	19,559	29,038	26,008	38,612	21,030	31,222
2001	19,995	28,864	25,854	37,322	21,464	30,985
2002	20,436	29,042	25,616	36,403	21,866	31,074
2003	19,956	27,727	26,150	36,334	21,663	30,100
2004	20,500	27,744	25,954	35,127	22,068	29,867
2005	21,568	28,233	26,635	34,866	23,012	30,124
2006	22,126	28,059	27,019	34,264	23,611	29,942
2007	22,255	27,441	27,466	33,866	23,883	29,449
2008	22,191	26,350	25,854	30,700	23,431	27,823
2009	22,039	26,264	25,166	29,990	23,108	27,538
2010	23,769	27,868	27,250	31,949	24,907	29,201
2011	24,158	27,457	28,269	32,129	25,471	28,949
2012	24,116	26,854	28,974	32,264	25,536	28,435
2013	23,916	26,247	29,285	32,138	25,441	27,921
2014	23,761	25,660	28,171	30,422	24,964	26,959
2015	24,119	26,337	28,326	30,931	25,196	27,513
2016	24,476	26,394	28,504	30,737	25,484	27,481
2017	23,879	25,213	30,992	32,723	25,608	27,038
2018	23,503	24,224	32,327	33,319	25,530	26,313
2019	24,685	24,990	31,391	31,778	26,365	26,690
2020	25,754	25,754	32,378	32,378	27,366	27,366
<i>Average annual percentage change</i>						
1970-2020	4.0%	0.1%	5.1%	1.2%	4.2%	0.3%
2010-2020	0.8%	-0.9%	1.7%	0.0%	0.9%	-0.8%

**Note:** These data are based on an average car and do not include prices for pickups, vans, or sport utility vehicles.

**Source:**

U.S. Department of Commerce, Bureau of Economic Analysis, *Average Transaction Price per New Car*, Washington, DC, 2021. (Additional resources: [www.bea.gov](http://www.bea.gov))

<sup>a</sup> Includes all vehicles produced in the United States regardless of manufacturer.

<sup>b</sup> Adjusted by the Consumer Price Inflation Index.

The average price of a new light truck grew 51% from 1990-2020 in constant dollars terms, and by 199% when not adjusted for inflation. From the earliest available estimates in 2002, average prices for import light trucks were slightly higher than domestic prices until 2009. By 2020, domestic light truck prices averaged more than \$4,000 higher than import prices.

**Table 11.14**  
**Average Price of a New Light Truck<sup>a</sup> (Domestic and Import), 1990-2020**

Year	Domestic <sup>b</sup>		Import		Total	
	Current dollars	Constant 2020 dollars <sup>c</sup>	Current dollars	Constant 2020 dollars <sup>c</sup>	Current dollars	Constant 2020 dollars <sup>c</sup>
1990	d	d	d	d	13,592	26,588
1991	d	d	d	d	14,124	26,512
1992	d	d	d	d	15,032	27,392
1993	d	d	d	d	15,611	27,621
1994	d	d	d	d	16,821	29,018
1995	d	d	d	d	17,725	29,735
1996	d	d	d	d	19,574	31,895
1997	d	d	d	d	21,777	34,689
1998	d	d	d	d	22,787	35,740
1999	d	d	d	d	23,626	36,256
2000	d	d	d	d	23,363	34,685
2001	d	d	d	d	24,391	35,210
2002	26,066	37,042	26,753	38,019	26,149	37,161
2003	26,420	36,708	28,604	39,743	26,715	37,118
2004	26,950	36,474	28,760	38,924	27,190	36,799
2005	27,296	35,732	29,543	38,673	27,590	36,117
2006	27,999	35,507	29,611	37,551	28,248	35,822
2007	29,158	35,952	29,817	36,765	29,265	36,085
2008	28,267	33,565	29,958	35,573	28,555	33,908
2009	29,447	35,091	29,072	34,645	29,381	35,012
2010	32,327	37,902	32,305	37,876	32,324	37,898
2011	33,373	37,930	33,317	37,867	33,365	37,921
2012	34,040	37,904	34,136	38,011	34,054	37,920
2013	34,773	38,161	33,766	37,056	34,616	37,989
2014	35,793	38,654	34,204	36,937	35,546	38,387
2015	36,822	40,208	33,681	36,778	36,256	39,589
2016	37,664	40,615	33,496	36,120	36,815	39,700
2017	38,301	40,440	33,741	35,625	37,308	39,392
2018	38,824	40,016	35,043	36,118	37,948	39,112
2019	39,748	40,239	35,142	35,575	38,762	39,241
2020	41,880	41,880	36,181	36,181	40,616	40,616
<i>Average Annual Percentage Change</i>						
1990-2020	d	d	d	d	3.7%	1.4%
2010-2020	2.6%	0.9%	1.1%	-0.6%	2.3%	0.6%

**Source:**

U.S. Department of Commerce, Bureau of Economic Analysis, *Underlying Detail, Motor Vehicle Output*, March 2021 and Ward's Communications, [www.wardsauto.com](http://www.wardsauto.com).

<sup>a</sup> Light trucks in this table are 14,000 lb and less.

<sup>b</sup> Includes all vehicles produced in the United States regardless of manufacturer.

<sup>c</sup> Adjusted by the Consumer Price Inflation Index.

<sup>d</sup> Data are not available.

The total cost of operating a car is the sum of the fixed cost (depreciation, insurance, finance charge, and license fee) and the variable cost (gas and oil, tires, and maintenance), which is related to the amount of travel. The gas and oil share of total cost was 11.4% in 2020 which was down from 18.4% in 2012.

**Table 11.15**  
**Car Operating Cost per Mile, 1985–2020**

Model year	Constant 2020 dollars per 10,000 miles <sup>a</sup>			Total cost per mile <sup>b</sup> (constant 2020 cents <sup>a</sup> )	Percentage gas and oil of total cost
	Variable cost	Fixed cost	Total cost		
1985	1,785	4,957	6,742	67.42	19.9%
1986	1,540	5,448	6,987	69.87	15.1%
1987	1,526	5,304	6,830	68.30	14.7%
1988	1,728	6,629	8,357	83.57	13.6%
1989	1,670	6,095	7,764	77.64	14.2%
1990	1,663	6,448	8,111	81.11	13.2%
1991	1,843	6,776	8,619	86.19	14.6%
1992	1,660	6,980	8,641	86.41	12.6%
1993	1,648	6,666	8,314	83.14	12.7%
1994	1,589	6,699	8,288	82.88	11.8%
1995	1,630	6,801	8,432	84.32	11.7%
1996	1,584	6,916	8,500	85.00	10.9%
1997	1,742	7,011	8,753	87.53	12.2%
1998	1,699	7,190	8,888	88.88	11.1%
1999	1,647	7,239	8,886	88.86	9.8%
2000	1,834	7,100	8,934	89.34	11.6%
2001	1,987	6,753	8,741	87.41	13.2%
2002	1,698	7,012	8,710	87.10	9.7%
2003	1,843	6,870	8,712	87.12	11.6%
2004	1,726	7,718	9,444	94.44	9.4%
2005	1,869	7,172	9,040	90.40	12.0%
2006	1,939	6,016	7,954	79.54	15.3%
2007	1,810	5,948	7,758	77.58	14.3%
2008	2,039	6,490	8,529	85.29	16.4%
2009	1,860	6,666	8,527	85.27	14.3%
2010	1,986	6,788	8,774	87.74	15.4%
2011	2,041	6,739	8,780	87.80	16.2%
2012	2,214	6,477	8,691	86.91	18.4%
2013	2,269	6,435	8,703	87.03	18.4%
2014	2,080	6,314	8,394	83.94	16.9%
2015	1,889	6,389	8,278	82.78	14.8%
2016	1,588	6,548	8,136	81.36	11.2%
2017	1,646	5,242	6,888	68.88	12.6%
2018	1,715	5,508	7,223	72.23	12.5%
2019	1,715	5,508	7,223	69.64	13.1%
2020	1,808	5,349	7,157	69.30	11.4%
		<i>Average annual percentage change</i>			
1985-2020	0.0%	0.2%	0.2%	0.1%	
2010-2020	-0.9%	-2.4%	-2.0%	-2.3%	

**Source:**

Ward's Communications, *Motor Vehicle Facts and Figures 2020*, Southfield, Michigan, 2020, and annual. Original data from AAA "Your Driving Costs." (Additional resources: [newsroom.aaa.com](http://newsroom.aaa.com))

<sup>a</sup> Adjusted by the U.S. Consumer Price Inflation Index. Can be converted to constant dollars using Table B.17.

<sup>b</sup> Based on 10,000 miles per year.



*While the previous table shows costs per mile, this table presents costs per year for fixed costs associated with car operation. For model year 2020 cars, the fixed cost is \$15.67 per day per vehicle.*

**Table 11.16**  
**Fixed Car Operating Costs per Year, 1975–2020**  
**(constant 2020 dollars)<sup>a</sup>**

Model year	Insurance <sup>b</sup>	License, registration & taxes	Depreciation	Finance charge	Total	Average fixed cost per day
1975	1,842	144	3,719	<sup>c</sup>	5,705	15.63
1980	1,569	258	3,260	<sup>c</sup>	6,385	17.49
1981	1,474	251	3,664	<sup>c</sup>	6,762	18.54
1982	1,213	145	3,637	<sup>c</sup>	6,431	17.62
1983	1,227	252	3,373	<sup>c</sup>	6,221	17.05
1984	1,267	264	3,007	<sup>c</sup>	5,844	16.02
1985	1,125	265	3,035	1,284	5,703	15.63
1986	1,206	307	3,117	1,504	6,130	16.79
1987	1,226	292	3,404	1,198	6,113	16.75
1988	1,261	304	3,903	1,236	6,697	18.36
1989	1,356	301	4,212	1,227	7,086	19.41
1990	1,344	327	4,667	1,347	7,673	21.03
1991	1,354	319	4,758	505	6,928	18.98
1992	1,459	321	5,012	1,468	8,253	22.62
1993	1,339	319	5,069	1,200	7,920	21.71
1994	1,348	339	5,134	1,132	7,948	21.78
1995	1,336	345	5,219	1,165	8,058	22.08
1996	1,401	355	5,229	1,184	8,162	22.37
1997	1,370	348	5,276	1,238	8,229	22.54
1998	1,432	359	5,341	1,291	8,420	23.07
1999	1,512	351	5,338	1,286	8,482	23.24
2000	1,466	335	5,248	1,276	8,317	22.78
2001	1,455	304	5,185	1,266	8,203	22.48
2002	1,463	289	5,353	1,191	8,292	22.72
2003	1,557	288	5,258	1,046	8,143	22.31
2004	2,196	569	5,182	1,015	8,962	24.55
2005	1,707	516	5,140	979	8,342	22.86
2006	1,189	687	4,355	919	7,149	19.59
2007	1,230	672	4,234	915	7,050	19.32
2008	1,134	666	3,992	911	6,703	18.36
2009	1,177	684	4,175	940	6,976	19.11
2010	1,224	694	4,218	957	7,093	19.43
2011	1,114	685	4,289	947	7,035	19.27
2012	1,128	688	3,995	954	6,765	18.53
2013	1,143	679	3,967	942	6,731	18.44
2014	1,118	701	3,837	926	6,582	18.03
2015	1,218	726	3,990	731	6,664	18.26
2016	1,318	741	4,054	737	6,849	18.76
2017	1,316	581	2,818	528	5,242	14.36
2018	1,313	575	3,011	587	5,485	15.09
2019	1,304	577	2,781	687	5,349	14.66
2020	1,292	657	3,157	611	5,717	15.67
<i>Average annual percentage change</i>						
1975-2020	-0.8%	3.4%	-0.4%		0.0%	0.0%
2010-2020	0.5%	-0.6%	-2.9%	-4.4%	-2.1%	-2.1%

**Source:**

Ward's Communications, *Motor Vehicle Facts and Figures 2020*, Southfield, Michigan, 2020, and annual. Original data from AAA "Your Driving Costs." (Additional resources: [newsroom.aaa.com](http://newsroom.aaa.com))

<sup>a</sup> Adjusted by the U.S. Consumer Price Inflation Index. Can be converted to constant dollars using Table B.17.

<sup>b</sup> Fire & Theft: \$50 deductible 1975 through 1977; \$100 deductible 1978 through 1992; \$250 deductible for 1993 – 2003; \$100 deductible 2004-2015. Collision: \$100 deductible through 1979; \$250 deductible 1980-1992; \$500 deductible for 1993 – on. Property Damage & Liability: coverage = \$100,000/\$300,000.

<sup>c</sup> Data are not available.

**Table 11.17**  
**Personal Consumption Expenditures, 1970–2020**  
**(billion dollars)**

Year	Personal consumption expenditures		Transportation personal consumption expenditures		Transportation PCE as a percent of PCE
	Current	Constant 2020 <sup>a</sup>	Current	Constant 2020 <sup>a</sup>	
1970	646.7	3,394.6	80.8	424.1	12.5%
1975	1,030.5	3,927.9	132.6	505.4	12.9%
1980	1,750.7	4,710.8	241.7	650.4	13.8%
1985	2,712.8	5,653.6	370.7	772.6	13.7%
1986	2,886.3	5,895.8	373.7	763.4	12.9%
1987	3,076.3	6,130.6	387.7	772.6	12.6%
1988	3,330.0	6,409.8	416.3	801.3	12.5%
1989	3,576.8	6,624.4	440.0	814.9	12.3%
1990	3,809.0	6,798.7	455.7	813.4	12.0%
1991	3,943.4	6,807.1	430.5	743.1	10.9%
1992	4,197.6	7,084.6	463.4	782.1	11.0%
1993	4,452.0	7,340.4	497.3	819.9	11.2%
1994	4,721.0	7,621.4	540.0	871.8	11.4%
1995	4,962.6	7,846.0	565.5	894.1	11.4%
1996	5,244.6	8,142.5	610.9	948.5	11.6%
1997	5,536.8	8,450.4	652.6	996.0	11.8%
1998	5,877.2	8,869.8	677.8	1,022.9	11.5%
1999	6,279.1	9,341.7	738.5	1,098.7	11.8%
2000	6,762.1	9,840.5	809.0	1,177.3	12.0%
2001	7,065.6	10,061.6	821.1	1,169.3	11.6%
2002	7,342.7	10,293.3	821.1	1,151.1	11.2%
2003	7,723.1	10,628.9	857.5	1,180.1	11.1%
2004	8,212.7	11,006.5	913.2	1,223.9	11.1%
2005	8,747.1	11,368.5	977.7	1,270.7	11.2%
2006	9,260.3	11,681.8	1,011.7	1,276.3	10.9%
2007	9,706.4	11,924.2	1,053.7	1,294.5	10.9%
2008	9,976.3	12,020.7	1,047.1	1,261.7	10.5%
2009	9,842.2	11,768.1	903.0	1,079.7	9.2%
2010	10,185.8	12,038.9	986.4	1,165.9	9.7%
2011	10,641.1	12,318.6	1,107.4	1,282.0	10.4%
2012	11,006.8	12,502.2	1,159.6	1,317.1	10.5%
2013	11,317.2	12,633.2	1,195.6	1,334.6	10.6%
2014	11,822.8	12,959.1	1,228.3	1,346.4	10.4%
2015	12,297.5	13,354.5	1,183.4	1,285.1	9.6%
2016	12,770.0	13,724.0	1,180.0	1,268.2	9.2%
2017	13,340.4	14,072.5	1,252.9	1,321.7	9.4%
2018	13,993.3	14,415.3	1,339.1	1,379.5	9.6%
2019	14,544.6	14,720.7	1,340.6	1,356.8	9.2%
2020	14,145.3	14,145.3	1,151.5	1,151.5	8.1%
	<i>Average annual percentage change</i>				
1970-2020	6.4%	2.9%	5.5%	2.0%	
2010-2020	3.3%	1.6%	1.6%	-0.1%	

**Note:** Transportation PCE includes the following categories: transportation, motor vehicles and parts, and gasoline and oil.

**Source:**

U.S. Department of Commerce, Bureau of Economic Analysis, National Income and Product Accounts, Table 2.3.5, [www.bea.gov](http://www.bea.gov)

<sup>a</sup> Adjusted by the GNP price deflator.

**Table 11.18**  
**Consumer Price Indices, 1970–2020**  
**(1970 = 1.000)**

Year	Consumer price index	Transportation consumer price index <sup>a</sup>	New car consumer price index	Used car consumer price index	Gross national product index
1970	1.000	1.000	1.000	1.000	1.000
1975	1.387	1.336	1.186	1.404	1.573
1980	2.124	2.216	1.667	1.997	2.678
1981	2.343	2.485	1.768	2.465	3.001
1982	2.487	2.587	1.836	2.846	3.131
1983	2.567	2.648	1.881	3.163	3.400
1984	2.678	2.765	1.932	3.606	3.773
1985	2.773	2.837	1.998	3.644	4.042
1986	2.825	2.728	2.083	3.487	4.257
1987	2.928	2.811	2.154	3.625	4.513
1988	3.049	2.899	2.194	3.782	4.871
1989	3.196	3.043	2.245	3.859	5.248
1990	3.369	3.213	2.286	3.769	5.555
1991	3.510	3.301	2.373	3.785	5.733
1992	3.616	3.373	2.433	3.949	6.068
1993	3.724	3.477	2.499	4.292	6.381
1994	3.820	3.581	2.591	4.542	6.771
1995	3.928	3.709	2.655	5.016	7.102
1996	4.044	3.813	2.706	5.032	7.506
1997	4.137	3.848	2.718	4.843	7.966
1998	4.201	3.776	2.701	4.827	8.410
1999	4.294	3.851	2.691	4.872	8.943
2000	4.438	4.088	2.689	4.994	9.528
2001	4.564	4.115	2.676	5.087	9.846
2002	4.637	4.077	2.637	4.872	10.171
2003	4.742	4.203	2.597	4.580	10.666
2004	4.869	4.349	2.582	4.272	11.385
2005	5.034	4.637	2.597	4.468	12.147
2006	5.196	4.824	2.591	4.487	12.842
2007	5.344	4.925	2.566	4.351	13.486
2008	5.549	5.215	2.527	4.293	13.770
2009	5.529	4.780	2.554	4.070	13.514
2010	5.620	5.157	2.599	4.587	14.067
2011	5.797	5.663	2.672	4.776	14.614
2012	5.917	5.796	2.716	4.818	15.217
2013	6.004	5.798	2.745	4.804	15.760
2014	6.101	5.758	2.755	4.779	16.457
2015	6.109	5.308	2.771	4.715	17.096
2016	6.186	5.197	2.775	4.599	17.576
2017	6.318	5.375	2.768	4.431	18.371
2018	6.472	5.618	2.755	4.435	19.354
2019	6.589	5.602	2.765	4.480	20.101
2020	6.670	5.369	2.780	4.622	19.580

**Sources:**

Bureau of Labor Statistics, Consumer Price Index, All Urban Consumers, Multi-screen data search, [www.bls.gov/data](http://www.bls.gov/data).  
 (Additional resources: [www.bls.gov](http://www.bls.gov))

GNP – U.S. Department of Commerce, Bureau of Economic Analysis, National Income and Product Accounts, Table 1.7.5. (Additional resources: [www.bea.gov](http://www.bea.gov))

<sup>a</sup> Transportation Consumer Price Index includes new and used cars, gasoline, car insurance rates, intracity mass transit, intracity bus fare, and airline fares.

The data below were summarized from the Bureau of Labor Statistics (BLS) Current Employment Statistics Survey data using the North American Industry Classification System (NAICS). Transportation-related employment was 7.6% of total employment in 2020.

**Table 11.19**  
**Transportation-Related Employment, 1990, 2000, and 2020<sup>a</sup>**  
(thousands)

	1990	2000	2020	Percent change 1990-2020
Truck transportation (includes drivers)	1,122.6	1,406.1	1,465.6	30.6%
Transit and ground transportation	274.2	372.1	374.8	36.7%
Air transportation	529.2	614.4	430.3	-18.7%
Rail transportation	271.8	231.7	149.2	-45.1%
Water transportation	56.8	56.0	61.0	7.4%
Pipeline transportation	59.8	46.0	50.9	-14.9%
Motor vehicle and parts - retail	1,494.4	1,846.9	1,907.6	27.6%
Motor vehicles and parts - wholesale	313.8	360.8	343.3	9.4%
Gasoline stations - retail	910.2	935.7	930.7	2.3%
Automotive repair and maintenance	659.4	888.1	901.0	36.6%
Automotive equipment rental and leasing	163.2	208.3	191.3	17.2%
Manufacturing (subtotal)	2,224.9	2,143.9	1,637.9	-26.4%
<i>Motor vehicles</i>	271.5	291.4	187.0	-31.1%
<i>Motor vehicle bodies and trailers</i>	129.8	182.7	149.8	15.4%
<i>Motor vehicle parts</i>	653.0	839.5	535.0	-18.1%
<i>Aerospace products and parts</i>	840.7	516.7	511.3	-39.2%
<i>Railroad rolling stock</i>	65.9	72.7	58.7	-10.9%
<i>Ship &amp; boat building</i>	173.7	154.1	138.7	-20.1%
<i>Tires</i>	90.3	86.8	57.4	-36.4%
Oil and gas pipeline construction	86.0	72.2	143.9	67.3%
Highway street and bridge construction	288.5	340.1	345.2	19.7%
Scenic & sightseeing	15.7	27.5	23.3	48.4%
Support activities for transportation	364.1	537.4	700.0	92.3%
Couriers and messengers	375.0	605.0	957.1	155.2%
Travel arrangement and reservation services	250.0	298.6	170.5	-31.8%
<b>Total transportation-related employment</b>	<b>9,459.6</b>	<b>10,990.8</b>	<b>10,783.6</b>	<b>14.0%</b>
Total nonfarm employment	109,976.0	133,555.0	142,185.0	29.3%
Transportation-related to total employment	8.6%	8.2%	7.6%	

**Source:**

Tabulated from the U.S. Department of Labor, Bureau of Labor Statistics, Current Employment Statistics, [www.bls.gov/ces/data.htm](http://www.bls.gov/ces/data.htm), April 2021. (Additional resources: [www.bls.gov](http://www.bls.gov))

<sup>a</sup> Not seasonally adjusted.

*The total number of employees involved in the manufacture of motor vehicles decreased by 31% from 1990 to 2020 and by 18% for those involved in the manufacture of motor vehicle parts.*

**Table 11.20**  
**U.S. Employment for Motor Vehicles and Motor Vehicle Parts Manufacturing, 1990–2020<sup>a</sup>**

Year	All employees (thousands)	Production workers (thousands)	Share of production workers to total employees
Motor vehicles			
1990	271.4	243.4	89.7%
1995	294.7	273.7	92.9%
2000	291.4	251.0	86.1%
2001	278.7	236.4	84.8%
2002	265.4	220.8	83.2%
2003	264.6	217.1	82.0%
2004	255.9	208.0	81.3%
2005	247.6	198.6	80.2%
2006	236.5	191.8	81.1%
2007	220.0	177.3	80.6%
2008	191.6	151.1	78.9%
2009	146.4	114.2	78.0%
2010	152.6	120.7	79.1%
2011	157.9	124.7	79.0%
2012	167.6	134.7	80.4%
2013	181.5	150.1	82.7%
2014	194.0	160.8	82.9%
2015	200.8	161.6	80.5%
2016	211.8	168.9	79.7%
2017	218.9	173.8	79.4%
2018	233.6	187.0	80.1%
2019	237.2	191.5	80.7%
Motor vehicle parts			
1990	653.0	527.4	80.8%
1995	786.9	647.7	82.3%
2000	839.5	676.7	80.6%
2001	774.7	624.9	80.7%
2002	733.6	590.9	80.5%
2003	707.8	567.6	80.2%
2004	692.1	561.6	81.1%
2005	678.1	553.9	81.7%
2006	654.7	533.7	81.5%
2007	607.9	488.9	80.4%
2008	543.7	430.6	79.2%
2009	413.7	317.8	76.8%
2010	418.9	323.3	77.2%
2011	445.5	345.0	77.4%
2012	482.8	365.3	75.7%
2013	508.7	385.2	75.7%
2014	537.0	415.9	77.4%
2015	564.9	436.7	77.3%
2016	581.2	448.6	77.2%
2017	589.2	453.3	76.9%
2018	599.7	459.4	76.6%
2019	594.1	447.0	75.2%
2020	535.0	387.9	72.5%

**Source:**

Tabulated from the U.S. Department of Labor, Bureau of Labor Statistics, Current Employment Statistics, [www.bls.gov/ces/data.htm](http://www.bls.gov/ces/data.htm), April 2021. (Additional resources: [www.bls.gov](http://www.bls.gov))

<sup>a</sup> Not seasonally adjusted.



# GREENHOUSE GAS EMISSIONS

# Chapter 12



*Credit: Stefan\_Redel/iStock/Getty Images*

*The U.S. accounted for 23% of the World's carbon dioxide emissions in 1990, 21% in 2005, and only 14% in 2020. About 46% of the U.S. carbon emissions are from oil use.*

**Table 12.1**  
**World Carbon Dioxide Emissions, 1990, 2005, and 2020**

Country/Region	1990		2005		2020	
	Million metric tons	Percent of emissions from oil use	Million metric tons	Percent of emissions from oil use	Million metric tons	Percent of emissions from oil use
<b>OECD<sup>a</sup> Americas</b>						
United States	4,989	44%	5,985	44%	5,104	46%
Canada	471	48%	620	49%	591	56%
Mexico/Chile	302	77%	461	66%	507	60%
Total	5,762	46%	7,066	46%	6,202	48%
OECD Europe	4,149	45%	4,488	49%	3,668	52%
<b>OECD Asia</b>						
Japan	1,054	65%	1,241	52%	1,067	39%
Australia/New Zealand	298	38%	438	55%	463	40%
Other	243	59%	494	30%	633	44%
Total	1,595	59%	2,173	47%	2,163	41%
<b>Non-OECD Europe &amp; Eurasia</b>						
Russia	2,393	33%	1,548	25%	1,692	30%
Other	1,853	32%	1,120	26%	962	29%
Total	4,246	32%	2,668	25%	2,654	29%
<b>Non-OECD Asia</b>						
China	2,293	15%	5,490	16%	10,532	18%
India	573	28%	1,182	27%	2,594	26%
Other	811	57%	1,665	53%	2,735	48%
Total	3,677	26%	8,337	25%	15,861	25%
<b>Other Non-OECD</b>						
Middle East	704	70%	1,333	59%	2,203	54%
Africa	659	46%	978	43%	1,348	50%
Central & South America	695	76%	1,011	72%	1,241	70%
Total	2,058	64%	3,322	58%	4,792	57%
<b>Total World</b>	<b>21,487</b>	<b>42%</b>	<b>28,054</b>	<b>40%</b>	<b>35,340</b>	<b>37%</b>

**Source:**


U.S. Department of Energy, Energy Information Administration, International Energy Statistics Databases, and *International Energy Outlook 2020*, Washington, DC. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

<sup>a</sup> OECD is the Organization for Economic Cooperation and Development. See Glossary for included countries.



Since 1990, China shows the greatest increase of carbon dioxide (CO<sub>2</sub>) emissions. The Americas have increased CO<sub>2</sub> emissions by only 8% from 1990 to 2020. Europe and Eurasia have fewer CO<sub>2</sub> emissions in 2020 than 1990.

**Figure 12.1. World Carbon Dioxide Emissions, 1990–2020**



**Source:**

1990–2009: U.S. Department of Energy, Energy Information Administration, *International Energy Statistics*, Total Carbon Dioxide Emissions from the Consumption of Energy, [www.eia.doe.gov/cfapps/ipdbproject/IEDIndex3.cfm](http://www.eia.doe.gov/cfapps/ipdbproject/IEDIndex3.cfm), September 2016.  
 2010–2020: U.S. Department of Energy, Energy Information Administration, *International Energy Outlook 2019*, [www.eia.gov/forecasts/ieo/index.cfm](http://www.eia.gov/forecasts/ieo/index.cfm), accessed September 2021. (Additional resources: [www.eia.doe.gov](http://www.eia.doe.gov))

*Global Warming Potentials (GWP) were developed to allow comparison of the ability of each greenhouse gas to trap heat in the atmosphere relative to carbon dioxide. Extensive research has been performed and it has been discovered that the effects of various gases on global warming are too complex to be precisely summarized by a single number. Further understanding of the subject also causes frequent changes to estimates. Despite that, the scientific community has developed approximations, the latest of which are shown below. Most analysts use the 100-year time horizon.*

**Table 12.2**  
**Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide**  
**(kilogram of gas per kilogram of carbon dioxide)**

Gas	Lifetime (years)	Global warming potential direct effect for time horizons of	
		20 years	100 years
Carbon Dioxide (CO <sub>2</sub> )	5-200 <sup>a</sup>	1	1
Methane (CH <sub>4</sub> ) <sup>b</sup>	11.8	82.5	29.8
Methane-nonfossil (CH <sub>4</sub> ) <sup>b</sup>	11.8	80.8	27.2
Difluoromethane (HFC-32)	5.4	2,693	771
Tetrafluoroethane (HFC-134a)	14	4,144	1,526
Trichlorofluoromethane (CFC-11)	52	8,321	6,226
Nitrous Oxide (N <sub>2</sub> O)	109	273	273
Perfluoromethane (CF <sub>4</sub> )	50,000	5,301	7,380

**Note:** Includes climate-carbon feedbacks.

**Source:**

IPCC, 2021: Summary for Policymakers. In: *Climate Change 2021: The Physical Science Basis*. Contribution of Working Group I to the Sixth Assessment Report of the Intergovernmental Panel on Climate Change [Masson-Delmotte, V., P. Zhai, A. Pirani, S. L. Connors, C. Péan, S. Berger, N. Caud, Y. Chen, L. Goldfarb, M. I. Gomis, M. Huang, K. Leitzell, E. Lonnoy, J.B.R. Matthews, T. K. Maycock, T. Waterfield, O. Yelekçi, R. Yu and B. Zhou (eds.)]. Cambridge University Press. In Press.

<sup>a</sup> No single lifetime can be defined for carbon dioxide due to different rates of uptake by different removal processes.

<sup>b</sup> These values do not include carbon dioxide from methane oxidation. Perturbation lifetime is used in the calculation of metrics.

*Carbon dioxide emissions in 2019 were 3% higher than in 1990, but down from the highest annual emissions of this data series in 2007. Carbon dioxide accounts for the majority (80%) of greenhouse gases.*

**Table 12.3**  
**U.S. Emissions of Greenhouse Gases, Based on Global Warming Potential, 1990–2019**  
**(million metric tons of carbon dioxide equivalent<sup>a</sup>)**

Year	Carbon dioxide	Methane	Nitrous oxide	High GWP gases <sup>b</sup>	Total
1990	5,088.4	776.7	452.5	99.5	6,417.1
1995	5,394.2	767.7	468.7	117.8	6,748.4
1996	5,583.3	760.9	480.7	128.9	6,953.8
1997	5,658.2	746.8	466.9	136.4	7,008.3
1998	5,703.4	731.6	467.7	152.8	7,055.5
1999	5,774.6	713.4	457.3	149.9	7,095.2
2000	5,958.9	707.5	444.5	150.8	7,261.7
2001	5,846.7	699.7	460.2	137.7	7,144.3
2002	5,888.2	692.5	458.5	145.9	7,185.1
2003	5,948.8	692.5	459.9	137.0	7,238.2
2004	6,049.9	687.0	469.7	144.6	7,351.2
2005	6,071.0	686.1	455.8	146.5	7,359.4
2006	5,990.8	690.7	452.5	149.4	7,283.4
2007	6,073.5	693.8	463.5	161.0	7,391.8
2008	5,868.3	700.6	446.8	162.8	7,178.5
2009	5,435.9	689.5	445.4	158.6	6,729.4
2010	5,639.2	692.1	454.8	168.1	6,954.2
2011	5,506.0	666.1	445.5	175.4	6,793.0
2012	5,304.4	658.2	416.9	172.3	6,551.8
2013	5,445.9	654.4	463.8	172.1	6,736.2
2014	5,493.5	651.1	473.9	177.2	6,795.7
2015	5,341.9	651.5	468.3	179.6	6,641.3
2016	5,221.4	642.3	450.9	179.2	6,493.8
2017	5,182.5	648.3	446.2	180.9	6,457.9
2018	5,350.3	655.8	459.0	180.8	6,645.9
2019	5,230.7	659.6	457.2	185.6	6,533.1
<i>Average annual percent change</i>					
1990-2019	0.1%	-0.6%	0.0%	2.2%	0.1%
2009-2019	-0.4%	-0.4%	0.3%	1.6%	-0.3%

**Note:** This greenhouse gas emissions inventory includes fossil fuel combustion, use of fluorinated gases and other transportation categories.

**Source:**

U.S. Environmental Protection Agency, Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))

<sup>a</sup> Carbon dioxide equivalents are computed by multiplying the weight of the gas being measured by its estimated Global Warming Potential (See Table 12.2).

<sup>b</sup> GWP = Global warming potential. Includes HFC-hydrofluorocarbons; PFC-perfluorocarbons; and SF<sub>6</sub>-sulfur hexafluoride.

*The transportation sector accounted for 35% of carbon dioxide emissions and 28.8% of all greenhouse gas emissions in 2019. The industrial sector is the only sector that accounts for more greenhouse gas emissions than the transportation sector.*

**Table 12.4**  
**Total U.S. Greenhouse Gas Emissions by End-Use Sector, 2019**  
**(million metric tons of carbon dioxide equivalent<sup>a</sup>)**

	Carbon dioxide	Methane	Nitrous oxide	Hydrofluorocarbons, perfluorocarbons, sulfur hexafluoride	Total greenhouse gas emissions
Residential	925.8	5.1	8.7	38.7	978.3
Commercial	807.4	115.6	35.6	63.8	1,022.4
Agricultural	82.0	256.5	366.0	0.1	704.6
Industrial	1,584.6	281.0	35.3	46.3	1,947.2
Transportation	1,830.9	1.4	11.6	36.7	1,880.6
<b>Total greenhouse gas emissions</b>	<b>5,230.7</b>	<b>659.6</b>	<b>457.2</b>	<b>185.6</b>	<b>6,533.1</b>
Transportation share of total	35.0%	0.2%	2.5%	19.8%	28.8%

**Note:** Does not include U.S. territories. Totals may not sum due to rounding.

**Source:**

U.S. Environmental Protection Agency, *Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019*, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))

<sup>a</sup> Carbon dioxide equivalents are computed by multiplying the weight of the gas being measured by its estimated Global Warming Potential (See Table 12.2).

*The transportation sector accounts for 37.7% of carbon dioxide emissions. The commercial sector accounts for the lowest share of carbon dioxide emissions.*

**Table 12.5**  
**U.S. Carbon Emissions from Fossil Fuel Consumption**  
**by End-Use Sector, 1990–2019<sup>a</sup>**  
**(million metric tons of carbon dioxide)**

	End use sector				Transportation percentage	CO <sub>2</sub> from all sectors	
	Residential	Commercial	Industrial	Transportation			
1990	931.3	766.0	1,540.2	1,472.2	31.3%	4,709.7	
1991	949.3	771.2	1,513.3	1,425.5	30.6%	4,659.3	
1992	945.4	765.2	1,565.6	1,480.8	31.1%	4,757.0	
1993	998.0	785.0	1,574.5	1,511.8	31.0%	4,869.3	
1994	989.0	796.8	1,596.1	1,557.2	31.5%	4,939.1	
1995	994.7	814.4	1,605.9	1,583.9	31.7%	4,998.9	
1996	1,055.6	846.1	1,659.5	1,630.5	31.4%	5,191.7	
1997	1,045.2	886.9	1,672.9	1,646.7	31.4%	5,251.7	
1998	1,049.8	905.1	1,661.0	1,682.2	31.8%	5,298.1	
1999	1,070.5	914.5	1,616.2	1,749.7	32.7%	5,350.9	
2000	1,133.9	977.6	1,659.0	1,795.7	32.3%	5,566.2	
2001	1,125.5	983.9	1,602.4	1,766.2	32.2%	5,478.0	
2002	1,152.7	982.7	1,576.8	1,806.6	32.7%	5,518.8	
2003	1,182.7	994.2	1,595.9	1,816.4	32.5%	5,589.2	
2004	1,180.9	1,011.2	1,622.6	1,849.9	32.7%	5,664.6	
2005	1,214.9	1,030.1	1,589.2	1,863.4	32.7%	5,697.6	
2006	1,151.9	1,010.1	1,587.2	1,863.7	33.2%	5,612.9	
2007	1,204.1	1,051.3	1,582.4	1,865.9	32.7%	5,703.7	
2008	1,190.4	1,042.9	1,517.2	1,764.4	32.0%	5,514.9	
2009	1,122.7	981.0	1,345.9	1,693.0	32.9%	5,142.6	
2010	1,174.9	997.5	1,437.9	1,701.4	32.0%	5,311.7	
2011	1,116.9	962.6	1,421.6	1,675.5	32.4%	5,176.6	
2012	1,007.9	900.9	1,399.8	1,664.3	33.5%	4,972.9	
2013	1,063.9	928.7	1,429.1	1,674.1	32.9%	5,095.8	
2014	1,080.6	938.1	1,407.5	1,712.7	33.3%	5,138.9	
2015	1,001.1	907.6	1,346.8	1,723.5	34.6%	4,979.0	
2016	946.2	865.2	1,310.1	1,764.1	36.1%	4,885.6	
2017	910.5	838.2	1,294.5	1,786.8	37.0%	4,830.0	
2018	980.2	850.6	1,314.9	1,821.2	36.7%	4,966.9	
2019	920.3	802.1	1,287.8	1,821.9	37.7%	4,832.1	
			<i>Average annual percentage change</i>				
1990-2019	0.0%	0.2%	-0.6%	0.7%		0.1%	
2009-2019	-2.0%	-2.0%	-0.4%	0.7%		-0.6%	

**Note:** The CO<sub>2</sub> from all sectors does not match Table 12.3 since it is only from fossil fuel consumption and does not include the use of fluorinated gases and other transportation categories. U.S. territories are not included.

**Source:**

U.S. Environmental Protection Agency, *Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019*, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))

<sup>a</sup> Includes energy from petroleum, coal, and natural gas. Electric utility emissions are distributed across consumption sectors.

*This report has typically displayed carbon and carbon dioxide data from the Environmental Protection Agency (EPA). However, the Energy Information Administration's (EIA's) Monthly Energy Review also includes carbon dioxide emission data. The differences in the two-data series have been about 5-7%, but as high as 8.5% in 1991. Reasons for the differences include the treatment of international bunker fuel, nonfuel use of fossil fuels, and the agencies' use of different fuel consumption control totals.*

**Table 12.6**  
**Transportation Sector Carbon Dioxide Emissions from**  
**Energy Consumption, 1973-2020**  
**(million metric tons of carbon dioxide)**

Year	Energy Information Administration's <i>Monthly Energy Review</i>	Environmental Protection Agency's Greenhouse Gas Inventory Report	Percentage difference
1973	1,315.2	a	a
1975	1,291.6	a	a
1980	1,400.2	a	a
1985	1,421.2	a	a
1990	1,587.6	1,484.1	6.5%
1991	1,567.9	1,436.1	8.4%
1992	1,591.6	1,491.6	6.3%
1993	1,604.2	1,522.8	5.1%
1994	1,644.1	1,568.8	4.6%
1995	1,678.5	1,595.2	5.0%
1996	1,723.8	1,641.5	4.8%
1997	1,742.2	1,658.3	4.8%
1998	1,779.4	1,694.3	4.8%
1999	1,825.6	1,761.9	3.5%
2000	1,869.7	1,807.9	3.3%
2001	1,849.1	1,777.3	3.9%
2002	1,889.8	1,817.5	3.8%
2003	1,890.7	1,826.5	3.4%
2004	1,957.4	1,860.2	5.0%
2005	1,984.2	1,873.6	5.6%
2006	2,012.3	1,873.7	6.9%
2007	2,017.9	1,876.2	7.0%
2008	1,893.3	1,774.0	6.3%
2009	1,824.8	1,701.6	6.7%
2010	1,842.9	1,711.8	7.1%
2011	1,809.0	1,685.5	6.8%
2012	1,773.4	1,673.5	5.6%
2013	1,796.4	1,683.8	6.3%
2014	1,814.9	1,722.8	5.1%
2015	1,838.9	1,734.5	5.7%
2016	1,871.0	1,774.4	5.2%
2017	1,887.5	1,796.4	4.8%
2018	1,918.5	1,830.5	4.6%
2019	1,920.0	1,830.9	4.6%
2020	1,630.1	a	a

**Sources:**

U.S. Department of Energy, Energy Information Administration, Monthly Energy Review, July 2021, Washington, DC, Table 11.5.

U.S. Environmental Protection Agency, Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))

<sup>a</sup> Data are not available.

*Most U.S. transportation sector carbon dioxide emissions come from petroleum fuels. Motor gasoline has been responsible for 60%-65% of U.S. carbon dioxide emissions over the last 29 years.*

**Table 12.7**  
**U.S. Carbon Emissions from Fossil Fuel Combustion in the Transportation**  
**End-Use Sector, 1990–2019**  
**(million metric tons of carbon dioxide equivalent)**

Year	Motor gasoline	LPG <sup>a</sup>	Jet fuel	Distillate fuel	Residual fuel	Aviation gas	Natural gas	Electricity <sup>b</sup>	Total
1990	958.9	1.4	184.3	262.9	22.6	3.1	36.0	3.0	1,472.2
1991	945.0	1.0	168.0	254.0	77.0	3.0	33.0	3.0	1,484.0
1992	974.0	1.0	167.0	271.0	80.0	3.0	32.0	3.0	1,531.0
1993	987.0	1.0	168.0	288.0	68.0	3.0	34.0	3.0	1,552.0
1994	1,000.0	2.0	176.0	311.0	66.0	3.0	38.0	3.0	1,599.0
1995	1,013.0	1.0	172.0	325.0	68.0	3.0	38.0	3.0	1,623.0
1996	1,036.0	1.0	185.0	340.0	64.0	3.0	39.0	3.0	1,671.0
1997	1,049.0	1.0	184.0	354.0	53.0	3.0	41.0	3.0	1,688.0
1998	1,079.0	1.0	189.0	367.0	51.0	2.0	35.0	3.0	1,727.0
1999	1,113.0	1.0	192.0	389.0	50.0	3.0	36.0	3.0	1,787.0
2000	1,118.0	1.0	195.0	407.0	67.0	3.0	36.0	3.0	1,830.0
2001	1,118.0	1.0	190.0	405.0	44.0	2.0	35.0	4.0	1,799.0
2002	1,143.0	1.0	185.0	418.0	51.0	2.0	37.0	3.0	1,840.0
2003	1,162.0	1.0	179.0	426.0	43.0	2.0	33.0	4.0	1,850.0
2004	1,167.0	1.0	187.0	443.0	56.0	2.0	32.0	5.0	1,893.0
2005	1,150.1	1.8	189.4	462.7	19.3	2.4	33.1	4.7	1,863.5
2006	1,143.0	2.0	182.0	474.0	68.0	2.0	33.0	5.0	1,909.0
2007	1,135.0	1.0	180.0	479.0	75.0	2.0	35.0	5.0	1,912.0
2008	1,072.0	3.0	173.0	454.0	70.0	2.0	37.0	5.0	1,816.0
2009	1,071.0	2.0	154.0	409.0	59.0	2.0	38.0	4.0	1,739.0
2010	1,059.0	0.0	152.0	426.0	67.0	2.0	38.0	5.0	1,749.0
2011	1,036.0	0.0	147.0	428.0	58.0	2.0	39.0	4.0	1,714.0
2012	1,030.0	0.0	143.0	427.0	50.0	2.0	41.0	4.0	1,697.0
2013	1,028.0	0.0	147.0	431.0	44.0	2.0	47.0	4.0	1,703.0
2014	1,067.0	0.0	148.0	446.0	34.0	1.0	40.0	4.0	1,740.0
2015	1,058.6	0.4	157.6	457.5	4.2	1.5	39.4	4.3	1,723.5
2016	1,084.8	0.4	166.1	454.2	12.9	1.4	40.1	4.2	1,764.1
2017	1,081.8	0.4	171.7	468.3	16.5	1.4	42.3	4.3	1,786.7
2018	1,097.1	0.5	172.3	480.3	14.0	1.5	50.9	4.7	1,821.3
2019	1,086.8	0.5	177.8	481.2	14.7	1.6	54.8	4.7	1,822.1
<i>Average annual percentage change</i>									
1990-2019	0.4%	-3.5%	-0.1%	2.1%	-1.5%	-2.3%	1.5%	1.6%	0.7%
2009-2019	0.1%	-12.9%	1.4%	1.6%	-13.0%	-2.2%	3.7%	1.6%	0.5%

**Note:** Emissions from U.S. Territories are not included. Emissions from International Bunker Fuels are not included.

**Source:**

U.S. Environmental Protection Agency, Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))

<sup>a</sup> Liquefied petroleum gas.

<sup>b</sup> Share of total electric utility carbon dioxide emissions weighted by sales to the transportation sector.

*Highway vehicles are responsible for the majority of greenhouse gas emissions in the transportation sector.*

**Table 12.8**  
**Transportation Carbon Dioxide Emissions by Mode, 1990–2019**  
**(Million metric tons of carbon dioxide equivalent)**

Year	Passenger Vehicles	Heavy Trucks	Highway Total	Water	Air	Rail	Pipeline	Total
1990	926.2	237.7	1,163.9	46.4	187.4	38.5	36.0	1,472.2
1991	911.0	231.0	1,142.0	41.0	171.0	36.0	33.0	1,423.0
1992	943.0	242.0	1,185.0	56.0	170.0	37.0	32.0	1,480.0
1993	960.0	255.0	1,215.0	54.0	171.0	38.0	34.0	1,512.0
1994	973.0	273.0	1,246.0	55.0	179.0	41.0	38.0	1,559.0
1995	987.0	283.0	1,270.0	58.0	175.0	43.0	38.0	1,584.0
1996	1,011.0	295.0	1,306.0	55.0	188.0	43.0	39.0	1,631.0
1997	1,023.0	309.0	1,332.0	41.0	187.0	43.0	41.0	1,644.0
1998	1,054.0	323.0	1,377.0	35.0	191.0	44.0	35.0	1,682.0
1999	1,087.0	342.0	1,429.0	44.0	195.0	45.0	36.0	1,749.0
2000	1,092.0	359.0	1,451.0	64.0	198.0	46.0	35.0	1,794.0
2001	1,095.0	356.0	1,451.0	42.0	192.0	47.0	35.0	1,767.0
2002	1,120.0	370.0	1,490.0	47.0	187.0	45.0	37.0	1,806.0
2003	1,149.0	368.0	1,517.0	36.0	181.0	47.0	33.0	1,814.0
2004	1,156.0	384.0	1,540.0	40.0	189.0	51.0	31.0	1,851.0
2005	1,132.9	411.1	1,544.0	44.3	191.8	50.8	32.4	1,863.3
2006	1,126.0	420.0	1,546.0	47.0	184.0	53.0	32.0	1,862.0
2007	1,094.0	450.0	1,544.0	54.0	182.0	52.0	34.0	1,866.0
2008	1,030.0	433.0	1,463.0	44.0	175.0	48.0	36.0	1,766.0
2009	1,033.0	389.0	1,422.0	38.0	156.0	40.0	37.0	1,693.0
2010	1,023.0	402.0	1,425.0	43.0	154.0	43.0	37.0	1,702.0
2011	1,003.0	397.0	1,400.0	44.0	149.0	44.0	38.0	1,675.0
2012	999.0	398.0	1,397.0	39.0	145.0	43.0	41.0	1,665.0
2013	995.0	402.0	1,397.0	38.0	149.0	44.0	46.0	1,674.0
2014	1,034.0	417.0	1,451.0	27.0	149.0	46.0	39.0	1,712.0
2015	1,027.1	424.8	1,451.9	30.5	159.1	43.5	38.5	1,723.5
2016	1,052.6	428.0	1,480.6	37.1	167.5	39.8	39.2	1,764.2
2017	1,048.7	442.6	1,491.3	40.0	173.1	40.9	41.3	1,786.6
2018	1,063.6	454.2	1,517.8	37.0	173.8	42.7	49.9	1,821.2
2019	1,056.2	456.6	1,512.8	35.9	179.4	40.2	53.7	1,822.0
<i>Average annual percentage change</i>								
1990-2019	0.5%	2.3%	0.9%	-0.9%	-0.2%	0.1%	1.4%	0.7%
2009-2019	0.2%	1.6%	0.6%	-0.6%	1.4%	0.0%	3.8%	0.7%

**Note:** Emissions from U.S. Territories are not included. Emissions from International Bunker Fuels are not included. Passenger vehicles include cars, light trucks and motorcycles. Heavy trucks include medium and heavy trucks and buses.

**Source:**

U.S. Environmental Protection Agency, *Inventory of U. S. Greenhouse Gas Emissions and Sinks: 1990-2019*, April 2021, EPA 430-R-21-005. (Additional resources: [www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019](http://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2019))




## The Greenhouse Gases, Regulated Emissions, and Energy Use in Technologies (GREET) Model

[greet.es.anl.gov](http://greet.es.anl.gov)

Sponsored by the U.S. Department of Energy's Office of Energy Efficiency and Renewable Energy (EERE), Argonne has developed a full life-cycle model called GREET® (Greenhouse gases, Regulated Emissions, and Energy use in Technologies). It allows researchers and analysts to evaluate energy and environmental impacts of various vehicle and fuel combinations on a life-cycle basis. The first version of GREET was released in 1996. Since then, Argonne has continued to update and expand the model. The most recent GREET versions are GREET 1 2021 version for fuel-cycle analysis and GREET 2 2021 version for vehicle-cycle analysis.

**Figure 12.2. GREET Model**




For a given vehicle and fuel system, GREET separately calculates the following:

- Consumption of total resources (energy in non-renewable and renewable sources), fossil fuels (petroleum, natural gas, and coal together), petroleum, coal, natural gas, and water.
- Emissions of CO<sub>2</sub>-equivalent greenhouse gases - primarily carbon dioxide (CO<sub>2</sub>), methane (CH<sub>4</sub>), and nitrous oxide (N<sub>2</sub>O).

- Emissions of seven criteria pollutants: volatile organic compounds (VOCs), carbon monoxide (CO), nitrogen oxide (NOx), particulate matter with size smaller than 10 micron (PM<sub>10</sub>), particulate matter with size smaller than 2.5 micron (PM<sub>2.5</sub>), black carbon (BC) and sulfur oxides (SOx).

REET includes more than 100 fuel production pathways and more than 80 vehicle/fuel systems. These vehicle/fuel systems cover current and advanced vehicle technologies such as conventional spark-ignition engine vehicles, compression-ignition engine vehicles, hybrid electric vehicles, plug-in hybrid electric vehicles, battery-powered electric vehicles and fuel-cell electric vehicles. REET also evaluates transportation modes other than light-duty vehicles, such as heavy-duty vehicles, aviation, rail and marine.

**Figure 12.3. REET Model Feedstocks and Fuels**




To address technology improvements over time, REET 2021 simulates current and future vehicle/fuel systems up to year 2050.

For additional information about the REET model and associated documentation, please visit the REET website [www.greet.es.anl.gov](http://www.greet.es.anl.gov), or contact [greet@anl.gov](mailto:greet@anl.gov).

*Results from the GREET 1 2021 model on emissions of carbon dioxide equivalents per mile are shown for various fuels and vehicle technologies. A full description of the model is on the preceding pages.*

**Figure 12.4. Well-to-Wheel Emissions for Various Fuels and Vehicle Technologies**




**Note:** BEV = Battery-electric vehicle. PHEV40 = Plug-in hybrid electric vehicle with 40-mile electric range.

**Source:**

Argonne National Laboratory, GREET WTW Calculator and Sample Results from GREET 1 2021, [greet.es.anl.gov/results](http://greet.es.anl.gov/results). (Additional resources: [greet.es.anl.gov](http://greet.es.anl.gov))

*Greenhouse gas emissions associated with vehicle manufacturing (current technology) were estimated using the GREET model. Emissions from manufacturing the vehicle body are about two tonnes of carbon dioxide equivalent for each of the vehicle types. Emissions from the manufacture of the hydrogen on-board storage cause the total emissions associated with the manufacture of a hydrogen fuel cell vehicle to be higher than the other vehicle types. Emissions from the manufacture of batteries cause BEV300 vehicles to have the highest total emissions.*

**Figure 12.5. Vehicle Manufacturing Cycle Greenhouse Gas Emissions by Vehicle Component**



**Note:** GHG = greenhouse gases. ICEV = internal combustion engine vehicle. CNG = compressed natural gas. HEV = hybrid-electric vehicle. PHEV40 = Plug-in hybrid electric vehicle with 40-mile electric range. H<sub>2</sub>FCEV = Hydrogen fuel cell electric vehicle. BEV100 = Battery-electric vehicle with a 100-mile range. BEV300 = Battery-electric vehicle with a 300-mile range.

**Source:**

Argonne National Laboratory, *Cradle-to-Grave Lifecycle Analysis of U.S. Light-Duty Vehicle-Fuel Pathways: A Greenhouse Gas Emissions and Economic Assessment of Current (2015) and Future (2025-2030) Technologies*, June 01, 2016, p. 143. Updated in 2021 by Argonne National Laboratory. (Additional resources: [greet.es.anl.gov](http://greet.es.anl.gov))

## Carbon Footprint

The carbon footprint measures a vehicle's impact on climate change in tons of carbon dioxide (CO<sub>2</sub>) emitted annually. The following three tables show the carbon footprint for various vehicle classes. The sales-weighted average fuel economy rating for each vehicle class, based on 45% highway and 55% city driving, is used to determine the average annual carbon footprint for vehicles in the class. An estimate of 15,000 annual miles is used for each vehicle class and for each year in the series.

$$\text{CarbonFootprint} = \left( \text{CO}_2 \times \text{LHV} \times \frac{\text{AnnualMiles}}{\text{CombinedMPG}} \right) + (\text{CH}_4 + \text{N}_2\text{O}) \times \text{AnnualMiles}$$

where:

CO<sub>2</sub> = (Tailpipe CO<sub>2</sub> + Upstream Greenhouse Gases) in grams per million Btu

LHV = Lower (or net) Heating Value in million Btu per gallon

CH<sub>4</sub> = Tailpipe CO<sub>2</sub> equivalent methane in grams per mile

N<sub>2</sub>O = Tailpipe CO<sub>2</sub> equivalent nitrous oxide in grams per mile

**Note:** The Environmental Protection Agency publishes tailpipe emissions in terms of grams of CO<sub>2</sub> per mile in the *2020 EPA Automotive Trends Report*, [www.epa.gov/fueleconomy/trends-report](http://www.epa.gov/fueleconomy/trends-report).

*The production-weighted average annual carbon footprint for cars and car SUVs declined by about 2% annually between 1975 and 2020.*

**Table 12.9**  
**Production-Weighted Annual Carbon Footprint of New Domestic and Import Cars**  
**Model Years 1975–2020<sup>a</sup>**  
**(metric tons of CO<sub>2</sub>)**

Model Year	Car	Car SUV <sup>b</sup>
1975	12.6	15.2
1980	8.5	11.6
1985	7.4	8.4
1986	7.1	8.9
1987	7.1	8.7
1988	7.0	8.8
1989	7.2	8.9
1990	7.3	9.0
1991	7.2	9.3
1992	7.3	9.5
1993	7.2	9.9
1994	7.3	9.4
1995	7.2	9.5
1996	7.3	9.2
1997	7.3	8.8
1998	7.3	9.3
1999	7.4	9.1
2000	7.4	9.5
2001	7.4	9.0
2002	7.3	8.8
2003	7.3	8.5
2004	7.3	8.5
2005	7.2	8.4
2006	7.3	8.3
2007	7.0	8.2
2008	7.0	8.0
2009	6.7	7.7
2010	6.5	7.4
2011	6.6	7.2
2012	6.2	7.3
2013	6.0	7.0
2014	6.0	6.9
2015	5.9	6.7
2016	5.8	6.5
2017	5.6	6.5
2018	5.5	6.3
2019	5.4	6.2
2020	5.3	6.0
<i>Average annual percentage change</i>		
1975–2020	-1.9%	-2.0%
2010–2020	-2.0%	-1.9%

**Source:**

Calculated using fuel economy from the U.S. Environmental Protection Agency, *The 2020 EPA Automotive Trends Report*, EPA-420-R-21-003, January 2021. See TEDB page 12-15 for details. (Additional resources: <https://www.epa.gov/automotive-trends>)

<sup>a</sup> Annual carbon footprint is based on 15,000 miles of annual driving. Includes tailpipe plus upstream emissions.

<sup>b</sup> Car SUV category is defined in Table 4.10.

*The production-weighted average annual carbon footprint of pickups, vans, and truck SUVs decreased from 1975 to 2020. Truck SUVs experienced the greatest decline from overall, and from 2010 to 2020.*

**Table 12.10**  
**Production-Weighted Annual Carbon Footprint of New Domestic and Import Trucks**  
**Model Years 1975–2020<sup>a</sup>**  
**(metric tons of CO<sub>2</sub>)**

Model Year	Pickup	Van	Truck SUV <sup>b</sup>
1975	14.2	15.2	15.3
1980	10.2	12.0	12.8
1985	9.3	10.2	10.2
1990	9.7	9.5	10.3
1991	9.3	9.4	10.1
1992	9.7	9.4	10.4
1993	9.6	9.3	10.4
1994	9.7	9.5	10.6
1995	10.0	9.4	10.6
1996	9.9	9.2	10.4
1997	10.0	9.3	10.5
1998	10.0	9.1	10.5
1999	10.4	9.3	10.5
2000	10.2	9.1	10.6
2001	10.6	9.4	10.3
2002	10.7	9.1	10.4
2003	10.5	8.9	10.3
2004	10.7	8.8	10.3
2005	10.7	8.8	10.1
2006	10.5	8.7	9.9
2007	10.5	8.7	9.6
2008	10.3	8.5	9.3
2009	10.0	8.4	8.8
2010	10.0	8.4	8.6
2011	9.8	8.1	8.5
2012	9.8	8.0	8.5
2013	9.7	8.0	8.1
2014	9.4	8.0	7.8
2015	9.0	7.8	7.7
2016	8.9	7.8	7.6
2017	8.9	7.6	7.6
2018	8.8	7.4	7.4
2019	8.6	7.3	7.3
2020	8.5	7.2	7.2
	<i>Average annual percentage change</i>		
1975–2020	-1.1%	-1.6%	-1.7%
2010–2020	-1.6%	-1.6%	-1.8%

**Note:** Light truck data include pickups, vans, and truck SUVs less than 8,500 lb. Beginning with 2011, SUV and passenger vans up to 10,000 lb were also included.

**Source:**

Calculated using fuel economy from the U.S. Environmental Protection Agency, *The 2020 EPA Automotive Trends Report*, EPA-420-R-21-003, January 2021. See TEDB page 12-15 for details. (Additional resources: <https://www.epa.gov/automotive-trends>)

<sup>a</sup> Annual carbon footprint is based on 15,000 miles of annual driving. Includes tailpipe plus upstream emissions.

<sup>b</sup> Truck SUV category includes all SUV not in the Car SUV category. Car SUV category is defined in Table 4.10.

*Between 1975 and 2020, the production-weighted average annual carbon footprint for new light vehicles dropped dramatically. Total new cars experienced a decrease of 56.9% while the carbon footprint for light trucks decreased by 48.3%.*

**Table 12.11**  
**Average Annual Carbon Footprint of New Vehicles by Vehicle Classification,**  
**Model Years 1975 and 2020<sup>a</sup>**  
**(metric tons of CO<sub>2</sub>)**

Vehicle class	Production share		Carbon footprint		Percent change 1975 - 2020
	Model year 1975	Model year 2020	Model year 1975	Model year 2020	
Cars					
Car	80.6%	33.3%	12.6	5.3	-57.7%
Car SUV <sup>b</sup>	0.1%	9.5%	15.2	5.8	-62.1%
Total cars	80.7%	42.8%	12.6	5.4	-56.9%
Light trucks					
Van	4.5%	2.6%	15.2	7.4	-51.6%
Truck SUV <sup>b</sup>	1.7%	40.8%	15.3	7.1	-53.6%
Pickup	13.1%	13.7%	14.2	8.7	-38.6%
Total light trucks	19.3%	57.2%	14.5	7.5	-48.3%

**Note:** Light truck data include pickups, vans, and truck SUVs less than 8,500 lb. Beginning with 2011, SUV and passenger vans up to 10,000 lb were also included.

**Source:**

Calculated using fuel economy from the U.S. Environmental Protection Agency, *The 2020 EPA Automotive Trends Report*, EPA-420-R-21-003, January 2021. See TEDB page 12-15 for details. (Additional resources: <https://www.epa.gov/automotive-trends>)

<sup>a</sup> Annual carbon footprint is based on 15,000 miles of annual driving. Includes tailpipe and upstream emissions.

<sup>b</sup> Car SUV category is defined in Table 4.10. Truck SUV category includes all SUVs not in the Car SUV category.



*The average carbon content of 11 different transportation fuels comes from the GREET Model. Residual oil (used in ships) has the highest carbon content of those listed. Ethanol has the lowest carbon content per gallon.*

**Table 12.12**  
**Carbon Content of Transportation Fuels**

Fuel Type	Density (grams/gallon)	Carbon ratio (grams of carbon per grams of fuel)	Carbon content (grams/gallon)	Carbon content <sup>a</sup> (grams per Btu)
Gasoline blendstock	2,819	0.863	2,433	0.0196
Ethanol	2,988	0.522	1,560	0.0185
Gasoline (E10)	2,836	0.828	2,347	0.0195
U.S. conventional diesel	3,167	0.865	2,739	0.0199
Low-sulfur diesel	3,206	0.871	2,792	0.0202
Conventional jet fuel	3,036	0.862	2,617	0.0197
Ultra low-sulfur jet fuel	2,998	0.860	2,578	0.0196
Residual oil	3,752	0.868	3,257	0.0217
Liquefied petroleum gas (LPG)	1,923	0.820	1,577	0.0173
Methyl ester (biodiesel, BD)	3,361	0.776	2,608	0.0204

**Source:**

Argonne National Laboratory, GREET 1 2015 Model.

<sup>a</sup> Based on higher (gross) heating values.



# CRITERIA AIR POLLUTANTS

## Chapter 13



*Credit: Yenwen/E+/Getty Images*

*Transportation accounts for the majority of carbon monoxide and nitrogen oxide emissions. Highway vehicles are responsible for the largest share of transportation emissions.*

**Table 13.1**  
**Total National Emissions of Criteria Air Pollutants by Sector, 2020**  
**(millions of short tons/percentage)**

Sector	CO	NO <sub>x</sub>	VOC	PM-10	PM-2.5	SO <sub>2</sub>
<b>Highway vehicles</b>	<b>16.19</b>	<b>2.41</b>	<b>1.38</b>	<b>0.22</b>	<b>0.09</b>	<b>0.02</b>
	25.6%	29.3%	8.3%	1.3%	1.6%	0.8%
<b>Other off-highway</b>	<b>11.33</b>	<b>1.93</b>	<b>1.06</b>	<b>0.12</b>	<b>0.11</b>	<b>0.03</b>
	17.9%	23.5%	6.4%	0.7%	2.0%	1.4%
<b>Transportation total</b>	<b>27.53</b>	<b>4.34</b>	<b>2.44</b>	<b>0.34</b>	<b>0.20</b>	<b>0.04</b>
	43.5%	52.8%	14.7%	2.0%	3.6%	2.2%
<b>Stationary source fuel combustion</b>	<b>4.07</b>	<b>2.34</b>	<b>0.51</b>	<b>0.75</b>	<b>0.66</b>	<b>1.24</b>
	6.4%	28.4%	3.0%	4.4%	11.6%	63.1%
<b>Industrial processes</b>	<b>1.70</b>	<b>1.06</b>	<b>6.61</b>	<b>0.90</b>	<b>0.39</b>	<b>0.44</b>
	2.7%	12.9%	39.8%	5.3%	6.9%	22.3%
<b>Waste disposal and recycling total</b>	<b>1.30</b>	<b>0.08</b>	<b>0.18</b>	<b>0.23</b>	<b>0.20</b>	<b>0.03</b>
	2.1%	1.0%	1.1%	1.3%	3.6%	1.3%
<b>Miscellaneous</b>	<b>28.68</b>	<b>0.41</b>	<b>6.89</b>	<b>14.78</b>	<b>4.19</b>	<b>0.22</b>
	45.3%	5.0%	41.5%	87.0%	74.3%	11.1%
<b>Total of all sources</b>	<b>63.27</b>	<b>8.23</b>	<b>16.61</b>	<b>16.99</b>	<b>5.64</b>	<b>1.96</b>
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

**Note:** CO = Carbon monoxide. NO<sub>x</sub> = Nitrogen oxides. VOC = Volatile organic compounds. PM-10 = Particulate matter less than 10 microns. PM-2.5 = Particulate matter less than 2.5 microns. SO<sub>2</sub> = Sulfur dioxide.

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

*The transportation sector accounted for more than 43% of the nation's carbon monoxide (CO) emissions in 2019. Highway vehicles are by far the source of the greatest amount of CO. For details on the highway emissions of CO, see Table 13.3.*

**Table 13.2**  
**Total National Emissions of Carbon Monoxide, 1970–2020<sup>a</sup>**  
**(million short tons)**

Source category	1970	1980	1990	2000	2010	2020	Percent of total, 2020
Highway vehicles	163.23	143.83	110.26	68.06	28.24	16.19	25.6%
Other off-highway	11.37	16.69	21.45	24.18	15.35	11.33	17.9%
Transportation total	174.60	160.52	131.71	92.24	43.59	27.53	43.5%
Stationary fuel combustion total	4.63	7.30	5.51	4.78	4.52	4.07	6.4%
Industrial processes total	9.84	6.95	4.77	2.63	1.90	1.70	2.7%
Waste disposal and recycling total	7.06	2.30	1.08	1.85	1.20	1.30	2.1%
Miscellaneous total	7.91	8.34	11.12	12.96	22.56	28.68	45.3%
<b>Total of all sources</b>	<b>204.04</b>	<b>185.41</b>	<b>154.19</b>	<b>114.46</b>	<b>73.77</b>	<b>63.27</b>	<b>100.0%</b>

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

*Though gasoline-powered light vehicles continue to be responsible for the majority of carbon monoxide emissions from highway vehicles, the total pollution from light vehicles in 2005 is less than a fifth of what it was in 1970. This is despite the fact that there were many more light vehicles on the road in 2005. Between 2005 and 2011 the Environmental Protection Agency updated their source from the MOBILE 6.2 emissions model to the MOVES emission model. MOVES results typically show higher emissions, especially for heavy trucks. The 2017 data were released in 2019-2020.*

**Table 13.3**  
**Emissions of Carbon Monoxide from Highway Vehicles, 1970–2017<sup>a</sup>**  
**(million short tons)**

Year	Gasoline			Diesel			Highway vehicle total	Percent diesel
	Light vehicles <sup>b</sup>	Heavy vehicles	All	Light vehicles <sup>b</sup>	Heavy vehicles	All		
1970	141.41	21.27	162.68	0.07	0.49	0.56	163.24	0.3%
1980	127.04	15.35	142.39	0.08	1.36	1.44	143.83	1.0%
1990	99.47	8.92	108.39	0.07	1.81	1.88	110.27	1.7%
1995	76.35	5.96	82.31	0.04	1.53	1.57	83.88	1.9%
2000	63.44	3.42	66.86	0.02	1.19	1.21	68.07	1.8%
2005	45.38	1.97	47.35	0.02	0.85	0.87	48.22	1.8%
2008	29.58	2.58	32.17	0.05	0.94	0.99	33.16	3.0%
2011 <sup>c</sup>	25.34	0.86	26.20	0.38	0.77	1.15	27.35	4.2%
2014 <sup>c</sup>	22.48	0.78	23.27	0.52	0.65	1.17	24.44	4.8%
2017 <sup>c</sup>	18.08	0.62	18.70	0.36	0.45	0.81	19.51	4.2%
Percent of total, 2017	92.6%	3.2%	95.8%	1.8%	2.3%	4.2%	100.0%	

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

<sup>b</sup> Less than 8,500 pounds.

<sup>c</sup> These data are not directly comparable to the older data due to the change in source from the MOBILE emissions model to the MOVES emissions model.

*The transportation sector accounted for more than 50% of the nation's nitrogen oxide (NO<sub>x</sub>) emissions in 2020, with the majority coming from highway vehicles. For details on the highway emissions of NO<sub>x</sub>, see Table 13.5.*

**Table 13.4**  
**Total National Emissions of Nitrogen Oxides, 1970–2020<sup>a</sup>**  
**(million short tons)**

Source category	1970	1980	1990	2000	2010	2020	Percent of total, 2020
Highway vehicles	12.62	11.49	9.59	8.39	5.70	2.41	29.3%
Other off-highway	2.65	3.35	3.78	4.17	3.32	1.93	23.5%
Transportation total	15.27	14.84	13.37	12.56	9.02	4.34	52.8%
Stationary fuel combustion total	10.06	11.32	10.89	8.82	4.33	2.34	28.4%
Industrial processes total	0.78	0.56	0.80	0.81	1.12	1.06	12.9%
Waste disposal and recycling total	0.44	0.11	0.09	0.13	0.09	0.08	1.0%
Miscellaneous total	0.33	0.25	0.37	0.28	0.29	0.41	5.0%
<b>Total of all sources</b>	<b>26.88</b>	<b>27.08</b>	<b>25.52</b>	<b>22.60</b>	<b>14.85</b>	<b>8.23</b>	<b>100.0%</b>

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

*Diesel-powered vehicles were responsible for nearly one-half (46.9%) of highway vehicle nitrogen oxide emissions in 2017, while light gasoline vehicles were responsible for the rest. Between 2005 and 2011 the Environmental Protection Agency updated their source from the MOBILE 6.2 emissions model to the MOVES emission model. MOVES results typically show higher emissions, especially for heavy trucks. The 2017 data were released in 2019-2020.*

**Table 13.5**  
**Emissions of Nitrogen Oxides from Highway Vehicles, 1970–2017<sup>a</sup>**  
**(million short tons)**

Year	Gasoline			Diesel			Highway vehicle total	Percent diesel
	Light vehicles <sup>b</sup>	Heavy vehicles	All	Light vehicles <sup>b</sup>	Heavy vehicles	All		
1970	10.08	0.72	10.80	0.07	1.76	1.83	12.63	14.5%
1980	8.21	0.62	8.83	0.08	2.59	2.67	11.50	23.2%
1990	5.76	0.57	6.33	0.06	3.19	3.25	9.58	33.9%
1995	4.51	0.52	5.03	0.03	3.82	3.85	8.88	43.4%
2000	3.75	0.45	4.20	0.02	4.18	4.20	8.40	50.0%
2005	3.19	0.38	3.57	0.01	2.81	2.82	6.39	44.1%
2008	3.39	0.27	3.67	0.08	3.20	3.27	6.94	47.2%
2011 <sup>c</sup>	3.09	0.09	3.18	0.13	2.56	2.69	5.87	45.8%
2014 <sup>c</sup>	2.29	0.09	2.38	0.11	2.17	2.28	4.66	48.9%
2017 <sup>c</sup>	2.51	0.08	2.59	0.17	2.12	2.29	4.88	46.9%
Percent of total, 2017	51.4%	1.7%	53.1%	3.5%	43.4%	46.9%	100.0%	

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

<sup>b</sup> Less than 8,500 pounds.

<sup>c</sup> These data are not directly comparable to the older data due to the change in source from the MOBILE emissions model to the MOVES emissions model.



*The transportation sector accounted for about 16% of the nation's volatile organic compound (VOC) emissions in 2020, with the majority coming from highway vehicles. For details on the highway emissions of VOC, see Table 13.7.*

**Table 13.6**  
**Total National Emissions of Volatile Organic Compounds, 1970–2020<sup>a</sup>**  
**(million short tons)**

Source category	1970	1980	1990	2000	2010	2020	Percent of total, 2020
Highway vehicles	16.91	13.87	9.39	5.33	2.77	1.38	8.3%
Off-highway	1.62	2.19	2.66	2.64	2.30	1.06	6.6%
Transportation total	18.53	16.06	12.05	7.97	5.06	2.44	15.6%
Stationary fuel combustion total	0.72	1.05	1.01	1.18	0.60	0.51	3.0%
Industrial processes total	12.33	12.10	9.01	7.21	6.96	6.61	39.3%
Waste disposal and recycling total	1.98	0.76	0.99	0.42	0.15	0.18	1.1%
Miscellaneous total	1.10	1.13	1.06	0.73	5.06	6.89	41.0%
<b>Total of all sources</b>	<b>34.66</b>	<b>31.10</b>	<b>24.12</b>	<b>17.51</b>	<b>17.84</b>	<b>16.61</b>	<b>100.0%</b>

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sum of subcategories may not equal total due to rounding. The EPA's definition of volatile organic compounds excludes methane, ethane, and certain other nonphotochemically reactive organic compounds.

*Gasoline-powered vehicles were responsible for 89% of highway vehicle emissions of volatile organic compounds in 2017. VOC emissions from highway vehicles in 2017 were less than one-quarter of the 1990 level. Between 2005 and 2011 the Environmental Protection Agency updated their source from the MOBILE 6.2 emissions model to the MOVES emission model. MOVES results typically show higher emissions, especially for heavy trucks. The 2017 data were released 2019-2020.*

**Table 13.7**  
**Emissions of Volatile Organic Compounds from Highway Vehicles, 1970–2017<sup>a</sup>**  
**(thousand short tons)**

Year	Gasoline			Diesel			Highway vehicle total	Percent diesel
	Light vehicles <sup>b</sup>	Heavy vehicles	All	Light vehicles <sup>b</sup>	Heavy vehicles	All		
1970	14,772	1,679	16,451	49	411	460	16,911	2.7%
1980	12,168	1,198	13,366	44	459	503	13,869	3.6%
1990	8,307	633	8,940	33	415	448	9,388	4.8%
1995	5,993	421	6,414	19	315	334	6,748	4.9%
2000	4,832	256	5,088	7	230	237	5,325	4.5%
2005	3,740	171	3,911	8	159	167	4,078	4.1%
2008	2,660	169	2,829	10	213	223	3,052	7.3%
2011 <sup>c</sup>	2,345	40	2,385	43	213	256	2,641	9.7%
2014 <sup>c</sup>	1,811	41	1,852	26	174	200	2,052	9.7%
2017 <sup>c</sup>	1,966	36	2,002	52	162	214	2,216	9.7%
Percent of total, 2017	88.7%	1.6%	90.3%	2.3%	7.3%	9.7%	100.0%	

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

<sup>b</sup> Less than 8,500 pounds.

<sup>c</sup> These data are not directly comparable to the older data due to the change in source from the MOBILE emissions model to the MOVES emissions model.

*The transportation sector accounted for 2% of the nation's particulate matter (PM-10) emissions in 2020. For details on the highway emissions of PM-10, see Table 13.9.*

**Table 13.8**  
**Total National Emissions of Particulate Matter (PM-10), 1970–2020<sup>a</sup>**  
**(million short tons)**

Source category	1970	1980	1990	2000	2010	2020	Percent of total, 2020
Highway vehicles	0.48	0.43	0.39	0.23	0.28	0.22	1.3%
Off-highway	0.16	0.26	0.33	0.32	0.23	0.12	0.7%
Transportation total	0.64	0.69	0.72	0.55	0.51	0.34	2.0%
Stationary fuel combustion total	2.87	2.45	1.20	1.47	0.98	0.75	4.4%
Industrial processes total	7.67	2.75	1.04	0.71	1.05	0.90	5.3%
Waste disposal and recycling total	1.00	0.27	0.27	0.36	0.21	0.23	1.3%
Miscellaneous total	0.84	0.85	24.54	20.65	18.08	14.78	87.0%
<b>Total of all sources</b>	<b>13.02</b>	<b>7.01</b>	<b>27.75</b>	<b>23.75</b>	<b>20.82</b>	<b>16.99</b>	<b>100.0%</b>

**Note:** Because PM-10 is fine particulate matter less than 10 microns, it also includes PM-2.5. Specific data for PM-2.5 are shown on Tables 13.10 and 13.11.

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> Fine particulate matter less than 10 microns. The sums of subcategories may not equal total due to rounding.

*In 2017, diesel-powered vehicles were responsible for 41% of highway vehicle emissions of particulate matter (PM-10); in 1990 diesels were responsible for 73.4%. Between 2005 and 2011 the Environmental Protection Agency updated their source from the MOBILE 6.2 emissions model to the MOVES emission model. MOVES results typically show higher emissions, especially for heavy trucks. The 2017 data were released in 2019-2020.*

**Table 13.9**  
**Emissions of Particulate Matter (PM-10) from Highway Vehicles, 1970–2017<sup>a</sup>**  
**(thousand short tons)**

Year	Gasoline			Diesel			Highway vehicle total	Percent diesel
	Light vehicles <sup>b</sup>	Heavy vehicles	All	Light vehicles <sup>b</sup>	Heavy vehicles	All		
1970	323	44	367	21	92	113	480	23.5%
1980	190	30	220	21	191	212	432	49.1%
1990	87	17	104	16	268	284	388	73.2%
1995	85	13	98	7	199	206	304	67.8%
2000	82	10	92	2	135	137	229	59.8%
2005	81	8	89	2	92	94	183	51.4%
2008	140	7	147	5	179	185	332	55.6%
2011 <sup>c</sup>	199	3	202	10	159	169	371	45.6%
2014 <sup>c</sup>	163	4	168	10	127	137	304	44.9%
2017 <sup>c</sup>	138	4	141	8	90	98	240	41.0%
Percent of total, 2017	57.4%	1.5%	59.0%	3.5%	37.6%	41.0%	100.0%	

**Note:** Because PM-10 is fine particulate matter less than 10 microns, it also includes PM-2.5. Specific data for PM-2.5 are shown on Tables 13.10 and 13.11.

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

<sup>b</sup> Less than 8,500 pounds.

<sup>c</sup> These data are not directly comparable to the older data due to the change in source from the MOBILE emissions model to the MOVES emissions model.

*The transportation sector accounted for about 2% of the nation's particulate matter (PM-2.5) emissions in 2020. For details on the highway emissions of PM-2.5, see Table 13.11.*

**Table 13.10**  
**Total National Emissions of Particulate Matter (PM-2.5), 1990–2020<sup>a</sup>**  
**(million short tons)**

Source category	1990	1995	2000	2005	2010	2020	Percent of total, 2020
Highway vehicles	0.32	0.25	0.17	0.31	0.20	0.09	1.6%
Off-highway	0.30	0.31	0.30	0.29	0.21	0.11	2.0%
Transportation total	0.62	0.56	0.47	0.60	0.41	0.20	3.6%
Stationary fuel combustion total	0.91	0.90	1.29	1.13	0.84	0.66	11.6%
Industrial processes total	0.56	0.50	0.50	0.53	0.40	0.39	6.9%
Waste disposal and recycling total	0.23	0.25	0.33	0.27	0.18	0.20	3.6%
Miscellaneous total	5.23	4.73	4.69	3.07	4.11	4.19	74.3%
<b>Total of all sources</b>	<b>7.56</b>	<b>6.93</b>	<b>7.29</b>	<b>5.59</b>	<b>5.96</b>	<b>5.64</b>	<b>100.0%</b>

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

---

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

*Diesel vehicles are responsible for the majority of highway vehicle PM-2.5 emissions. Half of all highway vehicles' PM-2.5 emissions are from heavy diesel trucks. Between 2005 and 2011 the Environmental Protection Agency updated their source from the MOBILE 6.2 emissions model to the MOVES emission model. MOVES results typically show higher emissions, especially for heavy trucks. The 2017 data were released in 2019-2020.*

**Table 13.11**  
**Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2017<sup>a</sup>**  
**(thousand short tons)**

Year	Gasoline			Diesel			Highway vehicle total	Percent diesel
	Light vehicles <sup>b</sup>	Heavy vehicles	All	Light vehicles <sup>b</sup>	Heavy vehicles	All		
1990	56	11	67	13	243	256	323	79.3%
1995	50	9	59	6	179	185	244	75.8%
2000	45	7	52	2	119	121	173	69.9%
2005	41	6	47	2	79	81	128	63.3%
2008	83	4	88	5	160	165	253	65.4%
2011 <sup>c</sup>	68	2	70	6	120	126	196	64.3%
2014 <sup>c</sup>	62	2	64	7	92	99	163	60.8%
2017 <sup>c</sup>	50	1	51	6	57	63	114	55.2%
Percent of total, 2017	43.6%	1.2%	44.8%	5.0%	50.2%	55.2%	100.0%	

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website [www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory-nei). (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

<sup>b</sup> Less than 8,500 pounds.

<sup>c</sup> These data are not directly comparable to the older data due to the change in source from the MOBILE emissions model to the MOVES emissions model. The 2011 data include condensable plus filterable PM-2.5.

*The transportation sector accounted for less than 1.5% of the nation's sulfur dioxide (SO<sub>2</sub>) emissions in 2020, with off-highway vehicles responsible for most of the emissions. Stationary fuel combustion (e.g. electricity generation) was responsible for about 63% of all SO<sub>2</sub> emissions in 2020.*

**Table 13.12**  
**Total National Emissions of Sulfur Dioxide, 1970–2020<sup>a</sup>**  
**(million short tons)**

Source category	1970	1980	1990	2000	2010	2020	Percent of total, 2020
Highway vehicles	0.27	0.39	0.50	0.26	0.04	0.02	0.8%
Other off-highway	0.28	0.32	0.37	0.44	0.12	0.03	1.4%
Transportation total	0.55	0.72	0.87	0.70	0.16	0.04	2.2%
Stationary fuel combustion total	23.46	21.39	20.21	14.16	6.75	1.24	63.1%
Industrial processes total	7.10	3.81	1.90	1.42	0.68	0.44	22.3%
Waste disposal and recycling total	0.01	0.03	0.04	0.03	0.02	0.03	1.3%
Miscellaneous total	0.11	0.01	0.01	0.07	0.16	0.22	11.1%
<b>Total of all sources</b>	<b>31.22</b>	<b>25.93</b>	<b>23.08</b>	<b>16.35</b>	<b>7.73</b>	<b>1.96</b>	<b>100.0%</b>

**Source:**

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website  
[www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data](http://www.epa.gov/air-emissions-inventories/air-pollutant-emissions-trends-data).  
 (Additional resources: [www.epa.gov/air-emissions-inventories/national-emissions-inventory](http://www.epa.gov/air-emissions-inventories/national-emissions-inventory))

<sup>a</sup> The sums of subcategories may not equal total due to rounding.

## EMISSION STANDARDS

The U.S. Environmental Protection Agency (EPA) regulates emissions from mobile sources including vehicles, engines, and motorized equipment that produce exhaust and evaporative emissions. Mobile sources contribute to four main air pollutants: carbon monoxide, hydrocarbons, nitrogen oxides, and particulate matter. The EPA not only sets standards for the vehicles, engines, and equipment, but also the fuels that they use. Tables 13.13 through Table 13.30 contain summaries of the current standards.

### Acronyms Used on Tables 13.13 through Table 13.30

ABT	Averaging, banking, and credit trading program	LLDT	Light light-duty truck
ATV	All-terrain vehicle	LPG	Liquefied petroleum gas
bhp	Brake horsepower-hour	LVW	Loaded vehicle weight
CFR	Code of Federal Regulations	MDPV	Medium-duty passenger vehicle (8,500-10,000 lbs. GVWR)
CI	Compression-ignition	MDV	Medium-duty vehicle
CO	Carbon Monoxide	MY	Model year
DE	Diesel engine	NMHC	Non-methane hydrocarbon
EPA	Environmental Protection Agency	NMOG	Non-methane organic gases
FEL	Family emission limit	NR	Nonroad
FTP	Federal test procedure	NRLM	Nonroad, locomotive and marine
g	Gram	NOx	Nitrogen oxides
g/kN	Grams per kilonewton	NTE	Not-to-exceed
g/kW-hr	Grams per kilowatt-hour	OEM	Original equipment manufacturer
g/mi	Grams per mile	PM	Particulate matter
GPA	Geographic Phase-in Area	ppm	Parts per million
GVW	Gross vehicle weight	PWC	Personal watercraft
HC	Hydrocarbons	rO	Rated output
HCHO	Formaldehyde	rPR	Rated pressure ratio
HLDT	Heavy light-duty truck	SI	Spark-ignition
Hp-hr	Horsepower-hour	SULEV	Super-ultra-low-emission vehicle
ICAO	International Civil Aviation Organization	THC	Total hydrocarbons
kN	Kilonewton	THCE	Total hydrocarbon equivalent
kW	Kilowatt	ULEV	Ultra-low-emission vehicle
kW-hr	Kilowatt-hour	ULSD	Ultra-low sulfur diesel
LDT	Light-duty truck	ZEV	Zero-emission vehicle
LDV	Light-duty vehicle		
LEV	Low-emission vehicle		



*The Environmental Protection Agency issued final Tier 3 emission standards in 2014. The combined emissions of non-methane organic gases (NMOG) and nitrogen oxides (NOx) that new gasoline engines are allowed to produce from model years 2017 to 2025 are regulated in these new standards. These standards apply to a corporate average, meaning that some vehicles produced in those model years will emit more than the standard, while others will emit less, so long as the average for each Original Equipment Manufacturer (OEM) product offerings meets the standard.*

**Table 13.13**  
**Tier 3 Non-Methane Organic Gases and Nitrogen Oxide Standards**  
**(milligrams per mile)**

Model Year	Light-duty vehicles and LDT1	LDT2, 3, 4, and medium-duty passenger vehicles	Class 2b trucks	Class 3 trucks
2016	<sup>a</sup>	<sup>a</sup>	333 <sup>b</sup>	548 <sup>b</sup>
2017	86	101	310 <sup>b</sup>	508 <sup>b</sup>
2018	79	92	278	451
2019	72	83	253	400
2020	65	74	228	349
2021	58	65	203	298
2022	51	56	178	247
2023	44	47	178	247
2024	37	38	178	247
2025 and later	30	30	178	247

**Notes:** Standards are for the Federal Test Procedure. Different standards apply for the Supplemental Federal Test Procedure. For vehicles over 6,000 lbs. gross vehicle weight rating (GVWR), the standards apply beginning in MY 2018.

LDT1 = Light trucks less than 6,000 lbs. GVWR and less than 3,750 lbs. loaded vehicle weight (LVW).

LDT2, 3, 4 = Light trucks less than 8,500 lbs. GVWR and more than 3,750 lbs. LVW.

Class 2b trucks = trucks 8,501-10,000 lbs. GVWR.

Class 3 trucks = trucks 10,001-14,000 lbs. GVWR.

**Source:**

Federal Register Vol. 79, No. 81, Monday, April 28, 2014.

<sup>a</sup> Not applicable.

<sup>b</sup> Voluntary standard.

**Table 13.14**  
**Tier 3 Particulate Matter Emission Standards for Light Gasoline Vehicles, MY 2017 and Beyond**  
**(milligrams per mile)**

Model Year	Certification standard (milligrams per mile)	In-use standard (milligrams per mile)	Phase-in (percent of U.S. sales)
2017	3	6	20 <sup>a</sup>
2018	3	6	20
2019	3	6	40
2020	3	6	70
2021	3	6	100
2022-on	3	3	100

**Note:** Standards are for the Federal Test Procedure. The standards apply to all light-duty vehicles, light-duty trucks, and medium-duty passenger vehicles. For vehicles over 6,000 lbs. gross vehicle weight rating, the standards apply beginning in MY 2018.

**Source:**

Federal Register Vol. 79, No. 81, Monday, April 28, 2014.

**Table 13.15**  
**Tier 3 Evaporative Emission Standards**  
**(grams per test)**

Vehicle class	Highest hot soak + diurnal level (over both 2-day and 3-day diurnal tests)
Light-duty vehicles and LDT1	0.3
LDT2	0.4
LDT3, LT4, and medium-duty passenger vehicles	0.5
Heavy-duty gasoline vehicles	0.6

**Note:** LDT1 = Light trucks less than 6,000 lbs. gross vehicle weight rating (GVWR) and less than 3,750 lbs. loaded vehicle weight (LVW).

LDT2 = Light trucks less than 6,000 lbs. GVWR and less than 3,750 lbs. LVW.

LDT3, 4 = Light trucks less than 8,500 lbs. GVWR and more than 3,750 lbs. LVW.

Heavy-duty gasoline vehicles = trucks over 10,000 lbs. GVWR.

**Source:**

Federal Register Vol. 79, No. 81, Monday, April 28, 2014.

<sup>a</sup> Manufacturers comply with 20% of their light-duty truck fleet under 6,000 lbs. gross vehicle weight, alternatively with 10% of their total light-duty vehicles, light-duty trucks and medium-duty passenger vehicle fleet.

*These exhaust emission standards were phased-in from 2004 to 2010.*

**Table 13.16**  
**Light-Duty Vehicle, Light-Duty Truck, and Medium-Duty Passenger Vehicle – Tier 2 Exhaust Emission Standards**

	Standard	Emission limits at 50,000 miles					Emission limits at full useful life (120,000 miles) <sup>a</sup>				
		NO <sub>x</sub> (g/mi)	NMOG (g/mi)	CO (g/mi)	PM (g/mi)	HCHO (g/mi)	NO <sub>x</sub> (g/mi)	NMOG (g/mi)	CO (g/mi)	PM (g/mi)	HCHO (g/mi)
Federal	Bin 1	-	-	-	-	-	0	0	0	0	0
	Bin 2	-	-	-	-	-	0.02	0.01	2.1	0.01	0.004
	Bin 3	-	-	-	-	-	0.03	0.055	2.1	0.01	0.011
	Bin 4	-	-	-	-	-	0.04	0.07	2.1	0.01	0.011
	Bin 5	0.05	0.075	3.4	-	0.015	0.07	0.09	4.2	0.01	0.018
	Bin 6	0.08	0.075	3.4	-	0.015	0.1	0.09	4.2	0.01	0.018
	Bin 7	0.11	0.075	3.4	-	0.015	0.15	0.09	4.2	0.02	0.018
	Bin 8	0.14	0.100 / 0.125 <sup>c</sup>	3.4	-	0.015	0.2	0.125 / 0.156	4.2	0.02	0.018
	Bin 9 <sup>b</sup>	0.2	0.075 / 0.140	3.4	-	0.015	0.3	0.090 / 0.180	4.2	0.06	0.018
	Bin 10 <sup>b</sup>	0.4	0.125 / 0.160	3.4 / 4.4	-	0.015 / 0.018	0.6	0.156 / 0.230	4.2 / 6.4	0.08	0.018 / 0.027
	Bin 11 <sup>b</sup>	0.6	0.195	5	-	0.022	0.9	0.28	7.3	0.12	0.032

**Note:** Tests Covered: Federal Test Procedure (FTP), cold carbon monoxide, highway, and idle. Definitions of acronyms are on page 12-14.

**Source:**

40 CR 86 Subpart S. (Additional resources: [www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards](http://www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards))

<sup>a</sup> In lieu of intermediate useful life standards (50,000 miles) or to gain additional nitrogen oxides credit, manufacturers may optionally certify to the Tier 2 exhaust emission standards with a useful life of 150,000 miles.

<sup>b</sup> Bins 9-11 expired in 2006 for light-duty vehicles and light light-duty trucks and 2008 for heavy light-duty trucks and medium-duty passenger vehicles.

<sup>c</sup> Pollutants with two numbers have a separate certification standard (1st number) and in-use standard (2nd number).

**Table 13.17**  
**Light-Duty Vehicle, Light-Duty Truck, and Medium-Duty Passenger Vehicle – Tier 2 Evaporative Emission Standards**

	Vehicle type	Model year	3 Day diurnal + hot soak (g/test)	Supplemental 2 day diurnal + hot soak (g/test)	Running loss (g/mi)
Federal	LDV/LLDTs <sup>a</sup>	2004	0.95	1.20	0.05
	HLDTs <sup>b</sup>	2004	1.20	1.50	0.05
	MDPVs <sup>a, b</sup>	2004	1.40	1.75	0.05
	LDV <sup>a</sup>	2009	0.50	0.65	0.05
	LLDT <sup>a</sup>	2009	0.65	0.85	0.05
	HLDT <sup>b</sup>	2010	0.90	1.15	0.05
	MDPV <sup>a, b</sup>	2010	1.00	1.25	0.05

**Note:** Multi-fuel vehicle phase-in applies. Definitions of acronyms are on page 12-14.

**Source:**

40 CR 86 Subpart S. (Additional resources: [www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards](http://www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards))

<sup>a</sup> For liquefied petroleum gas-fueled light-duty vehicles (LDV), light-duty trucks (LDT), and medium-duty passenger vehicles (MDPV): 0.15 grams hydrocarbon per gallon (0.04 grams per liter) of fuel dispensed.

<sup>b</sup> Refueling standards for heavy light-duty trucks (HLDT) are subject to phase-in requirements. MDPVs must also comply with the phase-in requirement and must be grouped with HLDTs to determine phase-in compliance.

**Table 13.18**  
**Heavy-Duty Highway Compression-Ignition Engines and Urban Buses – Exhaust**  
**Emission Standards**

	Year	HC (g/bhp-hr)	NMHC (g/bhp-hr)	NMHC + NOx (g/bhp-hr)	NOx (g/bhp-hr)	PM (g/bhp-hr)	CO (g/bhp-hr)	Idle CO (percent Exhaust gas flow)	Smoke <sup>a</sup> (percentage)	Useful life (hours/years/miles)
Federal <sup>b</sup>	1974-78	-	-	16	-	-	40	-	20 / 15 / 50	-
	1979-84	1.5	-	10	-	-	25	-	20 / 15 / 50	-
	1985-87	1.3	-	-	10.7	-	15.5	-	20 / 15 / 50	LHDDE: - / 8 / 110,000 MHDDE: - / 8 / 185,000 HHDDE: - / 8 / 290,000
	1988-89	1.3 <sup>d</sup>	-	-	10.7	0.6	15.5	0.5 <sup>c</sup>	20 / 15 / 50	1990-97 and 1998+ for HC, CO, and PM: LHDDE: - / 8 / 110,000 MHDDE: - / 8 / 185,000 HHDDE: - / 8 / 290,000
	1990	1.3 <sup>d</sup>	-	-	6.0	0.6	15.5	0.5 <sup>c</sup>	20 / 15 / 50	
	1991-93	1.3	-	-	5.0 [ABT]	0.25 [ABT] 0.10 <sup>e</sup>	15.5	0.5 <sup>c</sup>	20 / 15 / 50	1994+ urban buses for PM only: LHDDE: - / 10 / 110,000 1998+ for NOx: LHDDE: - / 10 / 110,000 MHDDE: - / 10 / 185,000 HHDDE: - / 10 / 290,000
	1994-97	1.3	-	-	5.0 [ABT]	0.1 [ABT] 0.07 <sup>f</sup> , 0.05 <sup>g</sup>	15.5	0.5 <sup>c</sup>	20 / 15 / 50	
	1998-2003	1.3	-	-	4.0 [ABT]	0.1 [ABT] 0.05 <sup>g</sup>	15.5	0.5 <sup>c</sup>	20 / 15 / 50	
	2004-2006 <sup>h</sup>	-	-	2.4 (or 2.5 with a limit of 0.5 on NMHC) <sup>o</sup> [ABT] <sup>l</sup>	-	0.1 0.05 <sup>h</sup>	15.5	0.5	20 / 15 / 50	For all pollutants: <sup>p</sup> LHDDE: - / 10 / 110,000 MHDDE: - / 10 / 185,000 HHDDE: 22,000 / 10 / 435,000
2007 <sup>+h,k,l,m,n</sup>	-	0.14 <sup>o</sup>	2.4 (or 2.5 with a limit of 0.5 on NMHC) [ABT]	0.2 <sup>o</sup>	0.01	15.5	0.5	20 / 15 / 50		

**Note:** The test procedures are the EPA Transient Test Procedure and the EPA Smoke Test Procedure. Definitions of acronyms are on page 12-14.

**Sources:**

40 CFR 86.099-11 Emission standards for 1999 and later model year diesel heavy-duty engines and vehicles.

40 CFR 86.004-11 Emission standards for 2004 and later model year diesel heavy-duty engines and vehicles.

40 CFR 86.007-11 Emission standards and supplemental requirements for 2007 and later model year diesel heavy-duty engines and vehicles. (Additional resources: [www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards](http://www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards))

<sup>a</sup> Percentages apply to smoke opacity at acceleration/lug/peak modes.

<sup>b</sup> Standards for 1990 apply only to diesel-fueled heavy-duty engines (HDE). Standards for 1991+ apply to both diesel- and methanol-fueled HDEs. Standards that apply to urban buses specifically are footnoted.

<sup>c</sup> This standard applies to the following fueled engines for the following model years: methanol - 1990+, natural gas and liquefied petroleum gas (LPG) - 1994+.

<sup>d</sup> For petroleum-fueled engines, the standard is for hydrocarbons (HC). For methanol-fueled engines, the standard is for total hydrocarbon equivalent (THCE).

<sup>e</sup> Certification standard for urban buses for 1993.

<sup>f</sup> Certification standard for urban buses from 1994-95.

<sup>g</sup> Certification standard for urban buses from 1996 and later. The in-use standard is 0.07.

<sup>h</sup> Load Response Test certification data submittal requirements take effect for heavy-duty diesel engines beginning in model year 2004. The following requirements take effect with the 2007 model year: steady-state test requirement and Not-to-Exceed (NTE) test procedures for testing of in-use engines. On-board diagnostic requirements applicable to heavy-duty diesel vehicles and engines up to 14,000 pounds gross vehicle weight rating (GVWR) phase in from the 2005 through 2007 model years.

**Table 13.18 (continued)**  
**Heavy-Duty Highway Compression-Ignition Engines and Urban Buses – Exhaust  
 Emission Standards**

---

<sup>i</sup> The modified averaging, banking, and trading program for 1998 and later model year engines applies only to diesel cycle engines. Credits generated under the modified program may be used only in 2004 and later model years.

<sup>j</sup> For heavy-duty diesel engines, there are three options to the measurement procedures currently in place for alternative fueled engines: (1) use a THC measurement in place of a non-methane hydrocarbon (NMHC) measurement; (2) use a measurement procedure specified by the manufacturer with prior approval of the Administrator; or (3) subtract two percent from the measured THC value to obtain an NMHC value. The methodology must be specified at time of certification and will remain the same for the engine family throughout the engines' useful life. For natural gas vehicles, EPA allows the option of measuring NMHC through direct quantification of individual species by gas chromatography.

<sup>k</sup> Starting in 2006, refiners must begin producing highway diesel fuel that meets a maximum sulfur standard of 15 parts per million (ppm).

<sup>l</sup> Subject to a Supplemental Emission Test (1.0 x Federal Test Procedure [FTP] standard (or Family Emission Limit [FEL]) for nitrogen oxides [NO<sub>x</sub>], NMHC, and particulate matter [PM]) and a NTE test (1.5 x FTP standard [or FEL] for NO<sub>x</sub>, NMHC, and PM).

<sup>m</sup> EPA adopted the lab-testing and field-testing specifications in 40 CFR Part 1065 for heavy-duty highway engines, including both diesel and Otto-cycle engines. These procedures replace those previously published in 40 Code of Federal Regulations (CFR) Part 86, Subpart N. Any new testing for 2010 and later model years must be done using the 40 CFR Part 1065 procedures.

<sup>n</sup> Two-phase in-use NTE testing program for heavy-duty diesel vehicles. The program begins with the 2007 model year for gaseous pollutants and 2008 for PM. The requirements apply to diesel engines certified for use in heavy-duty vehicles (including buses) with GVWRs greater than 8,500 pounds. However, the requirements do not apply to any heavy-duty diesel vehicle that was certified using a chassis dynamometer, including medium-duty passenger vehicles with GVWRs of between 8,500 and 10,000 pounds.

<sup>o</sup> NO<sub>x</sub> and NMHC standards will be phased in together between 2007 and 2010. The phase-in will be on a percent-of-sales basis: 50 percent from 2007 to 2009 and 100 percent in 2010.

<sup>p</sup> Note that for an individual engine, if the useful life hours interval is reached before the engine reaches 10 years or 100,000 miles, the useful life shall become 10 years or 100,000 miles, whichever occurs first, as required under Clean Air Act section 202(d).

**Table 13.19  
Heavy-Duty Highway Spark-Ignition Engines – Exhaust Emission Standards**

Engine or vehicle	Year	Gross vehicle weight (lbs)	HC <sup>a</sup> (g/bhp-hr)	NMHC <sup>b</sup> (g/bhp-hr)	NOx (g/bhp-hr)	NOx + NMHC <sup>c</sup> (g/bhp-hr)	PM (g/bhp-hr)	CO (g/bhp-hr)	Idle CO (% exhaust gas flow)	Formaldehyde (g/mile)	Useful life (years / miles)			
Federal	Heavy duty engines <sup>d</sup>	Prior to Control	-	12.7	-	-	6.86	-	155	-	-	5 / 50,000		
		1970-73	-	275 ppm	-	-	-	-	1.50%	-	-			
		1974-78	-	-	-	16	-	-	40	-	-			
		1979-84	-	1.5	-	10	-	-	25	-	-			
		1985-86	-	1.9	-	-	10.6	-	37.1	-	-			
		1987	≤ 14,000	1.1	-	-	10.6	-	14.4	0.5	-		-	
			> 14,000	1.9	-	-	10.6	-	37.1		-		-	
		1988-90	≤ 14,000	1.1	-	-	6.0	-	14.4	-	-		-	
			> 14,000	1.9	-	-	6.0	-	37.1	-	-		-	
		1990 <sup>e</sup>	≤ 14,000	1.1	-	-	6.0	-	14.4	0.5 <sup>i</sup>	-		-	8 / 110,000 <sup>k</sup>
			> 14,000	1.9	-	-	6.0	-	37.1		-	-		
		1991-97 <sup>f</sup>	≤ 14,000	1.1 <sup>g</sup>	-	-	5.0	-	14.4		-	-		
			> 14,000	1.9 <sup>h</sup>	-	-	5.0	-	37.1		-	-		
		1998-2004 <sup>f</sup>	≤ 14,000	1.1 <sup>g</sup>	-	-	4.0 <sup>j</sup>	-	14.4		-	-		
			> 14,000	1.9 <sup>h</sup>	-	-		-	37.1		-	-		
		2005-2007 <sup>f</sup>	≤ 14,000	1.1 <sup>g</sup>	-	1.0 <sup>l</sup>	-	-	14.4		-	-	10 / 110,000	
			> 14,000	1.9 <sup>h</sup>	-		-	-	37.1		-	-		
		2008+	All	-	0.14	0.2	-	0.01	14.4		-	-		
		Complete heavy-duty vehicles <sup>h, q</sup>	2005-2007	8,500 - 10,000	-	0.280 <sup>m</sup>	-	0.9	-		7.3	-	-	
				10,000 - 14,000	-	0.330 <sup>m</sup>	-	1.0	-	8.1	-	-		
2008+ <sup>p</sup>	8,500 - 10,000		-	0.195 <sup>o</sup>	-	0.2	0.02	7.3	0.032					
	10,000 - 14,000		-	0.230 <sup>o</sup>	-	0.4	0.02	8.1	0.04					

**Note:** Definitions of acronyms are on page 12-14.

**Sources:**

- 40 CFR 86.1816-05, 86.1816-08 Emission standards for complete heavy-duty vehicles
- 40 CFR 86.1806-01, 86.1806-04, 86.1806-05 Onboard diagnostics requirements
- 40 CFR 86.1817-05, 86.1817-08 Complete heavy-duty vehicle averaging, banking, and trading program
- 40 CFR 86.091-10 Heavy-duty engine averaging, banking, and trading program for 1991 and later - Not available in the e-CFR
- 40 CFR Part 86 Subpart B Vehicle test procedures (Additional resources: [www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards](http://www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards))

<sup>a</sup> For methanol-fueled engines, the standard is for total hydrocarbon equivalent (THCE).  
<sup>b</sup> For methanol and alcohol fueled vehicles the standard is for non-methane hydrocarbon equivalent (NMHCE).  
<sup>c</sup> For methanol fueled engines the standard is for nitrogen oxides (NOx) plus NMHCE.  
<sup>d</sup> Standards for heavy-duty engines are expressed in grams per brake horsepower-hour (g/bhp-hr). Starting with the 1998 model year, crankcase emissions are not allowed.  
<sup>e</sup> Standards for 1990 apply to gasoline and methanol-fueled engines.  
<sup>f</sup> Standards for 1991 and later apply to gasoline and methanol engines and are optional for natural gas and Liquefied Petroleum Gas-fueled engines through the 1996 model year.  
<sup>g</sup> For natural gas fueled engines the standard is 0.9 g/bhp-hr non-methane hydrocarbon (NMHC).

**Table 13.19 (continued)**  
**Heavy-Duty Highway Spark-Ignition Engines – Exhaust Emission Standards**

<sup>h</sup> For natural gas fueled engines the standard is 1.7 g/bhp-hr NMHC.

<sup>i</sup> The NO<sub>x</sub> standard is 5.0 for all natural gas-fueled engines.

<sup>j</sup> This standard applies to the following engines utilizing aftertreatment technology (except for methanol) for the following model years: gasoline/1990+; natural gas and LPG/1991+; methanol/1990+. Starting in 2005, engines certified to on-board diagnostics requirements are not required to meet the idle carbon monoxide (CO) standard.

<sup>k</sup> Useful life is expressed in years or miles, whichever comes first. Useful life for the 1998 and later NO<sub>x</sub> standard and for all 2004 standards is 10 years or 110,000 miles, whichever comes first.

<sup>l</sup> Manufacturers can choose this standard or one of the following options: (1) a standard of 1.5 g/bhp-hr NMHC+NO<sub>x</sub> that applies to the 2004 through 2007 model years, with complete heavy-duty vehicle standards taking effect in 2005; or (2) a standard of 1.5 g/bhp-hr NMHC + NO<sub>x</sub> that would apply to the 2003 through 2007 heavy-duty engines and optionally to 2003 through 2006 complete heavy-duty vehicles.

<sup>m</sup> Standard is expressed as non-methane organic gas, but compliance can optionally be shown using measurement of NMHC or total hydrocarbon (THC).

<sup>n</sup> Complete heavy-duty vehicles have the primary load-carrying container or device attached. Incomplete heavy-duty vehicles are certified to heavy-duty engine standards. Standards for complete heavy-duty vehicles are expressed in grams per mile (g/mi). Starting in 2005 (or 2003 or 2004 depending on the selected phase in option; see footnote l), complete heavy-duty vehicles under 14,000 lbs gross vehicle weight are tested on chassis-based rather than engine-based procedures and must meet these complete heavy-duty vehicle standards.

<sup>o</sup> Although expressed as NMHC, compliance can optionally be shown using measurement of NMOG or THC.

<sup>p</sup> At least 50 percent of a manufacturer's sales must meet these standards in 2008, with 100 percent required in 2009.

<sup>q</sup> Gross vehicle weight ranges are more accurately specified as follows:  $8,500 \leq \text{GVW} \leq 10,000$  and  $10,000 < \text{GVW} < 14,000$ .



**Table 13.20**  
**Heavy-Duty Highway Compression-Ignition and Spark-Ignition Engines – Evaporative Emission Standards**

	Engine type	Year	Gross vehicle weight (lbs)	Conventional diurnal + hot soak (g/test) <sup>a</sup>	Three-diurnal test sequence (g/test) <sup>b</sup>	Supplemental two-diurnal test sequence (g/test) <sup>c</sup>	Running loss (g/mi) <sup>c</sup>	Spitback (g/test) <sup>c</sup>	Useful life <sup>d</sup>
Federal	SI	1991-95	≤ 14,000	3.0	-	-	-	-	8 / 110,000
			> 14,000 <sup>e</sup>	4.0	-	-	-	-	
		1996-2007 (Enhanced) <sup>f</sup>	≤ 14,000	-	3.0	3.5	0.05	1.0	10 / 120,000
			> 14,000 <sup>e</sup>	-	4.0	4.5		-	
		2008+ (Enhanced)	8500-14,000	-	1.4	1.75		1.0	11 / 110,000
			> 14,000 <sup>e</sup>	-	1.9	2.3		-	
	CI	1996-97	≤ 14,000	-	3.0	-	-	-	MHDDE: 8 / 185,000 HHHDE: 8 / 290,000 MHDDE: 8 / 185,000 HHHDE: 8 / 290,000
			> 14,000 <sup>e</sup>	-	4.0	-	-	-	
		1998+ (Enhanced) <sup>g</sup>	≤ 14,000	-	3.0	3.5	0.05	1.0	
			> 14,000 <sup>e</sup>	-	4.0	4.5		-	

**Note:** Definitions of acronyms are on page 12-14.

**Sources:**

40 CFR 86.099-11 Emission standards for 1999 and later model year diesel heavy-duty engines and vehicles.

40 CFR 86.004-11 Emission standards for 2004 and later model year diesel heavy-duty engines and vehicles.

CFR 86.007-11 Emission standards and supplemental requirements for 2007 and later model year diesel heavy-duty engines and vehicles. (Additional resources: [www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards](http://www.epa.gov/emission-standards-reference-guide/light-duty-vehicles-and-trucks-emission-standards))

<sup>a</sup> Applies to gasoline and methanol engines. Standard is hydrocarbon (HC) for gasoline engines, total hydrocarbon equivalent (THCE) for methanol engines.

<sup>b</sup> For spark-ignition (SI) engines, standard applies to gasoline, methanol, natural gas, and liquefied petroleum gas engines. For compression-ignition (CI) engines, standard applies to methanol, natural gas, and liquefied petroleum gas engines. Standard is THCE for methanol engines, HC for others.

<sup>c</sup> For SI engines, standard applies to gasoline and methanol engines. For CI engines, standard applies to methanol engines. Standard is THCE for methanol engines, HC for others.

<sup>d</sup> Useful life is expressed in years or miles, whichever comes first.

<sup>e</sup> Vehicles over 26,000 pounds gross vehicle weight may demonstrate compliance with an engineering design evaluation in lieu of testing.

<sup>f</sup> A new enhanced evaporative test procedure applies, which is considerably more stringent than the previous test procedure despite the fact that the standard values do not change from prior years. Gasoline and methanol engines are phased in at the following rates of a manufacturer's sales for the specified model year: 1996: 20 percent; 1997: 40 percent; 1998: 90 percent; 1999: 100 percent.

<sup>g</sup> A new enhanced evaporative test procedure applies, which is considerably more stringent than the previous test procedure despite the fact that the standard values do not change from prior years. Methanol-fueled vehicles are phased in at a rate of 90 percent of a manufacturer's production in 1998 and 100 percent in 1999.

*The LEV III exhaust standards apply to new cars, light trucks, and medium vehicles, including fuel-flexible, bi-fuel, and dual-fuel vehicles from model year 2015-on.*

**Table 13.21**  
**California New Car, Light Truck and Medium Truck Emission Certification Standards,**  
**Model Year 2015-On**

Vehicle type	Vehicle emission category	Non-methane organic gases + nitrogen oxides (g/mi)	Carbon monoxide (g/mi)	Formaldehyde (mg/mi)	Particulates (g/mi)
All passenger cars; LDTs 8,500 lbs. GVW or less	LEV160	0.16	4.2	4	0.01
	ULEV125	0.125	2.1	4	0.01
	ULEV70	0.07	1.7	4	0.01
All MDPVs	ULEV50	0.05	1.7	4	0.01
	SULEV30	0.03	1.0	4	0.01
Vehicles in this category are tested at their loaded vehicle weight	SULEV20	0.02	1.0	4	0.01
MDVs 8,501-10,000 lbs. GVW	LEV395	0.395	6.4	6	0.12
	ULEV340	0.34	6.4	6	0.06
Vehicles in this category are tested at their adjusted loaded vehicle weight	ULEV250	0.25	6.4	6	0.06
	ULEV200	0.2	4.2	6	0.06
	SULEV170	0.17	4.2	6	0.06
	SULEV150	0.15	3.2	6	0.06
MDVs 10,000-14,000 lbs. GVW	LEV630	0.63	7.3	6	0.12
	ULEV570	0.57	7.3	6	0.06
Vehicles in this category are tested at their adjusted loaded vehicle weight	ULEV400	0.4	7.3	6	0.06
	ULEV270	0.27	4.2	6	0.06
	SULEV230	0.23	4.2	6	0.06
	SULEV200	0.2	3.7	6	0.06

**Note:** Definitions of acronyms are on page 12-14. These standards would also apply to states that adopted California emissions regulations.

**Source:**

California LEV III Regulations with amendments effective January 1, 2016,  
[www.arb.ca.gov/msprog/levprog/cleandoc/cleancomplete%201ev-ghg%20regs%201-16.pdf](http://www.arb.ca.gov/msprog/levprog/cleandoc/cleancomplete%201ev-ghg%20regs%201-16.pdf). (Additional resources: [www.arb.ca.gov](http://www.arb.ca.gov))

*These exhaust emission standards apply to commercial aircraft engines.*

**Table 13.22**  
**Aircraft – Exhaust Emission Standards**

	Year	Pressure ratio (PR)	Applicability <sup>a</sup>	HC (g/kN)	NO <sub>x</sub>	CO (g/kN)	Smoke
Federal <sup>b</sup>	1974+	-	T8	-	-	-	30
	1976+	-	TF with rO <sup>c</sup> ≥ 129 kN	-	-	-	83.6(rO) <sup>-0.274</sup>
	1978+	-	T3 <sup>d</sup>	-	-	-	25
	1983+	-	TF with rO < 26.7 kN	-	-	-	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
	1984+	-	T3, T8, TF with rO ≥ 26.7 kN	19.6	-	-	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
		-	TSS	140(.92) <sup>rPR</sup>	-	-	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
		-	TSS with rO ≥ 26.7 kN	140(.92) <sup>rPR</sup>	-	-	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
		-	TP with rO ≥ 1,000 kW	-	-	-	187(rO) <sup>-0.168</sup>
	1997+	-	T3, T8, TF with rO > 26.7 kN	19.6	40+2(rPR)	118	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
		-	T3, T8, TF newly certified with rO > 26.7 kN	19.6	32+1.6(rPR)	118	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
	2000+	-	T3, T8, TF newly manufactured with rO > 26.7 kN	19.6	32+1.6(rPR)	118	83.6(rO) <sup>-0.274</sup> NTE max of SN=50
	2005+	PR ≤ 30	T3, T8, TF newly certified with rO > 89 kN	-	19+1.6(rPR)	-	-
			T3, T8, TF newly certified with 26.7 kN < rO ≤ 89 kN	-	37.572+1.6(rPR)-0.2087(rO)	-	-
		30 < PR < 62.5	T3, T8, TF newly certified with rO > 89 kN	-	7+2.0(rPR)	-	-
T3, T8, TF newly certified with 26.7kN < rO ≤ 89kN			-	42.71+1.4286(rPR)-0.4013(rO)+0.00642(rPR)(rO)	-	-	
PR ≤ 62.5		T3, T8, TF	-	32+1.6(rPR)	-	-	

**Note:** The test procedures are the International Civil Aviation Organization (ICAO) Smoke Emission Test Procedure and the ICAO Gaseous Emissions Test Procedure. There is no useful life or warranty period for purposes of compliance with aircraft emissions standards. Definitions of acronyms are on page 12-14.

**Source:**

40 CFR Part 87, Aircraft emission standards, test procedures, certification requirements (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> T8=all aircraft gas turbine engines of the JT8D model family  
TF=all turbofan and turbojet aircraft engines except engines of Class T3, T8, and TSS  
T3=all aircraft gas turbine engines of the JT3D model family  
TSS=all aircraft gas turbine engines for aircraft operations at supersonic flight speeds  
TP=all aircraft turboprop engines

<sup>b</sup> Federal standards apply to planes operating in the United States, regardless of where they were manufactured.

<sup>c</sup> Rated output (rO) is the maximum power/thrust available for takeoff.

<sup>d</sup> T3 engines are no longer manufactured but are in the existing fleet.

*These standards apply to construction and agricultural equipment, such as excavators, paving equipment, tractors, combines, bulldozers, and skidders.*

**Table 13.23  
Nonroad Compression-Ignition Engines – Exhaust Emission Standards**

	Rated power (kW)	Tier	Model year	NMHC (g/kW-hr)	NMHC + NOx (g/kW-hr)	NOx (g/kW-hr)	PM (g/kW-hr)	CO (g/kW-hr)	Smoke <sup>a</sup> percentage	Useful life (hours/years) <sup>b</sup>
Federal	kW < 8	1	2000-2004	--	10.5	--	1.0	8.0	20 / 15 / 50	3,000 / 5
		2	2005-2007	--	7.5	--	0.80	8.0		
		4	2008+	--	7.5	--	0.40 <sup>c</sup>	8.0		
	8 ≤ kW < 19	1	2000-2004	--	9.5	--	0.80	6.6		3,000 / 5
		2	2005-2007	--	7.5	--	0.80	6.6		
		4	2008+	--	7.5	--	0.40	6.6		
	19 ≤ kW < 37	1	1999-2003	--	9.5	--	0.80	5.5		5,000 / 7 <sup>d</sup>
		2	2004-2007	--	7.5	--	0.60	5.5		
		4	2008-2012	--	7.5	--	0.30	5.5		
			2013+	--	4.7	--	0.03	5.5		
	37 ≤ kW < 56	1	1998-2003	--	--	9.2	--	--		8,000 / 10
		2	2004-2007	--	7.5	--	0.40	5.0		
		3 <sup>c</sup>	2008-2011	--	4.7	--	0.40	5.0		
		4 (Option 1) <sup>f</sup>	2008-2012	--	4.7	--	0.30	5.0		
		4 (Option 2) <sup>f</sup>	2012	--	4.7	--	0.03	5.0		
		4	2013+	--	4.7	--	0.03	5.0		
	56 ≤ kW < 75	1	1998-2003	--	--	9.2	--	--		8,000 / 10
		2	2004-2007	--	7.5	--	0.40	5.0		
		3	2008-2011	--	4.7	--	0.40	5.0		
		4	2012-2103 <sup>g</sup>	--	4.7	--	0.02	5.0		
			2014+ <sup>h</sup>	0.19	--	0.4	0.02	5.0		
	75 ≤ kW < 130	1	1997-2002	--	--	9.2	--	--		20 / 15 / 50
		2	2003-2006	--	6.6	--	0.3	5.0		
		3	2007-2011	--	4.0	--	0.3	5.0		
		4	2012-2013 <sup>g</sup>	--	4.0	--	0.02	5.0		
			2014+	0.19	--	0.4	0.02	5.0		
	130 ≤ kW < 225	1	1996-2002	1.3 <sup>i</sup>	--	9.2	0.54	11.4		8,000 / 10
		2	2003-2005	--	6.6	--	0.20	3.5		
		3	2006-2010	--	4.0	--	0.20	3.5		
		4	2011-2013 <sup>g</sup>	--	4.0	--	0.02	3.5		
2014+ <sup>h</sup>			0.19	--	0.4	0.02	3.5			
225 ≤ kW < 450	1	1996-2000	1.3 <sup>i</sup>	--	9.2	0.54	11.4	8,000 / 10		
	2	2001-2005	--	6.4	--	0.20	3.5			
	3	2006-2010	--	4.0	--	0.20	3.5			
	4	2011-2013 <sup>g</sup>	--	4.0	--	0.02	3.5			
		2014+ <sup>h</sup>	0.19	--	0.4	0.02	3.5			
450 ≤ kW < 560	1	1996-2001	1.3 <sup>i</sup>	--	9.2	0.54	11.4	8,000 / 10		
	2	2002-2005	--	6.4	--	0.20	3.5			
	3	2006-2010	--	4.0	--	0.20	3.5			
	4	2011-2013 <sup>g</sup>	--	4.0	--	0.02	3.5			
		2014+ <sup>h</sup>	0.19	--	0.4	0.02	3.5			
560 ≤ kW < 900	1	2000-2005	1.3 <sup>i</sup>	--	9.2	0.54	11.4	8,000 / 10		
	2	2006-2010	--	6.4	--	0.20	3.5			
	4	2011-2014	0.4	--	3.5	0.10	3.5			
		2015+ <sup>h</sup>	0.19	--	3.5 <sup>j</sup>	0.04 <sup>k</sup>	3.5			

**Table 13.23 (continued)**  
**Nonroad Compression-Ignition Engines – Exhaust Emission Standards**

	Rated power (kW)	Tier	Model year	NMHC (g/kW-hr)	NMHC + NOx (g/kW-hr)	NOx (g/kW-hr)	PM (g/kW-hr)	CO (g/kW-hr)	Smoke <sup>a</sup> percentage	Useful life (hours/years) <sup>b</sup>
Federal	kW > 900	1	2000-2005	1.3 <sup>i</sup>	--	9.2	0.54	11.4	20 / 15 / 50	8,000 / 10
		2	2006-2010	--	6.4	--	0.20	3.5		
		4	2011-2014	0.4	--	3.5 <sup>j</sup>	0.10	3.5		
			2015 <sup>+h</sup>	0.19	--	3.5 <sup>j</sup>	0.04 <sup>k</sup>	3.5		

**Note:** Definitions of acronyms are on page 12-14.

**Sources:**

40 CFR 98.112 = Exhaust emission standards

40 CFR 1039.101 = Exhaust emission standards for after 2014 model year

40 CFR 1039.102 = Exhaust emission standards for model year 2014 and earlier

40 CFR 1039 Subpart F = Exhaust emissions transient and steady state test procedures

40 CFR 86 Subpart I = Smoke emission test procedures

40 CFR 1065 = Test equipment and emissions measurement procedures (Additional resources:

[www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> Smoke emissions may not exceed 20 percent during the acceleration mode, 15 percent during the lugging mode, and 50 percent during the peaks in either mode. Smoke emission standards do not apply to single-cylinder engines, constant-speed engines, or engines certified to a PM emission standard of 0.07 grams per kilowatt-hour (g/kW-hr) or lower. Smoke emissions are measured using procedures in 40 CFR Part 86 Subpart I.

<sup>b</sup> Useful life and warranty period are expressed hours and years, whichever comes first.

<sup>c</sup> Hand-startable air-cooled direct injection engines may optionally meet a PM standard of 0.60 g/kW-hr. These engines may optionally meet Tier 2 standards through the 2009 model years. In 2010 these engines are required to meet a PM standard of 0.60 g/kW-hr.

<sup>d</sup> Useful life for constant speed engines with rated speed 3,000 revolutions per minute (rpm) or higher is 5 years or 3,000 hours, whichever comes first.

<sup>e</sup> These Tier 3 standards apply only to manufacturers selecting Tier 4 Option 2. Manufacturers selecting Tier 4 Option 1 will be meeting those standards in lieu of Tier 3 standards.

<sup>f</sup> A manufacturer may certify all their engines to either Option 1 or Option 2 sets of standards starting in the indicated model year. Manufacturers selecting Option 2 must meet Tier 3 standards in the 2008-2011 model years.

<sup>g</sup> These standards are phase-out standards. Not more than 50 percent of a manufacturer's engine production is allowed to meet these standards in each model year of the phase out period. Engines not meeting these standards must meet the final Tier 4 standards.

<sup>h</sup> These standards are phased in during the indicated years. At least 50 percent of a manufacturer's engine production must meet these standards during each year of the phase in. Engines not meeting these standards must meet the applicable phase-out standards.

<sup>i</sup> For Tier 1 engines the standard is for total hydrocarbons.

<sup>j</sup> The NOx standard for generator sets is 0.67 g/kW-hr.

<sup>k</sup> The PM standard for generator sets is 0.03 g/kW-hr.

*These standards apply to gasoline and propane industrial equipment such as forklifts, generators, airport service equipment, compressors and ice-grooming machines.*

**Table 13.24**  
**Nonroad Large Spark-Ignition Engines – Exhaust and Evaporative Emission Standards**

	Tier	Year	General duty-cycle standards		Alternative standards for severe-duty engines		Field testing standards		Useful life (years/hours)	
			HC+NOx <sup>a</sup> (g/kW-hr)	CO (g/kW-hr)	HC+NOx <sup>a</sup> (g/kW-hr)	CO (g/kW-hr)	HC+NOx <sup>a</sup> (g/kW-hr)	CO (g/kW-hr)		
Federal <sup>b</sup>	1 <sup>c</sup>	2004-2006	4.0 <sup>d</sup>	50.0	4.0 <sup>d</sup>	130.0	-	-	7 / 5,000 <sup>e</sup>	
	2 <sup>f</sup>	2007+	2.7 <sup>f</sup>	4.4 <sup>f</sup>	2.7	130.0	3.8 <sup>f</sup>	6.5 <sup>f</sup>	7 / 5,000 <sup>e</sup>	
			<b>Evaporative emission standards (for engines fueled by a volatile liquid fuel)</b>							5 / -
			Fuel line permeation	Nonmetallic fuel lines must meet the permeation specifications of SAE J2260 (November 1996)						
Diurnal emissions	Evaporative HC emissions may not exceed 0.2 grams per gallon of fuel tank capacity									
			Running loss	Liquid fuel in the fuel tank may not reach boiling during continuous engine operation in the final installation at an ambient temperature of 30°C						

**Sources:**

40 CFR 1048.101 = Exhaust emission standards

40 CFR 1048.105 = Evaporative emission standards

40 CFR 1048.110 = Engine diagnostic requirements (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> The numerical emission standards for hydrocarbons (HC) must be met based on the following types of hydrocarbon emissions for engines powered by the following fuels: (1) non-methane hydrocarbons (NMHC) for natural gas; (2) total hydrocarbon equivalent (THCE) for alcohol; and (3) total hydrocarbons (THC) for other fuels.

<sup>b</sup> Voluntary Blue Sky standards for large spark-ignition (SI) engines are available. Engines with displacement at or below 1,000 cubic centimeters (cc) and maximum power at or below 30 kilowatts (kW) may be certified under the program for small SI engines.

<sup>c</sup> Emission standards are based on testing over a steady-state duty-cycle.

<sup>d</sup> The Tier 1 HC plus nitrogen oxides (NOx) emission standard for in-use testing is 5.4 grams per kW-hour (g/kW-hr).

<sup>e</sup> Useful life is expressed in years and hours, whichever comes first. These are the minimum useful life requirements. For severe-duty engines, the minimum useful life is seven years or 1,500 hours of operation, whichever comes first. A longer useful life in hours is required if: (a) the engine is designed to operate longer than the minimum useful life based on the recommended rebuild interval; or (b) the basic mechanical warranty is longer than the minimum useful life.

<sup>f</sup> Optional engine certification is allowed according to the following formula:  $(\text{HC}+\text{NOx}) \times \text{CO}^{0.784} \leq 8.57$ . The HC+NOx and carbon monoxide (CO) emission levels selected to satisfy this formula, rounded to the nearest 0.1 g/kW-hr, become the emission standards that apply for those engines. One may not select an HC+NOx emission standard higher than 2.7 g/kW-hr or a CO emission standard higher than 20.6 g/kW-hr.

**Table 13.25**  
**Locomotives – Exhaust Emission Standards**

	Duty-cycle <sup>b</sup>	Tier	Year <sup>c</sup>	HC <sup>i</sup> (g/hp-hr)	NOx (g/bhp-hr)	PM (g/bhp-hr)	CO (g/bhp-hr)	Smoke (percentage) <sup>m</sup>	Minimum useful life (hours / years / miles) <sup>n</sup>
Federal <sup>a</sup>	Line-haul	Tier 0	1973-1992 <sup>d,e</sup>	1.0	9.5 [ABT]	0.22 [ABT]	5.0	30 / 40 / 50	(7.5 x hp) / 10 / 750,000 <sup>o</sup>
		Tier 1	1993-2004 <sup>d,e</sup>	0.55	7.4 [ABT]	0.22 [ABT]	2.2	25 / 40 / 50	(7.5 x hp) / 10 / 750,000 <sup>o</sup>
		Tier 2	2005-2011 <sup>d</sup>	0.30	5.5 [ABT]	0.10 <sup>k</sup> [ABT]	1.5	20 / 40 / 50	(7.5 x hp) / 10 / -
		Tier 3	2012-2014 <sup>f</sup>	0.30	5.5 [ABT]	0.10 [ABT]	1.5	20 / 40 / 50	(7.5 x hp) / 10 / -
		Tier 4	2015+ <sup>g</sup>	0.14	1.3 [ABT]	0.03 [ABT]	1.5	-	(7.5 x hp) / 10 / -
	Switch	Tier 0	1973-2001	2.10	11.8 [ABT]	0.26 [ABT]	8.0	30 / 40 / 50	(7.5 x hp) / 10 / 750,000 <sup>o</sup>
		Tier 1	2002-2004 <sup>h</sup>	1.20	11.0 [ABT]	0.26 [ABT]	2.5	25 / 40 / 50	(7.5 x hp) / 10 / -
		Tier 2	2005-2010 <sup>h</sup>	0.60	8.1 [ABT]	0.13 <sup>l</sup> [ABT]	2.4	20 / 40 / 50	(7.5 x hp) / 10 / -
		Tier 3	2011-2014	0.60	5.0 [ABT]	0.10 [ABT]	2.4	20 / 40 / 50	(7.5 x hp) / 10 / -
		Tier 4	2015+	0.14 <sup>i</sup>	1.3 [ABT]	0.03 [ABT]	2.4	-	(7.5 x hp) / 10 / -

**Source:**

40 CFR 1033.101 = Emission Standards and Useful Life. (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> These standards apply to locomotives that are propelled by engines with total rated horsepower (hp) of 750 kilowatts (kW) (1006 hp) or more, unless the owner chooses to have the equipment certified to meet the requirements of locomotives. This does not include vehicles propelled by engines with total rated horsepower of less than 750 kW (1006 hp); see the requirements in 40 Code of Federal Regulations (CFR) Parts 86, 89 and 1039. The test procedures specify chassis-based testing of locomotives. These test procedures include certification testing, production line testing, and in-use testing using the Federal Test Procedure (FTP) when the locomotive has reached between 50-70 percent of its useful life.

<sup>b</sup> Line-haul locomotives are powered by an engine with a maximum rated power (or a combination of engines having a total rated power) greater than 2300 hp. Switch locomotives are powered by an engine with a maximum rated power (or a combination of engines having a total rated power) of 2300 hp or less.

<sup>c</sup> The Tier 0 standards apply to locomotives manufactured after 1972 when they are manufactured or remanufactured. Note that interim standards may apply for Tier 0 or Tier 1 locomotives remanufactured in 2008 or 2009, or for Tier 2 locomotives manufactured or remanufactured in 2008-2012.

<sup>d</sup> Line-haul locomotives subject to the Tier 0 through Tier 2 emission standards must also meet switch standards of the same tier.

<sup>e</sup> The Tier 0 standards apply for 1993-2001 locomotives not originally manufactured with a separate loop intake air cooling system.

<sup>f</sup> Tier 3 line-haul locomotives must also meet Tier 2 switch standards.

<sup>g</sup> Manufacturers using credits may elect to meet a combined nitrogen oxides (NOx) plus hydrocarbon (HC) standard of 1.4 grams per brakehorsepower-hour (g/bhp-hr) instead of the otherwise applicable Tier 4 NOx and HC standards.

<sup>h</sup> Tier 1 and Tier 2 switch locomotives must also meet line-haul standards of the same tier.

<sup>i</sup> The numerical emission standards for HC must be met based on the following types of hydrocarbon emissions for locomotives powered by the following fuels: (1) alcohol: total hydrocarbon equivalent (THCE) emissions for Tier 3 and earlier locomotives, and non-methane hydrocarbon equivalent (NMHCE) for Tier 4; (2) natural gas and liquefied petroleum gas: non-methane hydrocarbon (NMHC) emissions; and (3) diesel: total hydrocarbon (THC) emissions for Tier 3 and earlier locomotives, and NMHC for Tier 4.

**Table 13.25 (continued)**  
**Locomotives – Exhaust Emission Standards**

---

<sup>j</sup> Manufacturers may elect to meet a combined NO<sub>x</sub>+HC standard of 1.4 g/bhp-hr instead of the otherwise applicable Tier 4 NO<sub>x</sub> and HC standards.

<sup>k</sup> The line-haul particulate matter (PM) standard for newly remanufactured Tier 2 locomotives is 0.20 g/bhp-hr until January 1, 2013, except as specified in 40 CFR Part 1033.150(a).

<sup>l</sup> The switch PM standard for new Tier 2 locomotives is 0.24 g/bhp-hr until January 1, 2013, except as specified in 40 CFR Part 1033.150(a).

<sup>m</sup> The smoke opacity standards apply only for locomotives certified to one or more PM standards or Family Emission Limits (FEL) greater than 0.05 g/bhp-hr. Percentages apply to smoke opacity at steady state/30-second peak/3-second peak, as measured continuously during testing.

<sup>n</sup> Useful life and warranty period are expressed in megawatt-hours (MW-hr), years, or miles, whichever comes first. Manufacturers are required to certify to longer useful lives if their locomotives are designed to last longer between overhauls than the minimum useful life value.

<sup>o</sup> For locomotives originally manufactured before January 1, 2000, and not equipped with MW-hr meters.



*These standards apply to auxiliary and propulsion engines used by all types of recreational and commercial vessels, from small fishing boats to ocean-going ships.*

**Table 13.26  
Marine Compression-Ignition (CI) Engines – Exhaust Emission Standards**

	Category <sup>a,b</sup>	Tier	Displacement (L/cylinder)	Power <sup>c</sup> (kW)	Speed (rpm)	Model Year	NOx (g/kW-hr)	HC (g/kW-hr)	HC+NOx <sup>d</sup> (g/kW-hr)	PM (g/kW-hr)	CO (g/kW-hr)	Useful Life <sup>e</sup> (years/hours)	
Federal <sup>f</sup>	C1 Commercial	1	≥ 2.5	≥ 37	rpm < 130	2004 <sup>h</sup>	17.0	-	-	-	-	10 / 10,000	
					130 ≤ rpm < 2000		45.0 × N <sup>0.201</sup>	-	-	-			
					rpm ≥ 2000		9.8	-	-	-			
		2	disp. < 0.9	≥ 37	-	2005 <sup>h</sup>	-	-	7.5 (ABT)	0.40 (ABT)	5.0	10 / 10,000	
			0.9 ≤ disp < 1.2	all	-	2004 <sup>h</sup>	-	-	7.2 (ABT)	0.30 (ABT)	5.0		
			1.2 ≤ disp < 2.5		2004 <sup>h</sup>	-	-	7.2 (ABT)	0.20 (ABT)	5.0			
			2.5 ≤ disp < 5.0		2007 <sup>h</sup>	-	-	7.2 (ABT)	0.20 (ABT)	5.0			
		C1 Commercial & Recreational	1	≥ 2.5	≥ 37	rpm < 130	2004	17.0	-	-	-	-	10 / 1,000
	130 ≤ rpm < 2000					45.0 × N <sup>0.201</sup>		-	-	-			
	rpm ≥ 2000					9.8		-	-	-			
	2		disp < 0.9	≥ 37	-	2007	-	-	7.5 (ABT)	0.40 (ABT)	5.0	10 / 1,000	
			0.9 ≤ disp < 1.2	all	-	2006	-	-	7.2 (ABT)	0.30 (ABT)	5.0		
			1.2 ≤ disp < 2.5		2006	-	-	7.2 (ABT)	0.20 (ABT)	5.0			
			2.5 ≤ disp < 5.0		2009	-	-	7.2 (ABT)	0.20 (ABT)	5.0			
	C1 Commercial & Recreational < 75 kW		3	< 0.9	< 8	-	2009+	-	-	7.5 (ABT)	0.40 (ABT)	8.0	5 / 3,000 10 / 1,000 for CI Recreational
		8 ≤ kW < 19			-	2009+	-	-	7.5 (ABT)	0.40 (ABT)	6.6		
		19 ≤ kW < 37			-	2009-2013	-	-	7.5 <sup>i</sup> (ABT)	0.30 <sup>j</sup> (ABT)	5.5		
		37 ≤ kW < 75			-	2014+	-	-	4.7 <sup>i</sup> (ABT)	0.20 (ABT)	5.0		
					-	2009-2013	-	-	7.5 <sup>i</sup> (ABT)	0.30 <sup>j</sup> (ABT)	5.0		
					-	2014+	-	-	4.7 <sup>i</sup> (ABT)	0.20 (ABT)	5.0		
C1 Commercial Engines with ≤ 35 kW/L power density <sup>k</sup>	3 <sup>l</sup>	< 0.9	-	-	2012+	-	-	5.4 (ABT)	0.14 (ABT)	8.0 for < 8 kW	5 / 3,000 for commercial engines < 19 kW		
		0.9 ≤ disp < 1.2	All	-	2013+	-	-	5.4 (ABT)	0.12 (ABT)	6.6 for 8 ≤ kW < 19	7 / 5,000 for commercial engines 19 ≤ kW < 37		
		1.2 ≤ disp < 2.5	< 600	-	2014-2017	-	-	5.6 (ABT)	0.11 (ABT)	5.5 for 19 ≤ kW < 37	10 / 10,000 for C1 Commercial ≤ 37 kW		
			≥ 600	-	2018+	-	-	5.6 (ABT)	0.10 (ABT)	5.0 for ≤ 37 kW			
		2.5 ≤ disp < 3.5	< 600	-	2013-2017	-	-	5.6 (ABT)	0.11 (ABT)				
			≥ 600	-	2018+	-	-	5.6 (ABT)	0.10 (ABT)				
		3.5 ≤ disp < 7.0	< 600	-	2012-2017	-	-	5.8 (ABT)	0.11 (ABT)				
			≥ 600	-	2018+	-	-	5.8 (ABT)	0.10 (ABT)				
		C1 Commercial engines with > 35 kW/L power density & All Recreational Engines <sup>k</sup>	3 <sup>l</sup>	< 0.9	≥ 75	-	2012+	-	-	5.8 (ABT)	0.15 (ABT)	8.0 for < 8 kW	5 / 3,000 for commercial engines < 19 kW
				0.9 ≤ disp < 1.2	All	-	2013+	-	-	5.8 (ABT)	0.14 (ABT)	6.6 for 8 ≤ kW < 19	7 / 5,000 for commercial engines 19 ≤ kW < 37
				1.2 ≤ disp < 2.5		2014+	-	-	5.8 (ABT)	0.14 (ABT)	5.5 for 19 ≤ kW < 37	10 / 10,000 for C1 Commercial ≥ 37 kW	
				2.5 ≤ disp < 3.5		2013+	-	-	5.8 (ABT)	0.12 (ABT)	5.0 for ≥ 37 kW	10 / 1,000 for CI Recreational	
3.5 ≤ disp < 7.0	2012+			-		-	5.8 (ABT)	0.11 (ABT)					

(Continued on next page)

**Table 13.26 (continued)**  
**Marine Compression-Ignition (CI) Engines – Exhaust Emission Standards**

	Category <sup>a,b</sup>	Tier	Displacement (L/cylinder)	Power <sup>c</sup> (kW)	Speed (rpm)	Model Year	NOx (g/kW-hr)	HC (g/kW-hr)	HC+NOx <sup>d</sup> (g/kW-hr)	PM (g/kW-hr)	CO (g/kW-hr)	Useful Life <sup>e</sup> (years/hours)			
Federal <sup>f</sup>	C1 Commercial > 600 kW	4 <sup>m</sup>	All	600 ≤ kW < 1,400	-	2017+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)	5.0	10 / 10,000			
			All	1,400 ≤ kW < 2,000	-	2016+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)					
			All	2,000 ≤ kW < 3,700	-	2014+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)					
			< 7.0	≥ 3,700	-	2014-2015	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.12 (ABT)					
					-	2016+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.06 (ABT)					
	C2	1	≥ 2.5	≥ 37	rpm < 130	2004	17.0	-	-	-	-	10 / 20,000			
					130 ≤ rpm < 2,000		45.0 × N <sup>0.201</sup>	-	-	-					
					rpm ≥ 2,000		9.8	-	-	-					
		2	5.0 ≤ disp < 15.0	all	-	2007	-	-	7.8 (ABT)	0.27 (ABT)	5.0	10 / 20,000			
							15.0 ≤ disp < 20.0	-	-	8.7 (ABT)	0.50 (ABT)		5.0		
							15.0 ≤ disp < 20.0	≥ 3,300	-	-	-		9.8 (ABT)	0.50 (ABT)	5.0
							20.0 ≤ disp < 25.0	all	-	-	-		9.8 (ABT)	0.50 (ABT)	5.0
							25.0 ≤ disp < 30.0	all	-	-	-		11.0 (ABT)	0.50 (ABT)	5.0
		3 <sup>m,p</sup>	7.0 ≤ disp < 15.0	< 2,000	-	2013+	-	-	6.2 (ABT)	0.14 (ABT)	5.0	10 / 20,000			
							2,000 ≤ kW < 3,700	-	-	7.8 (ABT)	0.14 (ABT)		5.0		
			15.0 ≤ disp < 20.0	< 2,000	-	2014+	-	-	7.0 (ABT)	0.34 (ABT)	5.0				
			20.0 ≤ disp < 25.0	< 2,000	-	-	-	-	9.8 (ABT)	0.27 (ABT)	5.0				
		25.0 ≤ disp < 30.0	< 2,000	-	-	-	-	11.0 (ABT)	0.27 (ABT)	5.0					
		4 <sup>m,p</sup>	All	600 ≤ kW < 1,400	-	2017+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)	5.0	10 / 20,000			
			All	1400 ≤ kW < 2,000	-	2016+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)					
			All	2,000 ≤ kW < 3,700 <sup>h</sup>	-	2014+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.04 (ABT)					
			< 15.0	≥ 3,700	-	2014-2015	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.12 (ABT)					
			15.0 ≤ disp < 30.0		-	2014-2015	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.25 (ABT)					
			All		-	2016+	1.8 (ABT)	-	0.19 HC <sup>g</sup>	0.06 (ABT)					
	C3	1	≥ 30.0	All	rpm < 130	2004	17.0	-	-	-	-	3 / 10,000			
					130 ≤ rpm < 2,000		45.0 × N <sup>0.201</sup>	-	-	-					
					rpm ≥ 2,000		9.8	-	-	-					
2		≥ 30.0	All	rpm < 130	2011	14.4	2.0	-	-	5.0	3 / 10,000				
				130 ≤ rpm < 2,000		44.0 × N <sup>0.231</sup>		-	-						
				rpm ≥ 2,000		7.7		-	-						
3		≥ 30.0	All	rpm < 130	2016	3.4	2.0	-	-	5.0	3 / 10,000				
				130 ≤ rpm < 2,000		9.0 × N <sup>0.201</sup>		-	-						
				rpm ≥ 2,000		2.0		-	-						

**Sources:**

- 40 CFR 89.104 = Tiers 1 and 2 useful life & warranty period for marine CI engines less than 37 kW
- 40 CFR 89.112 = Tiers 1 and 2 emission standards for marine CI engines less than 37 kW
- 40 CFR 89 Subpart E = Tiers 1 and 2 test procedures for marine CI engines less than 37 kW
- 40 CFR 94.8 = Tiers 1 and 2 emission standards for C1 (both commercial & recreational), C2 and C3 engines
- 40 CFR 94.9 = Tiers 1 and 2 useful life for C1 (both commercial & recreational), C2 and C3 engines
- 40 CFR 94 Subpart B = Tiers 1 and 2 test procedures for C1 (both commercial & recreational), C2 and C3 engines
- 40 CFR 1042.101 = Tiers 3 and 4 exhaust emission standards and useful life

**Table 13.26 (continued)**  
**Marine Compression-Ignition (CI) Engines – Exhaust Emission Standards**

**Sources (continued):**

40 CFR 1042.107 = Tiers 3 and 4 evaporative emission standards engines using a volatile liquid fuel (e.g., methanol)

40 CFR 1042.120 = Tiers 3 and 4 warranty period

40 CFR 1042 Subpart F = Tiers 3 and 4 test procedures (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> For Tiers 1 and 2, Category 1 marine engines are greater than or equal to 37 kilowatts (kW) and have a displacement less than 5.0 liters per cylinder (L/cylinder); Category 2 marine engines have a displacement greater than or equal to 5.0 L/cylinder and less than 30 L/cylinder; and Category 3 marine engines have a displacement greater than or equal to 30.0 L/cylinder. For Tiers 3 and 4, Category 1 represents engines up to 7 L/cylinder displacement; and Category 2 includes engines from 7 to 30 L/cylinder. The definition of Category 3 marine engines remains the same.

<sup>b</sup> Tiers 1 and 2 for marine engines less than 37 kW are subject to the same emission standards as for land-based engines. See Table 1 in 40 Code of Federal Regulations (CFR) Part 89.112 and 40 CFR Part 89.104.

<sup>c</sup> For Tiers 1 and 2, this refers to the rated power; for Tiers 3 and 4, this refers to the maximum engine power.

<sup>d</sup> Total hydrocarbon (THC) plus nitrogen oxides (NOx) for Tier 2 standards.

<sup>e</sup> Useful life is expressed in hours or years, whichever comes first. For Tiers 3 and 4, a longer useful life in hours for an engine family must be specified if either: 1) the engine is designed, advertised, or marketed to operate longer than the minimum useful life; or 2) the basic mechanical warranty is longer than the minimum useful life.

<sup>f</sup> Warranty period is expressed in years and hours, whichever comes first.

<sup>g</sup> For Tiers 3 and 4, there are no evaporative emission standards for diesel-fueled engines, or engines using other nonvolatile or nonliquid fuels (e.g., natural gas). If an engine uses a volatile liquid fuel, such as methanol, the engine's fuel system and the vessel in which the engine is installed must meet the evaporative emission requirements of 40 Code of Federal Regulations (CFR) Part 1045 that apply with respect to spark-ignition engines. Manufacturers subject to evaporative emission standards must meet the requirements of 40 CFR 1045.112 as described in 40 CFR 1060.1(a)(2).

<sup>h</sup> Indicates the model years for which the specified standards start.

<sup>i</sup> N is the maximum test speed of the engine in revolutions per minute (rpm).

<sup>j</sup> Manufacturers of Tier 3 engines greater than or equal to 19 kW and less than 75 kW with displacement below 0.9 L/cylinder may alternatively certify some or all of their engine families to a particulate matter (PM) emission standard of 0.20 grams per kilowatt-hour (g/kW-hr) and a NOx+HC emission standard of 5.8 g/kW-hr for 2014 and later model years.

<sup>k</sup> The applicable Tier 2 NOx+HC standards continue to apply instead of the Tier 3 values for engines at or above 2000 kW.

<sup>l</sup> These Tier 3 standards apply to Category 1 engines below 3700 kW except for recreational marine engines at or above 3700 kW (with any displacement), which must meet the Tier 3 standards specified for recreational marine engines with a displacement of 3.5 to 7.0 L/cylinder.

<sup>m</sup> The following provisions are optional: 1) Manufacturers may use NOx credits to certify Tier 4 engines to a NOx+HC emission standard of 1.9 g/kW-hr instead of the NOx and HC standards. See 40 CFR 1042.101(a)(8)(i) for more details. 2) For engines below 1000 kW, manufacturers may delay complying with the Tier 4 standards until October 1, 2017. 3) For engines at or above 3700 kW, manufacturers may delay complying with the Tier 4 standards until December 31, 2016.

<sup>n</sup> The Tier 4 standard is for HC (not HC+NOx) in g/kW-hr.

<sup>o</sup> These Tier 3 standards apply to Category 2 engines below 3700 kW; no Tier 3 standards apply for Category 2 engines at or above 3700 kW, although there are Tier 4 standards that apply.

**Table 13.26 (continued)**  
**Marine Compression-Ignition (CI) Engines – Exhaust Emission Standards**

<sup>p</sup> An alternative set of Tier 3 and Tier 4 standards for PM, NO<sub>x</sub>, and HC are available for Category 2 engines at or above 1400 kW, but must be applied to all of a manufacturer's engines in a given displacement category in model years 2012 through 2015.

Tier	Maximum engine power	Model year	PM (g/kW-hr)	NO <sub>x</sub> (g/kW-hr)	HC (g/kW-hr)
3	kW ≥ 1400	2012-2014	0.14	7.8 NO <sub>x</sub> +HC	
4	1400 ≤ kW < 3700	2015	0.04	1.8	0.19
	kW ≥ 3700	2015	0.06	1.8	0.19

<sup>q</sup> Interim Tier 4 PM standards apply for 2014 and 2015 model year Category 2 engines with per-cylinder displacement at or above 15.0 liters: 0.34 g/kW-hr for engines 2000 = kW < 3000, and 0.27 g/kW-hr for engines 3300 = kW < 3700.

*These standards apply to gasoline boats and personal watercraft, such as pleasure boats, jet-skis, outboard engines and sterndrive/inboard engines.*

**Table 13.27  
Marine Spark-Ignition Engines and Vessels – Exhaust Emission Standards**

	Engine type	Model year	HC + NOx <sup>a</sup> (g/KW-hr)		CO <sup>c</sup> (g/KW-hr)		Useful life (hours/years) <sup>d</sup>
			P ≤ 4.3 kW <sup>b</sup>	P > 4.3 kW <sup>b</sup>	P ≤ 4.3 kW <sup>b</sup>	P > 4.3 kW <sup>b</sup>	
Federal <sup>e</sup>	Personal watercraft & outboard marine engines	1998	278 ABT	$(0.917 \times (151 + 557/P^{0.9}) + 2.44)$ [ABT]	--	--	350 / 5
		1999	253 ABT	$(0.833 \times (151 + 557/P^{0.9}) + 2.89)$ [ABT]	--	--	
		2000	228 ABT	$(0.750 \times (151 + 557/P^{0.9}) + 3.33)$ [ABT]	--	--	
		2001	204 ABT	$(0.667 \times (151 + 557/P^{0.9}) + 3.78)$ [ABT]	--	--	
		2002	179 ABT	$(0.583 \times (151 + 557/P^{0.9}) + 4.22)$ [ABT]	--	--	
		2003	155 ABT	$(0.500 \times (151 + 557/P^{0.9}) + 4.67)$ [ABT]	--	--	
		2004	130 ABT	$(0.417 \times (151 + 557/P^{0.9}) + 5.11)$ [ABT]	--	--	
		2005	105 ABT	$(0.333 \times (151 + 557/P^{0.9}) + 5.56)$ [ABT]	--	--	
		2006-2009	81 ABT	$(0.250 \times (151 + 557/P^{0.9}) + 6.00)$ [ABT]	--	--	
		2010 + <sup>g</sup>	30 ABT	$2.1 + 0.09 \times (151 + 557/P^{0.9})$ [ABT]	500 - 5.0 x P	300	
Sterndrive/ inboard engines	Conventional engines <sup>g</sup>	2010 +	5.0 [ABT]		75 [ABT]		480 / 10 <sup>i</sup>
	High-performance engines		P ≤ kW <sup>b</sup>	P > 485 kW <sup>b</sup>	350		P ≤ 485 kW: 150 / 3
		2010	20.0	25.0			P > 485 kW: 50 / 1
		2011+	16.0	22.0			

**Sources:**

- 40 CFR 91.104 = Outboard and personal watercraft (PWC) exhaust emission standards (1998-2009)
- 40 CFR 91.105 = Outboard and PWC useful life (1998-2009)
- 40 CFR 1045.103 = Outboard and PWC exhaust emission standards (2010+)
- 40 CFR 1045.105 = Sterndrive/Inboard exhaust emission standards
- 40 CFR 1045.107 = Not-to-exceed exhaust emission standards (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> The numerical emission standards for hydrocarbons (HC) must be met based on the following types of HC emissions for engines powered by the following fuels: (1) total hydrocarbon equivalent for alcohol; (2) non-methane hydrocarbon for natural gas; and (3) total hydrocarbons for other fuels.

**Table 13.27 (continued)**  
**Marine Spark-Ignition Engines and Vessels – Exhaust Emission Standards**

---

<sup>b</sup> P stands for the maximum engine power in kilowatts.

<sup>c</sup> Manufacturers may generate or use emission credits for averaging, but not for banking or trading.

<sup>d</sup> Useful life and warranty period are expressed hours or years of operation (unless otherwise indicated), whichever comes first.

<sup>e</sup> The test procedure for federal standards uses the International Organization for Standardization (ISO) 8178 E4 5-Mode Steady-State Test Cycle.

<sup>f</sup> Also applies to model year (MY) 1997 engine families certified pursuant to 40 Code of Federal Regulations (CFR) 91.205.

<sup>g</sup> Not-to-exceed emission standards specified in 40 CFR 1045.107 also apply.

<sup>h</sup> A longer useful life in terms of hours must be specified for the engine family if the average service life is longer than the minimum value as described in 40 CFR 1045.103(e)(3).

<sup>i</sup> The useful life may not be shorter than: (1) 150 hours of operation; (2) the recommended overhaul interval; or (3) the engine's mechanical warranty. A longer useful life must be specified in terms of hours if the average service life is longer than the minimum value as described in 40 CFR 1045.105(e)(3).

*These standards apply to land-based recreational vehicles, such as snowmobiles, dirt bikes, all-terrain vehicles and go-karts.*

**Table 13.28  
Nonroad Recreational Engines and Vehicles – Exhaust Emission Standards**

	Vehicle	Phase	Year	HC <sup>a</sup> g/kW-hr	HC + NOx g/km	CO		Minimum useful life (hours/years/km) <sup>b</sup>
						g/kW-hr	g/km	
Federal	Snowmobiles <sup>c</sup>	1 <sup>d</sup>	2006+	100 [ABT]	-	275 [ABT]	-	400 / 5 / 8,000
		2	2010- 2011	75 [ABT]	-	275 [ABT]	-	
		3 <sup>e</sup>	2012+	150 <sup>f</sup> [ABT]	-	400 <sup>f</sup> [ABT]	-	
	Off-highway motorcycles <sup>g</sup>	1 <sup>d</sup>	2006+	-	2.0 <sup>h, i</sup> [ABT]	-	25 <sup>h, i</sup> [ABT]	> 70 cc Displacement: - / 5 / 10,000
								≤ 70 cc Displacement: - / 5 / 5,000
	ATVs <sup>g</sup>	1 <sup>d</sup>	2006+	-	1.5 <sup>i, k</sup> [ABT]	-	35 <sup>k</sup> [ABT]	≥ 100 cc Displacement: 1000 / 5 / 10,000 < 100 cc Displacement: 500 / 5 / 5,000

**Source:**

40 CFR 1051.101-115 = Emission standards (Additional resources: [www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards](http://www.epa.gov/emission-standards-reference-guide/nonroad-engines-and-vehicles-emission-standards))

<sup>a</sup> The numerical emission standards for hydrocarbons (HC) must be met based on the following types of hydrocarbon emissions for recreational engines and vehicles powered by the following fuels: (1) non-methane hydrocarbons for natural gas; (2) total hydrocarbon equivalent for alcohol; and (3) total hydrocarbons for other fuels.

<sup>b</sup> Useful life is expressed in hours, years, or kilometers (km), whichever comes first; warranty period is expressed in hours, months, or kilometers (km), whichever comes first. Nonroad recreational engines and vehicles must meet emission standards over their full useful life. A longer useful life in terms of km and hours must be specified for the engine family if the average service life is longer than the minimum value as described in 40 Code of Federal Regulations (CFR) 1051 Subpart B.

<sup>c</sup> Test procedures for snowmobiles use the equipment and procedures for spark-ignition engines in 40 CFR Part 1065.

<sup>d</sup> Phase 1 standards will be phased in: 50 percent by 2006, 100 percent by 2007.

<sup>e</sup> Litigation on the November 2002 final rule resulted in a court decision that requires EPA to clarify the evidence and analysis upon which the Phase 3 carbon monoxide (CO) and HC standards were based. EPA will address this in a future rulemaking.

<sup>f</sup> These are the maximum allowable family emission limits (FEL). The HC and CO standards are defined by a functional relationship as described in 40 CFR 1051.103(a)(2).

<sup>g</sup> For off-highway motorcycles and ATVs, chassis dynamometer emissions test procedures are specified in 40 CFR Part 86, Subpart F and engine dynamometer emissions test procedures are specified in 40 CFR Part 1065.

<sup>h</sup> Maximum allowable FEL: 20.0 grams per kilometer (g/km) for HC plus nitrogen oxides (NOx) and 50 g/km for CO.

**Table 13.28 (continued)**  
**Nonroad Recreational Engines and Vehicles – Exhaust Emission Standards**

---

<sup>i</sup> Manufacturers may certify off-highway motorcycles with engines that have total displacement of 70 cubic centimeters (cc) or less to an HC+NO<sub>x</sub> standard of 16.1 grams per kilowatt-hour (g/kW-hr) (with an FEL cap of 32.2 g/kW-hr) and a CO standard of 519 g/kW-hr.

<sup>j</sup> Maximum allowable FEL for HC+NO<sub>x</sub> is 20.0 g/km.

<sup>k</sup> Manufacturers may certify all-terrain vehicles with engines that have total displacement of less than 100 cc to an HC+NO<sub>x</sub> standard of 25.0 g/kW-hr (with an FEL cap of 40.0 g/kW-hr) and a CO standard of 500 g/kW-hr.



The latest standards were established by the Environmental Protection Agency in conjunction with the Tier 3 emission standards.

**Table 13.29**  
**Gasoline Sulfur Standards**

	Regulated entity	Refinery average and per-gallon cap by year (ppm)						
		2004	2005	2006	2007	2008-2016	2017-2019	2020
Federal	Large refiners / importers <sup>a</sup>	120 <sup>b</sup> / 300 <sup>c</sup>	30 / 90 <sup>b</sup> / 300	30 / 80	30 / 80	30 / 80	10 / 80	10 / 80
	GPA refiners <sup>d, e</sup>	150 / 300 <sup>c</sup>	150 / 300	150 / 300	30 / 80	30 / 80	30 / 80	10 / 80
	Small refiners <sup>f, g, h</sup>	k	k	k	k	30 / 80	30 / 80	10 / 80
	Downstream standards <sup>i, j</sup>	378	326	95	95	95	95	95

**Source:**

40 CFR 80 Subpart H (Additional resources: [www.epa.gov/emission-standards-reference-guide/fuel-sulfur-standards](http://www.epa.gov/emission-standards-reference-guide/fuel-sulfur-standards))

<sup>a</sup> Standards effective January 1 at the refinery gate.

<sup>b</sup> No Refinery Average Standard applies in 2004; Corporate Average Standard applies in 2004 (120 ppm) and 2005 (90 ppm).

<sup>c</sup> Cap exceedances up to 50 ppm in 2004 must be made up in 2005.

<sup>d</sup> Geographic Phase-in Area (GPA) refiners must also comply with the corporate average standards in 2004 and 2005 if less than 50% of the refiner's gasoline is designated as GPA gasoline in a given compliance period.

<sup>e</sup> GPA refiners may receive an additional two years (i.e., through 2008) to comply with the 30 / 80 ppm gasoline sulfur standards in exchange for producing 95% of their highway diesel fuel at the 15 ppm sulfur standard by June 1, 2006.

<sup>f</sup> Small refiners may receive an additional two years (i.e., through 2009) to comply with the 30 / 80 ppm gasoline sulfur standards via a hardship demonstration.

<sup>g</sup> Small refiners may receive an additional three years (i.e., through 2010) to comply with the 30 / 80 ppm gasoline sulfur standards in exchange for producing 95% of their highway diesel fuel at the 15 ppm sulfur standard by June 1, 2006.

<sup>h</sup> Small refiners may receive a 20% increase in their annual average and per-gallon cap standards in exchange for producing 95% of their highway, nonroad, locomotive, and marine diesel fuel at the 15 ppm sulfur standard by June 1, 2006.

<sup>i</sup> Downstream standards are effective February 1 at any downstream location other than at a retail outlet or wholesale purchaser-consumer (e.g., pipelines and terminals) and March 1 at any downstream location.

<sup>j</sup> Downstream standards for gasoline that is not blended with small refiner gasoline are shown. Refer to the Code of Federal Regulations (CFR) for the downstream standards that apply when a gasoline blend includes small refiner gasoline.

<sup>k</sup>

1997-98 Refinery baseline sulfur level (ppm)	Small refiner interim gasoline sulfur standards (ppm) 2004 - 2007	
	Average	Cap
0 to 30	30	300
31 to 200	baseline level	300
201 to 400	200	300
401 to 600	50% of baseline	1.5 x avg. standard
601 and above	300	450

*Ultra-low sulfur diesel (ULSD) fuel is necessary for new advanced emission control technologies. It also reduces particulate matter in the existing fleet of nonroad engines and equipment.*

**Table 13.30  
Highway, Nonroad, Locomotive, and Marine (NRLM) Diesel Fuel Sulfur Standards**

	Regulated entity	Covered fuel	Per-gallon maximum sulfur level by year (ppm)								
			2006 <sup>a</sup>	2007 <sup>b</sup>	2008	2009	2010 <sup>c,d</sup>	2011	2012	2013	2014
Federal	Large refiners & importers	Highway	80% 15			15					
			20% 500								
	Small refiners	Highway	500								
	Large refiners & importers	NR	-	500	500	500	15	15	15	15	15
		LM	-	500	500	500	500	500	15	15	15
		NRLM with credits <sup>e</sup>	-	HS	HS	HS	500	500	500	500	15
	Small refiners	NRLM <sup>f</sup>	-	HS	HS	HS	500	500	500	500	15
	Transmix processor & in-use	NR <sup>e</sup>	-	HS	HS	HS	500	500	500	500	15
LM <sup>e</sup>		-	HS	HS	HS	500	500	500	500	500	

**Source:**

40 CFR 80 Subpart I (Additional resources: [www.epa.gov/emission-standards-reference-guide/fuel-sulfur-standards](http://www.epa.gov/emission-standards-reference-guide/fuel-sulfur-standards))

<sup>a</sup> For highway diesel fuel, standards are effective June 1 for refiners/importers, September 1 for pipelines and terminals, and October 15 for retailers and wholesale purchaser-consumers. Anti-downgrading provisions effective October 16, 2006.

<sup>b</sup> For Nonroad, Locomotive, and Marine (NRLM) diesel fuel, standards are effective June 1 for refiners; downstream requirements apply for Northeast/Mid-Atlantic area only (August 1 for terminals, October 1 for retailers and wholesale purchaser-consumers, and December 1 for in-use).

<sup>c</sup> For highway diesel fuel, standards are effective June 1 for refiners/importers, October 1 for pipelines and terminals, and December 1 for retailers and wholesale purchaser-consumers.

<sup>d</sup> For NRLM diesel fuel, standards are effective June 1 for refiners, August 1 for terminals, October 1 for retailers and wholesale purchaser-consumers, and December 1 for in-use.

<sup>e</sup> Excluding the Northeast and Alaska.

<sup>f</sup> Excluding the Northeast, with approval in Alaska.

# SOURCES & METHODOLOGIES

# Appendix A



Credit: //Getty Images

## SOURCES & METHODOLOGIES

This TEDB Appendix Contains documentation of the estimation procedures used by ORNL. The reader can examine the methodology behind the estimates and form an opinion as to their utility. The appendix is arranged by subject heading. Only tables which contain ORNL estimations are documented in Appendix A; all other tables have sources listed at the bottom of the table. Since abbreviations are used throughout the appendix, a list of abbreviations is also included.

### Contents of Appendix A

1. List of Abbreviations Used in Appendix A .....	A-4
2. Energy Use Sources .....	A-5
2.1 Highway energy use.....	A-5
2.2 Off-highway energy use.....	A-14
2.3 Nonhighway energy use.....	A-14
2.4 Calculation of Million Barrels per Day Crude Oil Equivalent .....	A-23
3. Passenger Travel and Energy Use.....	A-24
4. Highway Passenger Mode Energy Intensities.....	A-28
5. Nonhighway Mode Energy Intensities.....	A-32
6. Freight Mode Energy Intensities.....	A-34
7. Car/Light Truck Shares.....	A-35

## 1. LIST OF ABBREVIATIONS USED IN APPENDIX A

AAR	Association of American Railroads
APTA	American Public Transportation Association
Amtrak	National Railroad Passenger Corporation
BTS	Bureau of Transportation Statistics
Btu	British thermal unit
CD	Compact Disc
CNG	Compressed Natural Gas
CO <sub>2</sub>	Carbon Dioxide
CPI	Consumer Price Index
CY	Calendar Year
DOE	Department of Energy
DOT	Department of Transportation
EIA	Energy Information Administration
EPA	Environmental Protection Agency
FAA	Federal Aviation Administration
FHWA	Federal Highway Administration
IRS	Internal Revenue Service
gal	Gallons
kWh	Kilowatt hour
L	Liter
lb	Pound
lng	Liquefied Natural Gas
lpg	Liquefied Petroleum Gas
mpg	Miles per Gallon
NHTS	National Household Travel Survey
NPTS	Nationwide Personal Transportation Survey
NVPP	National Vehicle Population Profile
ORNL	Oak Ridge National Laboratory
RTECS	Residential Transportation Energy Consumption Survey
SCF	Standard Cubic Feet
TEDB	Transportation Energy Data Book
TIUS	Truck Inventory and Use Survey
VIUS	Vehicle Inventory and Use Survey
vmt	vehicle-miles traveled

## 2. ENERGY USE SOURCES

### 2.1 HIGHWAY ENERGY USE

#### 2.1.1 Cars

**Fuel use in gallons (1970-2008)** – DOT, FHWA, *Highway Statistics 2008*, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary* to 1995.

**Fuel use in gallons (2009–2019)** – See Section 7. Appendix A Car and Light Truck Shares.

**Fuel type distribution for gallons** – Fuel use was distributed among fuel types using the percentages shown in Table A.1. The FHWA discontinued gasohol data in 2005. Therefore, data from EIA, *Alternatives to Traditional Transportation Fuels*, 2006-2011, Table C1 were used through 2013. From 2014-on, author estimates were used, with knowledge of how the Renewable Fuels Standard affects the gasoline/gasohol mix.

**Electricity use (2010-2019)** – Estimates derived using cumulative electric vehicle (EV) and plug-in hybrid vehicle (PHEV) sales as a proxy for vehicle population; sales-weighted vehicle efficiencies from the U.S. Department of Energy and U.S. Environmental Protection Agency's vehicle database on [www.fueleconomy.gov](http://www.fueleconomy.gov); and annual miles traveled from varying PHEV utility factors and EV usage assumptions. Methodology documented in an Argonne National Laboratory report, *Assessment of Light-Duty Plug-in Electric Vehicles in the United States, 2010 – 2020*, June 2021, [doi.org/10.2172/1785708](https://doi.org/10.2172/1785708). For tables in the main body of the TEDB, electricity was converted from kWh to Btu using 3,412 Btu/kWh.

**Table A.1**  
**Car Fuel Use and Fuel Type Shares for Calculation of Energy Use**

Year	Fuel use (million gallons)	Source for gasohol shares	Source for gasoline/diesel shares	Shares by fuel type <sup>b</sup>		
				Gasoline	Gasohol	Diesel
1970	67,820		1984 NVPP	99.8%	0.0%	0.2%
1971	71,346		interpolated	99.2%	0.0%	0.8%
1972	75,937		interpolated	98.7%	0.0%	1.3%
1973	78,233		interpolated	98.1%	0.0%	1.9%
1974	74,229		interpolated	97.5%	0.0%	2.5%
1975	74,140		interpolated	97.0%	0.0%	3.0%
1976	78,297		interpolated	96.4%	0.0%	3.6%
1977	79,060		interpolated	95.8%	0.0%	4.2%
1978	80,652		interpolated	95.3%	0.0%	4.7%
1979	76,588		1979 RTECS	94.7%	0.0%	5.3%
1980	69,981	FHWA, MF-33e	interpolated	93.9%	0.5%	5.6%
1981	69,112	FHWA, MF-33e	1981 RTECS	93.4%	0.7%	5.9%
1982	69,116	FHWA, MF-33e	interpolated	93.5%	2.3%	4.2%
1983	70,322	FHWA, MF-33e	1983 RTECS	93.2%	4.3%	2.5%
1984	70,663	FHWA, MF-33e	interpolated	92.7%	5.3%	2.0%
1985	71,518	FHWA, MF-33e	1985 RTECS	90.8%	7.7%	1.5%
1986	73,174	FHWA, MF-33e	interpolated	91.0%	7.6%	1.4%
1987	73,308	FHWA, MF-33e	interpolated	92.4%	6.3%	1.3%
1988	73,345	FHWA, MF-33e	1988 RTECS	91.4%	7.4%	1.2%
1989	73,913	FHWA, MF-33e	interpolated	92.6%	6.2%	1.2%
1990	69,568	FHWA, MF-33e	interpolated	92.0%	6.8%	1.2%
1991	64,318	FHWA, MF-33e	1991 RTECS	90.8%	8.0%	1.2%
1992	65,436	FHWA, MF-33e	interpolated	90.8%	7.9%	1.2%
1993	67,047	FHWA, MF-33e	interpolated	89.7%	9.1%	1.3%
1994	67,874	FHWA, MF-33e	1994 RTECS	89.1%	9.6%	1.3%
1995	68,072	FHWA, MF-33e	interpolated	87.6%	11.2%	1.2%
1996	69,221	FHWA, MF-33e	interpolated	88.8%	10.1%	1.0%
1997	69,892	FHWA, MF-33e	interpolated	86.9%	12.2%	0.9%
1998	71,695	FHWA, MF-33e	interpolated	88.0%	11.2%	0.8%
1999	73,283	FHWA, MF-33e	interpolated	88.3%	11.0%	0.6%
2000	73,065	FHWA, MF-33e	2000 NVPP	86.9%	12.6%	0.5%
2001	73,559	FHWA, MF-33e	2001 NVPP	86.5%	13.0%	0.5%
2002	75,471	FHWA, MF-33e	2001 NVPP	83.9%	15.6%	0.5%
2003	74,590	FHWA, MF-33e	2001 NVPP	75.3%	24.2%	0.5%
2004	75,402	FHWA, MF-33e	2001 NVPP	67.2%	32.3%	0.5%
2005	77,418	FHWA, MF-33e	2001 NVPP	66.9%	32.6%	0.5%
2006	75,009	EIA, C1	2001 NVPP	78.2%	21.3%	0.5%
2007	74,377	EIA, C1	2001 NVPP	72.9%	26.6%	0.5%
2008	71,497 <sup>a</sup>	EIA, C1	2001 NVPP	61.8%	37.7%	0.5%
2009	66,587	EIA, C1	2001 NVPP	55.8%	43.7%	0.5%
2010	62,245	EIA, C1	2001 NVPP	49.5%	50.0%	0.5%
2011	59,646	EIA, C1	2001 NVPP	48.7%	50.8%	0.5%
2012	57,899	EIA, C1	2001 NVPP	48.7%	50.8%	0.5%
2013	57,290	EIA, C1	2001 NVPP	49.0%	50.5%	0.5%
2014	56,420	Author estimates	2001 NVPP	24.5%	75.0%	0.5%
2015	55,212	Author estimates	2001 NVPP	14.5%	85.0%	0.5%
2016	54,248	Author estimates	2001 NVPP	4.5%	95.0%	0.5%
2017	52,268	Author estimates	2001 NVPP	4.5%	95.0%	0.5%
2018	51,174	Author estimates	2001 NVPP	4.5%	95.0%	0.5%
2019	48,579	Author estimates	2001 NVPP	4.5%	95.0%	0.5%
Heat content used for conversion to btu:				125,000	120,900	138,700
				btu/gallon	btu/gallon	btu/gallon

<sup>a</sup> Data are not continuous between 2008 and 2009 due to changes in source.

<sup>b</sup> Percentages may not sum due to rounding.

## 2.1.2 Motorcycles

DOT, FHWA, *Highway Statistics 2019*, Table VM-1, and annual editions. The FHWA made methodology changes for *Highway Statistics 2009-10*. At that time, they published historical data back to 2007 which do not match the previous data.

**Table A.2**  
**Motorcycle Fuel Use**

Year	Fuel use (thousand gallons)	Year	Fuel use (thousand gallons)
1970	59,580	1995	198,262
1971	72,140	1996	195,940
1972	86,620	1997	201,620
1973	103,880	1998	205,660
1974	108,900	1999	211,680
1975	112,580	2000	209,380
1976	120,060	2001	192,780
1977	126,980	2002	191,040
1978	143,160	2003	190,780
1979	172,740	2004	202,447
1980	204,280	2005	189,495
1981	213,800	2006	221,030 <sup>a</sup>
1982	198,200	2007	474,923
1983	175,200	2008	489,417
1984	175,680	2009	482,290
1985	181,720	2010	426,732
1986	187,940	2011	426,378
1987	190,120	2012	491,130
1988	200,480	2013	467,716
1989	207,420	2014	458,628
1990	191,140	2015	447,879
1991	183,560	2016	465,802
1992	191,140	2017	458,429
1993	198,120	2018	456,657
1994	204,800	2019	447,864
Heat content used for conversion to btu:		125,000 btu/gallon	

<sup>a</sup> Data are not continuous between 2006 and 2007 due to changes in estimation methodology. See source document for details.



### 2.1.3 Buses

#### *Transit*

APTA, *2021 Public Transportation Fact Book*, Washington, DC, 2021. Includes motorbus and trolley bus data.

**Table A.3**  
**Transit Bus Fuel Use**

Year	LNG (million gallons)	LPG (million gallons)	CNG (million gallons)	Gasoline (million gallons)	Diesel fuel (million gallons)	Electricity (thousand kilowatt hours)	Biodiesel (million gallons)	Methanol (million gallons)
1994	1.1	0.2	3.1	2.1	565.1	102.9	<sup>a</sup>	12.5
1995	1.7	0.3	10.0	2.3	563.8	100.0	<sup>a</sup>	12.0
1996	2.3	0.6	11.5	1.8	577.7	69.0	<sup>a</sup>	11.6
1997	3.3	1.0	20.0	2.7	597.6	78.0	<sup>a</sup>	8.7
1998	3.1	0.9	32.6	2.0	606.6	74.0	<sup>a</sup>	5.0
1999	5.3	0.8	39.9	1.4	618.0	75.0	<sup>a</sup>	2.7
2000	10.5	0.7	50.4	1.3	635.2	77.0	<sup>a</sup>	0.8
2001	11.7	1.2	60.9	1.5	587.2	74.0	<sup>a</sup>	0.8
2002	16.8	1.8	77.8	1.3	559.0	73.0	<sup>a</sup>	1.8
2003	14.2	1.8	94.9	1.1	536.0	69.0	<sup>a</sup>	1.9
2004	16.5	1.7	106.7	1.8	550.5	68.0	<sup>a</sup>	4.7
2005	18.3	2.0	117.2	1.0	533.8	67.0	<sup>a</sup>	8.1
2006	19.6	1.6	138.8	2.3	536.7	62.0	20.5	0.9
2007	18.3	<sup>a</sup>	129.1	2.5	494.1	61.0	25.8	1.3
2008	17.9	<sup>a</sup>	135.5	3.8	493.3	62.2	41.8	0.9
2009	25.5	<sup>a</sup>	141.6	6.7	455.5	69.5	40.6	0.0
2010	23.0	<sup>a</sup>	126.2	8.1	435.4	66.0	43.5	0.0
2011	21.6	<sup>a</sup>	131.1	8.9	455.1	61.0	51.1	0.0
2012	19.6	<sup>a</sup>	127.3	12.5	439.0	61.0	56.6	0.0
2013	17.6	6.3	134.9	12.9	427.5	63.0	66.2	0.0
2014	15.4	6.2	146.0	11.7	413.6	64.0	38.1	1.2
2015	11.3	8.2	158.9	11.1	415.0	62.0	43.9	0.9
2016	10.7	6.9	170.3	11.6	428.9	64.3	43.2	0.0
2017	4.9	6.7	173.8	12.9	432.0	62.4	37.2	0.6
2018	3.0	2.8	181.0	13.3	399.5	62.8	49.4	0.2
2019	2.7	2.2	190.7	13.9	399.9	57.0	41.0	0.2
Heat content used for conversion to btu:	84,800 btu/gallon	91,300 btu/gallon	138,700 btu/gallon	125,000 btu/gallon	138,700 btu/gallon	3,412 btu/kWh	126,200 btu/gallon	64,600 btu/gallon

**Note:** CNG is reported in diesel-gallon equivalents.

<sup>a</sup> Data are not available.

*Intercity and School*

Eno Transportation Foundation, *Transportation in America, 2001, Nineteenth Edition, 2003*, Washington, DC, pp. 20–23. School bus fuel was assumed to be 90% diesel fuel and 10% gasoline based on estimates from the National Association of State Directors of Pupil Transportation Services. Intercity bus fuel was assumed to be 100% diesel.

**Table A.4**  
**Intercity and School Bus Fuel Use**

Year	Intercity (million gallons)	School (million gallons)
1970	305.34	299.88
1975	181.02	341.88
1980	213.78	379.68
1981	205.38	386.82
1982	227.22	398.58
1983	237.30	400.68
1984	169.26	375.06
1985	165.48	425.04
1986	148.68	462.42
1987	155.82	487.20
1988	160.44	511.14
1989	166.74	498.12
1990	159.60	472.08
1991	160.44	533.40
1992	157.08	546.00
1993	171.36	533.40
1994	195.30	546.00
1995	195.30	545.16
1996	199.92	545.16
1997	212.52	544.74
1998	220.08	550.20
1999	241.08	555.66
2000	233.10	577.08
2001	217.35 <sup>a</sup>	538.08 <sup>a</sup>
2002	210.22 <sup>a</sup>	520.44 <sup>a</sup>
2003	208.32 <sup>a</sup>	515.72 <sup>a</sup>
2004	208.87 <sup>a</sup>	517.09 <sup>a</sup>
2005	214.37 <sup>a</sup>	530.70 <sup>a</sup>
2006	208.32 <sup>a</sup>	515.72 <sup>a</sup>
2007	214.37 <sup>a</sup>	530.70 <sup>a</sup>
2008	218.48 <sup>a</sup>	540.89 <sup>a</sup>
2009	224.58 <sup>a</sup>	556.00 <sup>a</sup>
2010	214.95 <sup>a</sup>	532.15 <sup>a</sup>
2011	215.53 <sup>a</sup>	533.58 <sup>a</sup>
2012	230.42 <sup>a</sup>	570.45 <sup>a</sup>
2013	236.76 <sup>a</sup>	586.14 <sup>a</sup>
2014	249.75 <sup>a</sup>	618.29 <sup>a</sup>
2015	253.35 <sup>a</sup>	627.22 <sup>a</sup>
2016	255.22 <sup>a</sup>	631.84 <sup>a</sup>
2017	268.92 <sup>a</sup>	665.76 <sup>a</sup>
2018	285.72 <sup>a</sup>	707.35 <sup>a</sup>
2019	280.67 <sup>a</sup>	694.85 <sup>a</sup>
Fuel type shares	100% diesel	90% diesel 10% gasoline
Heat content used for conversion to btu:	138,700 btu/gallon	138,700 btu/gallon 125,000 btu/gallon

<sup>a</sup> Estimated using the rate of change of bus vehicle-miles traveled from FHWA *Highway Statistics*, Table VM-1.

## 2.1.4 Trucks

### *Light Trucks*

**Fuel use in gallons (1970-2007)** – DOT, FHWA, *Highway Statistics 2008*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*.

**Fuel use in gallons (2008–2019)** – See Section 7. Appendix A Car and Light Truck Shares.

**Fuel type distribution for gallons** – Fuel use was distributed among fuel types using the percentages shown in Table A.1. The FHWA discontinued gasohol data in 2005. Therefore, data from EIA, *Alternatives to Traditional Transportation Fuels*, 2006-2011, Table C1 were used through 2013. From 2014-on, author estimates were used, with knowledge of how the Renewable Fuels Standard affects the gasoline/gasohol mix.

**Electricity use (2010-2019)** – Estimates derived using cumulative electric vehicle (EV) and plug-in hybrid vehicle (PHEV) sales as a proxy for vehicle population; sales-weighted vehicle efficiencies from the U.S. Department of Energy and U.S. Environmental Protection Agency’s vehicle database on [www.fueleconomy.gov](http://www.fueleconomy.gov); and annual miles traveled from varying PHEV utility factors and EV usage assumptions. Methodology documented in an Argonne National Laboratory report, *Assessment of Light-Duty Plug-in Electric Vehicles in the United States, 2010 – 2020*, June 2021, [doi.org/10.2172/1785708](https://doi.org/10.2172/1785708). For tables in the main body of the TEDB, electricity was converted from kWh to Btu using 3,412 Btu/kWh.

**Table A.5**  
**Light Truck Fuel Use and Fuel Type Shares for Calculation of Energy Use**

Year	Fuel use (million gallons)	Source for gasohol shares	Source for gasoline/diesel /lpg shares	Shares by fuel type			
				Gasoline	Gasohol	Diesel	Lpg
1970	12,313		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1975	19,081		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1976	20,828		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1977	22,383		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1978	24,162		Interpolated	97.1%	0.0%	2.0%	0.9%
1979	24,445		Interpolated	96.7%	0.0%	2.4%	1.0%
1980	23,796	FHWA, MF-33e	Interpolated	95.7%	0.5%	2.7%	1.0%
1981	23,697	FHWA, MF-33e	Interpolated	95.1%	0.7%	3.1%	1.1%
1982	22,702	FHWA, MF-33e	1982 TIUS	93.0%	2.3%	3.5%	1.2%
1983	23,945	FHWA, MF-33e	Interpolated	91.0%	4.3%	3.5%	1.2%
1984	25,604	FHWA, MF-33e	Interpolated	90.0%	5.3%	3.5%	1.2%
1985	27,363	FHWA, MF-33e	Interpolated	87.6%	7.7%	3.5%	1.2%
1986	29,074	FHWA, MF-33e	Interpolated	87.7%	7.6%	3.5%	1.2%
1987	30,598	FHWA, MF-33e	1987 TIUS	89.0%	6.3%	3.5%	1.2%
1988	32,653	FHWA, MF-33e	Interpolated	88.2%	7.4%	3.5%	1.0%
1989	33,271	FHWA, MF-33e	Interpolated	89.5%	6.2%	3.4%	0.8%
1990	35,611	FHWA, MF-33e	Interpolated	89.2%	6.8%	3.4%	0.7%
1991	38,217	FHWA, MF-33e	Interpolated	88.1%	8.0%	3.3%	0.5%
1992	40,929	FHWA, MF-33e	1992 TIUS	88.5%	7.9%	3.3%	0.3%
1993	42,851	FHWA, MF-33e	Interpolated	87.3%	9.1%	3.3%	0.3%
1994	44,112	FHWA, MF-33e	Interpolated	86.8%	9.6%	3.3%	0.3%
1995	45,605	FHWA, MF-33e	Interpolated	85.1%	11.2%	3.4%	0.3%
1996	47,354	FHWA, MF-33e	Interpolated	86.2%	10.1%	3.4%	0.3%
1997	49,388	FHWA, MF-33e	1997 VIUS	84.2%	12.2%	3.4%	0.2%
1998	50,462	FHWA, MF-33e	Interpolated	85.0%	11.2%	3.5%	0.3%
1999	52,859	FHWA, MF-33e	Interpolated	84.9%	11.0%	3.6%	0.4%
2000	52,939	FHWA, MF-33e	Interpolated	83.1%	12.6%	3.8%	0.6%
2001	53,522	FHWA, MF-33e	Interpolated	82.4%	13.0%	3.9%	0.7%
2002	55,220	FHWA, MF-33e	2002 VIUS	79.6%	15.6%	4.0%	0.8%
2003	60,758	FHWA, MF-33e	2002 VIUS	71.0%	24.2%	4.0%	0.8%
2004	63,417	FHWA, MF-33e	2002 VIUS	62.9%	32.3%	4.0%	0.8%
2005	58,869	FHWA, MF-33e	2002 VIUS	62.6%	32.6%	4.0%	0.8%
2006	60,685	EIA, C1	2002 VIUS	73.9%	21.3%	4.0%	0.8%
2007	61,836	EIA, C1	2002 VIUS	68.6%	26.6%	4.0%	0.8%
2008	61,199 <sup>a</sup>	EIA, C1	2002 VIUS	57.5%	37.7%	4.0%	0.8%
2009	61,824	EIA, C1	2002 VIUS	51.5%	43.7%	4.0%	0.8%
2010	64,687	EIA, C1	2002 VIUS	45.2%	50.0%	4.0%	0.8%
2011	65,786	EIA, C1	2002 VIUS	44.4%	50.8%	4.0%	0.8%
2012	66,395	EIA, C1	2002 VIUS	44.4%	50.8%	4.0%	0.8%
2013	65,555	EIA, C1	2002 VIUS	44.7%	50.5%	4.0%	0.8%
2014	69,012	Author estimates	2002 VIUS	25.2%	70.0%	4.0%	0.8%
2015	70,933	Author estimates	2002 VIUS	15.2%	80.0%	4.0%	0.8%
2016	73,107	Author estimates	2002 VIUS	5.2%	90.0%	4.0%	0.8%
2017	73,835	Author estimates	2002 VIUS	0.2%	95.0%	4.0%	0.8%
2018	73,802	Author estimates	2002 VIUS	0.2%	95.0%	4.0%	0.8%
2019	75,856	Author estimates	2002 VIUS	0.2%	95.0%	4.0%	0.8%
Heat content used for conversion to btu:				125,000	120,900	138,700	90,800
				btu/gallon	btu/gallon	btu/gallon	btu/gallon

<sup>a</sup> Data are not continuous between 2008 and 2009 due to changes in source.

### Medium/Heavy Trucks

DOT, FHWA, *Highway Statistics 2019*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*. The FHWA made methodology changes for *Highway Statistics 2009*. At that time, they published historical data back to 2007 which do not match the previous data.

**Table A.6**  
**Medium/Heavy Truck Fuel Use and Fuel Type Shares for Calculation of Energy Use**

Year	Fuel use (million gallons)	Source for fuel type shares	Shares by fuel type		
			Gasoline	Diesel	Lpg
1970	11,316	1977 TIUS	10.4%	89.5%	0.1%
1975	14,598	1977 TIUS	10.4%	89.5%	0.1%
1980	19,960	Interpolated	27.9%	71.4%	0.6%
1981	20,376	Interpolated	33.8%	65.4%	0.8%
1982	20,386	1982 TIUS	39.6%	59.4%	1.0%
1983	20,761	Interpolated	35.6%	63.6%	0.8%
1984	21,428	Interpolated	31.5%	67.8%	0.7%
1985	21,405	Interpolated	27.5%	72.0%	0.5%
1986	21,861	Interpolated	23.4%	76.2%	0.4%
1987	22,513	1987 TIUS	19.4%	80.4%	0.2%
1988	22,925	Interpolated	18.8%	81.0%	0.3%
1989	23,512	Interpolated	18.1%	81.6%	0.3%
1990	24,490	Interpolated	17.5%	82.1%	0.4%
1991	24,981	Interpolated	16.8%	82.7%	0.4%
1992	25,453	1992 TIUS	16.2%	83.3%	0.5%
1993	26,236	Interpolated	15.4%	84.1%	0.5%
1994	27,685	Interpolated	14.7%	84.8%	0.5%
1995	28,828	Interpolated	13.9%	85.6%	0.5%
1996	29,601	Interpolated	13.2%	86.3%	0.5%
1997	29,878	1997 VIUS	12.4%	87.1%	0.5%
1998	30,841	Interpolated	12.1%	87.4%	0.5%
1999	33,909	Interpolated	11.8%	87.6%	0.5%
2000	35,229	Interpolated	11.6%	87.9%	0.5%
2001	35,179	Interpolated	11.3%	88.1%	0.5%
2002	36,800	2002 VIUS	11.0%	88.4%	0.5%
2003	35,775	2002 VIUS	11.0%	88.4%	0.5%
2004	33,150	2002 VIUS	11.0%	88.4%	0.5%
2005	37,190	2002 VIUS	11.0%	88.4%	0.5%
2006	37,959 <sup>a</sup>	2002 VIUS	11.0%	88.4%	0.5%
2007	47,218	2002 VIUS	11.0%	88.4%	0.5%
2008	47,705	2002 VIUS	11.0%	88.4%	0.5%
2009	44,303	2002 VIUS	11.0%	88.4%	0.5%
2010	45,024	2002 VIUS	11.0%	88.4%	0.5%
2011	42,396	2002 VIUS	11.0%	88.4%	0.5%
2012	42,351	2002 VIUS	11.0%	88.4%	0.5%
2013	43,297	2002 VIUS	11.0%	88.4%	0.5%
2014	44,012	2002 VIUS	11.0%	88.4%	0.5%
2015	43,734	2002 VIUS	11.0%	88.4%	0.5%
2016	44,893	2002 VIUS	11.0%	88.4%	0.5%
2017	45,963	2002 VIUS	11.0%	88.4%	0.5%
2018	46,405	2002 VIUS	11.0%	88.4%	0.5%
2019	45,643	2002 VIUS	11.0%	88.4%	0.5%
Heat content used for conversion to btu:			125,000	138,700	90,800
			btu/gallon	btu/gallon	btu/gallon

<sup>a</sup> Data are not continuous between 2006 and 2007 due to changes in methodology. See source for details.

Shares of Class 3-6 and 7-8 energy use by fuel type were calculated from the 2002 Vehicle Inventory and Use Survey (VIUS) and applied to all years 1970-2019.

**Table A.7**  
**Share of Medium and Heavy Truck Energy Use**

Fuel type	Share of energy use		Total
	Class 3-6	Class 7-8	
Gasoline	92%	8%	100%
Diesel	14%	86%	100%
LPG	99%	1%	100%

## 2.2 OFF-HIGHWAY ENERGY USE

U.S. Environmental Protection Agency, MOVES2014b model, results generated September 2020. Data by fuel type were produced for agricultural equipment, airport equipment, construction and mining equipment, industrial equipment, lawn and garden equipment, logging equipment, railroad maintenance equipment, and recreational equipment. Some non-transportation-related equipment, such as generators, chain saws, compressors, and pumps, were excluded from the data. Model output was converted from grams to gallons using EPA's methodology documented in the technical report *Greenhouse Gas and Energy Consumption Rates for On-road Vehicles: Updates for MOVES2014*, [www.epa.gov/moves/can-moves-report-output-terms-fuel-consumption](http://www.epa.gov/moves/can-moves-report-output-terms-fuel-consumption).

## 2.3 NONHIGHWAY ENERGY USE

### 2.3.1 Air

#### *General Aviation*

DOT, FAA, *General Aviation and Part 135 Activity Surveys - CY 2019*, Table 5.1, and annual. 2011 Data: *Aviation Forecasts*, Tables 28 and 29, May 2013.

**Table A.8**  
**General Aviation Fuel Use**

Year	Jet fuel (million gallons)	Aviation gasoline (million gallons)	Year	Jet fuel (million gallons)	Aviation gasoline (million gallons)
1970	208.0	551.0	1995	544.0	276.0
1971	226.0	508.0	1996	567.5	286.5
1972	245.0	584.0	1997	639.4	289.7
1973	304.0	411.0	1998	814.6	311.4
1974	357.0	443.0	1999	967.2	345.4
1975	453.0	412.0	2000	998.1	336.3
1976	495.0	432.0	2001	938.7	319.3
1977	536.0	456.0	2002	815.5	261.4
1978	763.0	518.0	2003	820.0	255.5
1979	736.0	570.0	2004	1,075.2	256.1
1980	766.0	520.0	2005	1,507.4	323.6
1981	759.0	489.0	2006	1,636.3	294.7
1982	887.0	448.0	2007	1,516.3	314.8
1983	613.0	428.0	2008	1,688.6	306.3
1984	738.9	462.4	2009	1,350.6	226.6
1985	691.0	421.0	2010	1,451.5	210.3
1986	732.1	408.6	2011	1,490.7	215.5
1987	672.7	401.8	2012	1,492.1	227.7
1988	746.0	398.0	2013	1,353.6	173.3
1989	688.0	342.8	2014	1,454.1	205.8
1990	662.0	353.0	2015	1,384.4	183.2
1991	579.0	348.0	2016	1,445.7	187.8
1992	496.0	306.0	2017	1,548.7	192.4
1993	454.1	268.4	2018	1,822.7	222.3
1994	470.8	264.1	2019	1,515.4	187.8
Heat content used for conversion to btu:	135,000 btu/gallon	120,200 btu/gallon		135,000 btu/gallon	120,200 btu/gallon

*Domestic and International Air Carrier*

DOT, Bureau of Transportation Statistics, "Fuel Cost and Consumption Tables," [www.transtats.bts.gov/fuel](http://www.transtats.bts.gov/fuel). The table below shows all international fuel use. Because the data for international include fuel purchased abroad, for the tables in TEDB Chapter 2, the international total was divided in half to estimate domestic fuel use for international flights.

**Table A.9**  
**Air Carrier Fuel Use**

Year	Domestic (thousand gallons)	International (thousand gallons)	Total (thousand gallons)
1970			10,085,000
1971			10,140,000
1972	Separate estimates for domestic and international are not available from 1970-1976.		10,302,000
1973			10,671,000
1974			10,417,260
1975			10,412,640
1976			10,400,040
1977	8,202,051	1,708,376	9,910,427
1978	8,446,117	1,741,918	10,188,035
1979	8,865,885	1,828,435	10,694,320
1980	8,519,233	1,747,306	10,266,539
1981	8,555,249	2,032,520	10,587,769
1982	8,432,465	1,967,733	10,400,198
1983	8,672,574	1,998,289	10,670,863
1984	9,625,958	2,286,407	11,912,365
1985	10,115,007	2,487,929	12,602,936
1986	11,137,331	2,544,996	13,682,327
1987	11,586,838	2,893,617	14,480,455
1988	11,917,904	3,262,824	15,180,728
1989	11,905,144	3,557,294	15,462,438
1990	12,429,305	3,963,081	16,392,386
1991	11,506,477	3,939,666	15,446,144
1992	11,762,852	4,120,132	15,882,983
1993	11,958,663	4,113,321	16,071,984
1994	12,475,549	4,310,879	16,786,428
1995	12,811,717	4,511,418	17,323,135
1996	13,187,305	4,658,093	17,845,398
1997	13,659,581	4,964,181	18,623,762
1998	13,876,971	5,185,562	19,062,533
1999	14,402,127	5,250,492	19,652,619
2000	14,844,592	5,474,685	20,319,277
2001	14,017,461	5,237,487	19,254,948
2002	12,848,329	4,990,798	17,839,127
2003	12,958,581	4,836,356	17,794,936
2004	13,622,603	4,931,546	18,554,149
2005	13,778,869	5,520,889	19,309,758
2006	13,694,437	6,017,638	19,712,075
2007	13,681,664	6,204,502	19,886,165
2008	12,666,911	6,186,747	18,853,658
2009	11,339,220	5,721,298	17,060,517
2010	11,256,900	6,041,500	17,288,400
2011	11,035,400	6,522,600	17,558,000
2012	10,439,700	6,506,300	16,946,000
2013	10,337,000	6,487,300	16,824,300
2014	10,458,600	6,321,400	16,780,000



**Table A.9 (continued)**

2015	10,928,600	6,420,600	17,349,200
2016	11,373,600	6,294,800	17,668,400
2017	11,587,600	6,441,300	18,028,900
2018	12,151,000	6,598,800	18,749,800
2019	12,541,400	6,663,400	19,204,800
Heat content used for conversion to btu:	135,000 btu/gallon	135,000 btu/gallon	135,000 btu/gallon

## 2.3.2 Water

### *Freight*

Total – DOE, EIA, *Petroleum and Other Liquids Database*, September 2021. Adjusted sales of distillate and residual fuel oil for vessel bunkering. (This may include some amounts of bunker fuels used for recreational purposes.)

**Table A.10**  
**Diesel and Residual Fuel Oil for Vessel Bunkering**

Year	Distillate fuel oil (thousand gallons)	Residual fuel oil (thousand gallons)
1970	819,000	3,774,120
1975	1,097,880	4,060,140
1980	717,376	7,454,242
1981	1,723,143	7,922,512
1982	1,423,216	6,408,818
1983	1,418,890	5,724,115
1984	1,692,045	5,688,931
1985	1,894,265	5,269,733
1986	2,034,215	5,690,250
1987	2,223,258	5,869,154
1988	2,310,367	6,025,511
1989	2,356,444	6,621,100
1990	2,197,004	6,248,095
1991	2,167,640	6,786,055
1992	2,240,170	7,199,078
1993	2,043,745	6,269,882
1994	2,026,899	5,944,383
1995	1,978,105	6,431,238
1996	2,177,608	5,804,977
1997	2,107,561	4,789,861
1998	2,125,568	4,640,153
1999	2,064,590	5,598,630
2000	2,041,433	6,192,294
2001	2,099,011	4,345,284
2002	2,056,465	4,783,956
2003	1,863,150	3,801,425
2004	2,313,448	4,886,978
2005	2,115,381	5,533,552
2006	2,206,690	6,000,434
2007	2,158,930	6,773,950
2008	1,980,729	6,274,047
2009	2,138,690	5,331,657
2010	2,427,051	6,032,367
2011	2,651,859	5,207,886
2012	1,842,107	4,560,546
2013	1,655,258	3,876,795
2014	1,626,527	2,987,363
2015	2,415,253	3,103,402
2016	2,020,587	4,192,719
2017	1,807,230	4,472,233
2018	2,101,132	4,117,841
2019	1,933,207	3,543,789
Heat content used for conversion to btu:	138,700 btu/gallon	149,700 btu/gallon
Domestic share of total fuel use	77.5%	9.3%

## Recreational Boating

**1970-1998:** U.S. Environmental Protection Agency, MOVES2014a model.

**1999-2018:** Environmental Protection Agency MOVES2014b model.

**2019:** Environmental Protection Agency MOVES3.0.1 model.

Model output was converted from grams to gallons using EPA’s methodology documented in the technical report Greenhouse Gas and Energy Consumption Rates for On-road Vehicles: Updates for MOVES2014, [www.epa.gov/moves/can-moves-report-output-terms-fuel-consumption](http://www.epa.gov/moves/can-moves-report-output-terms-fuel-consumption).

**Table A.11**  
**Recreational Boating Fuel Use**

Year	Diesel use (gallons)	Gasoline use (gallons)
1970	39,589,953	1,213,397,311
1975	77,294,680	1,251,387,972
1976	84,835,632	1,258,986,070
1977	92,376,573	1,266,584,111
1978	99,917,523	1,274,182,341
1979	107,458,470	1,281,780,460
1980	114,999,421	1,289,378,532
1981	122,540,357	1,296,976,672
1982	130,081,302	1,304,574,832
1983	137,622,248	1,312,172,890
1984	145,163,202	1,319,771,007
1985	152,704,140	1,327,369,146
1986	160,245,074	1,334,967,322
1987	167,786,030	1,342,565,455
1988	175,326,970	1,362,856,034
1989	182,867,916	1,383,146,636
1990	190,408,869	1,403,437,194
1991	197,949,808	1,429,688,292
1992	205,490,749	1,455,939,504
1993	213,031,707	1,482,190,597
1994	220,572,649	1,539,794,180
1995	228,113,596	1,597,269,921
1996	235,654,521	1,654,446,069
1997	243,195,481	1,657,737,628
1998	250,736,414	1,659,056,085
1999	273,614,890	1,660,897,656
2000	273,885,726	1,658,797,382
2001	274,699,518	1,656,581,817
2002	275,242,097	1,648,949,353
2003	276,055,034	1,639,089,564
2004	275,783,985	1,621,105,112
2005	279,309,693	1,621,729,779
2006	277,411,274	1,593,043,638
2007	279,037,889	1,580,468,954
2008	274,156,923	1,535,255,008
2009	274,970,396	1,519,694,458
2010	268,462,593	1,466,964,903
2011	263,581,279	1,421,359,003
2012	261,140,658	1,391,588,940
2013	259,784,908	1,367,836,644
2014	257,886,775	1,341,947,672
2015	270,902,771	1,344,235,659
2016	281,478,856	1,354,416,848
2017	287,444,461	1,363,320,915
2018	293,681,413	1,371,130,522

**Table A.11 (continued)**

2019	298,562,437	1,374,801,040
Heat content used for conversion to btu:	138,700 btu/gallon	125,000 btu/gallon

### 2.3.3 Pipeline

The sum of natural gas, crude petroleum and petroleum product, and coal slurry and water.

#### *Natural Gas*

The amount of natural gas used to transport natural gas was defined as "pipeline fuel" as reported in DOE, EIA, Natural Gas Annual 2020, Table 1. Cubic feet were converted to Btu using 1,031 Btu/ft<sup>3</sup>. Electricity use was estimated using the following procedure as reported on p. 5-110 of J. N. Hooker et al., End Use Energy Consumption DataBase: Transportation Sector. The energy consumption of a natural gas pipeline was taken to be the energy content of the fuel used to drive the pumps. Some 94% of the installed pumping horsepower was supplied by natural gas. The remaining 6% of the horsepower was generated more efficiently, mostly by electric motors. The energy consumed by natural gas pipeline pumps that were electrically powered was not known. In order to estimate the electricity consumed, the Btu of natural gas pipeline fuel consumed was multiplied by a factor of 0.015.

#### *Crude Petroleum and Petroleum Product*

J. N. Hooker, *Oil Pipeline Energy Consumption and Efficiency*, ORNL-5697, ORNL, Oak Ridge, TN, 1981. (Data held constant; Latest available data.)

#### *Coal Slurry and Water*

W. F. Banks, Systems, Science and Software, *Energy Consumption in the Pipeline Industry*, LaJolla, CA, October 1977. (Data held constant; Latest available data.)

**Table A.12**  
**Pipeline Fuel Use**

Year	Natural gas (million cubic feet)	Estimated natural gas pipeline electricity use (million kWh)	Electricity constant (trillion btu)
1970	722,166	3,272.9	70.0
1975	582,963	2,642.0	70.0
1976	548,323	2,485.0	70.0
1977	532,669	2,414.1	70.0
1978	530,451	2,404.0	70.0
1979	600,964	2,723.6	70.0
1980	634,622	2,876.1	70.0
1981	642,325	2,911.0	70.0
1982	596,411	2,703.0	70.0
1983	490,042	2,220.9	70.0
1984	528,754	2,396.3	70.0
1985	503,766	2,283.1	70.0
1986	485,041	2,198.2	70.0
1987	519,170	2,352.9	70.0
1988	613,912	2,782.3	70.0
1989	629,308	2,852.0	70.0
1990	659,816	2,990.3	70.0
1991	601,305	2,725.1	70.0
1992	587,710	2,663.5	70.0
1993	624,308	2,829.4	70.0
1994	685,362	3,106.1	70.0
1995	700,335	3,173.9	70.0
1996	711,446	3,224.3	70.0
1997	751,470	3,405.7	70.0
1998	635,477	2,880.0	70.0
1999	645,319	2,924.6	70.0
2000	642,210	2,910.5	70.0
2001	624,964	2,832.3	70.0
2002	666,920	3,022.5	70.0
2003	591,492	2,680.7	70.0
2004	566,187	2,566.0	70.0
2005	584,026	2,646.8	70.0
2006	584,213	2,647.7	70.0
2007	621,364	2,816.0	70.0
2008	647,956	2,936.6	70.0
2009	670,174	3,037.2	70.0
2010	674,124	3,055.1	70.0
2011	687,784	3,117.0	70.0
2012	730,790	3,312.0	70.0
2013	833,061	3,775.4	70.0
2014	700,150	3,173.1	70.0
2015	678,183	3,073.5	70.0
2016	686,732	3,112.3	70.0
2017	722,049	3,272.3	70.0
2018	876,353	3,971.6	70.0
2019	944,265	4,279.4	70.0
Heat content used for conversion to btu:	1,031 btu/cubic foot	3,412 Btu/kWh <sup>a</sup>	

<sup>a</sup> For tables in the main body of the TEDB, electricity was converted from kWh to Btu using 3,412 Btu/kWh..

**Note:** Formula for estimating electricity use for natural gas pipelines is:  
 Natural gas use (in million cubic ft)  $\times$  1,031 btu/cubic ft  $\times$  0.015  $\times$  29.305  $\times$  10<sup>-5</sup> kWh/btu.

## 2.3.4 Rail

### *Freight*

AAR, *Railroad Facts*, 2020 Edition, Washington, DC, 2020.

**Table A.13**  
**Class I Freight Railroad Fuel Use**

Year	Diesel fuel (thousand gallons)
1970	3,807,663
1971	3,822,907
1972	3,996,985
1973	4,160,730
1974	4,175,375
1975	3,736,484
1976	3,895,542
1977	3,985,069
1978	3,968,007
1979	4,072,187
1980	3,955,996
1981	3,756,439
1982	3,178,116
1983	3,137,295
1984	3,388,173
1985	3,144,190
1986	3,039,069
1987	3,102,227
1988	3,182,267
1989	3,190,815
1990	3,134,446
1991	2,925,970
1992	3,022,108
1993	3,111,981
1994	3,355,802
1995	3,503,096
1996	3,600,649
1997	3,602,793
1998	3,619,341
1999	3,749,428
2000	3,720,107
2001	3,729,985
2002	3,751,413
2003	3,849,229
2004	4,082,236
2005	4,119,879
2006	4,214,459
2007	4,087,405
2008	3,911,178
2009	3,220,059
2010	3,519,021
2011	3,710,485
2012	3,634,025
2013	3,712,582
2014	3,897,113
2015	3,723,491
2016	3,418,577
2017	3,536,618

**Table A.13 (continued)**

2018	3,697,139
2019	3,463,894
Heat content used for conversion to btu:	138,700 Btu/gallon



*Passenger*

Commuter - APTA, 2021 Public Transportation Fact Book, Washington, DC, 2021.

**Table A.14**  
**Commuter Rail Fuel Use**

Year	Diesel (thousand gallons)	Electricity (million kWh)
1984	58,320	901
1985	55,372	1,043
1986	54,608	1,170
1987	51,594	1,155
1988	53,054	1,195
1989	52,516	1,293
1990	52,681	1,226
1991	54,315	1,239
1992	54,951	1,124
1993	59,766	1,196
1994	61,900	1,244
1995	63,064	1,253
1996	61,888	1,255
1997	63,195	1,270
1998	69,200	1,299
1999	73,005	1,322
2000	70,818	1,370
2001	72,204	1,354
2002	72,847	1,334
2003	72,264	1,383
2004	71,999	1,449
2005	76,714	1,484
2006	78,600	1,478
2007	80,700	1,763
2008	83,500	1,718
2009	95,000	1,780
2010	93,200	1,797
2011	93,900	1,813
2012	92,800	1,808
2013	98,700	1,816
2014	93,900	1,809
2015	97,400	1,792
2016	102,878	1,764
2017	104,245	1,776
2018	102,650	1,764
2019	103,718	1,780
Heat content used for conversion to btu:	138,700 Btu/gallon	3,412 Btu/kWh <sup>a</sup>

<sup>a</sup> For tables in the main body of the TEDB, electricity was converted from kWh to Btu using 3,412 Btu/kWh.

*Transit – APTA, 2021 Public Transportation Fact Book, Washington, DC, 2021. Includes light rail and heavy rail.*

**Table A.15**  
**Transit Rail Fuel Use**

Year	Electricity (million kWh)		Total
	Light rail	Heavy rail	
1970			2,561
1975			2,646
1976	Light rail and heavy rail data are		2,576
1977	not available separately from		2,303
1978	1970 to 1985.		2,223
1979			2,473
1980			2,446
1981			2,655
1982			2,722
1983			2,930
1984			3,092
1985			2,928
1986	173	3,066	3,239
1987	191	3,219	3,410
1988	243	3,256	3,499
1989	242	3,286	3,528
1990	239	3,284	3,523
1991	274	3,248	3,522
1992	297	3,193	3,490
1993	281	3,287	3,568
1994	282	3,431	3,713
1995	288	3,401	3,689
1996	321	3,322	3,643
1997	363	3,253	3,616
1998	382	3,280	3,662
1999	416	3,385	3,801
2000	563	3,549	4,112
2001	587	3,646	4,233
2002	510	3,683	4,193
2003	507	3,632	4,138
2004	553	3,684	4,237
2005	571	3,769	4,339
2006	634	3,709	4,343
2007	687	3,817	4,505
2008	721	3,898	4,619
2009	738	3,866	4,624
2010	749	3,780	4,529
2011	789	3,854	4,643
2012	806	3,795	4,601
2013	882	3,856	4,738
2014	985	3,812	4,797
2015	898	3,816	4,713
2016	907	3,760	4,667
2017	930	3,728	4,658
2018	939	3,874	4,812
2019	955	3,996	4,951
Heat content used for conversion to btu:	3,412 Btu/kWh <sup>a</sup>	3,412 Btu/kWh <sup>a</sup>	3,412 Btu/kWh <sup>a</sup>

<sup>a</sup> For tables in the main body of the TEDB, electricity was converted from kWh to Btu using 3,412 Btu/kWh.

*Intercity* – Personal communication with Amtrak, Washington, DC, 2020.

**Table A.16**  
**Intercity Rail Fuel Use**

Year	Diesel fuel (thousand gallons)	Electricity (thousand kWh)
1994	73,516	308,948
1995	72,371	335,818
1996	71,226	362,689
1997	75,656	389,559
1998	75,999	416,429
1999	79,173	443,300
2000	94,968	470,170
2001	96,846	455,703
2002	84,432	518,306
2003	74,621	536,950
2004	68,605	550,695
2005	65,477	531,377
2006	62,463	548,856
2007	61,824	577,864
2008	63,428	582,022
2009	61,704	564,968
2010	63,474	558,662
2011	63,450	555,425
2012	63,058	549,201
2013	66,036	525,127
2014	65,711	515,332
2015	62,468	504,017
2016	60,212	515,711
2017	60,076	489,949
2018	60,459	487,607
2019	58,378	486,650
Heat content used for conversion to Btu	138,700 Btu/gallon	3,412 Btu/kWh <sup>a</sup>

## 2.4 CALCULATION OF MILLION BARRELS PER DAY CRUDE OIL EQUIVALENT

One gallon of gasoline, diesel fuel, or lpg is estimated to be the equivalent of one gallon of crude oil. Petroleum used for electricity was calculated using the following formula:

$$\left( \frac{BTU \times S}{G} \right) / P \times 365 / 1000$$

- BTU = Btus of electricity  
 S = Share of petroleum used in making primary electricity (Calculated from Table 2.6 from the EIA, Monthly Energy Review)  
 G = Electricity generation and distribution (assumed 29%)  
 P = Btus per barrel of petroleum product (Table A3 from the EIA, Monthly Energy Review).

### 3. PASSENGER TRAVEL AND ENERGY USE

#### 3.1 CARS

**Number of vehicles** – DOT, FHWA, *Highway Statistics 2018*, Table MV-1 and annual editions back to 2009. From 1970-2008, Table VM-1 was used.

**Vehicle-miles** – See Appendix A, Section 7. Car and Light Truck Shares.

**Passenger-miles** – Vehicle-miles multiplied by an average load factor.

**Load factor** – 2017 NHTS shows car load factor as 1.54 persons per vehicle.

**Energy intensities** –

*Btu per vehicle-mile* – Car energy use divided by vehicle-miles.

*Btu per passenger-mile* – Car energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

#### 3.2 LIGHT TRUCKS

**Number of vehicles** – DOT, FHWA, *Highway Statistics 2019*, Table MV-9 and annual editions back to 2009. From 1970-2008, Table VM-1 was used. Columns for pickups, vans, sport utility vehicles, and other light trucks. Data were multiplied by the shares of light trucks which are for personal use (TEDB Table A.17) which were derived by ORNL from the 2002 VIUS Micro Data File on CD.

**Vehicle-miles** – See Appendix A, Section 7. Car and Light Truck Shares. Data were multiplied by the shares of vehicle miles which are for personal use (TEDB Table A.17) which were derived by ORNL from the 2002 VIUS Micro Data File on CD.

**Passenger-miles** – Vehicle-miles multiplied by an average load factor.

**Load factor** – 2017 NHTS shows personal light truck load factor as 1.82 persons per vehicle.

**Energy intensities** -

*Btu per vehicle-mile* – Personal light truck energy use divided by personal light truck vehicle-miles.

*Btu per passenger-mile* – Personal light truck energy use divided by personal light truck passenger-miles.

**Energy use** – See Section 2. Energy Use Sources (light trucks, medium/heavy trucks). Data by truck type were multiplied by the shares of truck fuel use which are for personal use (TEDB Table A.17) which were derived by ORNL from the 2002 VIUS Micro Data File on CD.

**Table A.17**  
**Share of Trucks, Truck Travel,**  
**and Fuel Use for Personal Travel**

<b>Personal trucks</b>	
85.6%	2-axle, 4-tire trucks
26.9%	Other single-unit and combination trucks
<b>Personal truck travel</b>	
80.9%	2-axle, 4-tire trucks
13.1%	Other single-unit and combination trucks
<b>Personal truck fuel use</b>	
78.0%	2-axle, 4-tire trucks
6.0%	Other single-unit and combination trucks

**Note:** Since these shares come from the 2002 VIUS, they may underestimate the amount of personal trucks, truck travel, and energy use for 2019.

### 3.3 MOTORCYCLES

**Number of vehicles, vehicle-miles** – DOT, FHWA, *Highway Statistics 2018*, Table VM-1.

**Passenger-miles** – Vehicle-miles multiplied by an average load factor.

**Load factor** – 2018 NHTS shows motorcycle load factor as 1.20 persons per vehicle.

**Energy intensities** –

*Btu per vehicle-mile* – Motorcycle energy use divided by vehicle-miles.

*Btu per passenger-mile* – Motorcycle energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

### 3.4 DEMAND RESPONSE

**Number of vehicles, vehicle-miles, passenger-miles** – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020.

**Load factor** – Passenger-miles divided by vehicle-miles.

**Energy intensities** –

*Btu per vehicle-mile* – Energy use divided by vehicle-miles.

*Btu per passenger-mile* – Energy use divided by passenger-miles.

**Energy use** – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020.

## 3.5 BUSES

### 3.5.1 Transit

**Number of vehicles, vehicle-miles, passenger-miles** – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020. Data series shown on TEDB Table 7.1.

**Load factor** – Passenger-miles divided by vehicle-miles.

**Energy intensities** –

*Btu per vehicle-mile* – Transit bus energy use divided by transit bus vehicle-miles.

*Btu per passenger-mile* – Transit bus energy use divided by transit bus passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.1.

### 3.5.2 Intercity

**Energy use** – See Section 2. Energy Use Sources. Because the data past 2000 are not available, the rate of change in bus VMT from FHWA, *Highway Statistics 2018*, was used to estimate the change in energy use.

### 3.5.3 School

**Number of vehicles** – DOT, FHWA, *Highway Statistics 2018*, Table MV-10.

**Energy use** – See Section 2. Energy Use Sources. Because the data past 2000 are not available, the rate of change in bus VMT from FHWA, *Highway Statistics 2018*, was used to estimate the change in energy use.

## 3.6 AIR

### 3.6.1 Certificated Air Carriers

**Aircraft-miles, passenger-miles** – DOT, BTS, U.S. Air Traffic Statistics Through December 2018, [www.transtats.bts.gov](http://www.transtats.bts.gov), Washington, DC.

**Load factor** – Passenger-miles divided by aircraft-miles.

**Energy intensities** –

*Btu per passenger-mile* – Certificated air carrier energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. All of domestic fuel use and half of international fuel use was considered to be domestic use.

**Note:** These data differ from the data in TEDB Table 10.2 because that table contains data on ALL domestic AND international air carrier energy use and passenger-miles.

### 3.6.2 General Aviation

**Number of vehicles** – DOT, FAA, *General Aviation and Air Taxi Activity Surveys - CY 2018*. 2011 Data: *Aviation Forecasts*, Tables 28 and 29, May 2013. Data series shown in TEDB Table 10.3.

**Energy intensities –**

*Btu per passenger-mile* – General aviation energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.3.

**3.7 RECREATIONAL BOATING**

*Number of vehicles and energy use* – U.S. EPA’s MOVES2014b model.

**3.8 RAIL****3.8.1 Intercity**

**Number of vehicles, vehicle-miles, passenger-miles** – AAR, *Railroad Facts, 2019 Edition*, Washington, DC, 2019.

**Load factor** – Passenger-miles divided by vehicle-miles.

**Energy Intensities –**

*Btu per vehicle-mile* – Intercity rail energy use divided by vehicle-miles.

*Btu per passenger-mile* – Intercity rail energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.10.

**3.8.2 Transit**

**Number of vehicles, vehicle-miles, passenger-miles** – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020. Sum of light and heavy rail transit. Data series shown on TEDB Table 7.4.

**Load factor** – Passenger-miles divided by vehicle-miles.

**Energy intensities –**

*Btu per vehicle-mile* – Light and heavy transit rail energy use divided by vehicle-miles.

*Btu per passenger-mile* – Light and heavy transit rail energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.4.

**3.8.3 Commuter**

**Number of vehicles, vehicle-miles, passenger-miles** – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020.

**Load factor** – Passenger-miles divided by vehicle-miles.

**Energy intensities –**

*Btu per vehicle-mile* – Commuter rail energy use divided by vehicle-miles.

*Btu per passenger-mile* – Commuter rail energy use divided by passenger-miles.

**Energy use** – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.3.

## 4. HIGHWAY PASSENGER MODE ENERGY INTENSITIES

### 4.1 CARS

**Btu per vehicle-mile** – Car energy use divided by car vehicle miles of travel.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

*Vehicle-miles* – 1970-2008: DOT, FHWA, *Highway Statistics 2009*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*. Data series shown in TEDB Table 4.1.

2009-2018: See Appendix A, Section 7. Car and Light Truck Shares.

**Btu per passenger-mile** – Car energy use divided by car passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

*Passenger miles* – Vehicle miles multiplied by an average load factor.

*Vehicle-miles* – 1970-2008: DOT, FHWA, *Highway Statistics 2009*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*. Data series shown in TEDB Table 4.1.

2009-2015: See Appendix A, Section 7. Car and Light Truck Shares.

*Load factor* – NPTS 1969, 1977, 1983/84, 1990, and 1995; NHTS 2001, 2009, and 2017. Data series shown in TEDB Table A.18.



**Table A.18**  
**Car Load Factor used to Calculate Passenger-Miles**

Year	Source	Load Factor
1970	1969 NPTS	1.90
1971	Interpolated	1.90
1972	Interpolated	1.90
1973	Interpolated	1.90
1974	Interpolated	1.90
1975	Interpolated	1.90
1976	Interpolated	1.90
1977	1977 NPTS	1.90
1978	Interpolated	1.88
1979	Interpolated	1.87
1980	Interpolated	1.85
1981	Interpolated	1.83
1982	Interpolated	1.82
1983	1983/84 NPTS	1.80
1984	Interpolated	1.77
1985	Interpolated	1.74
1986	Interpolated	1.71
1987	Interpolated	1.69
1988	Interpolated	1.66
1989	Interpolated	1.63
1990	1990 NPTS	1.60
1991	Interpolated	1.60
1992	Interpolated	1.60
1993	Interpolated	1.60
1994	Interpolated	1.60
1995	1995 NPTS	1.60
1996	Interpolated	1.60
1997	Interpolated	1.59
1998	Interpolated	1.59
1999	Interpolated	1.58
2000	Interpolated	1.58
2001	2001 NHTS	1.57
2002	Interpolated	1.57
2003	Interpolated	1.57
2004	Interpolated	1.56
2005	Interpolated	1.56
2006	Interpolated	1.56
2007	Interpolated	1.56
2008	Interpolated	1.55
2009	2009 NHTS	1.55
2010	Interpolated	1.55
2011	Interpolated	1.55
2012	Interpolated	1.55
2013	Interpolated	1.55
2014	Interpolated	1.54
2015	Interpolated	1.54
2016	2017 NHTS	1.54
2017	2017 NHTS	1.54
2018	2017 NHTS	1.54
2019	2017 NHTS	1.54

## 4.2 LIGHT TRUCKS

**Btu per vehicle-mile** – Light truck energy use divided by light truck vehicle miles of travel.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

*Vehicle-miles* – 1970-2008: DOT, FHWA, *Highway Statistics 2008*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*.

Data series shown in TEDB Table 4.2. 2009-2018: See Appendix A, Section 7. Car and Light Truck Shares.

**Table A.19**  
**Light Truck Load Factor used to Calculate Passenger-Miles**

Year	Source	Load Factor
1970	1969 NPTS	1.90
1971	Interpolated	1.89
1972	Interpolated	1.87
1973	Interpolated	1.86
1974	Interpolated	1.84
1975	Interpolated	1.83
1976	Interpolated	1.81
1977	1977 NPTS	1.80
1978	Interpolated	1.81
1979	Interpolated	1.83
1980	Interpolated	1.84
1981	Interpolated	1.86
1982	Interpolated	1.87
1983	1983/84 NPTS	1.90
1984	Interpolated	1.87
1985	Interpolated	1.84
1986	Interpolated	1.81
1987	Interpolated	1.79
1988	Interpolated	1.76
1989	Interpolated	1.73
1990	1990 NPTS	1.70
1991	Interpolated	1.68
1992	Interpolated	1.66
1993	Interpolated	1.64
1994	Interpolated	1.62
1995	1995 NPTS	1.60
1996	Interpolated	1.62
1997	Interpolated	1.64
1998	Interpolated	1.66
1999	Interpolated	1.68
2000	Interpolated	1.70
2001	2001 NHTS	1.72
2002	Interpolated	1.74
2003	Interpolated	1.75
2004	Interpolated	1.77
2005	Interpolated	1.79
2006	Interpolated	1.81
2007	Interpolated	1.82
2008	Interpolated	1.84
2009	2009 NHTS	1.84
2010	Interpolated	1.84
2011	Interpolated	1.83
2012	Interpolated	1.83
2013	Interpolated	1.83
2014	Interpolated	1.83
2015	Interpolated	1.82
2016	2017 NHTS	1.82
2017	2017 NHTS	1.82

**Table A.19 (continued)**

2018	2017 NHTS	1.82
2019	2017 NHTS	1.82

**Btu per passenger-mile** – Light truck energy use divided by light trucks passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 2.8.

*Passenger miles* – Vehicle miles multiplied by an average load factor.

*Vehicle-miles* – 1970-2008: DOT, FHWA, *Highway Statistics 2009*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*. Data series shown in TEDB Table 4.2.

2009-2018: See Appendix A, Section 7. Car and Light Truck Shares.

*Load factor* – NPTS 1969, 1977, 1983/84, 1990, and 1995; NHTS 2001, 2009, and 2017. Data series shown in TEDB Table A.19.

## 4.3 Buses

### 4.3.1 Transit

**Btu per vehicle-mile** – Transit bus energy use divided by transit bus vehicle-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.1.

*Vehicle-miles* – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020. Data series shown on TEDB Table 7.1.

**Btu per passenger-mile** – Transit bus energy use divided by transit bus passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.1.

*Passenger-miles* – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020.

### 4.3.2 Intercity

**Btu per passenger-mile** – Data are not available.

*Energy use* – See Section 2. Energy Use Sources. Because the data past 2000 are not available, the rate of change in bus VMT from FHWA, *Highway Statistics 2018*, was used to estimate the change in energy use.

*Passenger-miles* – Data are not available.

## 5. NONHIGHWAY MODE ENERGY INTENSITIES

### 5.1 AIR

#### 5.1.1 Certificated Air Carriers

**Btu per passenger-mile** – Certificated air carrier energy use divided by passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. All of domestic fuel use and half of international fuel use was considered to be domestic use.

*Passenger-miles* – DOT, BTS, *Air Carrier Traffic Statistics*, Washington, DC, [www.transtats.bts.gov](http://www.transtats.bts.gov). Pre-1994 data are from various editions of the *FAA Statistical Handbook of Aviation* (no longer published). Scheduled service passenger-miles of domestic air carriers and half of international air carriers were used to coincide with fuel use.

**Note:** These data differ from the data in TEDB Table 10.2 because that table contains data on ALL domestic AND international air carrier energy use and passenger-miles.

#### 5.1.2 General Aviation

**Btu per passenger-mile** – Data are not available.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.3.

*Passenger-miles* – Data are not available.

### 5.2 RAIL

#### 5.2.1 Intercity

**Btu per passenger-mile** – Intercity rail energy use divided by passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.10.

*Passenger-miles* – AAR, *Railroad Facts, 2019 Edition*, and previous annual editions.

#### 5.2.2 Transit

**Btu per passenger-mile** – Transit rail energy use divided by passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.4.

*Passenger-miles* – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020. Data series shown on TEDB Table 7.4.

### 5.2.3 Commuter

**Btu per passenger-mile** – Commuter rail energy use divided by passenger-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 7.3.

*Passenger-miles* – APTA, *2020 Public Transportation Fact Book*, Washington, DC, 2020. Data series shown on TEDB Table 7.3.

## 6. FREIGHT MODE ENERGY INTENSITIES

### 6.1 TRUCK

**Btu per vehicle-mile** – Heavy single-unit and combination truck energy use divided by vehicle miles

*Energy use* – See Section 2. Energy Use Sources (medium/heavy trucks).

*Vehicle-miles* – DOT, FHWA, *Highway Statistics 2018*, Table VM-1 and annual editions back to 1996 and DOT, FHWA, *Highway Statistics Summary to 1995*. Data series is the total of vehicle travel data on TEDB Tables 5.1 and 5.2.

### 6.2 RAIL

**Btu per freight car-mile** – Class I rail energy use divided by freight car-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.8.

*Freight car miles* – AAR, *Railroad Facts, 2019 Edition*, Washington, DC, 2019. Data series shown in TEDB Table 10.8.

**Btu per ton-mile** – Class I rail energy use divided by ton-miles.

*Energy use* – See Section 2. Energy Use Sources. Data series shown in TEDB Table 10.8.

*Ton-miles* – AAR, *Railroad Facts, 2019 Edition*, Washington, DC, 2019. Data series shown in TEDB Table 10.8.

### 6.3 WATER

**Btu per ton-mile** – Domestic waterborne commerce energy use on taxable waterways divided by ton-miles on taxable waterways.

*Energy use* – Modeled by Chrisman A. Dager, University of Tennessee, Knoxville, using Waterborne Commerce Statistics Center detail records and annual IRS reports on the Inland Waterway Trust Fund tax on diesel fuel used on the inland waterway.

**Note:** These data are not available for 2015-on.

*Ton-miles* – Based on detailed records from the U.S. Department of the Army, Army Corps of Engineers, Waterborne Commerce Statistics Center. Includes only ton-miles on taxable waterways.

## 7. CAR AND LIGHT TRUCK SHARES

In 2011, the Federal Highway Administration (FHWA) changed the methodology for producing the data on the VM-1 Table in the annual *Highway Statistics* publication. Historically, VM-1 included individual categories for passenger cars and 2-axle, 4-tire trucks. VM-1 included the vehicle miles of travel (VMT), registrations, fuel use, and fuel economy of passenger cars and 2-axle, 4-tire trucks. After the methodology change, the categories of light vehicles on VM-1 changed to Light-Duty Vehicles with Short wheelbase (less than or equal to 121 inches) and Light-Duty Vehicles with Long Wheelbase (over 121 inches). As some passenger cars have long wheelbases and some 2-axle, 4-tire trucks have short wheelbases, the categories of cars and 2-axle, 4-tire trucks are no longer available. Despite these changes, there are many transportation analysts who require information on cars and 2-axle, 4-tire trucks. Thus, a new methodology to estimate the data in these categories was developed for years 2009 through 2018.

### 7.1 CARS

**Registrations** – DOT, FHWA, *Highway Statistics 2019*, Table MV-1 and annual editions back to 2009.

**Vehicle travel** –

**Total for all light vehicles** – DOT, FHWA, *Highway Statistics 2019*, Table VM-1 and annual editions back to 2009; sum of light-duty short wheelbase and light-duty long wheelbase VMT.

**Cars** – Using historical shares of passenger cars/2-axle, 4-tire trucks from the Highway Statistics, the percent of light vehicle travel attributable to cars was estimated for 2009-2019, keeping in mind the economic conditions present in those years and the general trend in total light vehicle VMT. The estimated share was applied to total VMT as shown in TEDB Table A.20.

**Table A.20**  
**Estimated Car VMT**

Year	Total Light Vehicle VMT (billions)	Share Attributable to Cars	Total Car VMT (billions)
2009	2,633.3	59.5%	1,566.8
2010	2,648.5	56.5%	1,496.4
2011	2,650.5	55.0%	1,457.8
2012	2,664.1	54.0%	1,438.6
2013	2,677.8	54.0%	1,446.0
2014	2,710.6	53.0%	1,436.6
2015	2,779.7	52.0%	1,445.4
2016	2,849.7	51.0%	1,453.4
2017	2,877.4	49.5%	1,424.3
2018	2,897.1	49.0%	1,419.6
2019	2,924.1	47.0%	1,374.3

**Miles per Vehicle** – Vehicle travel divided by registrations.

**Fuel Use** – Vehicle travel divided by fuel economy.

**Fuel Economy** – DOE, EIA, *Annual Energy Outlook 2020*, January 2020 and annual editions back to 2012.



## 7.2 2-AXLE, 4-TIRE TRUCKS

**Registrations** – DOT, FHWA, *Highway Statistics 2019*, Table MV-1 and annual editions back to 2009.

**Vehicle travel** –

*Total for all light vehicles* – DOT, FHWA, *Highway Statistics 2019*, Table VM-1 and annual editions back to 2009; sum of light-duty short wheelbase and light-duty long wheelbase VMT.

*2-axle, 4-tire truck VMT* – Using historical shares of passenger cars/2-axle, 4-tire trucks from the Highway Statistics, the percent of light vehicle travel attributable to cars was estimated for 2009-2019, keeping in mind the economic conditions present in those years and the general trend in total light vehicle VMT. The estimated share was applied to total VMT as shown in TEDB Table A.21.

**Table A.21**  
**Estimated 2-axle, 4-tire Truck VMT**

Year	Total Light Vehicle VMT (billions)	Share Attributable to 2-axle, 4-tire Trucks	Total 2-axle, 4-tire Truck VMT (billions)
2009	2,633.2	40.5%	1,066.5
2010	2,648.5	43.5%	1,152.1
2011	2,650.5	45.0%	1,192.7
2012	2,664.1	46.0%	1,225.5
2013	2,677.8	46.0%	1,231.8
2014	2,710.6	47.0%	1,274.0
2015	2,779.7	48.0%	1,334.3
2016	2,849.7	49.0%	1,396.4
2017	2,877.4	50.5%	1,453.1
2018	2,897.1	51.0%	1,477.5
2019	2,924.1	53.0%	1,549.7

**Miles per Vehicle** – Vehicle travel divided by registrations.

**Fuel Use** – Vehicle travel divided by fuel economy.

**Fuel Economy** – DOE, EIA, *Annual Energy Outlook 2020*, January 2020 and annual editions back to 2012.

# CONVERSIONS

# Appendix B



*Credit: Greg Pease/Stone/Getty Images*

## CONVERSIONS

### A Note about Heating Values

The heat content of a fuel is the quantity of energy released by burning a unit amount of that fuel. However, this value is not absolute and can vary according to several factors. For example, empirical formulae for determining the heating value of liquid fuels depend on the fuels' American Petroleum Institute (API) gravity. The API gravity varies depending on the percent by weight of the chemical constituents and impurities in the fuel, both of which are affected by the combination of raw materials used to produce the fuel and by the type of manufacturing process. Temperature and climatic conditions are also factors.

Because of these variations, the heating values in Table B.4 may differ from values in other publications. The figures in this report are representative or average values, not absolute ones. The gross (higher) heating values used here agree with those used by the Energy Information Administration (EIA).

Heating values fall into two categories, usually referred to as “higher” (or gross) and “lower” (or net). If the products of fuel combustion are cooled back to the initial fuel-air or fuel-oxidizer mixture temperature and the water formed during combustion is condensed, the energy released by the process is the higher (gross) heating value. If the products of combustion are cooled to the initial fuel-air temperature, but the water is considered to remain as a vapor, the energy released by the process is the lower (net) heating value. Usually the difference between the gross and net heating values for fuels used in transportation is around 5 to 8 percent; however, it is important to be consistent in their use.

The Transportation Energy Data Book has always used gross heating values for fuel conversion.

**Table B.1**  
**Hydrogen Heat Content**

1 kilogram hydrogen =	
Higher heating value	Lower heating value
134,200 Btu	113,400 Btu
39.3 kWhr	33.2 kWhr
141,600 kJ	119,600 kJ
33,800 kCal	28,560 kCal

**Table B.2**  
**Hydrogen Conversions**

	Weight		Gas		Liquid	
	Pounds (lb)	Kilograms (kg)	Standard cubic feet (SCF)	Normal cubic meter (Nm <sup>3</sup> )	Gallons (gal)	Liters (L)
1 lb	1.0	0.4536	192.00	5.047	1.6928	6.408
1 kg	2.205	1.0	423.3	11.126	3.733	14.128
1 SCF gas	0.005209	0.002363	1.0	0.02628	0.00882	0.0339
1 Nm <sup>3</sup> gas	0.19815	0.08988	38.04	1.0	0.3355	1.2699
1 gal liquid	0.5906	0.2679	113.41	2.981	1.0	3.785
1 L liquid	0.15604	0.07078	29.99	0.77881	0.2642	1.0

**Table B.3**  
**Pressure Conversions**

	Bar	Atmosphere	lb/in <sup>2</sup> (or psi)
Bar	1.0	0.987	14.5
Atmosphere	1.013	1.0	14.696
lb/in <sup>2</sup> (or psi)	0.0689	0.0680	1.0

**Table B.4**  
**Heat Content for Various Fuels**

Conventional gasoline	125,000 Btu/gal (gross) = 115,400 Btu/gal (net)
E10	120,900 Btu/gal (gross) = 112,400 Btu/gal (net)
E15	119,000 Btu/gal (gross) = 109,400 Btu/gal (net)
Hydrogen	134,200 Btu/kg (gross) = 113,400 Btu/kg (net)
Low-sulfur diesel	138,700 Btu/gal (gross) = 128,700 Btu/gal (net)
Biodiesel	126,200 Btu/gal (gross) = 117,100 Btu/gal (net)
Methanol	64,600 Btu/gal (gross) = 56,600 Btu/gal (net)
Ethanol	84,600 Btu/gal (gross) = 75,700 Btu/gal (net)
E85	90,700 Btu/gal (gross) = 81,600 Btu/gal (net)
Aviation gasoline	120,200 Btu/gal (gross) = 112,000 Btu/gal (net)
Liquefied petroleum gas (LPG)	91,300 Btu/gal (gross) = 83,500 Btu/gal (net)
Butane	103,000 Btu/gal (gross) = 93,000 Btu/gal (net)
Jet fuel (naphtha)	127,500 Btu/gal (gross) = 118,700 Btu/gal (net)
Jet fuel (kerosene)	135,000 Btu/gal (gross) = 128,100 Btu/gal (net)
Lubricants	144,400 Btu/gal (gross) = 130,900 Btu/gal (net)
Waxes	131,800 Btu/gal (gross) = 120,200 Btu/gal (net)
Asphalt and road oil	158,000 Btu/gal (gross) = 157,700 Btu/gal (net)
Liquefied natural gas (LNG)	23,700 Btu/lb (gross) = 20,900 Btu/lb (net)
Compressed natural gas (CNG)	22,500 Btu/lb (gross) = 20,200 Btu/lb (net)
Crude petroleum	138,100 Btu/gal (gross) = 131,800 Btu/gal (net)
Fuel Oils	
Residual	149,700 Btu/gal (gross) = 138,400 Btu/gal (net)
Distillate	138,700 Btu/gal (gross) = 131,800 Btu/gal (net)
Coal	
Production average	19.880 x 10 <sup>6</sup> Btu/short ton
Consumption average	19.499 x 10 <sup>6</sup> Btu/short ton

**Note:** Heat content values are approximate. Data are rounded to the nearest hundred.

**Table B.5**  
**Fuel Equivalents**

---

1 million bbl crude oil/day	= 0.365 billion bbl crude oil/year = 2.089 quadrillion Btu/year = 107.110 million short tons coal/year = 97.170 million metric tons coal/year = 2.016 trillion ft <sup>3</sup> natural gas/year = 2,203 petajoules/year
1 billion bbl crude oil/year	= 2.740 million bbl crude oil/day = 5.722 quadrillion Btu/year = 293.451 million short tons coal/year = 266.219 million metric tons coal/year = 5.523 trillion ft <sup>3</sup> natural gas/year = 6,037 petajoules/year
1 quadrillion Btu/year	= 8.000 billion gasoline gallon equivalents/year = 0.479 million bbl crude oil/day = 174.764 million bbl crude oil/year = 51.285 million short tons coal/year = 46.525 million metric tons coal/year = 965.251 billion ft <sup>3</sup> natural gas/year = 1,055 petajoules/year
1 billion short tons coal/year	= 0.907 billion metric tons coal/year = 9.336 million bbl crude oil/day = 3.408 billion bbl crude oil/year = 19.499 quadrillion Btu/year = 18.821 trillion ft <sup>3</sup> natural gas/year = 20,572 petajoules/year
1 billion metric tons coal/year	= 1.102 billion short tons coal/year = 8.470 million bbl crude oil/day = 3.091 billion bbl crude oil/year = 17.689 quadrillion btu/year = 17.075 trillion ft <sup>3</sup> natural gas/year = 18,662 petajoules/year
1 trillion ft <sup>3</sup> natural gas/year	= 0.496 million bbl crude oil/day = 0.181 billion bbl crude oil/year = 1.036 quadrillion Btu/year = 53.131 million short tons coal/year = 48.200 million metric tons coal/year = 1,093 petajoules/year
1 petajoule/year	= 453.844 bbl crude oil/day = 165.653 thousand bbl crude oil/year = 0.948 trillion Btu/year = 48.661 thousand short tons coal/year = 44.100 thousand metric tons coal/year = 0.915 billion ft <sup>3</sup> natural gas/year

---

**Table B.6**  
**Energy Unit Conversions**

1 Btu	= 778.2 ft-lb	1 kWhr	= 3412 Btu <sup>a</sup>
	= 107.6 kg-m		= 2.655 x 10 <sup>6</sup> ft-lb
	= 1055 J		= 3.671 x 10 <sup>5</sup> kg-m
	= 39.30 x 10 <sup>-5</sup> hp-h		= 3.600 x 10 <sup>6</sup> J
	= 39.85 x 10 <sup>-5</sup> metric hp-h		= 1.341 hp-h
	= 29.31 x 10 <sup>-5</sup> kWhr		= 1.360 metric hp-h
1 kg-m	= 92.95 x 10 <sup>-4</sup> Btu	1 Joule	= 94.78 x 10 <sup>-5</sup> Btu
	= 7.233 ft-lb		= 0.7376 ft-lb
	= 9.806 J		= 0.1020 kg-m
	= 36.53 x 10 <sup>-7</sup> hp-h		= 37.25 x 10 <sup>-8</sup> hp-h
	= 37.04 x 10 <sup>-7</sup> metric hp-h		= 37.77 x 10 <sup>-8</sup> metric hp-h
	= 27.24 x 10 <sup>-7</sup> kWhr		= 27.78 x 10 <sup>-8</sup> kWhr
1 hp-h	= 2544 Btu	1 metric hp-h	= 2510 Btu
	= 1.98 x 10 <sup>6</sup> ft-lb		= 1.953 x 10 <sup>6</sup> ft-lb
	= 2.738 x 10 <sup>6</sup> kgm		= 27.00 x 10 <sup>4</sup> kg-m
	= 2.685 x 10 <sup>6</sup> J		= 2.648 x 10 <sup>6</sup> J
	= 1.014 metric hp-h		= 0.9863 hp-h
	= 0.7475 kWhr		= 0.7355 kWhr

<sup>a</sup>This figure does not take into account the fact that electricity generation and distribution efficiency is approximately 33%. If generation and distribution efficiency are taken into account, 1 kWhr = 10,339 Btu.

**Table B.7**  
**International Energy Conversions**

			Million metric tons of oil equivalent	Million Btu	Gigawatt- hours
<b>To:</b>	<b>Petajoules</b>	<b>Giga- calories</b>			
<b>From:</b>	<i>multiply by:</i>				
<b>Petajoules</b>	1	238.8 x 10 <sup>3</sup>	2.388 x 10 <sup>-2</sup>	947.8 x 10 <sup>3</sup>	277.8
<b>Gigacalories</b>	4.1868 x 10 <sup>-6</sup>	1	10 <sup>-7</sup>	3.968	1.163 x 10 <sup>-3</sup>
<b>Million metric tons of oil equivalent</b>	41.868	10 <sup>7</sup>	1	3.968 x 10 <sup>7</sup>	11,630
<b>Million Btu</b>	1.0551 x 10 <sup>-6</sup>	0.252	2.52 X 10 <sup>-8</sup>	1	2.931 x 10 <sup>-4</sup>
<b>Gigawatthours</b>	3.6 x 10 <sup>-3</sup>	860	8.6 x 10 <sup>-5</sup>	3412	1

**Table B.8**  
**Distance and Velocity Conversions**

---

1 in	= 83.33 x 10 <sup>-3</sup> ft	1 ft	= 12.0 in
	= 27.78 x 10 <sup>-3</sup> yd		= 0.33 yd
	= 15.78 x 10 <sup>-6</sup> mile		= 189.4 x 10 <sup>-3</sup> mile
	= 25.40 x 10 <sup>-3</sup> m		= 0.3048 m
	= 0.2540 x 10 <sup>-6</sup> km		= 0.3048 x 10 <sup>-3</sup> km
1 mile	= 63360 in	1 km	= 39370 in
	= 5280 ft		= 3281 ft
	= 1760 yd		= 1093.6 yd
	= 1609 m		= 0.6214 mile
	= 1.609 km		= 1000 m
1 ft/sec = 0.3048 m/s = 0.6818 mph = 1.0972 km/h			
1 m/sec = 3.281 ft/s = 2.237 mph = 3.600 km/h			
1 km/h = 0.9114 ft/s = 0.2778 m/s = 0.6214 mph			
1 mph = 1.467 ft/s = 0.4469 m/s = 1.609 km/h			

---

**Table B.9**  
**Alternative Measures of Greenhouse Gases**

---

1 pound methane, measured in carbon units (CH <sub>4</sub> )	=	1.333 pounds methane, measured at full molecular weight (CH <sub>4</sub> )
1 pound carbon dioxide, measured in carbon units (CO <sub>2</sub> -C)	=	3.6667 pounds carbon dioxide, measured at full molecular weight (CO <sub>2</sub> )
1 pound carbon monoxide, measured in carbon units (CO-C)	=	2.333 pounds carbon monoxide, measured at full molecular weight (CO)
1 pound nitrous oxide, measured in nitrogen units (N <sub>2</sub> O-N)	=	1.571 pounds nitrous oxide, measured at full molecular weight (N <sub>2</sub> O)

---



**Table B.10**  
**Volume and Flow Rate Conversions<sup>a</sup>**

A U.S. gallon of gasoline weighs 6.2 pounds			
1 U.S. gal = 231 in <sup>3</sup> = 0.1337 ft <sup>3</sup> = 3.785 liters = 0.8327 imperial gal = 0.0238 bbl = 0.003785 m <sup>3</sup>	1 liter = 61.02 in <sup>3</sup> = 3.531 x 10 <sup>-2</sup> ft <sup>3</sup> = 0.2642 U.S. gal = 0.2200 imperial gal = 6.29 x 10 <sup>-3</sup> bbl = 0.001 m <sup>3</sup>		
1 imperial gal = 277.4 in <sup>3</sup> = 0.1605 ft <sup>3</sup> = 4.546 liters = 1.201 U.S. gal = 0.0286 bbl = 0.004546 m <sup>3</sup>	1 bbl = 9702 in <sup>3</sup> = 5.615 ft <sup>3</sup> = 158.97 liters = 42 U.S. gal = 34.97 imperial gal = 0.15898 m <sup>3</sup>		
1 U.S. gal/hr = 3.208 ft <sup>3</sup> /day = 90.85 liter/day = 19.78 imperial gal/day = 0.5714 bbl/day	= 1171 ft <sup>3</sup> /year = 33160 liter/year = 7220 imperial gal/year = 208.57 bbl/year		
1 liter/hr = 0.8476 ft <sup>3</sup> /day = 6.340 U.S. gal/day = 5.28 imperial gal/day = 0.1510 bbl/day	= 309.3 ft <sup>3</sup> /year = 2308 U.S. gal/year = 1927 imperial gal/year = 55.10 bbl/year		
1 bbl/hr = 134.7 ft <sup>3</sup> /day = 1008 U.S. gal/day = 839.3 imperial gal/day = 3816 liter/day	= 49184 ft <sup>3</sup> /year = 3.679 x 10 <sup>5</sup> U.S. gal/year = 3.063 x 10 <sup>5</sup> imperial gal/year = 1.393 x 10 <sup>6</sup> liter/day		

<sup>a</sup> The conversions for flow rates are identical to those for volume measures, if the time units are identical. Conversions to/from barrels (bbl) are based on barrels of petroleum.

**Table B.11**  
**Power Conversions**

FROM	TO					
	Horsepower	Kilowatts	Metric horsepower	Ft-lb per sec	Kilocalories per sec	Btu per sec
Horsepower	1	0.7457	1.014	550	0.1781	0.7068
Kilowatts	1.341	1	1.360	737.6	0.239	0.9478
Metric horsepower	0.9863	0.7355	1	542.5	0.1757	0.6971
Ft-lb per sec	$1.36 \times 10^{-3}$	$1.356 \times 10^{-3}$	$1.84 \times 10^{-3}$	1	$0.3238 \times 10^{-3}$	$1.285 \times 10^{-3}$
Kilocalories per sec	5.615	4.184	5.692	3088	1	3.968
Btu per sec	1.415	1.055	1.434	778.2	0.2520	1

**Table B.12**  
**Mass Conversions**

FROM	TO				
	Pound	Kilogram	Short ton	Long ton	Metric ton
Pound	1	0.4536	$5.0 \times 10^{-4}$	$4.4643 \times 10^{-4}$	$4.5362 \times 10^{-4}$
Kilogram	2.205	1	$1.1023 \times 10^{-3}$	$9.8425 \times 10^{-4}$	$1.0 \times 10^{-3}$
Short ton	2,000	907.2	1	0.8929	0.9072
Long ton	2,240	1,106	1.12	1	1.016
Metric ton	2,205	1,000	1.102	0.9842	1

**Table B.13**  
**Fuel Efficiency Conversions**

MPG	Miles/liter	Kilometers/L	L/100 kilometers	Grams of CO <sub>2</sub> per mile <sup>a</sup>	Pounds of CO <sub>2</sub> per mile <sup>a</sup>
10	2.64	4.25	23.52	877.80	1.94
15	3.96	6.38	15.68	585.20	1.29
20	5.28	8.50	11.76	438.90	0.97
25	6.60	10.63	9.41	351.12	0.78
30	7.92	12.75	7.84	292.60	0.65
35	9.25	14.88	6.72	250.80	0.55
40	10.57	17.00	5.88	219.45	0.49
45	11.89	19.13	5.23	195.07	0.43
50	13.21	21.25	4.70	175.56	0.39
55	14.53	23.38	4.28	159.60	0.35
60	15.85	25.51	3.92	146.30	0.32
65	17.17	27.63	3.62	135.05	0.30
70	18.49	29.76	3.36	125.40	0.28
75	19.81	31.88	3.14	117.04	0.26
80	21.13	34.01	2.94	109.73	0.24
85	22.45	36.13	2.77	103.27	0.23
90	23.77	38.26	2.61	97.53	0.22
95	25.09	40.38	2.48	92.40	0.20
100	26.42	42.51	2.35	87.78	0.19
105	27.74	44.64	2.24	83.60	0.18
110	29.06	46.76	2.14	79.80	0.18
115	30.38	48.89	2.05	76.33	0.17
120	31.70	51.01	1.96	73.15	0.16
125	33.02	53.14	1.88	70.22	0.16
130	34.34	55.26	1.81	67.52	0.15
135	35.66	57.39	1.74	65.02	0.14
140	36.98	59.51	1.68	62.70	0.14
145	38.30	61.64	1.62	60.54	0.13
150	39.62	63.76	1.57	58.52	0.13
Formula	MPG/3.785	MPG/[3.785/1.609]	235.24/MPG	8,778/MPG	19.4/MPG

<sup>a</sup> For gasoline-fueled vehicles.

**Table B.14**  
**SI Prefixes and Their Values**

	Value	Prefix	Symbol
One million million millionth	$10^{-18}$	atto	a
One thousand million millionth	$10^{-15}$	femto	f
One million millionth	$10^{-12}$	pico	p
One thousand millionth	$10^{-9}$	nano	n
One millionth	$10^{-6}$	micro	$\mu$
One thousandth	$10^{-3}$	milli	m
One hundredth	$10^{-2}$	centi	c
One tenth	$10^{-1}$	deci	
One	$10^0$		
Ten	$10^1$	deca	
One hundred	$10^2$	hecto	
One thousand	$10^3$	kilo	k
One million	$10^6$	mega	M
One billion <sup>a</sup>	$10^9$	giga	G
One trillion <sup>a</sup>	$10^{12}$	tera	T
One quadrillion <sup>a</sup>	$10^{15}$	peta	P
One quintillion <sup>a</sup>	$10^{18}$	exa	E

<sup>a</sup>Care should be exercised in the use of this nomenclature, especially in foreign correspondence, as it is either unknown or carries a different value in other countries. A "billion," for example, signifies a value of  $10^{12}$  in most other countries.

**Table B.15**  
**Metric Units and Abbreviations**

Quantity	Unit name	Symbol
Energy	Joule	J
Specific energy	Joule/kilogram	J/kg
Specific energy consumption	Joule/kilogram•kilometer	J/(kg•km)
Energy consumption	Joule/kilometer	J/km
Energy economy	kilometer/kilojoule	km/kJ
Power	kilowatt	kW
Specific power	Watt/kilogram	W/kg
Power density	Watt/meter <sup>3</sup>	W/m <sup>3</sup>
Speed	kilometer/hour	km/h
Acceleration	meter/second <sup>2</sup>	m/s <sup>2</sup>
Range (distance)	kilometer	km
Weight	kilogram	kg
Torque	Newton•meter	N•m
Volume	meter <sup>3</sup>	m <sup>3</sup>
Mass; payload	kilogram	kg
Length; width	meter	m
Brake specific fuel consumption	kilogram/Joule	kg/J
Fuel economy (heat engine)	Liters/100 km	L/100 km

**Table B.16**  
**Carbon Coefficients**  
**(Million metric tons carbon per quadrillion Btu)**

Energy Source	Fuel Type	Carbon Coefficients
Coal	Anthracite	28.28
	Bituminous	25.45
	Subbituminous	26.51
	Lignite	26.65
	Coke	31.12
	Coal (All types)	26.00
Natural gas	Natural Gas	14.47
	Flared natural gas	14.92
	Propane	17.20
	Butane	17.71
	Butane/Propane Mix	17.46
Petroleum	Gasoline	19.45
	Diesel fuel	19.95
	Jet Fuel	19.34
	Aviation Gas	18.87
	Kerosene	19.72
	Residual Heating Fuel	21.49
	Petroleum coke	27.85
	Asphalt and Road Oil	20.62
	Lubricants	20.24
	Petrochemical Feedstocks	19.37
	Special Naphthas (solvents)	19.85
	Waxes	19.81
Other petroleum & miscellaneous	19.81	

**Note:** Additional information:

[www.eia.gov/environment/emissions/co2\\_vol\\_mass.cfm](http://www.eia.gov/environment/emissions/co2_vol_mass.cfm)

## **Conversion of Constant Dollar Values**

Many types of information in this data book are expressed in dollars. Generally, constant dollars are used—that is, dollars of a fixed value for a specific year, such as 2010 dollars. Converting current dollars to constant dollars, or converting constant dollars for one year to constant dollars for another year, requires conversion factors (Table B.17 and Table B.18). Table B.17 shows conversion factors for the Consumer Price Index inflation factors. Table B.18 shows conversion factors using the Gross National Product Implicit Price Deflator.

**Table B.17**  
**Consumer Price Inflation (CPI) Index**

<b>From:</b>	<b>To:</b>									
	<b>1970</b>	<b>1971</b>	<b>1972</b>	<b>1973</b>	<b>1974</b>	<b>1975</b>	<b>1976</b>	<b>1977</b>	<b>1978</b>	<b>1979</b>
<b>1970</b>	1.000	1.044	1.077	1.144	1.271	1.387	1.466	1.562	1.680	1.871
<b>1971</b>	0.958	1.000	1.032	1.096	1.217	1.328	1.405	1.496	1.610	1.793
<b>1972</b>	0.928	0.969	1.000	1.062	1.179	1.287	1.361	1.450	1.560	1.737
<b>1973</b>	0.874	0.912	0.941	1.000	1.110	1.212	1.282	1.365	1.468	1.635
<b>1974</b>	0.787	0.822	0.848	0.901	1.000	1.091	1.154	1.229	1.323	1.473
<b>1975</b>	0.721	0.753	0.777	0.825	0.916	1.000	1.058	1.126	1.212	1.349
<b>1976</b>	0.682	0.712	0.735	0.780	0.866	0.946	1.000	1.065	1.146	1.276
<b>1977</b>	0.640	0.668	0.690	0.733	0.814	0.888	0.939	1.000	1.076	1.198
<b>1978</b>	0.595	0.621	0.641	0.681	0.756	0.825	0.873	0.929	1.000	1.113
<b>1979</b>	0.534	0.558	0.576	0.612	0.679	0.741	0.784	0.835	0.898	1.000
<b>1980</b>	0.471	0.492	0.507	0.539	0.598	0.653	0.691	0.735	0.791	0.881
<b>1981</b>	0.427	0.446	0.460	0.488	0.542	0.592	0.626	0.667	0.717	0.799
<b>1982</b>	0.402	0.420	0.433	0.460	0.511	0.558	0.590	0.628	0.676	0.752
<b>1983</b>	0.390	0.407	0.420	0.446	0.495	0.540	0.571	0.608	0.655	0.729
<b>1984</b>	0.373	0.390	0.402	0.427	0.474	0.518	0.548	0.583	0.628	0.699
<b>1985</b>	0.361	0.376	0.388	0.413	0.458	0.500	0.529	0.563	0.606	0.675
<b>1986</b>	0.354	0.370	0.381	0.405	0.450	0.491	0.519	0.553	0.595	0.662
<b>1987</b>	0.342	0.357	0.368	0.391	0.434	0.474	0.501	0.533	0.574	0.639
<b>1988</b>	0.328	0.342	0.353	0.375	0.417	0.455	0.481	0.512	0.551	0.614
<b>1989</b>	0.313	0.327	0.337	0.358	0.398	0.434	0.459	0.489	0.526	0.585
<b>1990</b>	0.297	0.310	0.320	0.340	0.377	0.412	0.435	0.464	0.499	0.555
<b>1991</b>	0.285	0.297	0.307	0.326	0.362	0.395	0.418	0.445	0.479	0.533
<b>1992</b>	0.277	0.289	0.298	0.316	0.351	0.383	0.406	0.432	0.465	0.517
<b>1993</b>	0.269	0.280	0.289	0.307	0.341	0.372	0.394	0.419	0.451	0.502
<b>1994</b>	0.262	0.273	0.282	0.300	0.333	0.363	0.384	0.409	0.440	0.490
<b>1995</b>	0.255	0.266	0.274	0.291	0.323	0.353	0.373	0.398	0.428	0.476
<b>1996</b>	0.247	0.258	0.266	0.283	0.314	0.343	0.363	0.386	0.416	0.463
<b>1997</b>	0.242	0.252	0.260	0.277	0.307	0.335	0.355	0.378	0.406	0.452
<b>1998</b>	0.238	0.248	0.256	0.272	0.302	0.330	0.349	0.372	0.400	0.445
<b>1999</b>	0.233	0.243	0.251	0.267	0.296	0.323	0.342	0.364	0.391	0.436
<b>2000</b>	0.225	0.235	0.243	0.258	0.286	0.312	0.330	0.352	0.379	0.422
<b>2001</b>	0.219	0.229	0.236	0.251	0.278	0.304	0.321	0.342	0.368	0.410
<b>2002</b>	0.216	0.225	0.232	0.247	0.274	0.299	0.316	0.337	0.362	0.404
<b>2003</b>	0.211	0.220	0.227	0.241	0.268	0.292	0.309	0.329	0.354	0.395
<b>2004</b>	0.205	0.214	0.221	0.235	0.261	0.285	0.301	0.321	0.345	0.384
<b>2005</b>	0.199	0.207	0.214	0.227	0.252	0.275	0.291	0.310	0.334	0.372
<b>2006</b>	0.192	0.201	0.207	0.220	0.245	0.267	0.282	0.301	0.323	0.360
<b>2007</b>	0.187	0.195	0.202	0.214	0.238	0.259	0.274	0.292	0.314	0.350
<b>2008</b>	0.180	0.188	0.194	0.206	0.229	0.250	0.264	0.281	0.303	0.337
<b>2009</b>	0.181	0.189	0.195	0.207	0.230	0.251	0.265	0.282	0.304	0.338
<b>2010</b>	0.178	0.186	0.192	0.204	0.226	0.247	0.261	0.278	0.299	0.333
<b>2011</b>	0.172	0.180	0.186	0.197	0.219	0.239	0.253	0.269	0.290	0.323
<b>2012</b>	0.169	0.176	0.182	0.193	0.215	0.234	0.248	0.264	0.284	0.316
<b>2013</b>	0.167	0.174	0.179	0.191	0.212	0.231	0.244	0.260	0.280	0.312
<b>2014</b>	0.164	0.171	0.177	0.188	0.208	0.227	0.240	0.256	0.275	0.307
<b>2015</b>	0.164	0.171	0.176	0.187	0.208	0.227	0.240	0.256	0.275	0.306
<b>2016</b>	0.162	0.169	0.174	0.185	0.205	0.224	0.237	0.252	0.272	0.302
<b>2017</b>	0.158	0.165	0.171	0.181	0.201	0.219	0.232	0.247	0.266	0.296
<b>2018</b>	0.155	0.161	0.166	0.177	0.196	0.214	0.227	0.241	0.260	0.289
<b>2019</b>	0.152	0.158	0.164	0.174	0.193	0.210	0.223	0.237	0.255	0.284
<b>2020</b>	0.150	0.156	0.162	0.172	0.190	0.208	0.220	0.234	0.252	0.281

**Table B.17**  
**Consumer Price Inflation (CPI) Index (Continued)**

From:	To:									
	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
1970	2.124	2.343	2.487	2.567	2.678	2.773	2.825	2.928	3.049	3.196
1971	2.035	2.244	2.383	2.459	2.565	2.657	2.706	2.805	2.921	3.062
1972	1.971	2.175	2.309	2.383	2.486	2.574	2.622	2.718	2.830	2.967
1973	1.856	2.047	2.173	2.243	2.340	2.423	2.468	2.559	2.664	2.793
1974	1.671	1.844	1.957	2.020	2.108	2.183	2.223	2.304	2.400	2.515
1975	1.532	1.690	1.794	1.851	1.931	2.000	2.037	2.112	2.199	2.305
1976	1.448	1.598	1.696	1.750	1.826	1.891	1.926	1.996	2.079	2.179
1977	1.360	1.500	1.592	1.644	1.715	1.776	1.809	1.875	1.952	2.046
1978	1.264	1.394	1.480	1.528	1.594	1.650	1.681	1.742	1.814	1.902
1979	1.135	1.252	1.329	1.372	1.431	1.482	1.510	1.565	1.629	1.708
1980	1.000	1.103	1.171	1.209	1.261	1.306	1.330	1.379	1.436	1.505
1981	0.906	1.000	1.062	1.096	1.143	1.184	1.206	1.250	1.301	1.364
1982	0.854	0.942	1.000	1.032	1.077	1.115	1.136	1.177	1.226	1.285
1983	0.827	0.913	0.969	1.000	1.043	1.080	1.100	1.141	1.188	1.245
1984	0.793	0.875	0.929	0.959	1.000	1.036	1.055	1.093	1.139	1.193
1985	0.766	0.845	0.897	0.926	0.966	1.000	1.019	1.056	1.099	1.152
1986	0.752	0.829	0.880	0.909	0.948	0.982	1.000	1.036	1.079	1.131
1987	0.725	0.800	0.849	0.877	0.915	0.947	0.965	1.000	1.041	1.092
1988	0.697	0.768	0.816	0.842	0.878	0.910	0.926	0.960	1.000	1.048
1989	0.665	0.733	0.778	0.803	0.838	0.868	0.884	0.916	0.954	1.000
1990	0.630	0.695	0.738	0.762	0.795	0.823	0.839	0.869	0.905	0.949
1991	0.605	0.667	0.709	0.731	0.763	0.790	0.805	0.834	0.869	0.910
1992	0.587	0.648	0.688	0.710	0.741	0.767	0.781	0.810	0.843	0.884
1993	0.570	0.629	0.668	0.689	0.719	0.745	0.758	0.786	0.819	0.858
1994	0.556	0.613	0.651	0.672	0.701	0.726	0.740	0.767	0.798	0.837
1995	0.541	0.596	0.633	0.654	0.682	0.706	0.719	0.745	0.776	0.814
1996	0.525	0.579	0.615	0.635	0.662	0.686	0.699	0.724	0.754	0.790
1997	0.513	0.566	0.601	0.621	0.647	0.670	0.683	0.708	0.737	0.773
1998	0.506	0.558	0.592	0.611	0.637	0.660	0.672	0.697	0.726	0.761
1999	0.495	0.546	0.579	0.598	0.624	0.646	0.658	0.682	0.710	0.744
2000	0.479	0.528	0.560	0.578	0.603	0.625	0.636	0.660	0.687	0.720
2001	0.465	0.513	0.545	0.562	0.587	0.608	0.619	0.641	0.668	0.700
2002	0.458	0.505	0.536	0.554	0.578	0.598	0.609	0.631	0.658	0.689
2003	0.448	0.494	0.524	0.541	0.565	0.585	0.596	0.617	0.643	0.674
2004	0.436	0.481	0.511	0.527	0.550	0.570	0.580	0.601	0.626	0.656
2005	0.422	0.465	0.494	0.510	0.532	0.551	0.561	0.582	0.606	0.635
2006	0.409	0.451	0.479	0.494	0.515	0.534	0.544	0.563	0.587	0.615
2007	0.397	0.438	0.465	0.480	0.501	0.519	0.529	0.548	0.571	0.598
2008	0.383	0.422	0.448	0.463	0.483	0.500	0.509	0.528	0.549	0.576
2009	0.384	0.424	0.450	0.464	0.484	0.502	0.511	0.530	0.551	0.578
2010	0.378	0.417	0.443	0.457	0.476	0.493	0.503	0.521	0.543	0.569
2011	0.366	0.404	0.429	0.443	0.462	0.478	0.487	0.505	0.526	0.551
2012	0.359	0.396	0.420	0.434	0.453	0.469	0.477	0.495	0.515	0.540
2013	0.354	0.390	0.414	0.428	0.446	0.462	0.470	0.488	0.508	0.532
2014	0.348	0.384	0.408	0.421	0.439	0.455	0.463	0.480	0.500	0.524
2015	0.348	0.384	0.407	0.420	0.438	0.454	0.462	0.479	0.499	0.523
2016	0.343	0.379	0.402	0.415	0.433	0.448	0.457	0.473	0.493	0.517
2017	0.336	0.371	0.394	0.406	0.424	0.439	0.447	0.463	0.483	0.506
2018	0.328	0.362	0.384	0.397	0.414	0.429	0.436	0.452	0.471	0.494
2019	0.322	0.356	0.377	0.390	0.406	0.421	0.429	0.444	0.463	0.485
2020	0.318	0.351	0.373	0.385	0.401	0.416	0.423	0.439	0.457	0.479



**Table B.17**  
**Consumer Price Inflation (CPI) Index (Continued)**

From:	To:									
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
1970	3.369	3.510	3.616	3.724	3.820	3.928	4.044	4.137	4.201	4.294
1971	3.227	3.363	3.464	3.568	3.659	3.763	3.874	3.963	4.025	4.114
1972	3.127	3.258	3.356	3.457	3.545	3.646	3.754	3.840	3.900	3.986
1973	2.944	3.068	3.160	3.255	3.338	3.432	3.534	3.615	3.671	3.752
1974	2.651	2.763	2.846	2.931	3.006	3.091	3.183	3.256	3.306	3.379
1975	2.429	2.532	2.608	2.686	2.755	2.833	2.916	2.983	3.030	3.097
1976	2.297	2.394	2.466	2.540	2.605	2.678	2.757	2.821	2.865	2.928
1977	2.157	2.248	2.315	2.384	2.446	2.515	2.589	2.649	2.690	2.749
1978	2.005	2.089	2.152	2.216	2.273	2.337	2.406	2.462	2.500	2.555
1979	1.800	1.876	1.933	1.990	2.041	2.099	2.161	2.211	2.245	2.295
1980	1.586	1.653	1.703	1.754	1.799	1.850	1.904	1.948	1.978	2.022
1981	1.438	1.498	1.543	1.590	1.630	1.677	1.726	1.766	1.793	1.833
1982	1.354	1.411	1.454	1.497	1.536	1.579	1.626	1.663	1.689	1.726
1983	1.312	1.367	1.409	1.451	1.488	1.530	1.575	1.611	1.637	1.673
1984	1.258	1.311	1.350	1.391	1.426	1.467	1.510	1.545	1.569	1.603
1985	1.215	1.266	1.304	1.343	1.377	1.416	1.458	1.492	1.515	1.548
1986	1.193	1.243	1.280	1.318	1.352	1.391	1.432	1.464	1.487	1.520
1987	1.151	1.199	1.235	1.272	1.305	1.342	1.381	1.413	1.435	1.467
1988	1.105	1.151	1.186	1.221	1.253	1.288	1.326	1.357	1.378	1.408
1989	1.054	1.098	1.131	1.165	1.195	1.229	1.265	1.294	1.315	1.344
1990	1.000	1.042	1.073	1.106	1.134	1.166	1.200	1.228	1.247	1.275
1991	0.960	1.000	1.030	1.061	1.088	1.119	1.152	1.178	1.197	1.223
1992	0.932	0.971	1.000	1.030	1.056	1.086	1.118	1.144	1.162	1.187
1993	0.904	0.943	0.971	1.000	1.026	1.055	1.086	1.111	1.128	1.153
1994	0.882	0.919	0.947	0.975	1.000	1.028	1.059	1.083	1.100	1.124
1995	0.858	0.894	0.921	0.948	0.972	1.000	1.030	1.053	1.070	1.093
1996	0.833	0.868	0.894	0.921	0.945	0.971	1.000	1.023	1.039	1.062
1997	0.814	0.849	0.874	0.900	0.923	0.950	0.978	1.000	1.016	1.038
1998	0.802	0.836	0.861	0.887	0.909	0.935	0.963	0.985	1.000	1.022
1999	0.785	0.818	0.842	0.867	0.890	0.915	0.942	0.963	0.978	1.000
2000	0.759	0.791	0.815	0.839	0.861	0.885	0.911	0.932	0.947	0.967
2001	0.738	0.769	0.792	0.816	0.837	0.861	0.886	0.906	0.920	0.941
2002	0.727	0.757	0.780	0.803	0.824	0.847	0.872	0.892	0.906	0.926
2003	0.710	0.740	0.763	0.785	0.805	0.828	0.853	0.872	0.886	0.905
2004	0.692	0.721	0.743	0.765	0.785	0.807	0.831	0.850	0.863	0.882
2005	0.669	0.697	0.718	0.740	0.759	0.780	0.803	0.822	0.835	0.853
2006	0.648	0.676	0.696	0.717	0.735	0.756	0.778	0.796	0.809	0.826
2007	0.630	0.657	0.677	0.697	0.715	0.735	0.757	0.774	0.786	0.804
2008	0.607	0.633	0.652	0.671	0.688	0.708	0.729	0.745	0.757	0.774
2009	0.609	0.635	0.654	0.674	0.691	0.710	0.731	0.748	0.760	0.777
2010	0.599	0.625	0.643	0.663	0.680	0.699	0.720	0.736	0.748	0.764
2011	0.581	0.605	0.624	0.642	0.659	0.678	0.698	0.714	0.725	0.741
2012	0.569	0.593	0.611	0.629	0.645	0.664	0.683	0.699	0.710	0.726
2013	0.561	0.585	0.602	0.620	0.636	0.654	0.674	0.689	0.700	0.715
2014	0.552	0.575	0.593	0.610	0.626	0.644	0.663	0.678	0.689	0.704
2015	0.551	0.575	0.592	0.610	0.625	0.643	0.662	0.677	0.688	0.703
2016	0.545	0.567	0.585	0.602	0.617	0.635	0.654	0.669	0.679	0.694
2017	0.533	0.556	0.572	0.590	0.605	0.622	0.640	0.655	0.665	0.680
2018	0.520	0.542	0.559	0.575	0.590	0.607	0.625	0.639	0.649	0.663
2019	0.511	0.533	0.549	0.565	0.580	0.596	0.614	0.628	0.638	0.652
2020	0.505	0.526	0.542	0.558	0.573	0.589	0.606	0.620	0.630	0.644

**Table B.17**  
**Consumer Price Inflation (CPI) Index (Continued)**

From:	To:									
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
1970	4.438	4.564	4.637	4.742	4.869	5.034	5.196	5.344	5.549	5.529
1971	4.252	4.373	4.442	4.543	4.664	4.822	4.978	5.120	5.316	5.297
1972	4.120	4.237	4.304	4.402	4.519	4.672	4.823	4.960	5.151	5.132
1973	3.878	3.989	4.052	4.144	4.255	4.399	4.541	4.670	4.849	4.832
1974	3.493	3.592	3.649	3.732	3.832	3.961	4.089	4.206	4.367	4.352
1975	3.201	3.292	3.344	3.420	3.511	3.630	3.747	3.854	4.002	3.988
1976	3.026	3.112	3.162	3.234	3.320	3.432	3.543	3.644	3.784	3.770
1977	2.842	2.922	2.969	3.036	3.117	3.223	3.327	3.421	3.553	3.540
1978	2.641	2.716	2.759	2.822	2.897	2.995	3.092	3.180	3.302	3.290
1979	2.372	2.439	2.478	2.534	2.602	2.690	2.777	2.856	2.966	2.955
1980	2.090	2.149	2.183	2.233	2.292	2.370	2.447	2.516	2.613	2.604
1981	1.894	1.948	1.979	2.024	2.078	2.149	2.218	2.281	2.369	2.360
1982	1.784	1.835	1.864	1.907	1.958	2.024	2.089	2.149	2.231	2.223
1983	1.729	1.778	1.806	1.847	1.897	1.961	2.024	2.082	2.162	2.154
1984	1.657	1.705	1.731	1.771	1.818	1.880	1.940	1.996	2.072	2.065
1985	1.600	1.646	1.672	1.710	1.756	1.815	1.874	1.927	2.001	1.994
1986	1.571	1.616	1.641	1.679	1.724	1.782	1.839	1.892	1.964	1.957
1987	1.516	1.559	1.584	1.620	1.663	1.719	1.775	1.825	1.895	1.889
1988	1.456	1.497	1.521	1.555	1.597	1.651	1.704	1.753	1.820	1.813
1989	1.389	1.428	1.451	1.484	1.523	1.575	1.626	1.672	1.736	1.730
1990	1.318	1.355	1.376	1.408	1.445	1.494	1.542	1.586	1.647	1.641
1991	1.264	1.300	1.321	1.351	1.387	1.434	1.480	1.522	1.581	1.575
1992	1.227	1.262	1.282	1.311	1.346	1.392	1.437	1.478	1.535	1.529
1993	1.192	1.226	1.245	1.273	1.307	1.352	1.395	1.435	1.490	1.485
1994	1.162	1.195	1.214	1.242	1.275	1.318	1.360	1.399	1.453	1.448
1995	1.130	1.162	1.180	1.207	1.240	1.281	1.323	1.360	1.413	1.408
1996	1.098	1.129	1.147	1.173	1.204	1.245	1.285	1.321	1.372	1.367
1997	1.073	1.103	1.121	1.146	1.177	1.217	1.256	1.292	1.341	1.337
1998	1.056	1.087	1.104	1.129	1.159	1.198	1.237	1.272	1.321	1.316
1999	1.034	1.063	1.080	1.104	1.134	1.172	1.210	1.245	1.292	1.288
2000	1.000	1.028	1.045	1.069	1.097	1.134	1.171	1.204	1.250	1.246
2001	0.972	1.000	1.016	1.039	1.067	1.103	1.138	1.171	1.216	1.211
2002	0.957	0.984	1.000	1.023	1.050	1.086	1.121	1.153	1.197	1.193
2003	0.936	0.963	0.978	1.000	1.027	1.061	1.096	1.127	1.170	1.166
2004	0.912	0.938	0.952	0.974	1.000	1.034	1.067	1.098	1.140	1.136
2005	0.882	0.907	0.921	0.942	0.967	1.000	1.032	1.062	1.102	1.098
2006	0.854	0.878	0.892	0.913	0.937	0.969	1.000	1.028	1.068	1.064
2007	0.831	0.854	0.868	0.887	0.911	0.942	0.972	1.000	1.038	1.035
2008	0.800	0.823	0.836	0.855	0.877	0.907	0.936	0.963	1.000	0.996
2009	0.803	0.825	0.839	0.858	0.881	0.910	0.940	0.966	1.004	1.000
2010	0.790	0.812	0.825	0.844	0.866	0.896	0.925	0.951	0.987	0.984
2011	0.766	0.787	0.800	0.818	0.840	0.868	0.896	0.922	0.957	0.954
2012	0.750	0.771	0.784	0.801	0.823	0.851	0.878	0.903	0.938	0.934
2013	0.739	0.760	0.772	0.790	0.811	0.838	0.865	0.890	0.924	0.921
2014	0.727	0.748	0.760	0.777	0.798	0.825	0.852	0.876	0.909	0.906
2015	0.727	0.747	0.759	0.776	0.797	0.824	0.851	0.875	0.908	0.905
2016	0.717	0.738	0.750	0.767	0.787	0.814	0.840	0.864	0.897	0.894
2017	0.703	0.723	0.734	0.751	0.771	0.797	0.822	0.846	0.878	0.875
2018	0.686	0.705	0.716	0.733	0.752	0.778	0.803	0.826	0.857	0.854
2019	0.674	0.693	0.704	0.720	0.739	0.764	0.789	0.811	0.842	0.839
2020	0.665	0.684	0.695	0.711	0.730	0.755	0.779	0.801	0.832	0.829

**Table B.17**  
**Consumer Price Inflation (CPI) Index (Continued)**

From:	To:										
	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
1970	5.620	5.797	5.917	6.004	6.101	6.109	6.186	6.318	6.472	6.589	6.670
1971	5.384	5.554	5.669	5.752	5.845	5.852	5.926	6.052	6.200	6.313	6.390
1972	5.217	5.381	5.493	5.573	5.664	5.670	5.742	5.864	6.007	6.116	6.192
1973	4.911	5.066	5.171	5.247	5.332	5.338	5.406	5.521	5.656	5.758	5.829
1974	4.423	4.563	4.657	4.725	4.802	4.808	4.868	4.972	5.093	5.186	5.250
1975	4.053	4.181	4.268	4.330	4.400	4.406	4.461	4.556	4.667	4.752	4.811
1976	3.832	3.953	4.035	4.094	4.161	4.166	4.218	4.308	4.413	4.493	4.549
1977	3.598	3.712	3.789	3.844	3.907	3.911	3.961	4.045	4.144	4.219	4.271
1978	3.344	3.450	3.521	3.573	3.631	3.635	3.681	3.760	3.851	3.921	3.969
1979	3.004	3.098	3.162	3.209	3.261	3.265	3.306	3.376	3.459	3.521	3.565
1980	2.646	2.730	2.786	2.827	2.873	2.876	2.913	2.975	3.047	3.103	3.141
1981	2.399	2.475	2.526	2.563	2.604	2.607	2.640	2.697	2.762	2.813	2.847
1982	2.260	2.331	2.379	2.414	2.453	2.456	2.487	2.540	2.602	2.649	2.682
1983	2.189	2.258	2.305	2.339	2.377	2.380	2.410	2.461	2.521	2.567	2.599
1984	2.099	2.165	2.210	2.242	2.278	2.281	2.310	2.359	2.417	2.461	2.491
1985	2.027	2.091	2.134	2.165	2.200	2.203	2.231	2.278	2.334	2.376	2.405
1986	1.990	2.052	2.095	2.126	2.160	2.163	2.190	2.236	2.291	2.333	2.361
1987	1.920	1.980	2.021	2.051	2.084	2.086	2.113	2.158	2.210	2.251	2.278
1988	1.843	1.901	1.941	1.969	2.001	2.004	2.029	2.072	2.123	2.161	2.188
1989	1.759	1.814	1.852	1.879	1.909	1.911	1.936	1.977	2.025	2.062	2.087
1990	1.668	1.721	1.757	1.782	1.811	1.813	1.836	1.875	1.921	1.956	1.980
1991	1.601	1.652	1.686	1.710	1.738	1.740	1.762	1.800	1.844	1.877	1.900
1992	1.554	1.603	1.636	1.660	1.687	1.689	1.711	1.747	1.790	1.822	1.845
1993	1.509	1.557	1.589	1.612	1.638	1.640	1.661	1.696	1.738	1.769	1.791
1994	1.471	1.518	1.549	1.572	1.597	1.599	1.619	1.654	1.694	1.725	1.746
1995	1.431	1.476	1.507	1.529	1.553	1.555	1.575	1.608	1.648	1.678	1.698
1996	1.390	1.434	1.463	1.485	1.509	1.511	1.530	1.562	1.600	1.629	1.650
1997	1.359	1.401	1.430	1.451	1.475	1.477	1.495	1.527	1.565	1.593	1.613
1998	1.338	1.380	1.409	1.429	1.452	1.454	1.472	1.504	1.541	1.568	1.588
1999	1.309	1.350	1.378	1.398	1.421	1.423	1.441	1.471	1.507	1.535	1.553
2000	1.266	1.306	1.333	1.353	1.375	1.376	1.394	1.423	1.458	1.485	1.503
2001	1.231	1.270	1.296	1.315	1.337	1.338	1.355	1.384	1.418	1.444	1.461
2002	1.212	1.250	1.276	1.295	1.316	1.317	1.334	1.363	1.396	1.421	1.439
2003	1.185	1.222	1.248	1.266	1.287	1.288	1.304	1.332	1.365	1.389	1.407
2004	1.154	1.191	1.215	1.233	1.253	1.255	1.271	1.298	1.329	1.353	1.370
2005	1.117	1.152	1.176	1.193	1.212	1.214	1.229	1.255	1.286	1.309	1.325
2006	1.082	1.116	1.139	1.156	1.174	1.176	1.191	1.216	1.246	1.268	1.284
2007	1.052	1.085	1.107	1.124	1.142	1.143	1.158	1.182	1.211	1.233	1.248
2008	1.013	1.045	1.066	1.082	1.100	1.101	1.115	1.138	1.166	1.187	1.202
2009	1.016	1.048	1.070	1.086	1.103	1.105	1.119	1.143	1.170	1.192	1.206
2010	1.000	1.032	1.053	1.068	1.086	1.087	1.101	1.124	1.152	1.172	1.187
2011	0.969	1.000	1.021	1.036	1.052	1.054	1.067	1.090	1.116	1.137	1.151
2012	0.950	0.980	1.000	1.015	1.031	1.032	1.045	1.068	1.094	1.114	1.127
2013	0.936	0.966	0.986	1.000	1.016	1.017	1.030	1.052	1.078	1.097	1.111
2014	0.921	0.950	0.970	0.984	1.000	1.001	1.014	1.035	1.061	1.080	1.093
2015	0.920	0.949	0.969	0.983	0.999	1.000	1.013	1.034	1.059	1.079	1.092
2016	0.909	0.937	0.957	0.971	0.986	0.988	1.000	1.021	1.046	1.065	1.078
2017	0.890	0.918	0.937	0.950	0.966	0.967	0.979	1.000	1.024	1.043	1.056
2018	0.868	0.896	0.914	0.928	0.943	0.944	0.956	0.976	1.000	1.018	1.031
2019	0.853	0.880	0.898	0.911	0.926	0.927	0.939	0.959	0.982	1.000	1.012
2020	0.843	0.869	0.887	0.900	0.915	0.916	0.927	0.947	0.970	0.988	1.000

**Source:**

U.S. Bureau of Labor Statistics.

**Table B.18**  
**Gross National Product Implicit Price Deflator**

From:	To:									
	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979
1970	1.000	1.051	1.097	1.156	1.260	1.377	1.453	1.543	1.651	1.788
1971	0.952	1.000	1.043	1.100	1.199	1.310	1.382	1.468	1.571	1.701
1972	0.912	0.958	1.000	1.055	1.149	1.256	1.325	1.407	1.506	1.630
1973	0.865	0.909	0.948	1.000	1.090	1.191	1.256	1.334	1.428	1.546
1974	0.794	0.834	0.870	0.918	1.000	1.093	1.153	1.224	1.311	1.419
1975	0.726	0.763	0.796	0.840	0.915	1.000	1.055	1.121	1.199	1.298
1976	0.688	0.723	0.755	0.796	0.867	0.948	1.000	1.062	1.137	1.231
1977	0.648	0.681	0.711	0.749	0.817	0.892	0.942	1.000	1.070	1.159
1978	0.606	0.636	0.664	0.700	0.763	0.834	0.880	0.934	1.000	1.083
1979	0.559	0.588	0.613	0.647	0.705	0.770	0.813	0.863	0.924	1.000
1980	0.513	0.539	0.563	0.593	0.647	0.707	0.745	0.792	0.847	0.917
1981	0.469	0.493	0.515	0.543	0.591	0.646	0.682	0.724	0.775	0.839
1982	0.442	0.464	0.485	0.511	0.557	0.608	0.642	0.682	0.730	0.790
1983	0.425	0.447	0.466	0.492	0.536	0.585	0.617	0.656	0.702	0.760
1984	0.411	0.431	0.450	0.475	0.517	0.565	0.596	0.633	0.678	0.734
1985	0.398	0.418	0.436	0.460	0.501	0.548	0.578	0.614	0.657	0.711
1986	0.390	0.410	0.428	0.451	0.491	0.537	0.566	0.602	0.644	0.697
1987	0.380	0.399	0.417	0.440	0.479	0.523	0.552	0.586	0.628	0.679
1988	0.367	0.386	0.403	0.425	0.463	0.506	0.533	0.567	0.606	0.656
1989	0.353	0.371	0.388	0.409	0.445	0.487	0.513	0.545	0.584	0.632
1990	0.341	0.358	0.374	0.394	0.429	0.469	0.495	0.526	0.563	0.609
1991	0.330	0.346	0.362	0.381	0.415	0.454	0.479	0.509	0.544	0.589
1992	0.322	0.339	0.353	0.373	0.406	0.444	0.468	0.497	0.532	0.576
1993	0.315	0.331	0.345	0.364	0.397	0.434	0.457	0.486	0.520	0.563
1994	0.308	0.324	0.338	0.357	0.389	0.425	0.448	0.476	0.509	0.551
1995	0.302	0.317	0.331	0.349	0.381	0.416	0.439	0.466	0.499	0.540
1996	0.297	0.312	0.325	0.343	0.374	0.408	0.431	0.458	0.490	0.530
1997	0.292	0.306	0.320	0.337	0.367	0.401	0.424	0.450	0.481	0.521
1998	0.288	0.303	0.316	0.334	0.363	0.397	0.419	0.445	0.476	0.516
1999	0.284	0.299	0.312	0.329	0.358	0.392	0.413	0.439	0.470	0.508
2000	0.278	0.292	0.305	0.322	0.350	0.383	0.404	0.429	0.459	0.497
2001	0.272	0.286	0.298	0.314	0.343	0.374	0.395	0.419	0.449	0.486
2002	0.268	0.281	0.294	0.310	0.337	0.369	0.389	0.413	0.442	0.479
2003	0.262	0.276	0.288	0.303	0.331	0.361	0.381	0.405	0.433	0.469
2004	0.255	0.268	0.280	0.295	0.322	0.352	0.371	0.394	0.422	0.457
2005	0.248	0.260	0.271	0.286	0.312	0.341	0.360	0.382	0.409	0.442
2006	0.240	0.252	0.263	0.278	0.303	0.331	0.349	0.370	0.397	0.429
2007	0.234	0.246	0.256	0.270	0.295	0.322	0.340	0.361	0.386	0.418
2008	0.229	0.241	0.252	0.265	0.289	0.316	0.333	0.354	0.379	0.410
2009	0.228	0.239	0.250	0.263	0.287	0.313	0.331	0.351	0.376	0.407
2010	0.225	0.236	0.246	0.260	0.283	0.309	0.326	0.347	0.371	0.402
2011	0.220	0.232	0.242	0.255	0.278	0.303	0.320	0.340	0.364	0.394
2012	0.217	0.228	0.237	0.250	0.273	0.298	0.315	0.334	0.358	0.387
2013	0.213	0.224	0.234	0.247	0.269	0.294	0.310	0.329	0.352	0.381
2014	0.210	0.220	0.230	0.243	0.264	0.289	0.305	0.324	0.346	0.375
2015	0.207	0.217	0.226	0.239	0.260	0.284	0.300	0.319	0.341	0.369
2016	0.204	0.214	0.224	0.236	0.257	0.281	0.296	0.315	0.337	0.365
2017	0.200	0.211	0.220	0.232	0.252	0.276	0.291	0.309	0.331	0.358
2018	0.196	0.206	0.215	0.227	0.247	0.270	0.285	0.303	0.324	0.351
2019	0.193	0.203	0.211	0.223	0.243	0.265	0.280	0.298	0.318	0.345
2020	0.191	0.200	0.209	0.220	0.240	0.262	0.277	0.294	0.315	0.341

**Table B.18**  
**Gross National Product Implicit Price Deflator (Continued)**

From:	To:									
	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989
1970	1.949	2.131	2.263	2.353	2.436	2.514	2.565	2.631	2.723	2.830
1971	1.854	2.028	2.153	2.239	2.318	2.392	2.441	2.504	2.591	2.693
1972	1.777	1.943	2.064	2.145	2.222	2.293	2.339	2.399	2.484	2.580
1973	1.685	1.843	1.957	2.034	2.107	2.174	2.218	2.275	2.355	2.447
1974	1.547	1.691	1.796	1.867	1.933	1.995	2.036	2.088	2.161	2.246
1975	1.415	1.548	1.644	1.709	1.769	1.826	1.863	1.911	1.978	2.055
1976	1.341	1.467	1.558	1.619	1.677	1.731	1.766	1.811	1.875	1.948
1977	1.263	1.381	1.467	1.525	1.579	1.629	1.662	1.705	1.765	1.834
1978	1.180	1.290	1.370	1.425	1.475	1.522	1.553	1.593	1.649	1.714
1979	1.090	1.192	1.266	1.316	1.363	1.406	1.435	1.472	1.523	1.583
1980	1.000	1.093	1.161	1.207	1.250	1.290	1.316	1.350	1.398	1.452
1981	0.915	1.000	1.062	1.104	1.143	1.180	1.204	1.235	1.278	1.328
1982	0.861	0.942	1.000	1.040	1.076	1.111	1.133	1.163	1.203	1.250
1983	0.828	0.906	0.962	1.000	1.035	1.069	1.090	1.118	1.158	1.203
1984	0.800	0.875	0.929	0.966	1.000	1.032	1.053	1.080	1.118	1.162
1985	0.775	0.848	0.900	0.936	0.969	1.000	1.020	1.047	1.083	1.126
1986	0.760	0.831	0.882	0.917	0.950	0.980	1.000	1.026	1.062	1.103
1987	0.741	0.810	0.860	0.894	0.926	0.956	0.975	1.000	1.035	1.075
1988	0.716	0.782	0.831	0.864	0.895	0.923	0.942	0.966	1.000	1.039
1989	0.689	0.753	0.800	0.831	0.861	0.888	0.906	0.930	0.962	1.000
1990	0.664	0.726	0.771	0.802	0.830	0.857	0.874	0.897	0.928	0.964
1991	0.643	0.703	0.746	0.776	0.803	0.829	0.846	0.867	0.898	0.933
1992	0.628	0.687	0.730	0.758	0.785	0.810	0.827	0.848	0.878	0.912
1993	0.614	0.671	0.713	0.741	0.767	0.792	0.808	0.828	0.858	0.891
1994	0.601	0.657	0.698	0.725	0.751	0.775	0.791	0.811	0.840	0.872
1995	0.588	0.644	0.683	0.710	0.736	0.759	0.775	0.795	0.822	0.855
1996	0.578	0.632	0.671	0.698	0.722	0.746	0.761	0.780	0.808	0.839
1997	0.568	0.621	0.660	0.686	0.710	0.733	0.748	0.767	0.794	0.825
1998	0.562	0.615	0.653	0.679	0.703	0.725	0.740	0.759	0.786	0.816
1999	0.554	0.606	0.644	0.669	0.693	0.715	0.729	0.748	0.774	0.805
2000	0.542	0.592	0.629	0.654	0.677	0.699	0.713	0.732	0.757	0.787
2001	0.530	0.579	0.615	0.639	0.662	0.683	0.697	0.715	0.740	0.769
2002	0.522	0.570	0.606	0.630	0.652	0.673	0.687	0.704	0.729	0.757
2003	0.511	0.559	0.594	0.617	0.639	0.660	0.673	0.691	0.715	0.743
2004	0.498	0.544	0.578	0.601	0.622	0.642	0.655	0.672	0.696	0.723
2005	0.482	0.527	0.560	0.582	0.603	0.622	0.635	0.651	0.674	0.700
2006	0.468	0.512	0.543	0.565	0.585	0.604	0.616	0.632	0.654	0.679
2007	0.456	0.498	0.529	0.550	0.570	0.588	0.600	0.615	0.637	0.662
2008	0.447	0.489	0.519	0.540	0.559	0.577	0.588	0.604	0.625	0.649
2009	0.444	0.485	0.515	0.536	0.555	0.572	0.584	0.599	0.620	0.644
2010	0.438	0.479	0.508	0.529	0.547	0.565	0.576	0.591	0.612	0.636
2011	0.429	0.469	0.499	0.518	0.537	0.554	0.565	0.580	0.600	0.623
2012	0.422	0.461	0.490	0.509	0.527	0.544	0.555	0.570	0.590	0.613
2013	0.416	0.455	0.483	0.502	0.520	0.536	0.547	0.561	0.581	0.604
2014	0.409	0.447	0.475	0.493	0.511	0.527	0.538	0.552	0.571	0.593
2015	0.402	0.440	0.467	0.486	0.503	0.519	0.530	0.543	0.562	0.584
2016	0.397	0.435	0.461	0.480	0.497	0.513	0.523	0.537	0.555	0.577
2017	0.390	0.427	0.453	0.471	0.488	0.504	0.514	0.527	0.546	0.567
2018	0.383	0.419	0.445	0.462	0.479	0.494	0.504	0.517	0.535	0.556
2019	0.376	0.412	0.437	0.454	0.471	0.486	0.495	0.508	0.526	0.546
2020	0.372	0.407	0.432	0.449	0.465	0.480	0.490	0.502	0.520	0.540

**Table B.18**  
**Gross National Product Implicit Price Deflator (Continued)**

From:	To:									
	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999
1970	2.935	3.033	3.102	3.176	3.243	3.311	3.372	3.429	3.467	3.517
1971	2.793	2.886	2.952	3.022	3.086	3.151	3.209	3.263	3.299	3.346
1972	2.676	2.766	2.829	2.896	2.958	3.020	3.075	3.128	3.162	3.207
1973	2.538	2.623	2.683	2.746	2.805	2.863	2.916	2.966	2.998	3.041
1974	2.329	2.407	2.462	2.520	2.574	2.628	2.676	2.722	2.751	2.791
1975	2.131	2.203	2.253	2.307	2.356	2.405	2.449	2.491	2.518	2.554
1976	2.020	2.088	2.135	2.186	2.233	2.279	2.321	2.361	2.387	2.421
1977	1.902	1.966	2.011	2.058	2.102	2.146	2.185	2.223	2.247	2.279
1978	1.777	1.837	1.879	1.923	1.964	2.005	2.042	2.077	2.099	2.130
1979	1.642	1.697	1.735	1.776	1.814	1.852	1.886	1.918	1.939	1.967
1980	1.506	1.556	1.592	1.630	1.664	1.699	1.730	1.760	1.779	1.805
1981	1.377	1.423	1.456	1.490	1.522	1.554	1.582	1.609	1.627	1.650
1982	1.297	1.340	1.371	1.403	1.433	1.463	1.490	1.516	1.532	1.554
1983	1.247	1.289	1.319	1.350	1.379	1.408	1.433	1.458	1.474	1.495
1984	1.205	1.245	1.273	1.304	1.331	1.359	1.384	1.408	1.423	1.444
1985	1.167	1.206	1.234	1.263	1.290	1.317	1.341	1.364	1.379	1.399
1986	1.144	1.182	1.209	1.238	1.264	1.291	1.315	1.337	1.352	1.371
1987	1.115	1.153	1.179	1.207	1.233	1.259	1.282	1.303	1.318	1.337
1988	1.078	1.114	1.139	1.166	1.191	1.216	1.238	1.259	1.273	1.291
1989	1.037	1.072	1.096	1.122	1.146	1.170	1.192	1.212	1.225	1.243
1990	1.000	1.033	1.057	1.082	1.105	1.128	1.149	1.169	1.181	1.198
1991	0.968	1.000	1.023	1.047	1.069	1.092	1.112	1.131	1.143	1.159
1992	0.946	0.978	1.000	1.024	1.046	1.067	1.087	1.106	1.118	1.134
1993	0.924	0.955	0.977	1.000	1.021	1.043	1.062	1.080	1.092	1.107
1994	0.905	0.935	0.956	0.979	1.000	1.021	1.040	1.057	1.069	1.084
1995	0.886	0.916	0.937	0.959	0.979	1.000	1.018	1.036	1.047	1.062
1996	0.870	0.899	0.920	0.942	0.962	0.982	1.000	1.017	1.028	1.043
1997	0.856	0.884	0.905	0.926	0.946	0.966	0.983	1.000	1.011	1.025
1998	0.847	0.875	0.895	0.916	0.936	0.955	0.973	0.989	1.000	1.014
1999	0.835	0.862	0.882	0.903	0.922	0.942	0.959	0.975	0.986	1.000
2000	0.816	0.843	0.863	0.883	0.902	0.921	0.938	0.954	0.964	0.978
2001	0.798	0.824	0.843	0.863	0.882	0.900	0.917	0.932	0.942	0.956
2002	0.786	0.812	0.830	0.850	0.868	0.886	0.903	0.918	0.928	0.941
2003	0.770	0.796	0.814	0.834	0.851	0.869	0.885	0.900	0.910	0.923
2004	0.750	0.775	0.792	0.811	0.829	0.846	0.861	0.876	0.886	0.898
2005	0.726	0.751	0.768	0.786	0.803	0.820	0.835	0.849	0.858	0.870
2006	0.705	0.728	0.745	0.763	0.779	0.795	0.810	0.824	0.832	0.844
2007	0.686	0.709	0.726	0.743	0.759	0.775	0.789	0.802	0.811	0.823
2008	0.673	0.696	0.712	0.729	0.744	0.760	0.773	0.787	0.795	0.807
2009	0.668	0.690	0.706	0.723	0.738	0.754	0.768	0.781	0.789	0.800
2010	0.659	0.681	0.697	0.713	0.729	0.744	0.758	0.770	0.779	0.790
2011	0.647	0.668	0.683	0.700	0.715	0.729	0.743	0.756	0.764	0.775
2012	0.635	0.657	0.672	0.688	0.702	0.717	0.730	0.743	0.751	0.761
2013	0.626	0.647	0.662	0.677	0.692	0.706	0.719	0.732	0.740	0.750
2014	0.616	0.636	0.651	0.666	0.680	0.695	0.707	0.719	0.727	0.738
2015	0.606	0.626	0.641	0.656	0.670	0.684	0.696	0.708	0.716	0.727
2016	0.598	0.618	0.633	0.648	0.661	0.675	0.688	0.699	0.707	0.718
2017	0.588	0.608	0.621	0.636	0.650	0.663	0.675	0.687	0.695	0.705
2018	0.577	0.597	0.610	0.625	0.638	0.651	0.663	0.675	0.682	0.692
2019	0.567	0.586	0.600	0.614	0.627	0.640	0.652	0.663	0.670	0.680
2020	0.560	0.579	0.592	0.607	0.619	0.632	0.644	0.655	0.663	0.672

**Table B.18**  
**Gross National Product Implicit Price Deflator (Continued)**

From:	To:									
	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
1970	3.596	3.679	3.735	3.810	3.915	4.040	4.164	4.275	4.359	4.393
1971	3.422	3.501	3.555	3.626	3.725	3.845	3.963	4.068	4.148	4.180
1972	3.280	3.355	3.407	3.475	3.570	3.685	3.798	3.899	3.976	4.006
1973	3.110	3.181	3.230	3.295	3.385	3.494	3.601	3.697	3.770	3.799
1974	2.854	2.920	2.965	3.024	3.107	3.206	3.305	3.393	3.460	3.487
1975	2.612	2.672	2.713	2.767	2.843	2.934	3.025	3.105	3.166	3.191
1976	2.476	2.532	2.571	2.623	2.695	2.781	2.867	2.943	3.001	3.024
1977	2.331	2.384	2.421	2.470	2.537	2.619	2.699	2.771	2.825	2.847
1978	2.178	2.228	2.262	2.307	2.371	2.447	2.522	2.589	2.640	2.660
1979	2.012	2.058	2.090	2.131	2.190	2.260	2.330	2.392	2.439	2.457
1980	1.846	1.888	1.917	1.955	2.009	2.073	2.137	2.194	2.237	2.254
1981	1.688	1.726	1.753	1.788	1.837	1.896	1.954	2.006	2.046	2.062
1982	1.589	1.626	1.651	1.684	1.730	1.785	1.840	1.889	1.926	1.941
1983	1.529	1.564	1.588	1.620	1.664	1.717	1.770	1.817	1.853	1.867
1984	1.476	1.510	1.533	1.564	1.607	1.659	1.710	1.755	1.789	1.803
1985	1.431	1.463	1.486	1.516	1.557	1.607	1.657	1.701	1.734	1.747
1986	1.402	1.434	1.456	1.485	1.526	1.575	1.624	1.667	1.700	1.713
1987	1.367	1.398	1.420	1.448	1.488	1.536	1.583	1.625	1.657	1.670
1988	1.321	1.351	1.372	1.399	1.437	1.484	1.529	1.570	1.601	1.613
1989	1.271	1.300	1.320	1.347	1.383	1.428	1.472	1.511	1.541	1.553
1990	1.225	1.254	1.273	1.298	1.334	1.377	1.419	1.457	1.485	1.497
1991	1.186	1.213	1.232	1.256	1.291	1.332	1.373	1.410	1.437	1.448
1992	1.159	1.186	1.204	1.228	1.262	1.302	1.343	1.378	1.405	1.416
1993	1.132	1.158	1.176	1.200	1.233	1.272	1.311	1.346	1.373	1.383
1994	1.109	1.134	1.152	1.175	1.207	1.246	1.284	1.318	1.344	1.355
1995	1.086	1.111	1.128	1.151	1.182	1.220	1.258	1.291	1.317	1.327
1996	1.067	1.091	1.108	1.130	1.161	1.198	1.235	1.268	1.293	1.303
1997	1.049	1.073	1.089	1.111	1.141	1.178	1.214	1.247	1.271	1.281
1998	1.037	1.061	1.077	1.099	1.129	1.165	1.201	1.233	1.257	1.267
1999	1.023	1.046	1.062	1.083	1.113	1.149	1.184	1.216	1.240	1.249
2000	1.000	1.023	1.039	1.059	1.088	1.123	1.158	1.189	1.212	1.222
2001	0.978	1.000	1.015	1.036	1.064	1.098	1.132	1.162	1.185	1.194
2002	0.963	0.985	1.000	1.020	1.048	1.082	1.115	1.145	1.167	1.176
2003	0.944	0.966	0.980	1.000	1.027	1.060	1.093	1.122	1.144	1.153
2004	0.919	0.940	0.954	0.973	1.000	1.032	1.064	1.092	1.114	1.122
2005	0.890	0.911	0.925	0.943	0.969	1.000	1.031	1.058	1.079	1.087
2006	0.864	0.883	0.897	0.915	0.940	0.970	1.000	1.027	1.047	1.055
2007	0.841	0.861	0.874	0.891	0.916	0.945	0.974	1.000	1.020	1.028
2008	0.825	0.844	0.857	0.874	0.898	0.927	0.955	0.981	1.000	1.008
2009	0.819	0.837	0.850	0.867	0.891	0.920	0.948	0.973	0.992	1.000
2010	0.808	0.826	0.839	0.856	0.879	0.908	0.936	0.960	0.979	0.987
2011	0.792	0.810	0.823	0.839	0.862	0.890	0.917	0.942	0.960	0.968
2012	0.779	0.797	0.809	0.825	0.848	0.875	0.902	0.926	0.944	0.951
2013	0.767	0.785	0.797	0.813	0.835	0.862	0.888	0.912	0.930	0.937
2014	0.755	0.772	0.784	0.800	0.822	0.848	0.874	0.898	0.915	0.922
2015	0.744	0.761	0.772	0.788	0.809	0.835	0.861	0.884	0.901	0.908
2016	0.734	0.751	0.762	0.778	0.799	0.825	0.850	0.873	0.890	0.897
2017	0.721	0.738	0.749	0.764	0.785	0.810	0.835	0.857	0.874	0.881
2018	0.708	0.723	0.735	0.748	0.768	0.792	0.816	0.838	0.855	0.861
2019	0.695	0.711	0.722	0.735	0.755	0.779	0.802	0.824	0.840	0.846
2020	0.687	0.702	0.713	0.727	0.746	0.769	0.793	0.814	0.830	0.836

**Table B.18**  
**Gross National Product Implicit Price Deflator (Continued)**

From:	To:										
	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
1970	4.451	4.539	4.618	4.688	4.767	4.841	4.903	4.991	5.098	5.188	5.249
1971	4.236	4.319	4.395	4.461	4.536	4.607	4.666	4.749	4.851	4.937	4.995
1972	4.059	4.140	4.212	4.275	4.348	4.415	4.472	4.552	4.650	4.732	4.788
1973	3.849	3.925	3.994	4.054	4.123	4.187	4.241	4.317	4.408	4.486	4.539
1974	3.533	3.602	3.665	3.720	3.784	3.842	3.892	3.961	4.045	4.116	4.165
1975	3.233	3.297	3.354	3.405	3.463	3.516	3.562	3.625	3.702	3.767	3.812
1976	3.064	3.125	3.179	3.227	3.282	3.333	3.376	3.436	3.508	3.570	3.612
1977	2.885	2.942	2.993	3.038	3.090	3.138	3.179	3.235	3.303	3.361	3.401
1978	2.696	2.749	2.797	2.839	2.887	2.932	2.970	3.023	3.085	3.140	3.177
1979	2.490	2.539	2.583	2.622	2.667	2.708	2.743	2.792	2.849	2.899	2.934
1980	2.284	2.329	2.370	2.406	2.447	2.485	2.517	2.561	2.613	2.659	2.691
1981	2.089	2.130	2.167	2.200	2.237	2.272	2.301	2.343	2.387	2.429	2.458
1982	1.967	2.006	2.041	2.072	2.107	2.139	2.167	2.206	2.248	2.288	2.315
1983	1.892	1.929	1.963	1.993	2.027	2.058	2.085	2.122	2.163	2.201	2.228
1984	1.827	1.863	1.896	1.924	1.957	1.987	2.013	2.049	2.088	2.125	2.150
1985	1.771	1.806	1.837	1.865	1.896	1.926	1.951	1.986	2.024	2.060	2.084
1986	1.735	1.770	1.801	1.828	1.859	1.888	1.912	1.946	1.984	2.019	2.043
1987	1.692	1.725	1.755	1.782	1.812	1.840	1.864	1.897	1.935	1.970	1.993
1988	1.634	1.667	1.696	1.721	1.751	1.778	1.801	1.833	1.869	1.902	1.925
1989	1.573	1.604	1.632	1.657	1.685	1.711	1.733	1.764	1.799	1.830	1.852
1990	1.517	1.547	1.574	1.597	1.625	1.650	1.671	1.701	1.733	1.764	1.785
1991	1.468	1.497	1.523	1.546	1.572	1.596	1.617	1.646	1.676	1.706	1.726
1992	1.435	1.463	1.489	1.511	1.537	1.561	1.581	1.609	1.639	1.668	1.688
1993	1.402	1.429	1.454	1.476	1.501	1.525	1.544	1.572	1.601	1.629	1.649
1994	1.372	1.400	1.424	1.445	1.470	1.493	1.512	1.539	1.568	1.595	1.614
1995	1.344	1.371	1.395	1.416	1.440	1.462	1.481	1.507	1.535	1.563	1.581
1996	1.320	1.346	1.370	1.390	1.414	1.436	1.454	1.480	1.508	1.534	1.553
1997	1.298	1.324	1.347	1.367	1.390	1.412	1.430	1.455	1.482	1.508	1.526
1998	1.284	1.309	1.332	1.352	1.375	1.397	1.415	1.440	1.466	1.492	1.509
1999	1.266	1.291	1.313	1.333	1.354	1.375	1.393	1.418	1.445	1.470	1.488
2000	1.238	1.262	1.284	1.303	1.324	1.345	1.362	1.386	1.413	1.438	1.455
2001	1.210	1.234	1.255	1.274	1.295	1.315	1.332	1.356	1.383	1.407	1.424
2002	1.192	1.215	1.236	1.255	1.275	1.295	1.312	1.335	1.361	1.385	1.402
2003	1.168	1.191	1.212	1.230	1.250	1.270	1.286	1.309	1.337	1.360	1.376
2004	1.137	1.160	1.180	1.198	1.217	1.236	1.252	1.274	1.302	1.325	1.340
2005	1.102	1.123	1.143	1.160	1.179	1.197	1.213	1.234	1.262	1.284	1.300
2006	1.069	1.090	1.109	1.126	1.144	1.161	1.176	1.197	1.225	1.247	1.261
2007	1.041	1.062	1.080	1.097	1.114	1.131	1.146	1.166	1.193	1.214	1.228
2008	1.021	1.041	1.059	1.075	1.092	1.109	1.124	1.144	1.170	1.191	1.205
2009	1.013	1.033	1.051	1.067	1.084	1.101	1.115	1.135	1.161	1.182	1.196
2010	1.000	1.020	1.038	1.053	1.070	1.086	1.100	1.120	1.148	1.168	1.182
2011	0.981	1.000	1.017	1.033	1.048	1.064	1.078	1.097	1.124	1.144	1.158
2012	0.964	0.983	1.000	1.015	1.030	1.045	1.059	1.077	1.103	1.123	1.136
2013	0.949	0.968	0.985	1.000	1.015	1.029	1.042	1.060	1.084	1.103	1.116
2014	0.935	0.954	0.971	0.986	1.000	1.010	1.024	1.042	1.064	1.083	1.096
2015	0.920	0.940	0.957	0.972	0.990	1.000	1.013	1.031	1.053	1.072	1.086
2016	0.909	0.928	0.945	0.960	0.977	0.987	1.000	1.018	1.042	1.061	1.075
2017	0.893	0.911	0.928	0.943	0.960	0.970	0.982	1.000	1.022	1.042	1.055
2018	0.871	0.889	0.907	0.922	0.940	0.950	0.960	0.978	1.000	1.018	1.030
2019	0.856	0.874	0.891	0.906	0.923	0.932	0.942	0.960	0.983	1.000	1.012
2020	0.846	0.864	0.880	0.896	0.912	0.921	0.930	0.948	0.971	0.988	1.000

**Source:**

U.S. Department of Commerce, Bureau of Economic Analysis, *Survey of Current Business*, Washington, DC, monthly.



# GLOSSARY OF TERMS

# Glossary



## GLOSSARY

**Acceleration power** – Often measured in kilowatts. Pulse power obtainable from a battery used to accelerate a vehicle. This is based on a constant current pulse for 30 seconds at no less than 2/3 of the maximum open-circuit-voltage, at 80% depth-of-discharge relative to the battery's rated capacity and at 20° C ambient temperature.

**Age** – The amount of time a person or thing has existed.

**Air Carrier** – The commercial system of air transportation consisting of certificated air carriers, air taxis (including commuters), supplemental air carriers, commercial operators of large aircraft, and air travel clubs.

**Certificated route air carrier:** An air carrier holding a Certificate of Public Convenience and Necessity issued by the Department of Transportation to conduct scheduled interstate services. Nonscheduled or charter operations may also be conducted by these carriers. These carriers operate large aircraft (30 seats or more, or a maximum payload capacity of 7,500 pounds or more) in accordance with Federal Aviation Regulation part 121.

**Domestic air operator:** Commercial air transportation within and between the 50 States and the District of Columbia. Includes operations of certificated route air carriers, Pan American, local service, helicopter, intra-Alaska, intra-Hawaii, all-cargo carriers and other carriers. Also included are transborder operations conducted on the domestic route segments of U.S. air carriers. Domestic operators are classified based on their operating revenue as follows:

- Majors - over \$1 billion
- Nationals - \$100 million to \$1 billion
- Large Regionals - \$20 million to \$99 million
- Medium Regionals – Less than \$20 million

**International air operator:** Commercial air transportation outside the territory of the United States, including operations between the U.S. and foreign countries and between the U.S. and its territories and possessions.

**Supplemental air carrier:** A class of air carriers which hold certificates authorizing them to perform passenger and cargo charter services supplementing the scheduled service of the certificated route air carriers. Supplemental air carriers are often referred to as nonscheduled air carriers or "nonskeds."

**Alcohol** – The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The molecules in the series vary in chain length and are composed of a hydrocarbon plus a hydroxyl group. Alcohol includes methanol and ethanol.

**Alternative fuel** – For transportation applications, includes the following: methanol; denatured ethanol, and other alcohols; fuel mixtures containing 85 percent or more by volume of methanol, denatured ethanol, and other alcohols with gasoline or other fuels; natural gas; liquefied petroleum gas (propane); hydrogen; coal-derived liquid fuels; fuels (other than alcohol) derived from biological materials (biofuels such as soy diesel fuel); and electricity (including electricity from solar energy). The term "alternative fuel" does not include alcohol or other blended portions of primarily petroleum-based fuels used as oxygenates or extenders, i.e. MTBE, ETBE, other ethers, and the 10-percent ethanol portion of gasohol.

**Amtrak** – See Rail.

**Anthropogenic** – Human made. Usually used in the context of emissions that are produced as the result of human activities.

**Aviation** – See *General aviation*.

**Aviation gasoline** – All special grades of gasoline for use in aviation reciprocating engines, as given in the American Society for Testing and Materials (ASTM) Specification D 910. Includes all refinery products within the gasoline range that are to be marketed straight or in blends as aviation gasoline without further processing (any refinery operation except mechanical blending). Also included are finished components in the gasoline range which will be used for blending or compounding into aviation gasoline.

**Barges** – Shallow, non-self-propelled vessels used to carry bulk commodities on the rivers and the Great Lakes.

**Battery efficiency** – Measured in percentage. Net DC energy delivered on discharge, as a percentage of the total DC energy required to restore the initial state-of-charge. The efficiency value must include energy losses resulting from self-discharge, cell equalization, thermal loss compensation, and all battery-specific auxiliary equipment.

**Bike sharing** – Allows users access to bicycles on an as-needed basis for a pre-determined fee. Station-based bike sharing typically involves an unattended kiosk and bikes can be returned to any kiosk. Some bike share users have annual/monthly memberships and others are casual users paying higher usage rates than members. Some bike share programs offer electric-assist bikes, often called e-bikes.

**Btu** – British thermal unit. The amount of energy required to raise the temperature of 1 pound of water 1 degree Fahrenheit at or near 39.2 degrees Fahrenheit. An average Btu content of fuel is the heat value per quantity of fuel as determined from tests of fuel samples.

**Bunker** – A storage tank.

**Bunker fuels** – Fuel supplied to ships and aircraft, both domestic and foreign, consisting primarily of residual and distillate fuel oil for ships and kerosene-based jet fuel for aircraft.

**Bus** –A mode of transit service characterized by roadway vehicles powered by diesel, gasoline, battery, or alternative fuel engines contained within the vehicle.

**Intercity bus:** A standard size bus equipped with front doors only, high backed seats, luggage compartments separate from the passenger compartment and usually with restroom facilities, for high-speed long-distance service.

**Motor bus:** Rubber-tired, self-propelled, manually-steered bus with fuel supply on board the vehicle. Motor bus types include intercity, school, and transit.

**School and other nonrevenue bus:** Bus services for which passengers are not directly charged for transportation, either on a per passenger or per vehicle basis.

**Transit bus:** A bus designed for frequent stop service with front and center doors, normally with a rear-mounted diesel engine, low-back seating, and without luggage storage compartments or restroom facilities.

**Trolley coach:** Rubber-tired electric transit vehicle, manually-steered, propelled by a motor drawing current, normally through overhead wires, from a central power source not on board the vehicle.

**Calendar year** – The period of time between January 1 and December 31 of any given year.

**Captive imports** – Products produced overseas specifically for domestic manufacturers.

**Carsharing** – Users have access to a light vehicle on a temporary basis, typically paying a fee for each use in addition to membership fees. The carshare operator maintains a fleet of vehicles that are parked in various locations across a city or urban area. The operator typically provides the insurance, gasoline, parking, and maintenance.

**Car size classifications** – Size classifications of cars are established by the Environmental Protection Agency (EPA) as follows:

Minicompact – less than 85 cubic feet of passenger and luggage volume.

Subcompact – between 85 to 99 cubic feet of passenger and luggage volume.

Compact – between 100 to 109 cubic feet of passenger and luggage volume.

Midsize – between 110 to 119 cubic feet of passenger and luggage volume.

Large – 120 cubic feet or more of passenger and luggage volume.

Two seater – cars designed primarily to seat only two adults.

Small station wagon – less than 130 cubic feet of passenger and luggage volume.

Mid-size station wagon – between 130 to 159 cubic feet of passenger and luggage volume.

Large station wagon – 160 or more cubic feet of passenger and luggage volume.

**Carbon dioxide (CO<sub>2</sub>)** – A colorless, odorless, non-poisonous gas that is a normal part of the ambient air. Carbon dioxide is a product of fossil fuel combustion.

**Carbon monoxide (CO)** – A colorless, odorless, highly toxic gas that is a by-product of incomplete fossil fuel combustion. Carbon monoxide, one of the major air pollutants, can be harmful in small amounts if breathed over a certain period of time.

**Car-mile (railroad)** – A single railroad car moved a distance of one mile.

**Cargo ton-mile** – See *Ton-mile*.

**Certificated route air carriers** – See *Air carriers*.

**Class I freight railroad** – See *Rail*.

**Coal slurry** – Finely crushed coal mixed with sufficient water to form a fluid.

**Combination trucks** – Consist of a power unit (a truck tractor) and one or more trailing units (a semi-trailer or trailer). The most frequently used combination is popularly referred to as a "tractor-semitrailer" or "tractor trailer."

**Commercial sector** – An energy-consuming sector that consists of service-providing facilities of: businesses; Federal, State, and local governments; and other private and public organizations, such as religious, social or fraternal groups. Includes institutional living quarters.

**Commuter rail** – A mode of transit service (also called metropolitan rail, regional rail, or suburban rail) characterized by an electric or diesel propelled railway for urban passenger train service consisting of local short distance travel operating between a central city and adjacent suburbs.

**Compact car** – See *car size classifications*.

**Compression ignition** – The form of ignition that initiates combustion in a diesel engine. The rapid compression of air within the cylinders generates the heat required to ignite the fuel as it is injected.

**Constant dollars** – A time series of monetary figures is expressed in constant dollars when the effect of change over time in the purchasing power of the dollar has been removed. Usually the data are expressed in terms of dollars of a selected year or the average of a set of years.

**Consumer Price Index (CPI)** – A measure of the average change over time in the prices paid by urban consumers for a market basket of consumer goods and services.

**Continuous discharge capacity** – Measured as percent of rated energy capacity. Energy delivered in a constant power discharge required by an electric vehicle for hill climbing and/or high-speed cruise, specified as the percent of its rated energy capacity delivered in a one hour constant-power discharge.

**Conventional Refueling Station** – An establishment for refueling motor vehicles with traditional transportation fuels, such as gasoline and diesel fuel.

**Corporate Average Fuel Economy (CAFE) Standards** – CAFE standards were originally established by Congress for new cars, and later for light-duty trucks, in Title V of the Motor Vehicle Information and Cost Savings Act (15 U.S.C.1901, et seq.) with subsequent amendments. Under CAFE, car manufacturers are required by law to produce vehicle fleets with a composite sales-weighted fuel economy which cannot be lower than the CAFE standards in a given year, or for every vehicle which does not meet the standard, a fine of \$5.00 is paid for every one-tenth of a mpg below the standard.

**Criteria pollutant** – A pollutant determined to be hazardous to human health and regulated under EPA's National Ambient Air Quality Standards. The 1970 amendments to the Clean Air Act require EPA to describe the health and welfare impacts of a pollutant as the "criteria" for inclusion in the regulatory regime.

**Crude oil** – A mixture of hydrocarbons that exists in liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Crude oil production is measured at the wellhead and includes lease condensate.

**Crude oil imports** – The volume of crude oil imported into the 50 States and the District of Columbia, including imports from U.S. territories, but excluding imports of crude oil into the Hawaiian Foreign Trade Zone.

**Curb weight** – The weight of a vehicle including all standard equipment, spare tire and wheel, all fluids and lubricants to capacity, full tank of fuel, and the weight of major optional accessories normally found on the vehicle.

**Current dollars** – Represents dollars current at the time designated or at the time of the transaction. In most contexts, the same meaning would be conveyed by the use of the term "dollars." See also constant dollars.

**Demand Response** – A transit mode that includes passenger cars, vans, and small buses operating in response to calls from passengers to the transit operator who dispatches the vehicles. The vehicles do not operate over a fixed route on a fixed schedule. Can also be known as paratransit or dial-a-ride.

**Diesel fuel** – See *Distillate fuel oil*.

**Disposable personal income** – See *Income*.

**Distillate fuel oil** – The lighter fuel oils distilled off during the refining process. Included are products known as ASTM grades numbers 1 and 2 heating oils, diesel fuels, and number 4 fuel oil. The major uses of distillate fuel oils include heating, fuel for on-and off-highway diesel engines, and railroad diesel fuel.

**Domestic air operator** – See *Air carrier*.

**Domestic water transportation** – See *Internal water transportation*.

**E85** – 85% ethanol and 15% gasoline.

**E95** – 95% ethanol and 5% gasoline.

**Electric utilities sector** – Consists of privately and publicly owned establishments which generate electricity primarily for resale.

**Emission standards** – Limits or ranges established for pollution levels emitted by vehicles as well as stationary sources. The first standards were established under the 1963 Clean Air Act.

**End-use sector** – See *Sector*.

**Energy capacity** – Often measured in kilowatt hours. The energy delivered by the battery up to termination of discharge specified by the battery manufacturer.

**Energy efficiency** – In reference to transportation, the inverse of energy intensiveness: the ratio of outputs from a process to the energy inputs; for example, miles traveled per gallon of fuel (mpg).

**Energy intensity** – In reference to transportation, the ratio of energy inputs to a process to the useful outputs from that process; for example, gallons of fuel per passenger-mile or Btu per ton-mile.

**Ethanol (C<sub>2</sub>H<sub>5</sub>OH)** – Otherwise known as ethyl alcohol, alcohol, or grain-spirit. A clear, colorless, flammable oxygenated hydrocarbon with a boiling point of 78.5 degrees Celsius in the anhydrous state. In transportation, ethanol is used as a vehicle fuel by itself (E100 – 100% ethanol by volume), blended with gasoline (E85 – 85% ethanol by volume), or as a gasoline octane enhancer and oxygenate (10% by volume).

**Excise tax** – Paid when purchases are made on a specific good, such as gasoline. Excise taxes are often included in the price of the product. There are also excise taxes on activities, such as highway usage by trucks.

**Ferry boat** – A transit mode comprising vessels carrying passengers and in some cases vehicles over a body of water, and that are generally steam or diesel-powered.

**Fixed operating cost** – See *Operating cost*.

**Fleet vehicles** –

**Private fleet vehicles:** Ideally, a vehicle could be classified as a member of a fleet if it is:

- a) operated in mass by a corporation or institution,
- b) operated under unified control, or
- c) used for non-personal activities.

However, the definition of a fleet is not consistent throughout the fleet industry. Some companies make a distinction between cars that were bought in bulk rather than singularly, or whether they are operated in bulk, as well as the minimum number of vehicles that constitute a fleet (i.e. 4 or 10).

**Government fleet vehicles:** Includes vehicles owned by all Federal, state, county, city, and metro units of government, including toll road operations.

**Foreign freight** – Movements between the United States and foreign countries and between Puerto Rico, the Virgin Islands, and foreign countries. Trade between U.S. territories and possessions (e.g. American Samoa, Guam, North Mariana Islands and U.S. Outlying Islands) and foreign countries is excluded. Traffic to or from the Panama Canal Zone is included, but traffic with U.S. origin and U.S. destination traveling through the Panama Canal is not.

**Gas Guzzler Tax** – Originates from the 1978 Energy Tax Act (Public Law 95-618). A new car purchaser is required to pay the tax if the car purchased has a combined city/highway fuel economy rating that is below the standard for that year. For model years 1986 and later, the standard is 22.5 mpg.

**Gasohol** – A mixture of 10% anhydrous ethanol and 90% gasoline by volume; 7.5% anhydrous ethanol and 92.5% gasoline by volume; or 5.5% anhydrous ethanol and 94.5% gasoline by volume. There are other fuels that contain methanol and gasoline, but these fuels are not referred to as gasohol.

**Gasoline** – See *Motor gasoline*.

**General aviation** – That portion of civil aviation which encompasses all facets of aviation except air carriers. It includes any air taxis, commuter air carriers, and air travel clubs which do not hold Certificates of Public Convenience and Necessity.

**Global warming potential (GWP)** – An index used to compare the relative radiative forcing of different gases without directly calculating the changes in atmospheric concentrations. GWPs are calculated as the ratio of the radiative forcing that would result from the emission of one kilogram of a greenhouse gas to that from the emission of one kilogram of carbon dioxide over a fixed period of time, such as 100 years.

**Greenhouse gases** – Those gases, such as water vapor, carbon dioxide, nitrous oxide, methane, hydrofluorocarbons (HFCs), perfluorocarbons (PFCs) and sulfur hexafluoride, that are transparent to solar (short-wave) radiation but opaque to long-wave (infrared) radiation, thus preventing long-wave radiant energy from leaving Earth's atmosphere. The net effect is a trapping of absorbed radiation and a tendency to warm the planet's surface.

**Gross Domestic Product (GDP)** – The market value of goods and services produced by labor and property in the United States, regardless of nationality; gross domestic product replaced gross national product as the primary measure of U.S. production in 1991.

**Gross National Product (GNP)** – A measure of monetary value of the goods and services becoming available to the nation from economic activity. The market value of goods and services produced by labor and property supplied by U.S. residents, regardless of where they are located. Calculated quarterly by the Department of Commerce, the gross national product is the broadest available measure of the level of economic activity.

**Gross vehicle weight (gvw)** – The weight of the empty truck plus the maximum anticipated load weight, including passengers, fluids, and cargo.



**Gross vehicle weight rating (gvwr)** – The gross vehicle weight which is assigned to each new truck by the manufacturer. This rating may be different for trucks of the same model because of certain features, such as heavy-duty suspension. Passenger cars are not assigned gross vehicle weight ratings.

**Heavy-heavy truck** – See *Truck size classifications*.

**Heavy rail** – A mode of transit service (also called metro, subway, rapid transit, or rapid rail) operating on an electric railway with the capacity for a heavy volume of traffic. Characterized by high speed and rapid acceleration of passenger rail cars.

**Household** – Consists of all persons who occupy a housing unit, including the related family members and all unrelated persons, if any, who share the housing unit.

**Housing unit** – A house, apartment, a group of rooms, or a single room occupied or intended for occupancy as separate living quarters. Separate living quarters are those in which the occupants do not live and eat with any other persons in the structure and which have either (1) direct access from the outside of the building or through a common hallway intended to be used by the occupants of another unit or by the general public, or (2) complete kitchen facilities for the exclusive use of the occupants. The occupants may be a single family, one person living alone, two or more families living together, or any other group of related or unrelated persons who share living arrangements.

**Hybrid-electric vehicles** – Combines the benefits of gasoline engines and electric motors and can be configured to obtain different objectives, such as improved fuel economy, increased power, or additional auxiliary power for electronic devices and power tools.

**Hybrid rail** – A subset of commuter rail operating exclusively on freight railroad right-of-way.

**Hydrocarbon (HC)** – A compound that contains only hydrogen and carbon. The simplest and lightest forms of hydrocarbon are gaseous. With greater molecular weights they are liquid, while the heaviest are solids.

**Income** –

**Disposable personal income:** Personal income less personal tax and non-tax payments.

**National income:** The aggregate earnings of labor and property which arise in the current production of goods and services by the nation's economy.

**Personal income:** The current income received by persons from all sources, net of contributions for social insurance.

**Industrial sector** – Construction, manufacturing, agricultural and mining establishments.

**Inertia weight** – The curb weight of a vehicle plus 300 pounds.

**Intercity bus** – See *Bus*.

**Intermodal** – Transportation activities involving more than one mode of transportation, including transportation connections and coordination of various modes.

**Internal water transportation** – Includes all local (intraport) traffic and traffic between ports or landings wherein the entire movement takes place on inland waterways. Also termed internal are movements involving carriage on both inland waterways and the water of the Great Lakes, and inland movements that cross short stretches of open water that link inland systems.

**International air operator** – See *Air carrier*.

**International freight** – See *Foreign freight*.

**Jet fuel** – Includes both naphtha-type and kerosene-type fuels meeting standards for use in aircraft turbine engines. Although most jet fuel is used in aircraft, some is used for other purposes such as generating electricity in gas turbines.

**Kerosene-type jet fuel:** A quality kerosene product with an average gravity of 40.7 degrees API and 10% to 90% distillation temperatures of 217 to 261 degrees Celsius. Used primarily as fuel for commercial turbojet and turboprop aircraft engines. It is a relatively low freezing point distillate of the kerosene type.

**Naphtha-type jet fuel:** A fuel in the heavy naphtha boiling range with an average gravity of 52.8 degrees API and 10% to 90% distillation temperatures of 117 to 233 degrees Celsius used for turbojet and turboprop aircraft engines, primarily by the military. Excludes ramjet and petroleum.

**Kerosene** – A petroleum distillate in the 300 to 500 degrees Fahrenheit boiling range and generally having a flash point higher than 100 degrees Fahrenheit by the American Society of Testing and Material (ASTM) Method D56, a gravity range from 40 to 46 degrees API, and a burning point in the range of 150 to 175 degrees Fahrenheit. It is a clean-burning product suitable for use as an illuminant when burned in wick lamps. Includes grades of kerosene called range oil having properties similar to Number 1 fuel oil, but with a gravity of about 43 degrees API and an end point of 625 degrees Fahrenheit. Used in space heaters, cooking stoves, and water heaters.

**Kerosene-type jet fuel** – See Jet fuel.

**Large car** – See *Car size classifications*.

**Lease Condensate** – A liquid recovered from natural gas at the well or at small gas/oil separators in the field. Consists primarily of pentanes and heavier hydrocarbons (also called field condensate).

**Light-duty vehicles** – Cars and light-duty trucks combined.

**Light-duty truck** – Light-duty trucks are defined differently by different agencies/companies. Therefore, this document does not have one single definition of light-duty trucks. The Environmental Protection Agency defines light-duty trucks size classes as follows:

Class	Gross Vehicle Weight Rating (GVWR)	
<b>Pickup Trucks</b>	<b>Through 2007</b>	<b>As of 2008</b>
	Small	< 4,500 lbs
	Standard	4,500 to 8,500 lbs
<b>Vans</b>	<b>Through 2010</b>	<b>As of 2011</b>
	Passenger	< 8,500 lbs
	Cargo	< 8,500 lbs
<b>Minivans</b>	< 8,500 lbs	
<b>SUVs</b>	<b>Through 2010</b>	<b>2011–12</b>
	All	< 8,500 lbs
		<b>As of 2013</b>
	Small	< 6,000 lbs
	Standard	6,000 to 9,999 lbs
<b>Special Purpose Vehicles</b>	<b>Through 2010</b>	<b>As of 2011</b>
	< 8,500 lbs	< 8,500 lbs
		or < 10,000 lbs
	depending on configuration	

**Light-heavy truck** – See *Truck size classifications*.

**Light rail** – Mode of transit service (also called streetcar, tramway or trolley) operating passenger rail cars singly (or in short, usually two-car or three-car trains) on fixed rails in right-of-way that is often separated from other traffic for part or much of the way.

**Liquefied petroleum gas (lpg)** – Consists of propane and butane and is usually derived from natural gas. In locations where there is no natural gas and the gasoline consumption is low, naphtha is converted to lpg by catalytic reforming.

**Load factor** – Total passenger miles divided by total vehicle miles.

**Low emission vehicle** – Any vehicle certified to the low emission standards which are set by the Federal government and/or the state of California.

**M85** – 85% methanol and 15% gasoline.

**M100** – 100% methanol.

**Medium truck** – See *Truck size classifications*.

**Methanol (CH<sub>3</sub>OH)** – A colorless highly toxic liquid with essentially no odor and very little taste. It is the simplest alcohol and boils at 64.7 degrees Celsius. In transportation, methanol is used as a vehicle fuel by itself (M100), or blended with gasoline (M85).

**Midsized car** – See *Car size classifications*.

**Minicompact car** – See *Car size classifications*.

**Model year** – In this publication, model year is referring to the "sales" model year, the period from October 1 to the next September 31.

**Motor bus** – See *Bus*.

**Motor gasoline** – A mixture of volatile hydrocarbons suitable for operation of an internal combustion engine whose major components are hydrocarbons with boiling points ranging from 78 to 217 degrees Celsius and whose source is distillation of petroleum and cracking, polymerization, and other chemical reactions by which the naturally occurring petroleum hydrocarbons are converted into those that have superior fuel properties.

**Regular gasoline:** Gasoline having an antiknock index, i.e., octane rating, greater than or equal to 85 and less than 88. Note: Octane requirements may vary by altitude.

**Midgrade gasoline:** Gasoline having an antiknock index, i.e., octane rating, greater than or equal to 88 and less than or equal to 90. Note: Octane requirements may vary by altitude.

**Premium gasoline:** Gasoline having an antiknock index, i.e., octane rating, greater than 90. Note: Octane requirements may vary by altitude.

**Reformulated gasoline:** Finished motor gasoline formulated for use in motor vehicles, the composition and properties of which meet the requirements of the reformulated gasoline regulations promulgated by the U.S. Environmental Protection Agency under Section 211(k) of the Clean Air Act. For more details on this clean fuel program see <http://www.epa.gov/otaq/fuels/gasolinefuels/rfg/index.htm>. Note: This category includes oxygenated fuels program reformulated gasoline (OPRG) but excludes reformulated gasoline blendstock for oxygenate blending (RBOB).

**MTBE** – Methyl Tertiary Butyl Ether—a colorless, flammable, liquid oxygenated hydrocarbon containing 18.15 percent oxygen.

**Naphtha-type jet fuel** – See *Jet fuel*.

**National income** – See *Income*.

**Nationwide Household Travel Survey (NHTS)** – A nationwide survey of households that provides information on the characteristics and personal travel patterns of the U.S. population. Surveys were conducted in 2001, 2009, and 2017 by the U.S. Bureau of Census for the U.S. Department of Transportation. This is a follow-on to the NPTS.

**Nationwide Personal Transportation Survey (NPTS)** – A nationwide survey of households that provides information on the characteristics and personal travel patterns of the U.S. population. Surveys were conducted in 1969, 1977, 1983, 1990, and 1995 by the U.S. Bureau of Census for the U.S. Department of Transportation.

**Natural gas** – A mixture of hydrocarbon compounds and small quantities of various non-hydrocarbons existing in the gaseous phase or in solution with crude oil in natural underground reservoirs at reservoir conditions.

**Natural gas, dry:** Natural gas which remains after: 1) the liquefiable hydrocarbon portion has been removed from the gas stream; and 2) any volumes of nonhydrocarbon gases have been removed where they occur in sufficient quantity to render the gas unmarketable. Dry natural gas is also known as consumer-grade natural gas. The parameters for measurement are cubic feet at 60 degrees Fahrenheit and 14.73 pounds per square inch absolute.

**Natural gas, wet:** The volume of natural gas remaining after removal of lease condensate in lease and/or field separation facilities, if any, and after exclusion of nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable. Natural gas liquids may be recovered from volumes of natural gas, wet after lease separation, at natural gas processing plants.

**Natural gas plant liquids:** Natural gas liquids recovered from natural gas in processing plants and from natural gas field facilities and fractionators. Products obtained include ethane, propane, normal butane, isobutane, pentanes plus, and other products from natural gas processing plants.

**Nitrogen oxides (NO<sub>x</sub>)** – A product of combustion of fossil fuels whose production increases with the temperature of the process. It can become an air pollutant if concentrations are excessive.

**Nonattainment area** – Any area that does not meet the national primary or secondary ambient air quality standard established by the Environmental Protection Agency for designated pollutants, such as carbon monoxide and ozone.

**Oil Stocks** – Oil stocks include crude oil (including strategic reserves), unfinished oils, natural gas plant liquids, and refined petroleum products.

**Operating cost** –

**Fixed operating cost:** In reference to passenger car operating cost, refers to those expenditures that are independent of the amount of use of the car, such as insurance costs, fees for license and registration, depreciation and finance charges.

**Variable operating cost:** In reference to passenger car operating cost, expenditures which are dependent on the amount of use of the car, such as the cost of gas and oil, tires, and other maintenance.

**Organization for Economic Cooperation and Development (OECD)** – Consists of Australia, Austria, Belgium, Canada, Chile, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Israel, Italy, Japan, Luxembourg, Mexico, Netherlands, New Zealand, Norway, Poland, Portugal, Slovak Republic, Slovenia, South Korea, Spain, Sweden, Switzerland, Turkey, United Kingdom, and United States. Total OECD includes the United States Territories (Guam, Puerto Rico, and the U.S. Virgin Islands).

**OECD Europe:** Consists of Austria, Belgium, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Portugal, Slovak Republic, Slovenia, Spain, Sweden, Switzerland, Turkey, and United Kingdom.

**OECD Pacific:** Consists of Australia, Japan, South Korea, and New Zealand.

**Organization for Petroleum Exporting Countries (OPEC)** – Includes Algeria, Angola, Ecuador, Iran, Iraq, Kuwait, Libya, Nigeria, Qatar, Saudi Arabia, United Arab Emirates, and Venezuela.

**Arab OPEC** – Consists of Algeria, Bahrain, Egypt, Iraq, Kuwait, Libya, Qatar, Saudi Arabia, Syria, Tunisia, and the United Arab Emirates.

**Other single-unit truck** – See *Single-unit truck*.

**Oxygenate** – A substance which, when added to gasoline, increases the amount of oxygen in that gasoline blend. Includes fuel ethanol, methanol, and methyl tertiary butyl ether (MTBE).

**Paratransit** – Mode of transit service (also called demand response or dial-a-ride) characterized by the use of passenger cars, vans or small buses operating in response to calls from passengers or their agents to the transit operator, who then dispatches a vehicle to pick up the passengers and transport them to their destinations.

**Particulates** – Carbon particles formed by partial oxidation and reduction of the hydrocarbon fuel. Also included are trace quantities of metal oxides and nitrides, originating from engine wear, component degradation, and inorganic fuel additives. In the transportation sector, particulates are emitted mainly from diesel engines.

**Passenger-miles traveled (PMT)** – One person traveling the distance of one mile. Total passenger-miles traveled, thus, give the total mileage traveled by all persons.

**Passenger rail** – See *Rail*, "*Amtrak*" and "*Transit Railroad*".

**Persian Gulf countries** – Consists of Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and the United Arab Emirates.

**Personal Consumption Expenditures (PCE)** – As used in the national accounts, the market value of purchases of goods and services by individuals and nonprofit institutions and the value of food, clothing, housing, and financial services received by them as income in kind. It includes the rental value of owner-occupied houses but excludes purchases of dwellings, which are classified as capital goods (investment).

**Personal income** – See *Income*.

**Petroleum** – A generic term applied to oil and oil products in all forms, such as crude oil, lease condensate, unfinished oil, refined petroleum products, natural gas plant liquids, and non-hydrocarbon compounds blended into finished petroleum products.

**Petroleum consumption:** A calculated demand for petroleum products obtained by summing domestic production, imports of crude petroleum and natural gas liquids, imports of petroleum products, and the primary stocks at the beginning of the period and then subtracting the exports and the primary stocks at the end of the period.

**Petroleum exports:** Shipments of petroleum products from the 50 States and the District of Columbia to foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

**Petroleum imports:** All imports of crude petroleum, natural gas liquids, and petroleum products from foreign countries and receipts from Guam, Puerto Rico, the Virgin Islands, and the Hawaiian Trade Zone. The commodities included are crude oil, unfinished oils, plant condensate, and refined petroleum products.

**Petroleum inventories:** The amounts of crude oil, unfinished oil, petroleum products, and natural gas liquids held at refineries, at natural gas processing plants, in pipelines, at bulk terminals operated by refining and pipeline companies, and at independent bulk terminals. Crude oil held in storage on leases is also included; these stocks are known as primary stocks. Secondary stocks—those held by jobbers dealers, service station operators, and consumers—are excluded. Prior to 1975, stock held at independent bulk terminals were classified as secondary stocks.

**Petroleum products supplied:** For each petroleum product, the amount supplied is calculated by summing production, crude oil burned directly, imports, and net withdrawals from primary stocks and subtracting exports.

**Plug-in hybrid-electric vehicles (PHEVs)** — Hybrid-electric vehicles with high capacity batteries that can be charged by plugging them into an electrical outlet or charging station. There are two basic PHEV configurations:

**Parallel or Blended PHEV:** Both the engine and electric motor are mechanically connected to the wheels, and both propel the vehicle under most driving conditions. Electric-only operation usually occurs only at low speeds.

**Series PHEVs, also called Extended Range Electric Vehicles (EREVs):** Only the electric motor turns the wheels; the gasoline engine is only used to generate electricity. Series PHEVs can run solely on electricity until the battery needs to be recharged. The gasoline engine will then generate the electricity needed to power the electric motor. For shorter trips, these vehicles might use no gasoline at all.

**Processing Gain** – The amount by which the total volume of refinery output is greater than the volume of input for given period of time. The processing gain arises when crude oil and other hydrocarbons are processed into products that are, on average, less dense than the input.

**Processing Loss** – The amount by which the total volume of refinery output is less than the volume of input for given period of time. The processing loss arises when crude oil and other hydrocarbons are processed into products that are, on average, denser than the input.

**Proved Reserves of Crude Oil** – The estimated quantities of all liquids defined as crude oil, which geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

**Quad** – Quadrillion,  $10^{15}$ . In this publication, a Quad refers to Quadrillion Btu.

**Rail** –

**Amtrak (American Railroad Tracks):** Operated by the National Railroad Passenger Corporation of Washington, DC. This rail system was created by President Nixon in 1970, and was given the responsibility for the operation of intercity, as distinct from suburban, passenger trains between points designated by the Secretary of Transportation.

**Class I freight railroad:** Defined by the Interstate Commerce Commission each year based on annual operating revenue. A railroad is dropped from the Class I list if it fails to meet the annual earnings threshold for three consecutive years.

**Commuter railroad:** Those portions of mainline railroad (not electric railway) transportation operations which encompass urban passenger train service for local travel between a central city and adjacent suburbs. Commuter railroad service—using both locomotive-hauled and self-propelled railroad passenger cars—is characterized by multi-trip tickets, specific station-to-station fares, and usually only one or two stations in the central business district. Also known as suburban railroad.



**Transit railroad:** Includes "heavy" and "light" transit rail. **Heavy transit rail** is characterized by exclusive rights-of-way, multi-car trains, high speed rapid acceleration, sophisticated signaling, and high platform loading. Also known as subway, elevated railway, or metropolitan railway (metro). **Light transit rail** may be on exclusive or shared rights-of-way, high or low platform loading, multi-car trains or single cars, automated or manually operated. In generic usage, light rail includes streetcars, trolley cars, and tramways.

**Refiner sales price** – Sales from the refinery made directly to ultimate consumers, including bulk consumers (such as agriculture, industry, and electric utilities) and residential and commercial consumers.

**Reformulated gasoline (RFG)** – See *Motor gasoline*.

**RFG area** – An ozone nonattainment area designated by the Environmental Protection Agency which requires the use of reformulated gasoline.

**Residential sector** – An energy consuming sector that consists of living quarters for private households. Excludes institutional living quarters.

**Residential Transportation Energy Consumption Survey (RTECS)** – This survey was designed by the Energy Information Administration of the Department of Energy to provide information on how energy is used by households for personal vehicles. It has been conducted five times since 1979, the most recent being 1991.

**Residual fuel oil** – The heavier oils that remain after the distillate fuel oils and lighter hydrocarbons are boiled off in refinery operations. Included are products known as ASTM grade numbers 5 and 6 oil, heavy diesel oil, Navy Special Fuel Oil, Bunker C oil, and acid sludge and pitch used as refinery fuels. Residual fuel oil is used for the production of electric power, for heating, and for various industrial purposes.

**Ride hailing** – Ride hailing services (also called transportation network companies) provide on-demand transportation for a fee, typically via a mobile phone application that matches drivers and riders. The most popular ride hailing companies in the U.S. are Uber and Lyft.

**Rural** – Usually refers to areas with population less than 5,000.

**Sales period** – October 1 of the previous year to September 30 of the given year. Approximately the same as a model year.

**Sales-weighted miles per gallon (mpg)** – Calculation of a composite vehicle fuel economy based on the distribution of vehicle sales.

**Scrapage rate** – As applied to motor vehicles, it is usually expressed as the percentage of vehicles of a certain type in a given age class that are retired from use (lacking registration) in a given year.

**School and other nonrevenue bus** – See *Bus*.

**Sector** – A group of major energy-consuming components of U.S. society developed to measure and analyze energy use. The sectors most commonly referred to are: residential, commercial, industrial, transportation, and electric power.

**Shared micromobility** –Refers to small fleets of fully or partially human-powered vehicles including bikes, e-bikes and e-scooters.

**Shared mobility** – Any mode of shared transportation, such as public transit, bike and scooter sharing, carsharing, carpooling, and ride hailing.

**Single-unit truck** – Includes two-axle, four-tire trucks and other single-unit trucks.

**Two-axle, four-tire truck:** A motor vehicle consisting primarily of a single motorized device with two axles and four tires.

**Other single-unit truck:** A motor vehicle consisting primarily of a single motorized device with more than two axles or more than four tires.

**Spark ignition engine** – An internal combustion engine in which the charge is ignited electrically (e.g., with a spark plug).

**Special fuels** – Consist primarily of diesel fuel with small amount of liquefied petroleum gas, as defined by the Federal Highway Administration.

**Specific acceleration power** – Measured in watts per kilogram. Acceleration power divided by the battery system weight. Weight must include the total battery system.

**Specific energy** – Measured in watt hours per kilogram. The rated energy capacity of the battery divided by the total battery system weight.

**Subcompact car** – See *Car size classifications*.

**Supplemental air carrier** – See *Air carrier*.

**Survival rate** – As applied to motor vehicles, it is usually expressed as the percentage of vehicles of a certain type in a given age class that will be in use at the end of a given year.

**Tax incentives** – In general, a means of employing the tax code to stimulate investment in or development of a socially desirable economic objective without direct expenditure from the budget of a given unit of government. Such incentives can take the form of tax exemptions or credits.

**Test weight** – The weight setting at which a vehicle is tested on a dynamometer by the U.S. Environmental Protection Agency (EPA). This weight is determined by the EPA using the inertia weight of the vehicle.

**Ton-mile** – The movement of one ton of freight the distance of one mile. Ton-miles are computed by multiplying the weight in tons of each shipment transported by the distance hauled.

**Transmission types –**

- A3 – Automatic three speed
- A4 – Automatic four speed
- A5 – Automatic five speed
- L4 – Automatic lockup four speed
- M5 – Manual five speed

**Transit bus** – See *Bus*.

**Transit railroad** – See *Rail*.

**Transportation network company (TNC)** – provides on-demand transportation for a fee, typically via a mobile phone application that matches drivers and riders. The most popular TNCs in the U.S. are Uber and Lyft.

**Transportation sector** – Consists of both private and public passenger and freight transportation, as well as government transportation, including military operations.

**Truck Inventory and Use Survey (TIUS)** – Survey designed to collect data on the characteristics and operational use of the nation's truck population. It is conducted every five years by the U.S. Bureau of the Census. Surveys were conducted in 1963, 1967, 1972, 1977, 1982, 1987, and 1992. For the 1997 survey, it was renamed the Vehicle Inventory and Use Survey in anticipation of including additional vehicle types. However, no additional vehicle types were added to the 1997 survey.

**Trolleybus** – Mode of transit service (also called transit coach) using vehicles propelled by a motor drawing current from overhead wires via connecting poles called a trolley pole, from a central power source not onboard the vehicle.

**Truck size classifications** – U.S. Bureau of the Census has categorized trucks by gross vehicle weight (gvw) as follows:

- Light – Less than 10,000 pounds gvw (Also see *Light-duty truck*.)
- Medium – 10,001 to 20,000 pounds gvw
- Light-heavy – 20,001 to 26,000 pounds gvw
- Heavy-heavy – 26,001 pounds gvw or more.

**Two-axle, four-tire truck** – See *Single-unit truck*.

**Two-seater car** – See *Car size classifications*.

**Ultra-low emission vehicle** – Any vehicle certified to the ultra-low emission standards which are set by the Federal government and/or the state of California.

**Urban** – Usually refers to areas with population of 5,000 or greater.

**Vanpool:** A ridesharing prearrangement using vans or small buses providing round-trip transportation between the participant's prearranged boarding points and a common and regular destination.

**Variable operating cost** – See *Operating cost*.

**Vehicle Inventory and Use Survey** – Last conducted in 2002. See *Truck Inventory and Use Survey*.

**Vehicle-miles traveled (vmt)** – One vehicle traveling the distance of one mile. Total vehicle miles, thus, is the total mileage traveled by all vehicles.

**Volatile organic compounds (VOCs)** – Organic compounds that participate in atmospheric photochemical reactions.

**Waterborne Commerce** –

**Coastwise:** Domestic traffic receiving a carriage over the ocean, or the Gulf of Mexico. Traffic between Great Lakes ports and seacoast ports, when having a carriage over the ocean, is also termed Coastwise.

**Domestic:** Includes coastwise, lakewise, and internal waterborne movements.

**Foreign:** Waterborne import, export, and in-transit traffic between the United States, Puerto Rico and the Virgin Islands and any foreign country.

**Internal:** Vessel movements (origin and destination) which take place solely on inland waterways. An inland waterway is one geographically located within the boundaries of the contiguous 48 states or within the boundaries of the State of Alaska.

**Lakewise:** Waterborne traffic between the United States ports on the Great Lakes System. The Great Lakes System is treated as a separate waterway system rather than as a part of the inland waterway system. In comparing historical data for the Great Lakes System, one should note that prior to calendar year 1990, marine products, sand and gravel being moved from the Great Lakes to Great Lake destinations were classified as local traffic. From 1990-on, these activities are classified as lakewise traffic.

**Well-to-wheel** – A life cycle analysis used in transportation to consider the entire energy cycle for a given mode, rather than just tailpipe emissions. The analysis starts at the primary energy source and ends with the turning wheels of the vehicle.

**Zero-emission vehicle** – Any vehicle certified to the zero emission standards which are set by the Federal government and/or the state of California. These standards apply to the vehicle emissions only.