Center for Transportation Analysis Engineering Science & Technology Division

TRANSPORTATION ENERGY DATA BOOK: EDITION 24

Stacy C. Davis
Susan W. Diegel
Oak Ridge National Laboratory

December 2004

Prepared for the
Office of Planning, Budget Formulation and Analysis
Energy Efficiency and Renewable Energy
U.S. Department of Energy

Prepared by the
Oak Ridge National Laboratory
Oak Ridge, Tennessee 37831-6073
Managed by
UT-BATTELLE, LLC
for the
U.S. DEPARTMENT OF ENERGY
under Contract No. DE-AC05-00OR22725

DOCUMENT AVAILABILITY

Reports produced after January 1, 1996, are generally available free via the U.S. Department of Energy (DOE) Information Bridge:

Web site: http://www.osti.gov/bridge

Reports produced before January 1, 1996, may be purchased by members of the public from the following source:

National Technical Information Service

5285 Port Royal Road Springfield, VA 22161

Telephone: 703-605-6000 (1-800-553-6847)

TDD: 703-487-4639 *Fax*: 703-605-6900

E-mail: info@ntis.fedworld.gov

Web site: http://www.ntis.gov/support/ordernowabout.htm

Reports are available to DOE employees, DOE contractors, Energy Technology Data Exchange (ETDE) representatives, and International Nuclear Information System (INIS) representatives from the following source:

Office of Scientific and Technical Information

P.O. Box 62

Oak Ridge, TN 37831 *Telephone:* 865-576-8401 *Fax:* 865-576-5728

E-mail: reports@adonis.osti.gov

Web site: http://www.osti.gov/contact.html

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Users of the *Transportation Energy Data Book* are encouraged to comment on errors, omissions, emphases, and organization of this report to one of the persons listed below. Requests for additional complementary copies of this report, additional data, or information on an existing table should be referred to Ms. Stacy Davis, Oak Ridge National Laboratory.

Stacy C. Davis
Oak Ridge National Laboratory
National Transportation Research Center
2360 Cherahala Boulevard
Knoxville, Tennessee 37932

Telephone: (865) 946-1256 FAX: (865) 946-1314 E-mail: DAVISSC@ornl.gov Web Site Location: www-cta.ornl.gov

Philip D. Patterson

Office of Planning, Budget Formulation and Analysis

Energy Efficiency and Renewable Energy

Department of Energy, EE-30

Forrestal Building, Room 5F-034

1000 Independence Avenue, S.W.

Washington, D.C. 20585

Telephone: (202) 586-9121 FAX: (202) 586-9811

E-mail: PHILIP.PATTERSON@hq.doe.gov

Web Site Location: www.eere.energy.gov

This and previous editions of the Transportation Energy Data Book can be found on the web at:

cta.ornl.gov/data

TABLE OF CONTENTS

FOREWORD	xvii
ACKNOWLE	DGMENTS xix
ABSTRACT	xxi
INTRODUCT	TON xxiii
CHAPTER 1	PETROLEUM
Table 1.1	World Fossil Fuel Potential
Figure 1.1	World Fossil Fuel Potential
Table 1.2	World Crude Oil Production, 1960–2003
Table 1.3	World Petroleum Production, 1973–2003
Table 1.4	World Petroleum Consumption, 1960–2003
Figure 1.2	World Oil Reserves, Production and Consumption, 2003
Table 1.5	World Oil Reserves, Production and Consumption, 2003
Figure 1.3	World Natural Gas Reserves, Production and Consumption, 2002 1–7
Table 1.6	World Natural Gas Reserves, Production and Consumption, 2002 1–7
Figure 1.4	Crude Oil Prices in Current and Constant Terms, 1870–2003
Table 1.7	U.S. Petroleum Imports by World Region of Origin, 1960–2003 1–9
Figure 1.5	Oil Price and Economic Growth, 1970–2003 1–10
Table 1.8	Summary of Military Expenditures for Defending Oil Supplies from the Middle East
Figure 1.6	Refinery Gross Output by World Region, 2003
Table 1.9	U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003 1–13
Table 1.10	Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003 . 1–14
Table 1.11	United States Petroleum Production, Imports and Exports, 1950–2003 1–15
Table 1.12	Petroleum Production and Consumption Ratios, 1950–2003
Figure 1.7	United States Petroleum Production and Consumption, 1970–2025

Table 1.13	Consumption of Petroleum by End-Use Sector, 1973–2003
Table 1.14	Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2002
CHAPTER 2	ENERGY 2–1
Figure 2.1	World Consumption of Primary Energy, 2002
Table 2.1	U. S. Consumption of Total Energy by End-Use Sector, 1973–2003 2–3
Table 2.2	Distribution of Energy Consumption by Source, 1973 and 2003
Table 2.3	Alternative Fuel and Oxygenate Consumption, 1995–2004
Table 2.4	Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002
Table 2.5	Transportation Energy Use by Mode, 2001–2002
Table 2.6	Highway Transportation Energy Consumption by Mode, 1970–2002 2–8
Table 2.7	Nonhighway Transportation Energy Consumption by Mode, 1970–2002 2–9
Table 2.8	Off-Highway Transportation-related Fuel Consumption, 1997 and 2001 2–10
Table 2.9	Highway Usage of Gasoline and Special Fuels, 1973–2002
Table 2.10	U.S. Production and Imports of MTBE and Fuel Ethanol, 1985–2003 2–12
Table 2.11	Passenger Travel and Energy Use, 2002
Table 2.12	Energy Intensities of Highway Passenger Modes, 1970–2002
Table 2.13	Energy Intensities of Nonhighway Passenger Modes, 1970–2002 2–15
Figure 2.2	Energy Intensities for Selected Transit Systems, 2002
Table 2.14	Intercity Freight Movement and Energy Use in the United States, 2002 2–17
Table 2.15	Energy Intensities of Freight Modes, 1970–2002
CHAPTER 3	ALL HIGHWAY VEHICLES AND CHARACTERISTICS 3-1
Table 3.1	Automobile Registrations for Selected Countries, 1950–2002
Table 3.2 Table 3.3	Truck and Bus Registrations for Selected Countries, 1950–2002

Figure 3.1	Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)
Table 3.4	Vehicle Stock and New Sales in the United States, 2002 Calendar Year 3–7
Table 3.5	Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970–2002 3–8
Table 3.6	Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001 3–9
Table 3.7	Trucks in Operation and Vehicle Travel by Age, 1970 and 2001
Table 3.8	Average Age of Automobiles and Trucks in Use, 1970–2002 3-11
Figure 3.2	Median Age and Registrations of Automobiles and Trucks, 1970–2002 3–12
Table 3.9	Automobile Scrappage and Survival Rates, 1970, 1980 and 1990 Model Years
Figure 3.3	Automobile Survival Rates
Table 3.10	Light Truck Scrappage and Survival Rates
Figure 3.4	Light Truck Survival Rates
Table 3.11	Heavy Truck Scrappage and Survival Rates
Figure 3.5	Heavy Truck Survival Rates
CHAPTER 4	LIGHT VEHICLES AND CHARACTERISTICS 4–1
Table 4.1	Summary Statistics for Passenger Cars, 1970–2002
Table 4.2	Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002
Table 4.3	Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks
Table 4.4	Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999 4–4
Table 4.5	New Retail Automobile Sales in the United States, 1970–2003
Table 4.6	New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003
Table 4.7	Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Automobiles, Selected Sales Periods 1976–2003 4–7

Table 4.8	Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light Trucks, Selected Sales Periods 1976–2003 4–8
Table 4.9	Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003 4–9
Figure 4.1	Light Vehicle Market Shares, Sales Periods 1976–2003
Table 4.10	Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003
Table 4.11	Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods 1976–2003
Table 4.12	Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003
Table 4.13	Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003
Table 4.14	Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003
Table 4.15	Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003
Table 4.16	New Light Vehicle Dealerships and Sales, 1970–2002
Table 4.17	Conventional and Alternative Fuel Refueling Stations
Table 4.18	Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2004
Table 4.19	Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2004
Table 4.20	Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002 4–21
Table 4.21	The Gas Guzzler Tax on New Cars
Table 4.22	Tax Receipts from the Sale of Gas Guzzlers, 1980–2002
Table 4.23	Vehicle Specifications for Vehicles Tested in the 1997 Study 4–25
Table 4.24	Fuel Economy by Speed, 1973, 1984, and 1997 Studies
Figure 4.2	Fuel Economy by Speed, 1973, 1984, and 1997 Studies
Table 4.25	Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study 4–28
Figure 4.3	Urban Driving Cycle

Figure 4.4	Highway Driving Cycle
Figure 4.5	New York City Driving Cycle
Figure 4.6	Representative Number Five Driving Cycle 4–30
Figure 4.7	US06 Driving Cycle
Table 4.26	Projected Fuel Economies from U.S., European, and Japanese Driving Cycles . 4–32
Table 4.27	Comparison of U.S., European, and Japanese Driving Cycles
Table 4.28	Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities, 1975–2002 . 4–34
Table 4.29	Light Vehicle Occupant Safety Data, 1975–2002
Table 4.30	Crashes by Crash Severity, Crash Type, and Vehicle Type, 2002 4-36
Figure 4.8	Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002 4–37
Table 4.31	Summary Statistics on Light Transit Vehicles, 1994–2002 4-38
CHAPTER 5	HEAVY VEHICLES AND CHARACTERISTICS
Table 5.1	Summary Statistics for Heavy Single-Unit Trucks, 1970–2002 5–2
Table 5.2	Summary Statistics for Combination Trucks, 1970–2002
Table 5.3	New Retail Truck Sales by Gross Vehicle Weight, 1970–2002
Table 5.4	Truck Statistics by Gross Vehicle Weight Class, 1997
Table 5.5	Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997 5–6
Table 5.6	Truck Statistics by Size, 1997
Table 5.7	Percentage of Trucks by Size Ranked by Major Use, 1997
Table 5.8	Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997 5–9
Table 5.9	Percentage of Trucks by Major Use and Primary Fueling Facility, 1997 5–10
Table 5.10	Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys
Table 5.11	Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys
Table 5.12	Summary Statistics on Transit Buses and Trolleybuses, 1994–2002 5–14

Table 5.13	Summary Statistics on Intercity and School Buses, 1970–2002 5–15
CHAPTER 6	ALTERNATIVE FUEL AND ADVANCED TECHNOLOGY VEHICLES AND CHARACTERISTICS
Table 6.1	Estimates of Alternative Fuel Vehicles in Use, 1995–2004
Table 6.2	Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003 6–4
Table 6.3	Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005 6–5
Table 6.4	Number of Alternative Refuel Sites by State and Fuel Type, 2003 6–6
Figure 6.1	Clean Cities Coalitions
Table 6.5	Sales and Specifications of Available Advanced Technology Vehicles 6–8
Table 6.6	Hydrogen Production Methods
Table 6.7	U.S. Hydrogen Production Plants and Storage Terminals 6–11
Table 6.8	U.S. and World Hydrogen Consumption by End-Use Category, 1999 6–12
Table 6.9	U.S. Hydrogen Fueling Stations
Table 6.10	Hydrogen Storage Systems for On-Board Light Vehicles 6–14
Table 6.11	Properties of Conventional and Alternative Fuels
Table 6.12	Fuel Cell Type Comparison
CHAPTER 7	FLEET VEHICLES AND CHARACTERISTICS 7-1
Figure 7.1	Fleet Vehicles in Service as of February 1, 2003
Table 7.1	Light Vehicles in Fleets of 15 or More, 2002
Table 7.2	New Light Fleet Vehicle Purchases by Vehicle Type, 2002
Table 7.3	Average Length of Time Business Fleet Vehicles are in Service, 2002 7–4
Table 7.4	Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002 7–4
Figure 7.2	Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002
Table 7.5	Federal Government Vehicles by Agency, Fiscal Year 2002
Table 7.6	Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002
Table 7.7	Fuel Consumed by Federal Government Fleets, FY 1998–2002

Table 7.8	Fuel Vehicles 7–	8
CHAPTER 8	HOUSEHOLD VEHICLES AND CHARACTERISTICS 8-	1
Table 8.1	Population and Vehicle Profile, 1950–2002 8–	2
Table 8.2	Vehicles and Vehicle-Miles per Capita, 1950–2002 8–	3
Table 8.3	Average Annual Expenditures of Households by Income, 2002 8–	4
Table 8.4	Household Vehicle Ownership, 1960–2000 Census	5
Table 8.5	Demographic Statistics from the 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	6
Table 8.6	Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS 8–	7
Table 8.7	Average Annual Person-Miles Traveled (PMT), Person Trips and Trip Length per Household by Selected Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	-8
Table 8.8	Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	.9
Table 8.9	Trip Statistics by Trip Purpose, 2001 NHTS	0
Figure 8.1	Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS 8–1	1
Figure 8.2	Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS 8–1	2
Table 8.10	Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	3
Table 8.11	Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS 8–1	3
Table 8.12	Average Annual Miles per Household Vehicle by Vehicle Age 8–1	4
Table 8.13	Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS and 2001 NHTS	5
Table 8.14	Means of Transportation to Work, 1980, 1990 and 2000 Census 8–1	6
Table 8.15	Workers by Commute Time, 1990 and 2000 Census	7
Table 8.16	Bicycle Sales, 1981-2002	8
Table 8.17	Specialty Bicycle Sales by Year, 2000–2002	9

Figure 8.3	Walk and Bike Trips by Trip Purpose, 2001 NHTS 8–20
Table 8.18	Long-Distance Trip Characteristics, 2001 NHTS 8–22
CHAPTER 9	NONHIGHWAY MODES 9–1
Table 9.1	Nonhighway Energy Use Shares, 1970–2002
Table 9.2	Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined Totals), 1970–2002
Table 9.3	Summary Statistics for General Aviation, 1970–2002
Table 9.4	Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002
Table 9.5	Summary Statistics for Domestic Waterborne Commerce, 1970–2002 9–6
Table 9.6	Breakdown of Domestic Marine Cargo by Commodity Class, 2002 9–7
Table 9.7	Recreational Boat Energy Use, 1970–2002
Table 9.8	Class I Railroad Freight Systems in the United States Ranked by Revenue Ton–Miles, 2002
Table 9.9	Summary Statistics for Class I Freight Railroads, 1970–2002 9–10
Table 9.10	Railroad Revenue Carloads by Commodity Group, 1974 and 2002 9–11
Table 9.11	Intermodal Rail Traffic, 1965–2002 9–12
Table 9.12	Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971–2002
Table 9.13	Summary Statistics for Commuter Rail Operations, 1984–2002 9–14
Table 9.14	Summary Statistics for Rail Transit Operations, 1970–2002
CHAPTER 10	TRANSPORTATION AND THE ECONOMY 10-1
Table 10.1	Gasoline Prices for Selected Countries, 1978–2003
Figure 10.1	Gasoline Prices for Selected Countries, 1990 and 2003
Table 10.2	Diesel Fuel Prices for Selected Countries, 1978–2003
Figure 10.2	Diesel Prices for Selected Countries, 1990 and 2003
Table 10.3	Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003 10–6

Table 10.4	Retail Prices for Motor Fuel, 1978–2003
Table 10.5	Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003 10–8
Table 10.6	Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003 10–9
Table 10.7	State Tax Exemptions for Gasohol, 2002
Table 10.8	Federal Excise Taxes on Motor Fuels, 2003
Table 10.9	State Ethanol Incentives, 2003 10–11
Table 10.10	Average Price of a New Car, 1970–2002
Table 10.11	Automobile Operating Cost per Mile, 1985–2003
Table 10.12	Fixed Automobile Operating Costs per Year, 1975–2003
Table 10.13	Personal Consumption Expenditures, 1950–2003
Table 10.14	Consumer Price Indices, 1970–2003
Table 10.15	Transportation-related Employment, 1993 and 2003
CHAPTER 11	GREENHOUSE GAS EMISSIONS 11–1
m 11 11 1	
Table 11.1	World Carbon Dioxide Emissions from Energy Consumption, 1990 and 2001 . 11–2
Table 11.1 Table 11.2	World Carbon Dioxide Emissions from Energy Consumption, 1990 and 2001 . 11–2 Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
	Numerical Estimates of Global Warming Potentials Compared with
Table 11.2	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3 Table 11.4 Table 11.5	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3 Table 11.4 Table 11.5	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3 Table 11.4 Table 11.5 CHAPTER 12	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3 Table 11.4 Table 11.5 CHAPTER 12 Table 12.1	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide
Table 11.2 Table 11.3 Table 11.4 Table 11.5 CHAPTER 12 Table 12.1 Table 12.2	Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide

Table 12.6	Total National Emissions of Volatile Organic Compounds, 1980–2001 12–7
Table 12.7	Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001
Table 12.8	Total National Emissions of Particulate Matter (PM–10), 1980–2001 12–9
Table 12.9	Emissions of Particulate Matter (PM–10) from Highway Vehicles, 1980–2001
Table 12.10	Total National Emissions of Particulate Matter (PM-2.5), 1990–2001 12–11
Table 12.11	Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001
Table 12.12	Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years
Table 12.13	Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final
Table 12.14	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles
Table 12.15	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT1)
Table 12.16	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT2)
Table 12.17	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT3)
Table 12.18	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT4)
Table 12.19	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Heavy Trucks
Table 12.20	Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy Heavy Trucks

Table 12.21	California Passenger Cars and Light Trucks Emission Certification Standards for Model Years 2001–2006	-23
Table 12.22	California Vehicle Emission Reduction for Passenger Cars and Light Trucks	-24
APPENDIX A	. SOURCES A	.–1
APPENDIX B	. CONVERSIONS B	-1
APPENDIX C	. MAPS	<u>'-1</u>
GLOSSARY .	G	-1
INDEX		[–1

FOREWORD

Welcome to this 24th edition of the Transportation Energy Data Book. I would like to bring to your attention some of the data that is new or of particular interest:

- 1. The cost of oil U.S. dependence is estimated to have been \$7 trillion dollars (in 1998 dollars) over the last 30 years (page 1-10)
- 2. Between 1991 and 2002, heavy truck energy use grew at a faster rate than for any other mode (Tables 2.6 and 2.7)
- 3. The BTUs/passenger mile for automobiles is less than for the average transit bus, as shown in Table 2.12. Figure 2.2 shows that there is a great deal of variability across metropolitan areas in the efficiency of transit systems.
- 4. New estimates for the amount of energy consumed by off-highway vehicles are shown in Table 2.8. This fuel use is nearly double the amount previously estimated.
- 5. Vehicles per thousand people varies greatly by region of the world (Figure 3.1)
- 6. The percent of light vehicle sales accounted for by light trucks reached 52.8% in 2003 (Table 4.9)
- 7. SUVs accounted for 6.8% of all light vehicle sales in 1990 and 27% in 2003 (Table 4.9)
- 8. Construction is the highest use for Medium Trucks and the second highest use for Light Trucks and for Heavy Trucks (Table 5.7)
- 9. A list of the hydrogen fueling stations in the U.S. is provided in Table 6.9.
- 10. Most business fleet vehicles travel more than 25,000 miles per year (Table 7.4)
- 11. Between 1969 and 2001, the number of vehicles per licensed driver rose from 0.70 to 1.06 (Table 8.5)
- 12. The average new car price in 2002 was \$21,440 (imported cars were \$27,524 and domestic cars were \$19,126) (Table 10.10)
- 13. New conversion tables have been added for pressures (Table B.3) and for carbon coefficients (Table B.16)

I hope you find value in this data book. We welcome suggestions on how to improve it.

Pailip D. Potterson

ACKNOWLEDGMENTS

The authors would like to express their gratitude to the many individuals who assisted in the preparation of this document. First, we would like to thank Phil Patterson, Randy Steer, and the Energy Efficiency and Renewable Energy staff for their continued support of the Transportation Energy Data Book project. We would also like to thank Patricia Hu of Oak Ridge National Laboratory (ORNL) for her guidance and mentoring; Jamie Payne, ORNL, who designed the cover; and Bob Boundy, Advanced Resource Technologies, Inc., who assisted with so many tasks we can't name them all. Finally, this book would not have been possible without the dedication of Debbie Bain, who masterfully prepared the manuscript.

ABSTRACT

The *Transportation Energy Data Book: Edition 24* is a statistical compendium prepared and published by Oak Ridge National Laboratory (ORNL) under contract with the Office of Planning, Budget Formulation, and Analysis, under the Energy Efficiency and Renewable Energy (EERE) program in the Department of Energy (DOE). Designed for use as a desk-top reference, the data book represents an assembly and display of statistics and information that characterize transportation activity, and presents data on other factors that influence transportation energy use. The purpose of this document is to present relevant statistical data in the form of tables and graphs. The latest editions of the Data Book are available to a larger audience via the Internet (cta.ornl.gov/data).

This edition of the Data Book has 12 chapters which focus on various aspects of the transportation industry. Chapter 1 focuses on petroleum; Chapter 2 – energy; Chapter 3 – highway vehicles; Chapter 4 – light vehicles; Chapter 5 – heavy vehicles; Chapter 6 – alternative fuel vehicles; Chapter 7 – fleet vehicles; Chapter 8 – household vehicles; and Chapter 9– nonhighway modes; Chapter 10 – transportation and the economy; Chapter 11 – greenhouse gas emissions; and Chapter 12 – criteria pollutant emissions. The sources used represent the latest available data. There are also three appendices which include detailed source information for some tables, measures of conversion, and the definition of Census divisions and regions. A glossary of terms and a title index are also included for the readers convenience.

xxii

INTRODUCTION

In January 1976, the Transportation Energy Conservation (TEC) Division of the Energy Research and Development Administration contracted with Oak Ridge National Laboratory (ORNL) to prepare a Transportation Energy Conservation Data Book to be used by TEC staff in their evaluation of current and proposed conservation strategies. The major purposes of the data book were to draw together, under one cover, transportation data from diverse sources, to resolve data conflicts and inconsistencies, and to produce a comprehensive document. The first edition of the TEC Data Book was published in October 1976. With the passage of the Department of Energy (DOE) Organization Act, the work being conducted by the former Transportation Energy Conservation Division fell under the purview of the DOE's Office of Transportation Programs, then to the Office of Transportation Technologies. DOE, through the Office of Transportation Technologies, has supported the compilation of Editions 3 through 21. In the most recent DOE organization, Editions 22 and 24 fall under the purview of the Office of Planning, Budget, and Analysis in the Office of Energy Efficiency and Renewable Energy.

Policymakers and analysts need to be well-informed about activity in the transportation sector. The organization and scope of the data book reflect the need for different kinds of information. For this reason, Edition 24 updates much of the same type of data that is found in previous editions.

In any attempt to compile a comprehensive set of statistics on transportation activity, numerous instances of inadequacies and inaccuracies in the basic data are encountered. Where such problems occur, estimates are developed by ORNL. To minimize the misuse of these statistics, an appendix (Appendix A) is included to document the estimation procedures. The attempt is to provide sufficient information for the conscientious user to evaluate the estimates and to form their own opinions as to their utility. Clearly, the accuracy of the estimates cannot exceed the accuracy of the primary data, an accuracy which in most instances is unknown. In cases where data accuracy is known or substantial errors are strongly suspected in the data, the reader is alerted. In all cases it should be recognized that the estimates are not precise.

The majority of the statistics contained in the data book are taken directly from published sources, although these data may be reformatted for presentation by ORNL. Consequently, neither ORNL nor DOE endorses the validity of these data.


xxiv

Chapter 1 Petroleum

Summary Statistics from Tables/Figures in this Chapter

Source					
Table 1.3	World Petroleum Production, 2003 (million barrels per day)	76.58			
	U.S. Production (million barrels per day)	7.46			
	U.S. Share	9.7%			
Table 1.4	World Petroleum Consumption, 2003 (million barrels per day)	79.08			
	U.S. Consumption (million barrels per day)	20.04			
	U.S. Share	25.3%			
Figure 1.6	OECD Average refinery yield, 2003 Europe	North America			
	Gasoline 20.7%	41.0%			
	Diesel fuel 36.2%	23.4%			
	Residual fuel 15.8%	6.9%			
	Kerosene 6.1%	8.1%			
	Other 21.2%	16.7%			
Table 1.13	U.S. transportation petroleum use as a percent of U.S. petroleum production, 2	2003 167.5%			
Table 1.13	Net imports as a percentage of U.S. petroleum consumption, 2003				
Table 1.14	Transportation share of U.S. petroleum consumption, 2003	65.8%			

In this document, petroleum is defined as crude oil (including lease condensate) and natural gas plant liquids.





Although the world has consumed about 40% of estimated conventional oil resources, the total fossil fuel potential is huge. Methane hydrates—a potential source of natural gas—are included in the "additional occurrences" of unconventional natural gas, and constitute the largest resource.

Table 1.1 World Fossil Fuel Potential (gigatonnes of carbon)

	Consumption (1860–1998)	Reserves	Resources	Additional occurrences
Oil				
Conventional	97	120	121	0
Unconventional	6	102	305	914
Natural Gas				
Conventional	36	83	170	0
Unconventional	1	144	364	14,176
Coal	155	533	4,618	a

Source:

Rogner, H.H., World Energy Assessment: Energy and the Challenge of Sustainability, Part II, Chapter 5, 2000, p. 149.

Additional occurances Reserves Consumption

6,000

5,000

4,000

14,974

5,306

1,000

1,665

Oil

Figure 1.1. World Fossil Fuel Potential

Source: See Table 1.1.

^a Data are not available



Natural gas

Coal

In 2003, OPEC accounted for 40% of world oil production. Responding to low oil prices in early 2000, Mexico, Norway, Russia, and Oman joined OPEC in cutting production. This group of oil countries, referred to here as OPEC+, account for more than 60% of world oil production.

Table 1.2 World Crude Oil Production, 1960-2003^a (million barrels per day)

							Total	Persian	Persian	
	United	U.S.	Total	OPEC		OPEC +c	non-	Gulf	$Gulf^d$	
Year	States	share	$OPEC^b$	share	OPEC +c	share	OPEC	nationsd	share	World
1960	7.04	33.5%	8.70	41.4%	12.25	58.3%	12.29	5.27	25.1%	20.99
1965	7.80	25.7%	14.35	47.3%	19.83	65.4%	15.98	8.37	27.6%	30.33
1970	9.64	21.0%	23.30	50.8%	31.16	67.9%	22.59	13.39	29.2%	45.89
1975	8.37	15.8%	26.77	50.7%	37.56	71.1%	26.06	18.93	35.8%	52.83
1980	8.60	14.4%	26.61	44.6%	41.07	68.9%	32.99	17.96	30.1%	59.60
1985	8.97	16.6%	16.18	30.0%	31.81	58.9%	37.80	9.63	17.8%	53.98
1986	8.68	15.4%	18.28	32.5%	34.05	60.6%	37.95	11.70	20.8%	56.23
1987	8.35	14.7%	18.52	32.7%	34.72	61.3%	38.15	12.10	21.4%	56.67
1988	8.14	13.9%	20.32	34.6%	36.66	62.4%	38.42	13.46	22.9%	58.74
1989	7.61	12.7%	22.07	36.9%	38.50	64.3%	37.79	14.84	24.8%	59.86
1990	7.36	12.2%	23.20	38.3%	39.12	64.6%	37.37	15.28	25.2%	60.57
1991	7.42	12.3%	23.27	38.6%	38.53	64.0%	36.94	14.74	24.5%	60.21
1992	7.17	11.9%	24.40	40.5%	37.67	62.6%	35.81	15.97	26.5%	60.21
1993	6.85	11.4%	25.12	41.7%	37.65	62.5%	35.12	16.71	27.7%	60.24
1994	6.66	10.9%	25.51	41.8%	37.67	61.8%	35.48	16.96	27.8%	60.99
1995	6.56	10.5%	26.00	41.7%	38.24	61.4%	36.33	17.21	27.6%	62.33
1996	6.46	10.1%	26.46	41.5%	39.15	61.5%	37.25	17.37	27.3%	63.71
1997	6.45	9.8%	27.71	42.2%	40.69	61.9%	37.98	18.10	27.6%	65.69
1998	6.25	9.3%	28.77	43.0%	41.61	62.2%	38.19	19.34	28.9%	66.92
1999	5.88	8.9%	27.58	41.9%	40.50	61.5%	38.27	18.67	28.4%	65.85
2000	5.82	8.5%	29.26	42.8%	42.92	62.8%	39.08	19.89	29.1%	68.34
2001	5.80	8.5%	28.32	41.6%	42.61	62.6%	39.74	19.21	28.2%	68.06
2002	5.75	8.6%	26.37	39.4%	40.85	61.0%	40.47	17.79	26.6%	66.92
2003	5.74	8.3%	28.01	40.3%	43.30	62.4%	41.43	19.26	27.7%	69.43
				Aver	age annual pe	ercentage ch	ange			
1960-2003	-0.5%		2.7%		2.9%		2.9%	2.9%		2.8%
1970-2003	-1.6%		0.4%		0.8%		1.8%	0.9%		1.2%
1993-2003	-2.1%		0.8%		0.8%		1.3%	1.1%		1.1%

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March* 2004, Washington, DC, 2004, Table 11.1a and 11.1b. (Additional resources: www.eia.doe.gov)



^aIncludes lease condensate. Excludes natural gas plant liquids.

^bOrganization of Petroleum Exporting Countries. See Glossary for membership.

^cOPEC+ includes all OPEC nations plus Russia, Mexico, Norway and Oman.

^dSee Glossary for Persian Gulf nations.

This table shows petroleum production, which includes both crude oil and natural gas plant liquids. The U.S. was responsible for 9.7% of the world's petroleum production in 2003, but only 8.3% of the world's crude oil production (Table 1.2).

Table 1.3 World Petroleum Production, 1973-2003^a (million barrels per day)

			(11	iiiiivii vai	itels per day	,			
						Non-	Persian	Persian	
	United	U.S.	Total	OPEC	Total non-	OPEC	Gulf	$\operatorname{Gulf}^{\operatorname{c}}$	
Year	States	share	OPEC ^b	share	OPEC	share	nations ^c	share	World
1973	10.95	18.7%	30.95	52.9%	27.51	47.1%	20.86	35.7%	58.47
1974	10.44	17.8%	30.70	52.5%	27.81	47.5%	21.41	36.6%	58.51
1975	10.00	18.0%	27.14	48.8%	28.48	51.2%	19.18	34.5%	55.62
1976	9.73	16.2%	30.77	51.1%	29.43	48.9%	21.80	36.2%	60.21
1977	9.86	15.7%	31.37	50.0%	31.32	50.0%	22.07	35.2%	62.69
1978	10.28	16.3%	30.03	47.5%	33.21	52.5%	21.02	33.2%	63.24
1979	10.13	15.4%	31.22	47.3%	37.74	52.7%	21.53	32.6%	65.96
1980	10.17	16.1%	27.34	43.4%	35.70	56.6%	18.49	29.3%	63.04
1981	10.18	17.0%	23.31	39.0%	36.40	61.0%	15.85	26.5%	59.71
1982	10.20	17.9%	19.62	34.4%	37.48	65.6%	12.77	22.4%	57.11
1983	10.25	18.0%	18.28	32.1%	38.62	67.9%	11.63	20.4%	56.90
1984	10.51	18.0%	18.31	31.4%	40.05	68.6%	11.38	19.5%	58.36
1985	10.58	18.3%	17.07	29.5%	40.85	70.5%	10.28	17.7%	57.92
1986	10.23	16.9%	19.25	31.9%	41.13	68.1%	12.40	20.5%	60.38
1987	9.95	16.3%	19.53	32.0%	41.42	68.0%	12.82	21.0%	60.95
1988	9.77	15.4%	21.40	33.8%	41.82	66.2%	14.27	22.6%	63.22
1989	9.16	14.2%	23.26	36.1%	41.10	63.9%	15.69	24.4%	64.36
1990	8.92	13.7%	24.48	37.5%	40.72	62.5%	16.21	24.9%	65.20
1991	9.08	14.0%	24.57	37.8%	40.47	62.2%	15.67	24.1%	65.04
1992	8.87	13.6%	25.76	39.5%	39.42	60.5%	16.97	26.0%	65.18
1993	8.59	13.1%	26.56	40.6%	38.87	59.4%	17.75	27.1%	65.43
1994	8.39	12.7%	26.98	40.7%	39.31	59.3%	18.03	27.2%	66.29
1995	8.32	12.3%	27.51	40.6%	40.32	59.4%	18.32	27.0%	67.82
1996	8.29	12.0%	27.96	40.4%	41.33	59.6%	18.45	26.6%	69.30
1997	8.27	11.6%	29.30	41.0%	42.12	59.0%	19.25	27.0%	71.42
1998	8.01	11.0%	30.43	41.8%	42.41	58.3%	20.57	28.2%	72.80
1999	7.73	10.8%	29.23	40.7%	42.62	59.3%	19.78	27.5%	71.85
2000	7.73	10.4%	31.06	41.6%	43.57	58.4%	21.11	28.3%	74.63
2001	7.67	10.3%	30.25	40.5%	44.41	59.5%	20.53	27.5%	74.66
2002	7.63	10.4%	28.47	38.7%	45.18	61.3%	19.26	26.2%	73.65
2003	7.46	9.7%	30.32	39.6%	46.26	60.4%	20.99	27.4%	76.58
				Average	annual percento	ige change			
1973-2003	-1.3%		-0.1%		1.7%		0.0%		0.9%
1993-2003	-1.7%		1.6%		1.6%		2.1%		1.6%

Source:

U.S. Department of Energy, Energy Information Administration, *International Petroleum Monthly*, Tables 4.1 and 4.3. (Additional resources: www.eia.doe.gov)

^cSee Glossary for Persian Gulf nations.



^aIncludes natural gas plant liquids, crude oil and lease condensate. Does not account for all inputs or refinery processing gain.

^bOrganization of Petroleum Exporting Countries. See Glossary for membership.

The United States has accounted for approximately one-quarter of the world's petroleum consumption for the last two decades.

Table 1.4 World Petroleum Consumption, 1960–2003 (million barrels per day)

	United	U.S.		Total	
Year	States	share	Total OECD ^a	non-OECD	World
1960	9.80	45.9%	15.78	5.56	21.34
1965	11.51	37.0%	22.81	8.33	31.14
1970	14.70	31.4%	34.49	12.32	46.81
1975	16.32	29.0%	38.82	17.38	56.20
1976	17.46	29.3%	41.39	18.28	59.67
1977	18.43	29.8%	42.43	19.40	61.83
1978	18.85	29.4%	43.62	20.54	64.16
1979	18.51	28.4%	44.01	21.21	65.22
1980	17.06	27.0%	41.41	21.66	63.07
1981	16.06	26.4%	39.14	21.76	60.90
1982	15.30	25.7%	37.45	22.05	59.50
1983	15.23	25.9%	36.59	22.15	58.74
1984	15.73	26.3%	37.43	22.40	59.83
1985	15.73	26.2%	37.23	22.86	60.09
1986	16.28	26.4%	38.28	23.48	61.76
1987	16.67	26.5%	38.96	24.04	63.00
1988	17.28	26.7%	40.24	24.58	64.82
1989	17.33	26.3%	40.88	25.04	65.92
1990	16.99	25.7%	40.92	25.16	66.08
1991	16.71	25.0%	41.40	25.32	66.72
1992	17.03	25.4%	42.42	24.51	66.93
1993	17.24	25.7%	42.98	24.14	67.12
1994	17.72	25.9%	44.17	24.25	68.42
1995	17.73	25.3%	44.92	25.07	69.99
1996	18.31	25.6%	46.04	25.54	71.58
1997	18.62	25.5%	46.61	26.49	73.10
1998	18.92	25.6%	46.80	27.02	73.82
1999	19.52	25.9%	47.69	27.96	75.65
2000	19.70	25.7%	47.77	29.02	76.79
2001	19.65	25.4%	47.77	29.50	77.27
2002	19.76	25.5%	47.72	29.87	77.59
2003	20.04	25.3%	48.45	30.63	79.08
		Averag	ge annual percentag	ge change	
1960-2003	1.7%		2.6%	4.0%	3.1%
1970-2003	0.9%		1.0%	2.8%	1.6%
1993–2003	1.5%		1.2%	2.4%	1.7%

Source:

U.S. Department of Energy, Energy Information Administration, *International Petroleum Monthly*, July 2004. (Additional resources: www.eia.doe.gov)



^a Organization for Economic Cooperation and Development. See Glossary for membership.




Figure 1.2. World Oil Reserves, Production and Consumption, 2003

Table 1.5
World Oil Reserves, Production and Consumption, 2003

	Crude oil reserves (billion barrels)	Reserve share	Petroleum production (million barrels per day)	Production share	Petroleum consumption (million barrels per day)	Consumption share
U.S.	22.7	2%	7.5	10%	19.8	25%
OPEC	826.1	68%	30.3	41%	6.6	8%
Rest of world	364.3	30%	38.7	51%	51.8	66%

Sources:

Reserves – Energy Information Administration, *International Energy Annual 2002*, Table 8.1. Production – Energy Information Administration, *International Petroleum Monthly*, *July 2004*, Tables 4.1a – 4.1c and 4.3

Consumption – Energy Information Administration, *International Petroleum Monthly*, *July* 2004, Table 4.6.

OPEC consumption (2002 data) – Energy Information Administration, *International Energy Annual* 2002, Table 1.2. (Additional resources: www.eia.doe.gov)

Note: Total consumption is higher than total production due to refinery gains including alcohol and liquid products produced from coal and other sources. OPEC countries include Venezuela, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, United Arab Emirates, Algeria, Libya, Nigeria, Indonesia, Gabon, and Ecuador. OPEC consumption data are for 2002.






Figure 1.3. World Natural Gas Reserves, Production, and Consumption, 2002

Table 1.6 World Natural Gas Reserves, Production and Consumption, 2002 (trillion cubic feet)

	Natural gas reserves	Reserve share	Natural gas production	Production share	Natural gas consumption	Consumption share
U.S.	186.9	3%	18.987	22%	23.455	26%
OPEC	2,492.3	46%	14.647	17%	10.259	12%
Rest of world	2,788.0	51%	54.5	62%	55.0	62%

Source:

Energy Information Administration, *International Energy Annual 2002*, June 2004, Tables 4.2 and 8.1. (Additional resources: www.eia.doe.gov)

Note: Reserves as of January 1, 2003. Production data are dry gas production.



This chart shows the volatility of crude oil prices since 1870. Given this volatility, it is difficult for anyone to predict future crude oil prices with any certainty.




Figure 1.4. Crude Oil Prices in Current and Constant Terms, 1870–2003

Sources:

1870

1892

1870–1972 Crude oil prices – American Petroleum Institute, *Basic Petroleum Data Book*, Volume XXI, Number 2, August 2001.

1936

1958

1980

2002

1973–on Crude oil prices – U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, May 2004*, Table 9.1, domestic first purchase price.

1914



The share of petroleum imported to the U.S. can be calculated using total imports or net imports. Net imports, which is the preferred data, rose to 50% of U.S. petroleum consumption for the first time in 1998, while total imports reached 50% for the first time in 1993. OPEC share of net imports has been below 50% in 2002 and 2003.

Table 1.7 U.S. Petroleum Imports by World Region of Origin, 1960–2003 (million barrels per day)

			Net	Net		Net imports	
	Net	Net	Persian	Persian		as a share of	
	OPEC ^a	OPEC	Gulf nation ^b	Gulf	Net	U.S.	Total
Year	imports	share	imports	share	imports	consumption	imports
1960	1.31	81.3%	c	c	1.61	c	1.82
1965	1.48	64.7%	c	c	2.28	c	2.47
1970	1.34	42.5%	С	с	3.16	с	3.42
1975	3.60	61.6%	С	с	5.85	35.8%	6.06
1980	4.29	67.5%	с	с	6.37	37.3%	6.91
1981	3.32	61.4%	1.22	22.5%	5.40	33.6%	6.00
1982	2.14	49.7%	0.69	16.1%	4.30	28.1%	5.11
1983	1.84	42.7%	0.44	10.2%	4.31	28.3%	5.05
1984	2.04	43.2%	0.50	10.6%	4.72	30.0%	5.44
1985	1.82	42.5%	0.31	7.2%	4.29	27.3%	5.07
1986	2.83	52.0%	0.91	16.7%	5.44	33.4%	6.22
1987	3.06	51.7%	1.07	18.2%	5.91	35.5%	6.68
1988	3.51	53.3%	1.53	23.2%	6.59	38.1%	7.40
1989	4.12	57.3%	1.86	25.8%	7.20	41.6%	8.06
1990	4.29	59.8%	1.96	27.4%	7.16	42.2%	8.02
1991	4.07	61.3%	1.83	27.7%	6.63	39.6%	7.63
1992	4.07	58.7%	1.77	25.6%	6.94	40.8%	7.89
1993	4.25	55.8%	1.77	23.3%	7.62	44.2%	8.62
1994	4.23	52.6%	1.72	21.4%	8.05	45.4%	9.00
1995	3.98	50.5%	1.56	19.8%	7.89	44.5%	8.84
1996	4.19	49.3%	1.60	18.8%	8.50	46.4%	9.48
1997	4.54	49.6%	1.75	19.1%	9.16	49.5%	10.16
1998	4.88	50.0%	2.13	21.8%	9.76	51.6%	10.71
1999	4.93	49.8%	2.46	24.8%	9.91	50.8%	10.85
2000	5.18	49.7%	2.48	23.8%	10.42	52.7%	11.46
2001	5.51	51.0%	2.76	25.3%	10.90	55.4%	11.87
2002	4.54	43.7%	2.25	21.7%	10.38	52.6%	11.34
2003	5.18	46.1%	2.48	22.1%	11.24	56.1%	12.25
			Average	annual perc	entage change	?	
1960-2003	3.2%		c		4.6%		4.5%
1970-2003	4.2%		c		3.9%		3.9%
1993-2003	2.0%		3.4%	2.5%	4.0%		3.6%

Source:

U.S. Department of Energy, Energy Information Administration, *Annual Energy Review 2003*, Washington, DC, July 2002, Tables 5.4 and 5.7 and updates from the *International Petroleum Monthly*, April 2004, Table 4.10. Consumption: *Transportation Energy Databook*, Table 1.14.

1

^a Organization of Petroleum Exporting Countries. See Glossary for membership.

^b See Glossary for Persian Gulf nations.

^c Data are not available.

The Costs of Oil Dependence

In the *Costs of Oil Dependence:* A 2000 *Update*, authors Greene and Tishchishyna indicate that the oil market upheavals caused by the OPEC cartel over the last 30 years have cost the U.S. in the vicinity of \$7 trillion (present value 1998 dollars) in total economic costs, which is about as large as the sum total of payment on the national debt over the same period.

Oil dependence is the product of (1) a noncompetitive world oil market strongly influenced by the OPEC cartel, (2) high levels of U.S. oil imports, (3) oil's critical role in the U.S. economy, and (4) the absence of economical and readily available substitutes for oil. Transportation is key to the problem because transportation vehicles account for 68% of U.S. oil consumption and nearly all of the high-value light products that drive the market.

Oil consuming economies incur three types of costs when monopoly power is used to raise prices above competitive market levels:

- Loss of potential gross domestic product (GDP) the economy's ability to produce is reduced because a key factor of production is more expensive;
- *Macroeconomic Adjustment Costs* sudden changes in oil prices increase unemployment, further reducing economic output; and
- Transfer of Wealth some of the wealth of oil consuming states is appropriated by foreign oil producers.

Major oil price shocks have disrupted world energy markets four times in the past 30 years (1973-74, 1979-80, 1990-91, 1999-2000). Each of the first three oil price shocks was followed by an economic recession in the U.S.




Figure 1.5. Oil Price and Economic Growth, 1970–2003

Source:

Greene, D.L. and N. I. Tishchishyna, *Costs of Oil Dependence: A 2000 Update*, Oak Ridge National Laboratory, ORNL/TM-2000/152, Oak Ridge, TN, 2000, and data updates, 2004. (Additional resources: www-cta.ornl.gov/publications)



Estimates of military expenditures for defending oil supplies in the Middle East range from \$6 to \$60 billion per year. This wide range in estimates reflects the difficulty in assigning a precise figure to the military cost of defending the U.S. interests in the Middle East. The two main reasons for the difficulty are 1) the Department of Defense does not divide the budget into regional defense sectors and 2) it is difficult to determine how much of the cost is attributable to defending Persian Gulf oil. The latest study, done by the National Defense Council Foundation, puts a price of \$49 billion dollars/year for the defense of oil.

Table 1.8
Summary of Military Expenditures for Defending Oil Supplies from the Middle East

Source	Original estimates (billion dollars)	Year of original estimate
General Accounting Office [1]	\$33	1990
Congressional Research Service [2]	\$6.4	1990
Greene and Leiby [3]	\$14.3	1990
Kaufmann and Steinbruner [4]	\$64.5	1990
Ravenal [5]	\$50	1992
Delucchi and Murphy ^a [6]	\$20-40	1996
National Defense Council Foundation [7]	\$49.1	2003

- [1] U.S. General Accounting Offices, *Southwest Asia: Cost of Protecting U.S. Interests*, GAO/NSIAD-91-250, Washington, DC, August 1991.
- [2] Congressional Research Service, *The External Costs of Oil Used in Transportation*, prepared for the U.S. Alternative Fuels Council, Washington, DC, June 1992.
- [3] Greene, D.L., and P. Leiby, *The Social Costs to the U.S. of Monopolization of the World Oil Market*, 1972-1991, ORNL-6744, Oak Ridge National Laboratory, Oak Ridge, TN, March 1993.
- [4] Kaufmann, W.W., and J.D. Steinbruner, *Decisions for Defense: Prospects for a New Order*, The Brookings Institution, Washington, DC, 1991.
- [5] Ravenal, E.C., Designing Defense for a New World Order: The Military Budget in 1992 and Beyond, Cato Institute, Washington, DC, 1991.
- [6] Delucchi, M.A., and J. Murphy, U.S. Military Expenditures to Protect the Use of Persian-Gulf Oil for Motor Vehicles, UCD-ITS-RR-96-3 (15), University of California, Davis, California, April 1996.
- [7] Copulas, Milton R., *America's Achilles Heel The Hidden Costs of Imported Oil*, National Defense Council Foundation, Washington, DC, October 2003.

Source:

Hu, P.S., "Estimates of 1996 U.S. Military Expenditures on Defending Oil Supplies from the Middle East: A Literature Review," Oak Ridge National Laboratory, Oak Ridge, TN, March 1996.



^aAnnual cost to defend all U.S. interests in the Persian Gulf.

Other parts of the world refine crude oil to produce more diesel fuel and less gasoline than does North America. The OECD Pacific countries produce the lowest share of gasoline.




Figure 1.6. Refinery Gross Output by World Region, 2003

Source:

International Energy Agency, *Monthly Oil Survey*, February 2004, Paris, France, Table 7. (Additional resources: www.iea.org)



^a Includes jet kerosene and other kerosene.

^b Includes motor gasoline, jet gasoline, and aviation gasoline.

^c Organization for Economic Cooperation and Development. See Glossary for membership.

Oxygenate refinery input increased significantly in 1995, most certainly due to the Clean Air Act Amendments of 1990 which mandated the sale of reformulated gasoline in certain areas beginning in January 1995.

Table 1.9
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003 (thousand barrels)

Crude oil Ijquids Fuel Other Other Other 4,691,783 280,889 d d d d 3.334 4,691,783 280,889 d d d d 23,304 4,894,379 170,589 d d d d 28,642 4,894,379 170,589 d d d d 3.334 4,895,016 172,306 d d d d 4.7918 4,908,603 171,701 d d d d 4.7918 4,908,604 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,195,265 164,552 11,180 466 86,240 3,750 22,759 5,434,386 151,769 11,732 675					Oxygenates	nates				
Crude oil liquids ethanol Methanol MTBE ^a oxygenates ^b hydrocarbons ^c 4,691,783 280,889 d d d 23,304 4,894,379 170,589 d d d 28,642 4,885,016 172,306 d d d 47,918 4,908,603 171,701 d d d 47,918 4,968,641 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,759 5,403,450 15,769 11,803 496 86,240 3,444 20,848 5,514,395 138,921 15,268 854			Natural gas	Fuel		=	Other	Other	Other	Total input to
4,691,783 280,889 d d d 23,304 4,894,379 170,589 d d d 28,642 4,895,016 170,530 d d d 31,574 4,908,603 171,701 d d d 47,918 4,908,6041 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,514,366 151,769 11,803 496 86,240 3,750 22,759 5,403,450 157,769 11,722 675 89,362 3,363 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,903 5,521,637 156,479 16,929 1,431 87,116 <th>Year</th> <th>Crude oil</th> <th>liquids</th> <th>ethanol</th> <th>Methanol</th> <th>$MTBE^a$</th> <th>oxygenates^b</th> <th>hydrocarbons^c</th> <th>liquids</th> <th>refineries</th>	Year	Crude oil	liquids	ethanol	Methanol	$MTBE^a$	oxygenates ^b	hydrocarbons ^c	liquids	refineries
4,894,379 170,589 d d d 28,642 4,855,016 172,306 d d d 31,574 4,908,603 171,701 d d 4,918 4,908,604 177,306 d d 4,918 4,908,604 177,01 d d 47,918 4,908,604 177,01 d d 47,918 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,688 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,351,466 151,769 11,722 675 89,362 3,363 21,447 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,403,450 135,756 13,313	1987	4,691,783	280,889	P	P	q	р	23,304	220,296	5,105,392
4,855,016 172,306 d d d d 31,574 4,908,603 171,701 d d d 4 47,918 4,908,6041 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,105,265 164,552 11,156 126 79,407 3,444 20,587 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,903 5,514,395 138,921 16,929 1,431 87,116 3,113 24,903 5,516,37 155,429 26,320 1,33 90,291 2,325 21,895 <	1990	4,894,379	170,589	р	Р	g	р	28,642	231,466	5,325,076
4,908,603 171,701 d d d 47,918 4,968,641 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,403,450 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,903 5,514,395 156,479 16,929 1,431 87,116 3,113 24,903 5,585,875 155,429 26,320 13 90,291 2,325 21,895 5,585,875 -3.7% -3.7% -3.4% -1,937 4,5% <t< td=""><td>1991</td><td>4,855,016</td><td>172,306</td><td>· P</td><td>P</td><td>P</td><td>P</td><td>31,574</td><td>248,691</td><td>5,307,587</td></t<>	1991	4,855,016	172,306	· P	P	P	P	31,574	248,691	5,307,587
4,968,641 179,213 3,351 782 49,393 1,084 15,543 5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,403,450 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,903 5,521,637 156,479 16,929 1,431 87,116 3,113 24,903 5,585,875 152,763 26,320 13 90,291 2,325 21,895 5,585,875 152,763 5,585 1,937 24,187 1,0% -3.7% -100,0% 3.2% 6,0% 4,5%	1992	4,908,603	171,701	g P	p	P	P	47,918	224,758	5,352,980
5,061,111 169,868 3,620 242 52,937 1,676 14,130 5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,403,450 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,488 5,514,395 156,479 16,929 1,431 87,116 3,113 24,903 5,585,875 152,763 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 1,0% -1,2% 32,4% -10,00% 3,2% 6,0%	1993	4,968,641	179,213	3,351	782	49,393	1,084	15,543	264,531	5,482,538
5,100,317 172,026 9,055 246 79,396 3,876 14,668 5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,403,450 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,988 5,514,395 156,479 16,929 1,431 87,116 3,113 24,903 5,585,875 152,763 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 1.0% -3.7% -100,0% 3,2% 6,0% 4,5%	1994	5,061,111	169,868	3,620	242	52,937	1,676	14,130	179,678	5,483,262
5,195,265 164,552 11,156 126 79,407 3,444 20,587 5,351,466 15,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,434,385 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,488 1 5,521,637 16,929 1,431 87,116 3,113 24,903 1 5,585,875 152,763 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 1,0% -3.7% -1.0% 3,2% -100,0% 3,2% 6,0% 4,5%	1995	5,100,317	172,026	9,055	246	79,396	3,876	14,668	175,743	5,555,327
5,351,466 151,769 11,803 496 86,240 3,750 22,976 5,434,383 146,921 11,722 675 89,362 3,363 22,759 1 5,403,450 135,756 13,735 813 94,784 3,334 21,447 2 5,514,395 138,921 15,268 854 90,288 3,151 24,488 1 5,521,637 156,479 16,929 1,431 87,116 3,113 24,903 1 5,455,530 155,429 26,320 13 90,291 2,325 21,895 2 5,585,875 152,763 55,626 0 67,592 1,937 24,187 2 11.1% -3.7% e 4verage annual percentage change 0.2% 4.5% 1.0% -1.2% 32.4% -100.0% 3.2% 6.0% 4.5%	1996	5,195,265	164,552	11,156	126	79,407	3,444	20,587	193,695	5,668,232
5,434,383 146,921 11,722 675 89,362 3,363 22,759 5,403,450 135,756 13,735 813 94,784 3,334 21,447 2,514,395 138,921 15,268 854 90,288 3,151 24,488 5,514,395 156,479 16,929 1,431 87,116 3,113 24,903 5,545,530 155,429 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 11.1% -3.7% * 1.0% -1.2% 32,4% -100.0% 3.2% 6.0% 4.5%	1997	5,351,466	151,769	11,803	496	86,240	3,750	22,976	178,292	5,806,792
5,403,450 135,756 13,735 813 94,784 3,334 21,447 5,514,395 138,921 15,268 854 90,288 3,151 24,488 5,521,637 156,479 16,929 1,431 87,116 3,113 24,903 5,455,530 155,429 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 7,400 * * * * 4,187 11.1% -3.7% * 100,0% 3.2% 6.0% 4.5%	1998	5,434,383	146,921	11,722	675	89,362	3,363	22,759	183,376	5,892,561
5,514,395 138,921 15,268 854 90,288 3,151 24,488 5,521,637 156,479 16,929 1,431 87,116 3,113 24,903 5,455,530 155,429 26,320 13 90,291 2,325 21,895 5,585,875 152,763 55,626 0 67,592 1,937 24,187 11.1% -3.7% * Average annual percentage change 0.2% 10% -1.2% 32.4% -100.0% 3.2% 6.0% 4.5%	1999	5,403,450	135,756	13,735	813	94,784	3,334	21,447	204,332	5,877,651
5,521,637 156,479 16,929 1,431 87,116 3,113 24,903 2,455,530 155,429 26,320 13 90,291 2,325 21,895 2,585,875 152,763 55,626 0 67,592 1,937 24,187 24,187 24,187 24,187 24,187 24,187 24,187 2,37% ° 60.2% 1.0% 2.3.7% ° 6.0% 4.5% 1.0% 2.4% 2.10,0% 3.2% 6.0% 4.5%	2000	5,514,395	138,921	15,268	854	90,288	3,151	24,488	176,647	5,964,012
5,455,530 155,429 26,320 13 90,291 2,325 21,895 25,585,875 152,763 55,626 0 67,592 1,937 24,187 24,1	2001	5,521,637	156,479	16,929	1,431	87,116	3,113	24,903	167,729	5,979,337
5,585,875 152,763 55,626 0 67,592 1,937 24,187 24,187 24,187 1.1% -3.7% * 0.2% -1.1% -1.2% 32.4% -100.0% 3.2% 6.0% 4.5%	2002	5,455,530	155,429	26,320	13	90,291	2,325	21,895	202,672	5,955,475
Average annual percentage change 0.2% 1.1% -3.7% e 0.2% 1.0% 3.2% 6.0% 4.5% 0.0%	2003	5,585,875	152,763	55,626	0	67,592	1,937	24,187	288,614	6,027,252
1.1% -3.7% ° ° ° 0.2% 1.1% 1.1% 32.4% -100.0% 3.2% 6.0% 4.5%					Average	e annual percu	entage change			
1 0% -1 2% 32.4% -100.0% 3.2% 6.0% 4.5%	1987-2003	1.1%	-3.7%	υ	v	v	v	0.2%	1.7%	1.0%
1.000	1993-2003	1.0%	-1.2%	32.4%	-100.0%	3.2%	%0.9	4.5%	%6.0	1.0%

Source:

U.S. Department of Energy, Energy Information Administration, Petroleum Supply Annual, 2003, Vol. 1, July 2004, Table 16, and annual. (Additional resources: www.eia.doe.gov)

^aMethyl tertiary butyl ether (MTBE).

^bIncludes ethyl tertiary butyl ether (ETBE), tertiary amyl methyl ether (TAME), tertiary butyl alcohol (TBA), and other aliphatic alcohols and ethers intended for motor gasoline blending.

For 1987-92, includes other hydrocarbons/hydrogen/oxygenates. For 1993-on, includes other hydrocarbons/hydrogen.

dReported in "Other hydrocarbons" category in this year.

Data are not available.



When crude oil and other hydrocarbons are processed into products that are, on average, less dense than the input, a processing volume gain occurs. Due to this gain, the product yield from a barrel of crude oil is more than 100%. The processing volume gain has been growing over the years.

Table 1.10
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003
(percentage)

	Motor	Distillate		Liquified		
Year	gasoline	fuel oil	Jet fuel	petroleum gas	Other ^a	Total ^b
1978	44.1	21.4	6.6	2.3	29.6	104.0
1979	43.0	21.5	6.9	2.3	30.3	104.0
1980	44.5	19.7	7.4	2.4	30.0	104.0
1981	44.8	20.5	7.6	2.4	28.7	104.0
1982	46.4	21.5	8.1	2.2	26.2	104.4
1983	47.6	20.5	8.5	2.7	24.8	104.1
1984	46.7	21.5	9.1	2.9	24.2	104.4
1985	45.6	21.6	9.6	3.1	24.6	104.5
1986	45.7	21.2	9.8	3.2	24.8	104.7
1987	46.4	20.5	10.0	3.4	24.5	104.8
1988	46.0	20.8	10.0	3.6	24.4	104.8
1989	45.7	20.8	10.1	4.0	24.2	104.8
1990	45.6	20.9	10.7	3.6	24.1	104.9
1991	45.7	21.3	10.3	3.8	24.1	105.2
1992	46.0	21.2	9.9	4.3	24.0	105.4
1993	46.1	21.9	10.0	4.1	23.3	105.4
1994	45.5	22.3	10.1	4.2	23.2	105.3
1995	46.4	21.8	9.7	4.5	22.9	105.3
1996	45.7	22.7	10.4	4.5	22.4	105.7
1997	45.7	22.5	10.3	4.6	22.5	105.6
1998	46.2	22.3	10.4	4.4	22.5	105.8
1999	46.5	22.3	10.2	4.5	22.3	105.8
2000	46.2	23.1	10.3	4.5	22.0	106.1
2001	46.2	23.8	9.8	4.3	21.7	105.8
2002	47.3	23.2	9.8	4.3	21.5	106.1
2003	46.9	23.7	9.5	4.2	22.1	106.4

Source:

Department of Energy, Energy Information Administration, *Petroleum Supply Annual 2003*, Vol. 1, July 2004, Table 19 and annual. (Additional resources: www.eia.doe.gov)

^b Products sum greater than 100% due to processing gain. The processing gain for years 1978 to 1980 is assumed to be 4%.



^a Includes aviation gasoline(0.1%), kerosene (0.4%), residential fuel oil (4.2%), naphtha and other oils for petrochemical feedstock use (2.7%), special naphthas (0.3%), lubricants (1.1%), waxes (0.1%), petroleum coke (5.1%), asphalt and road oil (3.2%), still gas (4.5%), and miscellaneous products (0.4%).

Most of the petroleum imported by the United States is in the form of crude oil. The U.S. does export small amounts of petroleum, mainly refined petroleum products which go to Canada and Mexico.

Table 1.11 United States Petroleum Production, Imports and Exports, 1950–2003 (million barrels per day)

	Dom	estic Produc	ction		Net Imports			Exports	
•	C 1-	Natural gas		Consider	Detusland		Consider	Datualassa	
	Crude oil	plant liquids	Total ^a	Crude oil	Petroleum products	Total	Crude oil	Petroleum products	Total
1950	5.41	0.50	5.91	0.49	0.22	0.85	0.10	0.21	0.31
1955	6.81	0.77	7.58	0.78	0.46	1.23	0.03	0.34	0.37
1960	7.05	0.93	7.99	1.02	0.80	1.82	0.01	0.19	0.20
1965	7.80	1.21	9.01	1.24	1.23	2.47	0.00	0.18	0.19
1970	9.64	1.66	11.30	1.32	2.10	3.42	0.01	0.25	0.26
1975	8.37	1.63	10.05	4.11	1.95	6.06	0.01	0.20	0.21
1980	8.62	1.58	10.24	5.26	1.65	6.91	0.29	0.26	0.54
1981	8.57	1.61	10.23	4.40	1.60	6.00	0.23	0.37	0.60
1982	8.65	1.55	10.25	3.49	1.63	5.11	0.24	0.58	0.82
1983	8.69	1.56	10.30	3.33	1.72	5.05	0.16	0.58	0.74
1984	8.90	1.63	10.58	3.43	2.01	5.44	0.18	0.54	0.72
1985	8.97	1.61	10.64	3.20	1.87	5.07	0.20	0.58	0.78
1986	8.68	1.55	10.29	4.18	2.05	6.22	0.15	0.63	0.79
1987	8.35	1.60	10.01	4.67	2.00	6.68	0.15	0.61	0.76
1988	8.16	1.63	9.84	5.11	2.30	7.40	0.16	0.66	0.82
1989	7.61	1.55	9.22	5.84	2.22	8.06	0.14	0.72	0.86
1990	7.36	1.56	8.99	5.89	2.12	8.02	0.11	0.75	0.86
1991	7.42	1.66	9.17	5.78	1.84	7.63	0.12	0.88	1.00
1992	7.18	1.70	9.01	6.08	1.81	7.89	0.09	0.86	0.95
1993	6.85	1.74	8.84	6.79	1.83	8.62	0.10	0.90	1.00
1994	6.66	1.73	8.65	7.06	1.93	9.00	0.10	0.84	0.94
1995	6.56	1.76	8.63	7.23	1.61	8.84	0.09	0.86	0.95
1996	6.47	1.83	8.61	7.51	1.97	9.48	0.11	0.87	0.98
1997	6.45	1.82	8.61	8.23	1.94	10.16	0.11	0.90	1.00
1998	6.25	1.76	8.39	8.71	2.00	10.71	0.11	0.84	0.95
1999	5.88	1.83	8.11	8.73	2.12	10.85	0.12	0.82	0.94
2000	5.82	1.91	8.11	9.07	2.39	11.46	0.05	0.99	1.04
2001	5.80	1.87	8.05	9.33	2.54	11.87	0.02	0.95	0.97
2002	5.75	1.88	8.04	9.14	2.39	11.53	0.01	0.98	0.98
2003	5.74	1.72	7.88	9.65	2.61	12.25	0.01	1.00	1.00
				Average (annual percen	tage chang	ge		
1950-2003	0.1%	2.4%	0.5%	5.8%	4.8%	5.2%	-4.3%	3.0%	2.2%
1970-2003	-1.6%	0.1%	-1.1%	6.2%	0.7%	3.9%	0.0%	4.3%	4.2%
1993-2003	-1.8%	-0.1%	-1.1%	3.6%	3.6%	3.6%	-20.6%	1.8%	0.0%

Source:

U.S. Department of Energy, Energy Information Administration, *Annual Energy Review 2003*, July 2004, Tables 5.3 and 5.5 and *Monthly Energy Review*, March 2004, Tables 3.1a and 3.1b.

^aTotal domestic production includes crude oil, natural gas plant liquids and small amounts of other liquids.



The U.S. share of the world's petroleum consumption is approximately one-quarter. The U.S. relies heavily on imported petroleum. Imports accounted for 56% of U.S. petroleum consumption in 2003.

Table 1.12
Petroleum Production and Consumption Ratios, 1950–2003

	Domestic petroleum production ^a	Net petroleum imports	Transportation petroleum consumption	U.S. petroleum consumption	World petroleum consumption	Net imports as a share of U.S.	U.S. petroleum consumption as a share of world	Transportation petroleum use as a share of domestic
		(mi	llion barrels per da	y)		consumption	consumption	production
1950	5.91	0.55	3.36	6.46	b	8.4%	b	56.8%
1955	7.58	0.88	4.46	8.46	b	10.4%	b	58.8%
1960	7.99	1.62	5.15	9.82	21.34	16.5%	46.0%	64.5%
1965	9.01	2.28	6.04	11.51	31.14	19.8%	37.0%	67.0%
1970	11.30	3.16	7.78	14.70	46.81	21.5%	31.4%	68.9%
1975	10.05	5.85	8.95	16.32	56.20	35.8%	29.0%	89.1%
1980	10.24	6.38	9.57	17.10	63.07	37.3%	27.1%	93.5%
1981	10.23	5.40	9.49	16.06	60.90	33.6%	26.4%	92.7%
1982	10.25	4.30	9.31	15.30	59.50	28.1%	25.7%	90.8%
1983	10.30	4.31	9.41	15.23	58.74	28.3%	25.9%	91.3%
1984	10.58	4.73	9.71	15.77	59.84	30.0%	26.4%	91.8%
1985	10.64	4.29	9.85	15.73	60.10	27.3%	26.2%	92.6%
1986	10.29	5.44	10.23	16.28	61.76	33.4%	26.4%	99.5%
1987	10.01	5.91	10.53	16.67	63.00	35.5%	26.5%	105.2%
1988	9.84	6.60	10.91	17.28	64.82	38.1%	26.7%	110.9%
1989	9.22	7.20	11.00	17.33	65.92	41.6%	26.3%	119.3%
1990	8.99	7.16	10.97	16.99	65.98	42.2%	25.7%	122.0%
1991	9.17	6.63	10.80	16.71	66.73	39.6%	25.0%	117.8%
1992	9.01	6.94	10.97	17.03	66.92	40.8%	25.4%	121.8%
1993	8.84	7.62	11.18	17.24	67.12	44.2%	25.7%	126.5%
1994	8.65	8.05	11.48	17.72	68.42	45.4%	25.9%	132.7%
1995	8.63	7.89	11.72	17.73	69.99	44.5%	25.3%	135.8%
1996	8.61	8.50	11.99	18.31	71.58	46.4%	25.6%	139.3%
1997	8.61	9.16	12.12	18.62	73.20	49.2%	25.4%	140.8%
1998	8.39	9.76	12.47	18.92	73.88	51.6%	25.6%	148.6%
1999	8.11	9.91	12.84	19.52	75.73	50.8%	25.8%	158.4%
2000	8.11	10.42	13.12	19.70	76.83	52.9%	25.6%	161.8%
2001	8.12	10.90	12.92	19.65	78.00	55.5%	25.2%	159.1%
2002	8.04	10.55	13.11	19.76	78.21	53.4%	25.3%	163.0%
2003	7.88	11.24	13.20	20.04	b	56.1%	b	167.5%
			Ave	erage annual p	ercentage chan	ge		
1950-2003	0.5%	5.9%	2.6%	2.2%	b			
1970-2003	-1.1%	3.9%	1.6%	0.9%	1.5%°			
1993-2003	-1.1%	4.0%	1.7%	1.5%	1.4%°			

Soures:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2004, Tables 2.5, 3.1a, 3.1b, and A3. (Pre-1973 data from the *Annual Energy Review*). World petroleum consumption - U.S. Department of Energy, Energy Information Administration, *International Energy Annual 2002*, June 2004, Table 1.1, and annual. (Additional resources: www.eia.doe.gov)

^cAverage annual percentage change is to the latest year possible.



^aTotal domestic production includes crude oil, natural gas plant liquids and small amounts of other liquids.

^bData are not available.

The transportation oil gap is the difference between the amount of petroleum the U.S. produces and the amount of petroleum used by the transportation sector. This gap has been getting wider not only due to increasing transportation demand, but also due to decreasing U.S. petroleum production.




Figure 1.7. United States Petroleum Production and Consumption, 1970-2025

Source:

See Tables 1.12 and 2.5. Projections are from the Energy Information Administration, *Annual Energy Outlook 2004*, January 2004.



Transportation accounts for about two-thirds of the U.S. petroleum use. Total petroleum consumption reached 20 million barrels per day in 2003.

Table 1.13 Consumption of Petroleum by End-Use Sector, 1973–2003 (million barrels per day)

						Electric	
Year	Transportation	Percentage	Residential	Commercial	Industrial	utilities	Total
1973	9.06	52.3%	1.49	0.75	4.48	1.54	17.31
1974	8.84	53.1%	1.36	0.68	4.30	1.48	16.65
1975	8.95	54.8%	1.32	0.63	4.04	1.39	16.32
1976	9.40	53.8%	1.43	0.70	4.46	1.52	17.51
1977	9.76	53.0%	1.42	0.72	4.82	1.71	18.43
1978	10.16	53.9%	1.38	0.69	4.87	1.75	18.85
1979	10.01	54.1%	1.09	0.63	5.34	1.44	18.52
1980	9.57	56.1%	0.91	0.61	4.85	1.15	17.10
1981	9.49	59.1%	0.81	0.52	4.27	0.96	16.06
1982	9.31	60.8%	0.76	0.48	4.06	0.69	15.30
1983	9.41	61.8%	0.74	0.55	3.86	0.68	15.23
1984	9.71	61.7%	0.71	0.58	4.20	0.56	15.77
1985	9.85	62.6%	0.79	0.50	4.10	0.48	15.72
1986	10.23	62.9%	0.78	0.53	4.10	0.64	16.28
1987	10.53	63.2%	0.81	0.52	4.25	0.55	16.67
1988	10.90	63.1%	0.84	0.51	4.40	0.69	17.33
1989	11.00	63.5%	0.85	0.47	4.35	0.75	17.42
1990	10.97	64.5%	0.70	0.45	4.18	0.57	16.86
1991	10.80	64.6%	0.72	0.42	4.55	0.53	17.02
1992	10.97	64.4%	0.73	0.40	4.44	0.44	16.96
1993	11.18	64.8%	0.77	0.37	4.64	0.50	17.44
1994	11.48	64.8%	0.74	0.37	4.54	0.47	17.59
1995	11.72	66.1%	0.76	0.35	4.80	0.33	17.96
1996	11.99	65.5%	0.84	0.37	4.92	0.36	18.48
1997	12.12	65.1%	0.81	0.35	4.81	0.41	18.51
1998	12.47	65.9%	0.75	0.33	4.80	0.58	18.92
1999	12.84	65.8%	0.84	0.33	4.98	0.53	19.52
2000	13.12	66.4%	0.87	0.37	4.89	0.51	19.76
2001	12.92	65.7%	0.87	0.37	4.93	0.56	19.66
2002	13.11	66.5%	0.86	0.37	4.95	0.43	19.72
2003	13.20	65.8%	0.88	0.38	5.06	0.53	20.05
				ual percentage			
1973–2003	1.3%		-1.7%	-2.2%	0.4%	-3.5%	0.5%
1993–2003	1.7%		1.3%	-0.3%	0.9%	0.6%	1.4%

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, March 2004, Tables 2.2–2.6. Converted to million barrels per day using Table A3. (Additional resources: www.eia.doe.gov)



Pipelines accounted for two-thirds of the domestic movement of petroleum and petroleum products in 2002.

Table 1.14
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2002

	Pipelines ^a	Water carriers	Motor carriers ^b	Railroads	Total
Year		(per	cent)		(billion ton-miles
1975	59.9%	35.2%	3.3%	1.7%	846.7
1976	59.4%	35.4%	3.8%	1.5%	867.7
1977	59.1%	36.1%	3.2%	1.6%	923.4
1978	50.5%	45.7%	2.7%	1.1%	1,160.2
1979	51.8%	44.5%	2.6%	1.2%	1,174.8
1980	47.2%	49.6%	2.2%	1.0%	1,245.3
1981	46.3%	50.7%	2.0%	1.0%	1,218.4
1982	46.4%	50.6%	1.9%	1.1%	1,218.2
1983	45.5%	51.5%	2.1%	1.0%	1,223.5
1984	48.1%	48.4%	2.5%	1.0%	1,180.2
1985	47.2%	49.4%	2.4%	1.0%	1,195.5
1986	48.7%	47.8%	2.5%	1.0%	1,187.8
1987	49.1%	47.4%	2.5%	1.0%	1,195.8
1988	50.6%	45.8%	2.6%	1.1%	1,188.1
1989	53.4%	42.6%	2.8%	1.2%	1,094.2
1990	54.2%	41.7%	2.8%	1.3%	1,076.8
1991	53.3%	42.8%	2.7%	1.3%	1,086.1
1992	53.9%	42.1%	2.6%	1.4%	1,091.7
1993	57.3%	38.8%	2.4%	1.5%	1,034.6
1994	56.5%	39.3%	2.7%	1.5%	1,046.7
1995	57.5%	38.4%	2.5%	1.6%	1,044.9
1996	60.6%	34.9%	2.9%	1.6%	1,022.2
1997	64.5%	30.9%	2.9%	1.8%	956.5
1998	66.7%	28.5%	3.0%	1.8%	929.8
1999	67.7%	27.1%	3.2%	2.1%	912.9
2000	66.1%	28.0%	3.6%	2.3%	873.3
2001	66.2%	28.1%	3.5%	2.2%	869.8
2002	67.8%	26.3%	3.5%	2.3%	864.6
			rage annual percentage		
1975–2002				O	0.1%
1992–2002					-2.3%

Source:

Association of Oil Pipelines, *Shifts in Petroleum Transportation*, Washington, DC, June 2004, Table 1. (Additional resources: www.aopl.org)



^a The amounts carried by pipeline are based on ton-miles of crude and petroleum products for Federally regulated pipelines (84 percent) plus an estimated breakdown of crude and petroleum products of the ton-miles for pipelines not Federally regulated (16 percent).

^b The amounts carried by motor carriers are estimated.

Chapter 2 Energy

Summary Statistics from Tables in this Chapter

Source			
Table 2.1	Transportation share of U.S. energy consumption, 2003	27.4%	
Table 2.2	Petroleum share of transportation energy consumption, 2	96.4%	
Table 2.3	Alternative fuel and oxygenate consumption, 2003		
		(thousand gasoline equivalent gallons)	(share)
	MTBE	Not availe	able
	Ethanol in gasohol	1,792,900	81.3%
	Liquified petroleum gas	230,486	10.4%
	Compressed natural gas	141,726	6.4%
	E85/E95	20,092	0.9%
	Liquified natural gas	10,514	0.5%
	Electricity	9,633	0.4%
	M85/M100	274	0.0%
Table 2.4	Transportation energy use by mode, 2002	(trillion Btu)	(share)
	Automobiles	9,326	32.6%
	Light trucks	6,842	24.0%
	Heavy trucks	5,027	17.6%
	Air	2,213	7.7%
	Off-highway	2,203	7.7%
	Water	1,184	4.1%
	Pipeline	935	3.3%
	Rail	621	2.2%
	Buses	191	0.7%



Petroleum accounted for nearly 40% of the world's energy use in 2002. Though petroleum is the dominant energy source for both OECD countries and non-OECD countries, the non-OECD countries rely on coal, natural gas, and hydro-electric power more than OECD countries do.




Figure 2.1. World Consumption of Primary Energy, 2002

Source:

U.S. Department of Energy, Energy Information Administration, *International Energy Annual 2002*, Washington, DC, 2004, Table 1.8. (Additional resources: www.eia.doe.gov)



The Energy Information Administration revised the historical energy data series to include renewable energy in each sector. Also, the residential and commercial sector data are now separated. Total energy use was 98.1 quads in 2003 with transportation using 27.4%.

Table 2.1
U. S. Consumption of Total Energy by End-Use Sector, 1973–2003^a (quadrillion Btu)

Year	Transportation	Percentage transportation of total	Industrial	Commercial	Residential	Total
1973	18.6	24.6%	32.7	9.5	14.9	75.7
1974	18.1	24.5%	31.8	9.4	14.7	74.0
1975	18.2	25.3%	29.4	9.5	14.8	72.0
1976	19.1	25.1%	31.4	10.0	15.4	76.0
1977	19.8	25.4%	32.3	10.2	15.7	78.0
1978	20.6	25.8%	32.7	10.5	16.2	80.0
1979	20.5	25.3%	34.0	10.6	15.8	80.9
1980	19.7	25.2%	32.2	10.6	15.9	78.3
1981	19.5	25.6%	30.8	10.6	15.4	76.3
1982	19.1	26.0%	27.7	10.9	15.6	73.2
1983	19.1	26.2%	27.5	11.0	15.5	73.1
1984	19.8	25.8%	29.6	11.5	15.8	76.7
1985	20.1	26.3%	29.0	11.5	15.9	76.4
1986	20.8	27.1%	28.4	11.6	15.9	76.7
1987	21.5	27.1%	29.5	12.0	16.2	79.2
1988	22.3	27.0%	30.8	12.6	17.1	82.8
1989	22.6	26.6%	31.4	13.2	17.8	84.9
1990	22.5	26.6%	31.9	13.3	16.9	84.6
1991	22.1	26.2%	31.5	13.5	17.4	84.5
1992	22.5	26.2%	32.7	13.4	17.3	85.9
1993	22.9	26.1%	32.7	13.8	18.2	87.6
1994	23.5	26.3%	33.6	14.1	18.1	89.2
1995	24.0	26.3%	33.9	14.7	18.7	91.2
1996	24.5	26.0%	34.9	15.2	19.6	94.2
1997	24.8	26.2%	35.2	15.7	19.1	94.7
1998	25.4	26.8%	34.8	16.0	19.1	95.1
1999	26.1	27.0%	34.7	16.3	19.6	96.8
2000	26.7	27.0%	34.6	17.1	20.5	98.9
2001	26.3	27.3%	32.5	17.3	20.3	96.3
2002	26.7	27.2%	32.9	17.7	21.1	98.3
2003	26.9	27.4%	32.6	17.6	21.1	98.1
		Average annu	al percentage	change		
1973-2003	1.2%		0.0%	2.1%	1.2%	0.9%
1993-2003	1.6%		0.0%	2.5%	1.5%	1.1%

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March* 2004, Washington, DC, Table 2.1. (Additional resources: www.eia.doe.gov)



^aElectrical energy losses have been distributed among the sectors.

The Energy Information Administration revised the historical energy data series to include renewable energy in each sector. In transportation, the alcohol fuels blended into gasoline to make gasohol (10% ethanol or less) are now counted under "renewables" and have been taken out of petroleum. The petroleum category, however, still contains other blending agents, such as MTBE, that are not actually petroleum, but are not broken out into a separate category.

Table 2.2 Distribution of Energy Consumption by Source, 1973 and 2003 (percentage)

Energy	Transp	ortation	Resid	lential	Comn	nercial	Indus	strial	Electric	utilities
source	1973	2003	1973	2003	1973	2003	1973	2003	1973	2003
Petroleum ^a	95.8	96.4	18.9	7.3	16.5	4.3	27.9	29.1	17.8	3.1
Natural gas ^b	4.0	2.5	33.3	24.5	27.9	18.4	31.8	25.6	19.0	13.2
Coal	0.0	0.0	0.6	0.1	1.7	0.6	12.4	6.4	43.9	53.7
Renewable	0.0	0.9	2.4	2.0	0.1	0.6	3.7	5.4	14.6	9.5
Nuclear	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	21.0
Electricity ^c	0.1	0.2	44.7	66.1	53.9	76.2	24.2	33.4	0.0	0.0
Other ^d	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Total	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, *March* 2004, Washington, DC, pp. 27, 29, 31, 33. (Additional resources: www.eia.doe.gov)



^a In transportation, the petroleum category contains some blending agents which are not petroleum.

^b Includes supplemental gaseous fuels. Transportation sector includes pipeline fuel and natural gas vehicle use.

^c Includes electrical system energy losses.

^d Energy generated from geothermal, wood, waste, wind, photovoltaic, and solar thermal energy sources.

Oxygenates are blended with gasoline to be used in conventional vehicles. The amount of oxygenate use dwarfs the alternative fuel use. Gasoline-equivalent gallons are used in this table to allow comparisons of different fuel types.

Table 2.3 Alternative Fuel and Oxygenate Consumption, 1995–2004 (thousand gasoline–equivalent gallons)

Alternative fuel	1995	1998	2000	2001	2002	2003	2004ª	2004 Percentage
Liquified petroleum gas	232,701	241,386	212,576	215,876	223,143	230,486	242,368	9.7%
Compressed natural gas	35,162	72,412	86,745	104,496	120,670	141,726	159,464	6.4%
Liquified natural gas	2,759	5,343	7,259	8,921	9,382	10,514	10,868	0.4%
M85 ^b	2,023	1,212	585	439	337	274	257	0.0%
M100	2,150	449	0	0	0	0	0	0.0%
E85 ^b	190	1,727	12,071	14,623	17,783	20,092	22,405	0.9%
E95 ^b	995	59	13	0	0	0	0	0.0%
Electricity ^c	663	1,202	3,058	4,066	7,274	9,633	11,836	0.5%
Subtotal	1,208,638	323,790	322,307	348,421	378,589	412,725	447,198	17.9%
Oxygenates								
$MTBE^{d}$	2,691,200	2,903,400	3,296,100	3,352,200	2,383,000	e	e	е
Ethanol in gasohol	910,700	889,500	1,085,800	1,143,300	1,413,600	1,792,900	2,052,000	82.1%
Total	4,810,538	4,116,690	4,704,207	4,843,921	4,175,189	2,205,625	2,499,198	100.0%

Source:

U.S. Department of Energy, Energy Information Administration, *Alternatives to Traditional Transportation Fuels*, 2003, Washington, DC, October 2003, web site www.eia.doe.gov/cneaf/alternate/page/datatables/atf1-13_00.html, Table 10. (Additional resources: www.eia.doe.gov)

Note: These data were released in October 2003. Please check the source web site for updates which were not available when this document went to press.



^aBased on plans or projections.

^bConsumption includes gasoline portion of the mixture.

^eVehicle consumption only; does not include power plant inputs.

^dMethyl Tertiary Butyl Ether. This category includes a very small amount of other ethers, primarily Tertiary Amyl Methyl Ether (TAME) and Ethyl Tertiary Butyl Ether (ETBE).

^eData are not available.

As data about alternative fuel use become available, an attempt is made to incorporate them into this table. Sometimes assumptions must be made in order to use the data. Please see Appendix A for a description of the methodology used to develop these data.

Table 2.4

Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002^a
(trillion Btu)

			Liquified petroleum		Residual	Natural		
	Gasoline	Diesel fuel	gas	Jet fuel	fuel oil	gas	Electricity	Total
HIGHWAY	16,447.5	4,922.7	26.9			11.6	0.9	21,409.6
Light vehicles	15,871.1	310.6	10.0			0.0		16,191.7
Automobiles	9,273.9	52.0				0.0		9,325.9
Light trucks ^b	6,573.3	258.6	10.0			0.0		6,841.9
Motorcycles	23.9							23.9
Buses	6.7	171.7	0.2			11.6	0.9	191.1
Transit	0.2	77.5	0.2			11.6	0.9	90.4
Intercity ^c		29.2						29.2
School ^d	6.5	65.0						71.5
Medium/heavy trucks	569.7	4,440.4	16.7					5,026.8
NONHIGHWAY	196.0	856.0		2,181.5	710.6	687.7	322.3	4,954.1
Air	31.4			2,181.5				2,212.9
General aviation	31.4			110.1				141.5
Domestic air carriers				1,734.5				1,734.5
International air carriers ^d				336.9				336.9
Water	164.6	309.6			710.6			1,184.8
Freight		287.0			710.6			997.6
Recreational	164.6	22.6						187.2
Pipeline						687.7	247.7	935.4
Rail		546.4					74.6	621.0
Freight (Class I)		520.3						520.3
Passenger		26.1					74.6	100.7
Transit		0.0					49.3	49.3
Commuter		10.1					15.7	25.8
Intercity ^c		16.0					9.6	25.6
HWY & NONHWY TOTAL	16,643.5	5,778.7	26.9	2,181.5	710.6	699.3	323.2	26,363.7
OFF-HIGHWAY	733.8	1,469.6						2,203.4
Agriculture	42.2	464.9						507.1
Industrial & commercial	216.6	248.9						465.5
Construction	34.2	741.6						775.8
Personal & recreational	440.5	5.8						446.3
Other	0.3	8.4						8.7
TOTAL	17,377.3	7,248.3	26.9	2,181.5	710.6	699.3	323.2	28,567.1

Source:

See Appendix A for Energy Use Sources.



^a Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles).

^b Two-axle, four-tire trucks.

^c 2000 data. 2001 data are not yet available.

^d One half of fuel used by domestic carriers in international operation.

The 2001 data have been revised to include the latest data available.

Table 2.5 Transportation Energy Use by Mode, 2001–2002^a

	Trillion	ı Btu	Percentag based o		Thousand day cri equiv	ude oil Î
	2001	2002	2001	2002	2001	2002
HIGHWAY Light vehicles	20,874.3 15,867.5	21,409.6 16,191.7	80.5% 61.2%	81.2% 61.4%	10,689.7 8,302.3	10,967.8 8,478.9
Automobiles	9,160.5	9,325.9	35.3%	35.4%	4,798.4	4,889.0
Light trucks ^c	6,682.9	6,841.9	25.8%	26.0%	3.491.3	3,577.4
Motorcycles	24.1	23.9	0.1%	0.1%	12.6	12.5
Buses	195.6	191.1	0.170	0.7%	92.6	91.2
Transit	91.6	90.4	0.4%	0.3%	43.3	43.5
Intercity	30.1	29.2	0.4%	0.1%	14.2	13.7
School	73.9	71.5	0.1%	0.1%	35.1	34.0
Medium/heavy trucks	4,811.2	5,026.8	18.6%	19.1%	2,294.8	2,397.7
NONHIGHWAY	5,043.3	4,954.1	19.5%	18.8%	1,955.0	1,884.9
Air	2,411.0	2,212.9	9.3%	8.4%	1,167.3	1,071.1
General aviation	165.1	141.5	0.6%	0.5%	82.1	70.2
Domestic air carriers	1,892.4	1.734.5	7.3%	6.6%	914.4	838.1
International air	353.5	336.9	1.4%	1.3%	170.8	162.8
Water	1,128.8	1,184.8	4.4%	4.5%	516.8	541.1
Freight	941.6	997.6	3.6%	3.8%	420.4	444.6
Recreational	187.2	187.2	0.7%	0.7%	96.4	96.5
Pipeline	888.7	935.4	3.4%	3.5%	12.8	12.8
Rail	614.8	621.0	2.4%	2.4%	258.1	259.9
Freight (Class I)	517.3	520.3	2.0%	2.0%	243.3	244.7
Passenger	97.5	100.7	0.4%	0.4%	14.8	15.2
Transit	48.6	49.3	0.2%	0.2%	2.5	1.9
Commuter	25.9	25.8	0.1%	0.1%	5.5	5.4
Intercity	23.0	25.6	0.1%	0.1%	6.8	7.9
HWY & NONHWY TOTAL	25,917.6	26,363.7	100.0%	100.0%	12,644.7	12,852.7

Source: See Appendix A for Energy Use Sources.



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a Civilian consumption only. Totals may not include all possible uses of fuels for transportation (e.g., snowmobiles).

^bThis year, crude oil equivalent is not a simple conversion from Btu based on the average Btu in a barrel of oil. Each gallon of petroleum product was assumed to equal one gallon of crude oil. The oil used to produce electricity is also estimated. See Appendix A, p. 18 for details.

^c Two-axle, four-tire trucks.

The highway sector is by far the largest part of transportation energy use. Light truck energy use has increased at the greatest rate, due to the increased use of light trucks as personal passenger vehicles. Light trucks include pick-ups, minivans, sport-utility vehicles, and vans.

Table 2.6 Highway Transportation Energy Consumption by Mode, 1970–2002 (trillion Btu)

		Light	Light vehicles	Motor-		Heavy	Highway	Total
Year	Autos	trucks	subtotal	cycles	Buses	trucks	subtotal	transportationa
1970	8,479	1,539	10,018	7	129	1,553	11,707	15,402
1975	9,298	2,384	11,682	14	124	2,003	13,823	17,426
1976	9,826	2,602	12,428	15	134	2,114	14,691	18,492
1977	9,928	2,797	12,724	16	137	2,344	15,222	19,126
1978	10,134	3,020	13,153	18	141	2,607	15,919	20,095
1979	9,629	3,055	12,685	22	144	2,697	15,547	20,099
1980	8,800	2,975	11,774	26	143	2,686	14,629	18,937
1981	8,693	2,963	11,655	27	145	2,724	14,551	19,071
1982	8,673	2,837	11,510	25	151	2,707	14,393	18,507
1983	8,802	2,989	11,791	22	152	2,770	14,735	18,624
1984	8,837	3,197	12,034	22	146	2,873	15,075	19,265
1985	8,932	3,413	12,345	23	154	2,883	15,404	19,597
1986	9,138	3,629	12,767	23	160	2,958	15,908	20,209
1987	9,157	3,819	12,976	24	164	3,061	16,225	20,673
1988	9,158	4,077	13,235	25	169	3,118	16,548	21,202
1989	9,232	4,156	13,388	26	169	3,199	16,782	21,493
1990	8,688	4,451	13,139	24	167	3,334	16,663	21,598
1991	8,029	4,774	12,803	23	177	3,402	16,405	21,188
1992	8,169	5,117	13,286	24	184	3,468	16,963	21,846
1993	8,368	5,356	13,723	25	183	3,577	17,509	22,298
1994	8,470	5,515	13,984	26	183	3,778	17,976	22,900
1995	8,489	5,695	14,183	25	184	3,937	18,334	23,432
1996	8,634	5,917	14,551	24	186	4,045	18,813	23,936
1997	8,710	6,168	14,879	25	192	4,086	19,187	24,288
1998	8,936	6,305	15,241	26	196	4,218	19,686	24,717
1999	9,134	6,605	15,738	26	202	4,638	20,610	25,909
2000	9,100	6,611	15,711	26	208	4,819	20,764	26,225
2001	9,161	6,683	15,884	24	196	4,811	20,874	25,918
2002	9,326	6,842	16,168	24	191	5,027	21,410	26,364
				erage annu	al percent	age change		
1970-2002	0.3%	4.8%	1.5%	3.9%	1.2%	3.7%	1.9%	1.7%
1992–2002	1.3%	2.9%	2.0%	0.0%	0.4%	3.8%	2.4%	1.9%

Source:

See Appendix A for Highway Energy Use.

^a Total transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g. snowmobiles). These data have been revised due to a new data series for recreational boats.



Almost 20% of transportation energy use is for nonhighway modes. Air travel accounts for nearly half of nonhighway energy use.

Table 2.7 Nonhighway Transportation Energy Consumption by Mode, 1970–2002^a (trillion Btu)

Year	Air	Water	Pipeline	Rail	Nonhighway subtotal	Total transportation ^b
1970	1,307	835	995	558	3,695	15,402
1975	1,274	921	844	563	3,603	17,426
1976	1,333	1,077	807	585	3,801	18,492
1977	1,350	1,169	790	595	3,904	19,126
1978	1,423	1,374	787	592	4,176	20,095
1979	1,488	1,590	864	611	4,552	20,099
1980	1,434	1,382	900	592	4,308	18,937
1981	1,453	1,592	909	565	4,520	19,071
1982	1,445	1,325	859	485	4,114	18,507
1983	1,440	1,223	743	482	3,889	18,624
1984	1,609	1,257	785	538	4,190	19,265
1985	1,677	1,254	758	504	4,193	19,597
1986	1,823	1,246	738	494	4,301	20,209
1987	1,899	1,269	775	505	4,448	20,673
1988	1,978	1,281	878	518	4,654	21,202
1989	1,981	1,312	894	523	4,711	21,493
1990	2,077	1,417	928	514	4,935	21,598
1991	1,939	1,494	864	485	4,783	21,188
1992	1,970	1,567	849	497	4,883	21,846
1993	1,986	1,402	889	512	4,789	22,298
1994	2,070	1,352	955	546	4,924	22,900
1995	2,141	1,419	971	567	5,098	23,432
1996	2,206	1,354	984	580	5,123	23,936
1997	2,300	1,193	1,027	581	5,101	24,288
1998	2,371	1,174	901	585	5,031	24,717
1999	2,471	1,310	912	607	5,299	25,909
2000	2,549	1,396	908	608	5,461	26,225
2001	2,411	1,128	889	615	5,044	25,918
2002	2,213	1,185	935	621	4,954	26,364
		Ave	rage annual per	centage cha	nge	
1970-2002	1.7%	1.1%	-0.2%	0.3%	0.9%	1.7%
1992-2002	1.2%	-2.8%	1.0%	2.3%	0.1%	1.9%

Source:

See Appendix A for Nonhighway Energy Use.

^bTotal transportation figures do not include military and off-highway energy use and may not include all possible uses of fuel for transportation (e.g. snowmobiles).



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a These data have been revised slightly due to a new data series for recreational boats. See Appendix A for detailed methodologies.

A new study on off-highway fuel consumption uses the Environmental Protection Agency's NONROAD2002 model and the Census Bureau's 1997 Vehicle Inventory and Use Survey to estimate fuel use.

Table 2.8
Off-highway Transportation-related Fuel Consumption, 1997 and 2001
(million gallons)

		1997				2001			
Sector	Gasoline	Diesel	Other	Total	Gasoline	Diesel	Other	Total	
Agriculture	319	2,994	5	3,318	338	3,352	4	3,694	
Industrial and commercial	1,761	1,579	1,854	5,193	1,733	1,794	2,108	5,636	
Construction	289	4,766	18	5,073	274	5,347	19	5,639	
Personal and recreational	3,425	37	7	3,469	3,524	42	7	3,573	
Other	2	48	2	52	2	61	2	65	
Total	5,797	9,424	1,885	17,106	5,870	10,596	2,141	18,607	

Examples of off-highway tra	insportation-related vehicles and equipment
Agriculture	Tractors, mowers, combines, balers, and other farm equipment which has utility in its movement.
Industrial and commercial	Forklifts, commercial mowers, forestry equipment, shredders, terminal tractors
Construction	Pavers, rollers, drill rigs, graders, backhoes, excavators, cranes, mining equipment
Personal and recreational	Lawn mowers, tillers, tractors, motorcycles, snowmobiles, golf carts
Other	Airport ground equipment

Source:

Davis, S.C. and L.F. Truett, Off-Highway Transportation-Related Fuel Use, ORNL/TM-2002/92, Oak Ridge National Laboratory, Oak Ridge, TN, April 2004. (Additional resources: www-cta.ornl.gov/Publications/Publications_2004.html)



The Federal Highway Administration cautions that data from 1993 on may not be directly comparable to earlier years. Some states have improved reporting procedures in recent years, and the estimation procedures were revised in 1994. Prior to the Energy Policy Act of 1992, gasohol was defined as a blend of gasoline and at least 10%, by volume, alcohol. Effective January 1, 1993, three types of gasohol were defined: 10% gasohol—containing at least 10% alcohol; 7.7% gasohol—containing 7.7% alcohol but less than 10%; and 5.7% gasohol—containing at least 5.7% alcohol but less than 7.7%. See Table 2.3 for details on oxygenate usage.

Table 2.9 Highway Usage of Gasoline and Special Fuels, 1973–2002 (billion gallons)

			Ethanol used	Total gasoline		Percent	Total highway
Year	Gasoline	Gasohol	in gasohola	and gasohol	Diesel ^b	diesel	fuel use
1973	с	c	с	100.6	9.8	8.9%	110.5
1975	c	c	c	99.4	9.6	8.8%	109.0
1980	100.7	0.5	0.0	101.2	13.8	12.0%	115.0
1981	98.9	0.7	0.1	99.6	14.9	13.0%	114.5
1982	96.2	2.3	0.2	98.5	14.9	13.1%	113.4
1983	95.9	4.3	0.4	100.1	16.0	13.8%	116.1
1984	96.0	5.4	0.5	101.4	17.3	14.6%	118.7
1985	95.6	8.0	0.8	103.6	17.8	14.6%	121.3
1986	98.6	8.1	0.8	106.8	18.4	14.7%	125.2
1987	101.8	6.9	0.8	108.7	19.0	14.9%	127.7
1988	101.7	8.1	0.8	109.8	20.1	15.5%	129.9
1989	103.7	6.9	0.7	110.6	21.2	16.1%	131.9
1990	102.6	7.5	0.8	110.2	21.4	16.3%	131.6
1991	99.3	8.6	0.9	107.9	20.7	16.1%	128.6
1992	102.1	8.8	0.9	111.0	22.0	16.5%	132.9
1993	103.4	10.3	1.0	113.7	23.5	17.1%	137.2
1994	104.0	11.0	1.0	115.0	25.1	17.9%	140.1
1995	104.0	13.1	1.2	117.1	26.2	18.3%	143.3
1996	107.4	12.1	1.1	119.5	27.2	18.5%	146.7
1997	106.2	14.7	1.3	120.9	29.4	19.6%	150.3
1998	110.7	14.0	1.3	124.7	30.2	19.5%	154.9
1999	114.6	14.2	1.3	128.7	31.9	19.9%	160.7
2000	112.6	16.3	1.5	128.9	33.4	20.6%	162.3
2001	112.3	17.4	1.5	129.7	33.4	20.5%	163.1
2002	112.0	21.0	d	133.0	34.8	20.7%	167.8
			Averag	e annual percenta	ge change		
1973-2002	d	d	d	1.0%	4.5%		1.5%
1992-2002	0.9%	9.1%	5.2%	1.8%	4.7%		2.4%

Source:

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2003, Tables MF-21 and MF-33E, and annual. (Additional resources: www.fhwa.dot.gov)

^a Estimated for 1980–92 as 10% of gasohol consumption.

^b Consists primarily of diesel fuel, with small quantities of liquified petroleum gas.

^c Data for gasoline and gasohol cannot be separated in this year.

^d Data are not available.

Nearly all of the fuel ethanol used in the U.S. is made domestically. Twenty percent of MTBE was imported in 2003.

Table 2.10
U.S. Production and Imports of MTBE^a and Fuel Ethanol, 1985–2003
(million gallons)

	Produ	ction	Impo	orts
Year	Fuel ethanol	MTBE ^a	Fuel ethanol	MTBE ^a
1985	793	302	b	b
1990	756	ь	ь	b
1991	875	b	b	b
1992	1,080	1,542	b	b
1993	1,156	2,081	10	306
1994	1,280	2,205	12	595
1995	1,355	2,506	16	692
1996	974	2,846	13	733
1997	1,274	3,011	4	918
1998	1,387	3,151	3	1,040
1999	1,472	3,315	4	1,146
2000	1,633	3,253	5	1,176
2001	1,765	3,257	13	1,146
2002	2,132	3,133	13	907
2003	2,805	2,572	12	628
		Average annu	al percentage change	
1985-2003	7.3%	12.6%	b	b
1993-2003	9.3%	2.1%	1.8%	7.5%

Sources:

Production - 1992–2002 Ethanol and MTBE: U.S. Department of Energy, Energy Information Administration, *Petroleum Supply Monthly*, Washington, DC, January 2004, Table D1. 1985–91 Ethanol: Information Resources, Inc., Washington, DC, 1991. 1985 MTBE: EA-Mueller, Inc., Baltimore, MD, 1992. Imports - U.S. Department of Energy, Energy Information Administration, *Petroleum Supply Annual*, 2003, *Volume 1*, Washington, DC, July 2004, Table 20, and annual. (Additional resources: www.eia.doe.gov)

Note: Table 2.3 displays gasoline-equivalent gallons, which differ from these gallons.



TRANSPORTATION ENERGY DATA BOOK: EDITION 24-2004

^a Methyl tertiary-butyl ether.

^b Data are not available.

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes. These values are averages, and there is a great deal of variability even within a mode.

Table 2.11
Passenger Travel and Energy Use, 2002

		Vehicle-	Passenger-		Energy	Energy intensities	
	Number of vehicles	miles	miles (millions)	Load factor	(Btu per	(Btu per	Energy use (trillion Btu)
Antomobiles	135 920 7	1 658 640	2 604 065	1.57	5.623	3.581	9.325.9
Compound.	1000000	21000000	1001001		0100	100	1 010
Personal trucks	65,268.2	698,324	1,201,117	1.72	8/6,9	4,057	4,872.7
Motorcycles	5,004.2	9,553	10,508	1.22	2,502	2,274	23.9
Demand response	34.7	803	853	1.1	14,449	13,642	11.6
Vanpool	0.9	77	483	6.3	8,568	1,362	0.7
Buses	cu	æ	a	æ	es	est	191.6
Transit	76.8	2,425	22,029	9.1	37,492	4,127	6.06
Intercity ^b	es	æ	æ	æ	92	os	29.2
Schoolb	617.1	a	es	eq	æ	œ	71.5
Air	es	æ	eq	æ	es	eq	2,212.9
Certificated route ^c	ed i	5,841	559,374	95.8	354,631	3,703	2,071.4
General aviation	211.2	п	eq	а	eq	æ	141.5
Recreational boats	12,409.7	a	æ	ed	eq.	e	187.2
Rail	18.2	1,345	29,913	22.2	74,944	3,370	100.8
Intercity ^d	0.4	379	5,314	14.0	67,810	4,830	25.7
Transit ^e	12.5	682	15,095	22.1	72,287	3,268	49.3
Commuter	5.3	284	9,504	33.5	90,845	2,714	25.8

Source:

See Appendix A for Passenger Travel and Energy Use.



a Data are not available.

b Energy use is estimated.

^e Includes domestic scheduled services and ½ of international scheduled services (Table 2.13 shows only domestic services). These energy intensities may be inflated because all energy use is attributed to passengers - cargo energy use is not taken into account.

d Amtrak only.

e Light and heavy rail.

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes. These values are averages, and there is a great deal of variability even within a mode.

Table 2.12 Energy Intensities of Highway Passenger Modes, 1970–2002

					Buses	
	Auto	mobiles	Light truck ^a	Tı	ransit ^b	Intercity
	(Btu per	(Btu per	(Btu per	(Btu per	(Btu per	(Btu per
Year	vehicle-mile)	passenger-mile)	vehicle-mile)	vehicle-mile)	passenger-mile)	passenger-mile)
1970	9,250	4,868	12,479	31,796	2,472	1,674
1975	8,993	4,733	11,879	33,748	2,814	988
1976	9,113	4,796	11,523	34,598	2,896	1,007
1977	8,950	4,710	11,160	35,120	2,889	970
1978	8,839	4,693	10,807	36,603	2,883	976
1979	8,647	4,632	10,467	36,597	2,795	1,028
1980	7,916	4,279	10,224	36,553	2,813	1,082
1981	7,670	4,184	9,997	37,745	3,027	1,051
1982	7,465	4,109	9,268	38,766	3,237	1,172
1983	7,365	4,092	9,124	37,962	3,177	1,286
1984	7,202	4,066	8,931	38,705	3,307	954
1985	7,164	4,110	8,730	38,876	3,423	964
1986	7,194	4,197	8,560	37,889	3,545	870
1987	6,959	4,128	8,359	36,247	3,594	940
1988	6,683	4,033	8,119	36,673	3,706	963
1989	6,589	4,046	7,746	36,754	3,732	964
1990	6,169	3,856	7,746	37,374	3,794	962
1991	5,912	3,695	7,351	37,732	3,877	963
1992	5,956	3,723	7,239	40,243	4,310	964
1993	6,087	3,804	7,182	39,043	4,262	962
1994	6,024	3,765	7,212	37,313	4,268	964
1995	5,902	3,689	7,208	37,277	4,310	964
1996	5,874	3,683	7,247	37,450	4,340	963
1997	5,797	3,646	7,251	38,832	4,431	963
1998	5,767	3,638	7,261	41,182	4,387	963
1999	5,821	3,684	7,330	40,460	4,332	964
2000	5,687	3,611	7,162	41,548	4,515	932
2001	5,626	3,583	7,085	38,341	4,125	c
2002	5,623	3,581	7,081	37,492	4,127	c
	•		ge annual perce	ntage change	•	
1970-2002	-1.5%	-1.0%	-1.8%	0.5%	1.6%	c
1992-2002	-0.6%	-0.4%	-0.2%	-0.7%	-0.4%	c

Source:

See Appendix A for Highway Passenger Mode Energy Intensities.

^{°2001}data are not yet available.



^aAll two-axle, four-tire trucks.

^bSeries not continuous between 1983 and 1984 because of a change in data source by the American Public Transit Association (APTA).

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes.

Table 2.13
Energy Intensities of Nonhighway Passenger Modes, 1970–2002

	A	ir	R	ail	
	Certificated	General	Intercity	Rail	Commuter
	air carriers ^a	aviation	Amtrak	transit	rail
	(Btu per	(Btu per	(Btu per	(Btu per	(Btu per
Year	passenger-mile)	passenger-mile)	passenger-mile)	passenger-mile)	passenger-mile
1970	10,282	10,374	b	2,453	ь
1975	7,826	10,658	3,677	2,962	Ь
1976	7,511	10,769	3,397	2,971	b
1977	6,990	11,695	3,568	2,691	b
1978	6,144	11,305	3,683	2,210	b
1979	5,607	10,787	3,472	2,794	b
1980	5,561	11,497	3,176	3,008	b
1981	5,774	11,123	2,957	2,946	b
1982	5,412	13,015	3,156	3,069	b b
1983	5,133	11,331	2,957	3,212	В
1984	5,298	11,454	3,027	3,732	3,011
1985	5,053	11,707	2,800	3,461	3,053
1986	5,011	11,935	2,574	3,531	3,174
1987	4,827	11,496	2,537	3,534	3,043
1988	4,861	11,794	2,462	3,585	3,075
1989	4,844	10,229	2,731	3,397	3,120
1990	4,875	10,146	2,609	3,453	3,068
1991	4,662	9,869	2,503	3,710	3,011
1992	4,516	9,785	2,610	3,575	2,848
1993	4,490	9,653	2,646	3,687	3,222
1994	4,397	9,163	2,357	3,828	2,904
1995	4,349	9,870	2,590	3,818	2,849
1996	4,172	9,258	2,792	3,444	2,796
1997	4,166	9,688	2,918	3,253	2,946
1998	4,146	11,252	2,900	3,216	2,859
1999	4,061	12,206	3,062	3,168	2,929
2000	3,952	11,526	3,356	3,105	2,759
2001	3,968	10,384	4,137	3,114	2,717
2002	3,703	b	4,830	3,268	2,714
			annual percentage o	change	
1970-2002	-3.1%	b	1.0%°	0.9%	-0.6%°
1992–2002	-2.0%	b	6.3%	-0.9%	-0.5%

Source:

See Appendix A for Nonhighway Passenger Mode Energy Intensities.



^a These data differ from the data on Table 2.11 because they do not include any international services. These energy intensities may be inflated because all energy use is attributed to passengers – cargo energy use is not taken into account.

^bData are not available.

^cAverage annual percentage change begins with the earliest year possible.




Figure 2.2. Energy Intensities for Selected Transit Systems, 2002

Source:

U.S. Department of Transportation, Federal Transit Administration, 2002 National Transit Databases, Washington, DC. (Additional resources: www.fta.dot.gov/ntl)



Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes.

Table 2.14
Intercity Freight Movement and Energy Use in the United States, 2002

	Trucks	Waterborne commerce	Class I railroads
Number of vehicles (thousands)	2,639 ^b	41	21ª
Ton-miles (billions)	1,051 ^b	612	1,507
Tons shipped (millions)	4,122 ^b	1,016	1,767
Average length of haul (miles)	752 ^b	603	853
Energy intensity (Btu/ton-mile)	3,476	471	345
Energy use (trillion Btu)	3,653	289	520

Source:

See Appendix A for Freight Movement and Energy Use.



^a Number of locomotives.

^b 2001 data. 752 miles is for general freight (less than truckload). Based on data from the Eno Transportation Foundation, the average length of haul for specialized freight (truckload) is 294 miles.

Great care should be taken when comparing modal energy intensity data among modes. Because of the inherent differences between the transportation modes in the nature of services, routes available, and many additional factors, it is not possible to obtain truly comparable national energy intensities among modes.

Table 2.15 Energy Intensities of Freight Modes, 1970–2002

	Heavy single-unit and	Class I freight	railroad	Domestic waterborne
Year	combination trucks (Btu per vehicle-mile)	(Btu per freight car-mile)	(Btu per ton-mile)	commerce (Btu per ton-mile)
1970	24,960	17,669	691	545
1971	24,485	18,171	717	506
1972	24,668	18,291	714	522
1973	24,777	18,468	677	576
1974	24,784	18,852	681	483
1975	24,631	18,739	687	549
1976	24,566	18,938	680	468
1977	24,669	19,226	669	458
1978	24,655	18,928	641	383
1979	24,745	19,188	618	436
1980	24,757	18,742	597	358
1981	25,058	18,629	572	360
1982	24,296	18,404	553	310
1983	23,852	17,864	525	286
1984	23,585	17,795	510	346
1985	23,343	17,500	497	446
1986	23,352	17,265	486	463
1987	22,922	16,790	456	414
1988	22,596	16,758	443	361
1989	22,411	16,894	437	403
1990	22,795	16,619	420	387
1991	22,749	15,835	391	386
1992	22,608	16,043	393	398
1993	22,373	16,056	389	389
1994	22,193	16,340	388	369
1995	22,096	15,992	372	374
1996	22,109	15,747	368	412
1997	21,340	15,784	370	415
1998	21,514	15,372	365	435
1999	22,880	15,363	363	457
2000	23,443	14,917	352	473
2001	23,016	15,108	346	460
2002	23,432	15,003	345	471
		verage annual percentage cha		
1970-2002	-0.2%	-0.5%	-2.1%	-0.5%
1992-2002	0.4%	-0.7%	-1.3%	1.7%

Source

See Appendix A for Freight Mode Energy Intensities.



Chapter 3
All Highway Vehicles and Characteristics

Summary Statistics from Tables in this Chapter

Source		
Table 3.1	U.S. share of world automobile registrations, 2002	22.5%
Table 3.2	U.S. share of world truck & bus registrations, 2002	43.2%
Table 3.3	Number of U.S. automobiles, 2002 (thousands)	129,907
Table 3.3	Number of U.S. trucks, 2001 (thousands)	91,120
Table 3.5	Vehicle miles traveled, 2002 (million miles)	2,855,756
	Automobiles	58.1%
	Motorcycles	0.3%
	Two-axle, four-tire trucks	33.8%
	Other single-unit trucks	2.7%
	Combination trucks	4.9%
	Buses	0.2%
Table 3.8	Median age of vehicles, 2002	
	Automobiles (years)	8.4
	Trucks (years)	6.8
	Median lifetime of vehicles	
Table 3.9	Automobiles (years)	16.9
Table 3.10	Light trucks (years)	15.5



The 1997 data in this series were never published. Use caution comparing historical data because of disconnects in data series, such as China in 1998. Also, the U.S. is unique in how many light trucks (SUVs, minivans, pickups) are used for personal travel. Those light trucks are not included on this table. The U.S. share of world automobiles has been declining since 1998.

Table 3.1 Automobile Registrations for Selected Countries, 1950–2002

				ò	(thousands)	1s)	9			
					United		28	United	U.S. percentage	World
Year	China	India	Japan	France	Kingdom	Germanya	Canadab	States	of world ^c	total
1950	p	p	43	p	2,307	D.	1,913	40,339	76.0%	53,051
1955	Б	P	153	p	360	p	2,961	52,145	71.4%	73,036
1960	p	p	457	4,950	5,650	4,856	4,104	61,671	62.7%	98,305
1965	ъ	р	2,181	8,320	9,131	9,719	5,279	75,258	53.8%	139,776
1970	Þ	p	8,779	11,860	11,802	14,376	6,602	89,244	46.1%	193,479
1975	Ð	P	17,236	15,180	14,061	18,161	8,870	106,706	41.0%	260,201
1980	351	р	23,660	18,440	15,438	23,236	10,256	121,601	38.0%	320,390
1985	795	1,607	27,845	20,800	18,953	26,099	11,118	127,885	34.5%	370,504
1990	1,622	2,694	34,924	23,010	22,528	30,695	12,622	133,700	30.7%	435,050
1991	1,852	2,954	37,076	23,550	22,744	31,309	12,578	128,300	29.1%	441,377
1992	2,262	3,205	38,963	24,020	23,008	37,579	12,781	126,581	28.0%	452,311
1993	2,860	3,361	40,772	24,385	23,402	39,202	12,927	127,327	28.3%	450,473
1994	3,497	3,569	42,678	24,900	23,832	39,918	13,122	127,883	27.0%	473,487
1995	4,179	3,837	44,680	25,100	24,307	40,499	13,183	128,387	26.9%	477,010
1996	4,700	4,246	46,868	25,500	24,864	41,045	13,300	129,728	26.7%	485,954
1997					Data ar	Data are not available	ė.			
1998	2,940°	4,820	49,896	26,800	22,115	41,674	13,887	131,839	27.5%	478,625
1999	3,400	5,200	51,164	27,480	27,539	42,423	16,538	126,869	26.7%	496,059
2000	3,750	5,150	52,437	28,060	27,185	43,772	16,832	127,721	23.3%	547,147
2001	4,325	5,750	53,300	28,700	27,790	44,383	17,055	128,714	22.9%	561,652
2002	4,950	6,945	54,540	29,160	28,484	44,657	17,544	129,907	22.5%	576,279
				Averag	Ayerage annual percentage change	ntage change				
1950-2002	p	р	14.7%	3	2.0%	3		2.3%		4.7%
1970-2002	P	ъ	2.9%	2.9%	2.8%	3.6%	3.1%	1.2%		3.5%
1992-2002	8.1%	8.0%	3.4%	2.0%	2.2%	1.7%	3.2%	0.3%		2.5%

Source:

Ward's Communications, Ward's World Motor Vehicle Data, 2003 Edition, Southfield, MI, 2003, pp. 231-234 and annual.

(Additional resources: www.wardsauto.com)

^c Data from 1985 and later are not comparable to prior data.

d Data are not available.

^e Data are not comparable to prior data due to reclassification of autos and trucks.

^b Data from 1991 and later are not comparable to prior data and data from 1999 and later are not comparable to prior data. ^a Data for 1991 and prior include West Germany only. Kraftwagen are included with automobiles.

The 1997 data in this series were never published. Use caution comparing historical data because of disconnects in data series, such as China in 1998. The U.S. totals include SUVs, minivans, and light trucks, many of which are used for personal travel.

Truck and Bus Registrations for Selected Countries, 1950-2002 Table 3.2

					Thitad	(cn)		United	II & noroentens	World
Year	China	India	Japan	France	Kingdom	Germanya	Canada ^b	States	of world	total
1950	q	ਹ	183	P	1,060	p ,	643	8,823	20.9%	17,349
1955	p	P	318	P	1,244	p	952	10,544	46.1%	22,860
1960	p	p	968	1,540	1,534	786	1,056	12,186	42.6%	28,583
1965	p	P	4,119	1,770	1,748	1,021	1,232	15,100	39.6%	38,118
1970	p	p	8,803	1,850	1,769	1,228	1,481	19,175	36.2%	52,899
1975	811	P	10,854	2,210	1,934	1,337	2,158	26,243	38.8%	869,79
1980	1,480	p	14,197	2,550	1,920	1,617	2,955	34,195	37.7%	90,592
1985	2,402	1,045	18,313	3,310	3,278	1,723	3,149	43,804	37.4%	117,038
1990	4,496	1,536	22,773	4,748	3,774	1,989	3,931	55,097	37.2%	148,073
1661	4,721	1,687	22,839	4,910	3,685	2,114	3,402	59,837	38.9%	153,695
1992	5,177	1,872	22,694	5,040	3,643	2,672	3,413	63,781	39.6%	161,219
1993	5,316	1,967	22,490	5,065	3,604	2,842	3,409	66,736	40.1%	166,614
1994	5,922	2,083	22,333	5,140	3,605	2,960	3,466	70,162	45.1%	155,591
1995	6,221	2,221	22,173	5,195	3,635	3,062	3,485	73,143	43.1%	169,749
9661	6,750	2,506	21,933	5,255	3,621	3,122	3,515	76,637	41.3%	185,404
1997				Data are	Data are not available					
1998	8,313°	2,610	20,919	5,500	3,169	4,357	3,694	79,062	44.0%	179,498
1999	9,400	3,000	20,559	5,609	3,392	3,370	722 ^f	86,640	46.9%	188,367
2000	9,650	2,390	20,211	5,753	3,361	3,534	739 ^c	85,579	42.1%	203,273
2001	10,212	2,663	19,985	5,897	3,412	3,592	729 ^f	696,78	42.5%	207,033
2002	10,500	3,535	17,714	5,984	3,487	3,568	724 ^f	91,120	43.2%	210,918
				Average	Average annual percentage change	ntage change				
950-2002	P	p	9.2%	Ð	2.3%	P	0.2%	4.6%		4.9%
1970-2002	Р	P	2.2%	3.7%	2.1%	3.4%	-2.2%	2.0%		4.4%
1992-2002	7.3%	%9.9	-2.4%	1.7%	-0.4%	2.9%	-14.4%	3.6%		2.7%

Ward's Communications, Ward's World Motor Vehicle Data, 2003 Edition, Southfield, MI, 2003, pp. 231–234 and annual. (Additional resources: www.wardsauto.com)

f Canada reclassified autos and trucks in 1999.

^a Data for 1991 and prior include West Germany only. Kraftwagen are included with automobiles. Data from 1999 and later are not comparable to prior data.

^b Data from 1991 and later are not comparable to prior data. ^c Data from 1985 and later are not comparable to prior data.

d Data are not available.

e Data not comparable to prior data due to reclassification of autos and trucks.

VEHICLES IN USE

Both the Federal Highway Administration (FHWA) and The Polk Company report figures on the automobile and truck population each year. The two estimates, however, differ by as much as 11.2% (1981). The differences can be attributed to several factors:

- The FHWA data include all vehicles which have been registered at any time throughout the calendar year. Therefore, the data include vehicles which were retired during the year and may double count vehicles which have been registered in different states or the same states to different owners. The Polk Company data include only those vehicles which are registered on July 1 of the given year.
- The classification of mini-vans, station wagons on truck chasses, and utility vehicles as passenger cars or trucks causes important differences in the two estimates. The Polk Company data included passenger vans in the automobile count until 1980; since 1980 all vans have been counted as trucks. Recently, the Federal Highway Administration adjusted their definition of automobiles and trucks. Starting in 1993, some minivans and sport utility vehicles that were previously included with automobiles were included with trucks. This change produced a dramatic change in the individual percentage differences of cars and trucks. The difference in total vehicles has been less than 5% each year since 1990 and does not appear to be significantly affected by the FHWA reclassifications.
- The FHWA data include all non-military Federal vehicles, while The Polk Company data include only
 those Federal vehicles which are registered within a state. Federal vehicles are not required to have State
 registrations, and, according to the General Services Administration, most Federal Vehicles are not
 registered.

According to The Polk Company statistics, the number of passenger cars in use in the U.S. declined from 1991 to 1992. This is the first decline in vehicle stock since the figures were first reported in 1924. However, the data should be viewed with caution. A redesign of Polk's approach in 1992 allowed a national check for duplicate registrations, which was not possible in earlier years. Polk estimates that, due to processing limitations, its vehicle population counts may have been inflated by as much as 1½ percent. Assuming that percentage is correct, the number of passenger cars in use would have declined from 1991 to 1992 under the previous Polk method. The growing popularity of light trucks being used as passenger vehicles could also have had an impact on these figures.



Table 3.3
U.S. Automobiles and Trucks in Use, 1970–2002 (thousands)

)									
		Automobiles			Trucks			Total	
		The Polk	Percentage		The Polk	Percentage		The Polk	Percentage
Year	FHWA	Company	difference	FHWA	Company	difference	FHWA	Company	difference
1970	89,243	80,448	10.9%	18,797	17,688	6.3%	108,040	98,136	10.1%
1975	106,706	95,241	12.0%	25,781	24,813	3.9%	132,487	120,054	10.4%
1980	121,601	104,564	16.3%	33,667	35,268	-4.5%	155,267	139,832	11.0%
1981	123,098	105,839	16.3%	34,644	36,069	-4.0%	157,743	141,908	11.2%
1982	123,702	106,867	15.8%	35,382	36,987	-4.3%	159,084	143,854	10.6%
1983	126,444	108,961	16.0%	36,723	38,143	-3.7%	163,166	147,104	10.9%
1984	128,158	112,019	14.4%	37,507	40,143	%9.9-	165,665	152,162	8.9%
1985	127,885	114,662	11.5%	43,210	42,387	1.9%	171,095	157,049	8.9%
1986	130,004	117,268	10.9%	45,103	44,826	%9.0	175,106	162,094	8.0%
1987	131,482	119,849	9.7%	46,826	47,344	-1.1%	178,308	167,193	%9.9
1988	133,836	121,519	10.1%	49,941	50,221	%9.0-	183,777	171,740	7.0%
1989	134,559	122,758	%9.6	52,172	53,202	-1.9%	186,731	175,960	6.1%
1990	133,700	123,276	8.5%	54,470	56,023	-2.8%	188,171	179,299	4.9%
1991	128,300	123,268	4.1%	59,206	58,179	1.8%	187,505	181,447	3.3%
1992	126,581	120,347	5.2%	63,136	61,172	3.2%	189,717	181,519	4.5%
1993	127,327	121,055	5.2%	66,082	65,260	1.3%	193,409	186,315	3.8%
1994	127,883	121,997	4.8%	69,491	66,717	4.2%	197,375	188,714	4.6%
1995	128,387	123,242	4.2%	72,458	70,199	3.2%	200,845	193,441	3.8%
1996	129,728	124,613	4.1%	75,940	73,681	3.1%	205,669	198,294	3.7%
1997	129,749	124,673	4.1%	77,307	76,398	1.2%	207,056	201,071	3.0%
1998	131,839	125,966	4.7%	79,062	770,67	%0.0	210,901	205,043	2.9%
1999	132,432	126,869	4.4%	83,148	82,640	%9.0	215,580	209,509	2.9%
2000	133,621	127,721	4.6%	87,108	85,579	1.8%	220,729	213,300	3.5%
2001	137,633	128,714	%6.9	92,045	87,969	4.6%	229,678	216,683	%0.9
2002	135,921	129,907	4.6%	92,939	91,120	2.0%	228,860	221,027	3.5%
				3					

Source:


FHWA - U.S. Department of Transportation, Federal Highway Administration, Highway Statistics 2002, Washington, DC, 2003, Table VM-1, p. V-57, and

annual. (Additional resources: www.fhwa.dot.gov)
Polk - The Polk Company, Detroit, Michigan. FURTHER REPRODUCTION PROHIBITED. (Additional resources: www.polk.com)



The line on this graph shows the trend of vehicles per thousand people for the U.S. from 1900 to 2002. The symbols on the graph show the **2002** vehicles per thousand people for other countries or regions around the world. Canada in 2002 had about the same ratio of vehicles to people as the U.S. did in 1972 and Western Europe had about the same ratio as the U.S. did in 1984. On the other end of the scale, China had about the same ratio of vehicles per thousand people in 2002 as the U.S. had in 1913 and Africa had about the same ratio as the U.S. did in 1915.

Figure 3.1. Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)



Sources:

Population – (2003) U.S.: U.S. Bureau of the Census, *Statistical Abstract of the United States: 2003*, Table No. 2. All others: United Nations Secretariat, Population Division, *World Urbanization Prospects, The 2003 Revision*, March 24, 2004. (Additional resources: www.un.org/esa/population/unpop.htm)

Vehicles – (2002) U.S.: U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2004. All others: Ward's Communications, *Ward's Motor Vehicle Data* 2003, pp. 231-234. (Additional resources: www.fhwa.dot.gov, www.wardsauto.com)



The data on automobile and light truck stock by size class are estimations based on historical sales data. This method assumes a constant scrappage rate for all size classes. The definitions for the size classes are in the Glossary. The data on trucks by weight class are based on estimates from the 1997 Vehicle Inventory and Use Survey (latest available survey) and a 2002 report entitled "Investigation of Class 2b Trucks (Vehicles of 8,500 to 10,000 lbs GVWR)."

Table 3.4 Vehicle Stock and New Sales in the United States, 2002 Calendar Year

	Vehicle	stock ^a		New sa	ales (in th	ousands)		
	Thousands	Share	Dom	estic	Im	port ^b	To	otal
Autos	131,072	100.0%	5,878	(72.5%)	2,226	(27.5%)	8,104	(100.0%)
Two-seaters	1,889	1.4%	65	(49.2%)	67	(50.8%)	132	(100.0%)
Minicompact	1,153	0.9%	0	(0.0%)	53	(100.0%	53	(100.0%)
Subcompact	24,556	18.7%	406	(65.5%)	214	(34.5%)	620	(100.0%)
Compact	43,337	33.1%	2,093	(66.7%)	1,044	(33.3%)	3,137	(100.0%)
Midsize	40,685	31.0%	2,028	(71.5%)	808	(28.5%)	2,836	(100.0%)
Large	19,452	14.8%	1,287	(97.0%)	40	(3.0%)	1,327	(100.0%)
Autos	131,072	100.0%						
Business fleet autos	4,310	3.3%						
Personal autos	126,762	96.7%						
Trucks	91,120	100.0%	7,572	(87.7%)	1,061	(12.3%)	8,633	(100.0%)
Less than 8,500 lbs.	78,552	86.2%	5,886	(85.0%)	1,039	(15.0%)	6,925	(100.0%)
Small pickup	13,348	14.6%	589	(100.0%	0	(0.0%)	589	(100.0%)
Large pickup	22,174	24.3%	1,707	(100.0%	0	(0.0%)	1,707	(100.0%)
Small van	13,758	15.1%	865	(95.4%)	42	(4.6%)	907	(100.0%)
Large van	5,407	5.9%	241	(86.3%)	38	(13.7%)	280	(100.0%)
Small SUV	6,592	7.2%	400	(53.2%)	352	(46.8%)	752	(100.0%)
Medium SUV	13,313	14.6%	1,436	(71.2%)	581	(28.8%)	2,017	(100.0%)
Large SUV	3,958	4.3%	647	(96.1%)	26	(3.9%)	673	(100.0%)
8,500 – 10,000 lbs.	6,645	7.3%	406	(100.0%	0	(0.0%)	406	(100.0%)
Pickup	4,898	5.4%	333	(100.0%	0	(0.0%)	333	(100.0%)
Van/SUV	1,748	1.9%	73	(100.0%	0	(0.0%)	73	(100.0%)
10,000 – 26,000 lbs.	2,734	3.0%	165	(88.4%)	22	(11.6%)	187	(100.0%)
26,000 lbs. and over	3,189	3.5%	1,115	(99.9%)	1	(0.1%)	1,115	(100.0%)
Trucks	91,120	100.0%						
Business fleet trucks <= 19,500 lbs. GVW	4,510	4.9%						
Personal trucks <=19,500 lbs. GVW	82,510	90.6%						
Trucks > 19,500 lbs. GVW	4,100	4.5%						

Source:

See Appendix A Highway Vehicle Stock and New Sales for detailed methodology and sources. (Additional resources: www.polk.com)



^a Total auto and truck vehicle stocks as of July 1, 2001 from The Polk Company (FURTHER REPRODUCTION PROHIBITED).

^b Includes domestic-sponsored imports.

The trend of using two-axle, four-tire trucks, such as pickups, vans, and sport-utility vehicles, for personal travel is evident in these data; two-axle, four-tire trucks account for 23% more travel in 2002 than in 1970, and automobiles account for 25% less travel in that time period.

Table 3.5 Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970–2002

			Two-axle, four-tire	Other single-unit	Combination		Total vehicle-miles traveled
Year	Automobiles	Motorcycles	trucks	trucks	trucks	Buses ^a	(million miles)
1970	82.6%	0.3%	11.1%	2.4%	3.2%	0.4%	1,109,724
1975	77.9%	0.4%	15.1%	2.6%	3.5%	0.5%	1,327,664
1980	72.8%	0.7%	19.0%	2.6%	4.5%	0.4%	1,527,295
1981	72.9%	0.7%	19.1%	2.5%	4.4%	0.4%	1,555,308
1982	72.8%	0.6%	19.2%	2.5%	4.4%	0.4%	1,595,010
1983	72.3%	0.5%	19.8%	2.6%	4.5%	0.3%	1,652,788
1984	71.3%	0.5%	20.8%	2.6%	4.5%	0.3%	1,720,269
1985	70.2%	0.5%	22.0%	2.6%	4.4%	0.3%	1,774,826
1986	69.2%	0.5%	23.1%	2.5%	4.4%	0.3%	1,834,872
1987	68.5%	0.5%	23.8%	2.5%	4.5%	0.3%	1,921,204
1988	67.6%	0.5%	24.8%	2.4%	4.4%	0.3%	2,025,962
1989	66.8%	0.5%	25.6%	2.4%	4.4%	0.3%	2,096,487
1990	65.7%	0.4%	26.8%	2.4%	4.4%	0.3%	2,144,362
1991	62.5%	0.4%	29.9%	2.4%	4.4%	0.3%	2,172,050
1992	61.0%	0.4%	31.5%	2.4%	4.4%	0.3%	2,247,151
1993	59.9%	0.4%	32.5%	2.5%	4.5%	0.3%	2,296,378
1994	59.6%	0.4%	32.4%	2.6%	4.6%	0.3%	2,357,588
1995	59.4%	0.4%	32.6%	2.6%	4.8%	0.3%	2,422,696
1996	59.1%	0.4%	32.8%	2.6%	4.8%	0.3%	2,485,848
1997	58.7%	0.4%	33.2%	2.6%	4.9%	0.3%	2,561,695
1998	58.9%	0.4%	33.0%	2.6%	4.9%	0.3%	2,631,522
1999	58.3%	0.4%	33.5%	2.6%	4.9%	0.3%	2,691,056
2000	58.3%	0.4%	33.6%	2.6%	4.9%	0.3%	2,746,925
2001	58.2%	0.3%	33.8%	2.6%	4.9%	0.3%	2,797,287
2002	58.1%	0.3%	33.8%	2.7%	4.9%	0.2%	2,855,756
		Aver	age annual pe	ercentage cha	nge		
1970-2002							3.0%
1992-2002							2.4%

Source

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2003, Table VM-1, p. V-57, and annual. (Additional resources: www.fhwa.dot.gov)

[&]quot;The data do not correspond with vehicle-miles of travel presented in the "Bus" section of this chapter due to differing data sources.



Table 3.6 Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001

		1970			2001		2001 E	2001 Estimated vehicle travel	Average
Age (years)	Vehicles (thousands)	Percentage	Cumulative percentage	Vehicles (thousands)	Percentage	Cumulative percentage	Percentage	Cumulative percentage	annual miles per vehicle
Under 1ª	6,288	7.8%	7.8%	6,183	4.8%	4.8%	%6.9	%6.9	15,000
	9,299	11.6%	19.4%	8,882	%6.9	11.7%	9.4%	16.3%	14,300
2	8,816	11.0%	30.3%	8,093	6.3%	18.0%	8.2%	24.6%	13,700
3	7,878	%8.6	40.1%	7,555	5.9%	23.9%	7.2%	31.8%	12,900
4	8,538	10.6%	20.8%	7,860	6.1%	30.0%	7.2%	39.1%	12,400
5	8,506	10.6%	61.3%	7,337	5.7%	35.7%	6.5%	45.6%	12,000
9	7,116	8.8%	70.2%	8,555	%9.9	42.3%	7.4%	53.1%	11,700
7	6,268	7.8%	78.0%	7,471	5.8%	48.1%	6.3%	59.4%	11,400
8	5,058	6.3%	84.3%	7,420	5.8%	53.9%	6.1%	65.5%	11,100
6	3,267	4.1%	88.3%	6,807	5.3%	59.2%	5.4%	71.0%	10,700
10	2,776	3.5%	91.8%	6,810	5.3%	64.5%	2.0%	%0.92	6,900
11	1,692	2.1%	93.9%	6,692	5.2%	%2.69	4.5%	80.5%	6,000
12	466	1.0%	94.9%	6,742	5.2%	74.9%	4.7%	85.2%	9,400
13	966	1.2%	96.1%	6,189	4.8%	79.7%	3.8%	88.9%	8,200
14	794	1.0%	97.1%	5,345	4.2%	83.9%	2.9%	91.8%	7,200
15 and older	2,336	2.9%	100.0%	20,773	16.1%	100.0%	8.2%	100.0%	5,300
Subtotal	80,427	100.0%		128,714	100.0%				
Age not given	22			0					
Total	80,449			128,714					
Average age		5.6			9.0				
Modian ago					1.0				

Source:

The Polk Company, Detroit, MI. FURTHER REPRODUCTION PROHIBITED.

Vehicle travel - Average annual miles per auto by age were multiplied by the number of vehicles in operation by age to estimate the vehicle travel. Average annual miles per auto by age - generated by ORNL from the National Household Travel Survey website: nhts.ornl.gov.

(Additional resources: www.polk.com, nhts.ornl.gov)

*Includes automobiles from model year 2002 and 2001 which were sold prior to July 1, 2002, and similarly, model years 1971 and 1970 sold prior to July 1,



Trucks in Operation and Vehicle Travel by Age, 1970 and 2001

		1970			2001		2001 E	2001 Estimated	Average annual
		1970			2001		veiller	cuavei	Average aminal
Age	Vehicles		Cumulative	Vehicles		Cumulative		Cumulative	miles per
(years)	(thousands)	(thousands) Percentage	percentage	(thousands)	Percentage	percentage	Percentage	percentage	vehicle
Under 1 ^a	1,262	7.1%	7.1%	6,213	7.1%	7.1%	8.5%	8.5%	17,500
1	1,881	10.6%	17.8%	7,958	%0.6	16.1%	12.0%	20.6%	19,200
2	1,536	8.7%	26.5%	7,522	8.6%	24.7%	11.7%	32.3%	19,800
3	1,428	8.1%	34.6%	6,398	7.3%	31.9%	%0.6	41.3%	17,900
4	1,483	8.4%	43.0%	6,109	%6.9	38.9%	8.4%	49.7%	17,500
5	1,339	7.6%	50.5%	5,122	5.8%	44.7%	%8.9	%9'95	17,000
9	1,154	6.5%	57.1%	5,574	6.3%	51.0%	%8.9	63.4%	15,600
7	975	5.5%	62.6%	5,042	5.7%	56.8%	6.1%	69.5%	15,400
8	826	4.7%	67.3%	4,148	4.7%	61.5%	4.9%	74.4%	15,100
6	621	3.5%	%8.02	3,395	3.9%	65.3%	3.5%	77.9%	13,200
10	658	3.7%	74.5%	3,221	3.7%	%0.69	2.3%	80.3%	9,200
11	583	3.3%	77.8%	3,039	3.5%	72.5%	2.2%	82.5%	9,200
12	383	2.2%	%0.08	3,345	3.8%	76.3%	2.4%	84.9%	9,200
13	417	2.4%	82.3%	3,112	3.5%	79.8%	2.3%	89.1%	9,200
14	414	2.3%	84.7%	2,544	2.9%	82.7%	1.8%	%0.68	9,200
15 and older	2,710	15.3%	100.0%	15,227	17.3%	100.0%	11.0%	100.0%	9,200
Subtotal	17,670	100.0%		696,78	100.0%		100.0%		
Age not given	15			0	1				
Total	17,685			87,969					
Average age		7.3			7.9				
Madian age		20			8 9				

Source:

The Polk Company, Detroit, MI. FURTHER REPRODUCTION PROHIBITED.

travel. Average annual miles per truck by age were generated by ORNL from the 1997 Truck Inventory and Use Survey public use tape provided by U.S. Department of Commerce, Bureau of the Census, Washington, DC, 2000. (Additional resources: www.polk.com, www.census.gov) Vehicle travel—The average annual vehicle-miles per truck by age were multiplied by the number of trucks in operation by age to estimate the vehicle

^aIncludes trucks from model year 2002 and 2001 which were sold prior to July 1, 2002, and similarly, model years 1971 and 1970 sold prior to July 1, 1970.



The average age of automobiles was lower than the average age of trucks until 1995. Since then, the average automobile age continues to grow, while the average truck age has held about the same. The increasing popularity of light trucks as personal passenger vehicles may have had an influence on the average age of trucks.

Table 3.8 Average Age of Automobiles and Trucks in Use, 1970–2002 (years)

Calendar	Autoi	nobiles	Tn	ıcks
year	Meana	Median ^b	Meana	Median ^b
1970	5.6	4.9	7.3	5.9
1971	5.7	5.1	7.4	6.1
1972	5.7	5.1	7.2	6.0
1973	5.7	5.1	6.9	5.8
1974	5.7	5.2	7.0	5.6
1975	6.0	5.4	6.9	5.8
1976	6.2	5.5	7.0	5.8
1977	6.2	5.6	6.9	5.7
1978	6.3	5.7	6.9	5.8
1979	6.4	5.9	6.9	5.9
1980	6.6	6.0	7.1	6.3
1981	6.9	6.0	7.5	6.5
1982	7.2	6.2	7.8	6.8
1983	7.4	6.5	8.1	7.2
1984	7.5	6.7	8.2	7.4
1985	7.6	6.9	8.1	7.6
1986	7.6	7.0	8.0	7.7
1987	7.6	6.9	8.0	7.8
1988	7.6	6.8	7.9	7.1
1989	7.6	6.5	7.9	6.7
1990	7.6	6.5	8.0	6.5
1991	7.8	6.7	8.1	6.8
1992	7.9	7.0	8.4	7.2
1993	8.1	7.3	8.6	7.5
1994	8.3	7.5	8.4	7.5
1995	8.4	7.7	8.4	7.6
1996	8.5	7.9	8.3	7.7
1997	8.6	8.1	8.3	7.8
1998	8.8	8.3	8.3	7.6
1999	8.9	8.3	8.2	7.2
2000	9.0	8.3	8.0	6.9
2001	9.0	8.1	7.9	6.8
2002	c	8.4	c	6.8

Source:

The Polk Company, Detroit, MI. **FURTHER REPRODUCTION PROHIBITED.** (Additional resources: www.polk.com)



^aMean is the sum of the products of units multiplied by age, divided by the total units.

^bMedian is a value in an ordered set of values below and above which there are an equal number of values.

^cData are not available.

The median age of trucks (classes 1-8) has historically been higher than the median age of automobiles. In 1995, however, this trend reversed, with median automobile age higher than median truck age for the first time. The recent boom in the sales of minivans, sport-utility vehicles, and pickups, which are classified as trucks, is influencing the median age of trucks. So many new light trucks are being added into the truck population, that the median age of trucks declined 1993 to 2001.

Truck age Registrations (indexed to 1970) Auto age Median age (years) Truck registrations **Auto registrations**

Figure 3.2. Median Age and Registrations of Automobiles and Trucks, 1970-2002

Source:

See Tables 3.3 and 3.8.



Using current registration data and a scrappage model by Greenspan and Cohen, [1996 paper: http://www.federalreserve.gov/pubs/feds/1996/199640/199640pap.pdf], ORNL calculated new automobile scrappage rates. The expected median lifetime for a 1990 model year automobile is 16.9 years. These data are fitted model values which assume constant economic conditions.

Table 3.9 Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years

Vehicle	1970 m	odel year	1980 m	odel year	1990 m	odel year
age ^a (years)	Survival rate ^b	Scrappage rate ^c	Survival rate ^b	Scrappage rate ^c	Survival rate ^b	Scrappage rate ^c
4	99.0	1.0	100.0	0.0	100.0	0.0
5	94.1	5.0	96.3	3.7	100.0	0.0
6	88.4	6.1	91.3	5.1	99.4	0.6
7	82.0	7.2	85.7	6.1	96.3	3.2
8	75.2	8.3	79.7	7.1	92.7	3.7
9	68.1	9.5	73.3	8.1	88.7	4.3
10	60.9	10.6	66.6	9.0	84.4	4.9
11	53.8	11.7	60.0	10.0	79.8	5.5
12	46.9	12.8	53.3	11.0	75.0	6.1
13	40.3	14.0	46.9	12.0	70.0	6.7
14	34.2	15.1	40.8	13.0	64.9	7.3
15	28.7	16.2	35.1	14.0	59.7	7.9
16	23.7	17.4	29.8	15.0	54.6	8.6
17	19.3	18.5	25.0	16.1	49.5	9.3
18	15.5	19.6	20.8	17.1	44.6	9.9
19	12.3	20.8	17.0	18.1	39.9	10.6
20	9.6	21.9	13.8	19.1	35.4	11.3
21	7.4	23.0	11.0	20.1	31.1	12.0
22	5.6	24.2	8.7	21.2	27.2	12.7
23	4.2	25.3	6.7	22.2	23.5	13.5
24	3.1	26.4	5.2	23.2	20.2	14.2
25	2.2	27.5	3.9	24.2	17.1	15.0
26	1.6	28.6	2.9	25.3	14.5	15.7
27	1.1	29.7	2.2	26.3	12.1	16.5
28	0.8	30.8	1.6	27.3	10.0	17.2
29	0.5	31.9	1.1	28.4	8.2	18.0
30	0.4	33.0	0.8	29.4	6.6	18.8
Median lifetime	11.5	years	12.5	years	16.9	years

Source

Schmoyer, Richard L., unpublished study on scrappage rates, Oak Ridge National Laboratory, Oak Ridge, TN, 2001.



^aIt was assumed that scrappage for vehicles less than 4 years old is 0.

^bThe percentage of automobiles which will be in use at the end of the year.

^cThe percentage of automobiles which will be retired from use during the year.




Figure 3.3. Automobile Survival Rates

Source: See Table 3.9.



Using current registration data and a scrappage model by Greenspan and Cohen [1996 paper: http://www.federalreserve.gov/pubs/feds/1996/199640/199640pap.pdf], ORNL calculated new light truck scrappage rates. The expected median lifetime for a 1990 model year light truck is 15.5 years. These data are fitted model values which assume constant economic conditions.

Table 3.10 Light Truck^a Scrappage and Survival Rates

Vehicle	1970 m	odel year	1980 m	odel year	1990 model year		
age ^b (years)	Survival rate ^c	Scrappage rate ^d	Survival rate ^b	Scrappage rate ^c	Survival rate ^b	Scrappage rate ^c	
4	99.7	0.3	99.1	0.9	99.3	0.7	
5	97.5	2.2	96.6	2.5	96.9	2.4	
6	94.9	2.7	93.7	3.1	94.1	3.0	
7	91.8	3.2	90.2	3.7	90.7	3.6	
8	88.3	3.8	86.3	4.3	86.9	4.2	
9	84.4	4.4	82.0	5.0	82.7	4.8	
10	80.2	5.0	77.3	5.7	78.2	5.5	
11	75.7	5.6	72.4	6.4	73.4	6.1	
12	70.9	6.3	67.3	7.1	68.4	6.8	
13	66.0	6.9	62.1	7.8	63.3	7.5	
14	61.0	7.6	56.8	8.5	58.0	8.2	
15	55.9	8.3	51.5	9.3	52.8	9.0	
16	50.8	9.0	46.3	10.1	47.7	9.7	
17	45.9	9.8	41.3	10.8	42.7	10.5	
18	41.1 10.5	10.5	36.5	11.6	37.9	11.3	
19	36.4	11.3	32.0	12.4	33.3	12.1	
20	32.1	12.0	27.7	13.3	29.0	12.9	
21	28.0	12.8	23.8	14.1	25.0	13.7	
22	24.2	13.6	20.3	14.9	21.4	14.5	
23	20.7	14.4	17.1	15.8	18.1	15.4	
24	17.5	15.2	14.2	16.7	15.2	16.2	
25	14.7	16.1	11.7	17.5	12.6	17.1	
26	12.2	16.9	9.6	18.4	10.3	18.0	
27	10.1	17.8	7.7	19.3	8.4	18.8	
28	8.2	18.6	6.2	20.2	6.7	19.7	
29	6.6	19.5	4.9	21.1	5.3	20.6	
30	5.2	20.4	3.8	22.1	4.2	21.5	
Median lifetime	16.2	years	15.3	years	15.5	years	

Source:

Schmoyer, Richard L., unpublished study on scrappage rates, Oak Ridge National Laboratory, Oak Ridge, TN, 2001.



^aLight trucks are trucks less than 10,000 lbs. gross vehicle weight.

^bIt was assumed that scrappage for vehicles less than 4 years old is 0.

^cThe percentage of light trucks which will be in use at the end of the year.

^dThe percentage of light trucks which will be retired from use during the year.




Figure 3.4. Light Truck Survival Rates

Source:

See Table 3.10.



Using current registration data and a scrappage model by Greenspan and Cohen [1996 paper: http://www.federalreserve.gov/pubs/feds/1996/199640/199640pap.pdf], ORNL calculated heavy truck (trucks over 26,000 lbs. gross vehicle weight) scrappage rates. The expected median lifetime for a 1990 model year heavy truck is 29 years. These data are fitted model values which assume constant economic conditions.

Table 3.11 Heavy Truck^a Scrappage and Survival Rates

Vehicle	1970 m	odel year	1980 me	odel year	1990 model year		
age ^b (years)	Survival rate ^c	Scrappage rate ^d	Survival rate ^b	Scrappage rate ^c	Survival rate ^b	Scrappage rate ^c	
4	98.8	1.2	98.5	1.5	99.4	0.6	
5	97.2	1.6	96.7	1.9	98.6	0.8	
6	95.3	1.9	94.5	2.3	97.6	1.0	
7	93.2	2.3	92.0	2.7	96.5	1.2	
8	90.7	2.6	89.1	3.1	95.2	1.3	
9	88.1	3.0	86.0	3.5	93.8	1.5	
10	85.2	3.3	82.7	3.9	92.2	1.7	
11	82.1	3.6	79.1	4.3	90.5	1.9	
12	78.8	4.0	75.4	4.7	88.6	2.0	
13	75.4	4.3	71.6	5.1	86.7	2.2	
14	71.9	4.7	67.7	5.5	84.6	2.4	
15	68.3	5.0	63.7	5.9	82.4	2.6	
16	64.6	5.3 59	59.7	6.3	80.2	2.7	
17	61.0	5.7	55.7	6.7	77.9	2.9	
18	57.3	57.3 6.0 51.8	7.1	75.5	3.1		
19	53.7	6.3	47.9	7.4	73.0	3.3	
20	50.1	6.7 44.2	44.2	7.8	70.5	3.4	
21	46.6	7.0	40.6	8.2	68.0	3.6	
22	43.2	7.3	37.1	8.6	65.4	3.8	
23	39.9	7.6	33.7	9.0	62.8	3.9	
24	36.7	8.0	30.6	9.4	60.3	4.1	
25	33.7	8.3	27.6	9.7	57.7	4.3	
26	30.8	8.6	24.8	10.1	55.1	4.5	
27	28.0	8.9	22.2	10.5	52.6	4.6	
28	25.4	9.3	19.8	10.9	50.0	4.8	
29	23.0	9.6	17.6	11.2	47.6	5.0	
30	20.7	9.9	15.5	11.6	45.1	5.1	
Median ifetime	20.0	years	18.5	years	28.0	years	

Source:

Schmoyer, Richard L., unpublished study on scrappage rates, Oak Ridge National Laboratory, Oak Ridge, TN, 2001.



^aHeavy trucks are trucks more than 26,000 lbs. gross vehicle weight.

^bIt was assumed that scrappage for vehicles less than 4 years old is 0.

^cThe percentage of heavy trucks which will be in use at the end of the year.

^dThe percentage of heavy trucks which will be retired from use during the year.




Figure 3.5. Heavy Truck Survival Rates

Source:

See Table 3.11. Model year '90 estimates are based on minimal preliminary data.



Chapter 4 Light Vehicles and Characteristics

Summary Statistics from Tables in this Chapter

Source		
Table 4.1	Passenger cars, 2002	
	Registrations (thousands)	135,921
	Vehicle miles (million miles)	1,658,640
	Fuel economy (miles per gallon)	22.1
Table 4.2	Two-axle, four-tire trucks, 2002	
	Registrations (thousands)	85,011
	Vehicle miles (million miles)	966,184
	Fuel economy (miles per gallon)	17.6
Table 4.5	Light truck share of total light vehicle sales	
	1970 calendar year	14.8%
	2002 calendar year	50.5%
Table 4.7	Automobile sales, 2003 sales period	7,698,056
	Minicompact	80,286
	Subcompact	459,025
	Compact	3,018,407
	Midsize	2,624,346
	Large	1,350,670
	Two-seater	165,322
Table 4.8	Light truck sales, 2003 sales period	8,617,414
	Small pickup	744,040
	Large pickup	2,077,330
	Small van	1,065,875
	Large van	321,627
	Small SUV	852,677
	Medium SUV	2,691,743
	Large SUV	864,122
Tables 4.18	Corporate average fuel economy	(mpg)
and 4.19	Automobile standard, MY 2004	27.5
	Automobile fuel economy, MY 2004	29.3
	Light truck standard, MY 2004	20.7
	Light truck fuel economy, MY 2004	21.5
Table 4.24	Average fuel economy loss from 55 to 70 mph	17.1%



The Federal Highway Administration released revised historical data back to 1985 in their "Highway Statistics Summary to 1995" report. As a result, the data in this table have been revised. The data in this table from 1985–on **DO NOT** include minivans, pickups, or sport utility vehicles.

Table 4.1 Summary Statistics for Passenger Cars, 1970–2002

	Summary Statistics for Passenger Cars, 1970–2002									
	Registrations ^a	Vehicle travel	Fuel use	Fuel economy ^b						
Year 1070	(thousands)	(million miles)	(million gallons)	(miles per gallon)						
1970	89,244	916,700	67,820	13.5						
1971	92,718	966,330	71,346	13.5						
1972	97,082	1,021,365	75,937	13.5						
1973	101,985	1,045,981	78,233	13.4						
1974	104,856	1,007,251	74,229	13.6						
1975	106,706	1,033,950	74,140	13.9						
1976	110,189	1,078,215	78,297	13.8						
1977	112,288	1,109,243	79,060	14.0						
1978	116,573	1,146,508	80,652	14.2						
1979	118,429	1,113,640	76,588	14.5						
1980	121,601	1,111,596	69,981	15.9						
1981	123,098	1,133,332	69,112	16.4						
1982	123,702	1,161,713	69,116	16.8						
1983	126,444	1,195,054	70,322	17.0						
1984	128,158	1,227,043	70,663	17.4						
1985°	127,885	1,246,798	71,518	17.4						
1986	130,004	1,270,167	73,174	17.4						
1987	131,482	1,315,982	73,308	18.0						
1988	133,836	1,370,271	73,345	18.7						
1989	134,559	1,401,221	73,913	19.0						
1990	133,700	1,408,266	69,568	20.2						
1991	128,300	1,358,185	64,318	21.1						
1992	126,581	1,371,569	65,436	21.0						
1993	127,327	1,374,709	67,047	20.5						
1994	127,883	1,406,089	67,874	20.7						
1995	128,387	1,438,294	68,072	21.1						
1996	129,728	1,469,854	69,221	21.2						
1997	129,749	1,502,556	69,892	21.5						
1998	131,839	1,549,577	71,695	21.4						
1999	132,432	1,569,100	73,283	21.4						
2000	133,621	1,600,287	73,065	21.9						
2001	137,633	1,628,332	73,559	22.1						
2002	135,921	1,658,640	74,949	22.1						
	7-		percentage change							
1970-2002	1.3%	1.9%	0.3%	1.6%						
1992–2002	0.7%	1.9%	1.4%	0.5%						

Source

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2003, Table VM-1, p. V-57, and annual. (Additional resources: www.fhwa.dot.gov)

^c Beginning in this year the data were revised to exclude minivans, pickups and sport utility vehicles which may have been previously included.



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a This number differs from R.L. Polk's estimates of "number of automobiles in use." See Table 3.3.

^b Fuel economy for automobile population.

The Federal Highway Administration released revised historical data back to 1985 which better reflected two-axle, four-tire trucks. The definition of this category includes vans, pickup trucks, and sport utility vehicles.

Table 4.2 Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002

	Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002								
	Registrations	Vehicle travel	Fuel use	Fuel economy					
Year	(thousands)	(million miles)	(million gallons)	(miles per gallon)					
1970	14,211	123,286	12,313	10.0					
1971	15,181	137,870	13,484	10.2					
1972	16,428	156,622	15,150	10.3					
1973	18,083	176,833	16,828	10.5					
1974	19,335	182,757	16,657	11.0					
1975	20,418	200,700	19,081	10.5					
1976	22,301	225,834	20,828	10.8					
1977	23,624	250,591	22,383	11.2					
1978	25,476	279,414	24,162	11.6					
1979	27,022	291,905	24,445	11.9					
1980	27,876	290,935	23,796	12.2					
1981	28,928	296,343	23,697	12.5					
1982	29,792	306,141	22,702	13.5					
1983	31,214	327,643	23,945	13.7					
1984	32,106	358,006	25,604	14.0					
1985 ^a	37,214	390,961	27,363	14.3					
1986	39,382	423,915	29,074	14.6					
1987	41,107	456,870	30,598	14.9					
1988	43,805	502,207	32,653	15.4					
1989	45,945	536,475	33,271	16.1					
1990	48,275	574,571	35,611	16.1					
1991	53,033	649,394	38,217	17.0					
1992	57,091	706,863	40,929	17.3					
1993	59,994	745,750	42,851	17.4					
1994	62,904	764,634	44,112	17.3					
1995	65,738	790,029	45,605	17.3					
1996	69,134	816,540	47,354	17.2					
1997	70,224	850,739	49,389	17.2					
1998	71,330	868,275	50,462	17.2					
1999	75,356	901,022	52,859	17.0					
2000	79,085	923,059	52,939	17.4					
2001	84,188	943,207	53,522	17.6					
2002	85,011	966,184	54,841	17.6					
	,-	,	percentage change						
1970-2002	5.7%	6.6%	4.8%	1.8%					
1992–2002	4.1%	3.2%	3.0%	0.2%					

Source:

U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics 2002*, Washington, DC, 2003, Table VM-1, p. V-57, and annual. (Additional resources: www.fhwa.dot.gov)

^a Beginning in this year the data were revised to include all vans (including mini-vans), pickups and sport utility vehicles.

Because data on Class 2b trucks are scarce, the U.S. DOE funded a study to investigate available sources of data. In the final report, four methodologies are described to estimate the sales of Class 2b trucks.

Table 4.3 Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks

	CY 1999 truck sales (millions)	MY 2000 truck population (millions)	Percent diesel trucks in population	Average age (years)	Estimated annual miles ^a (billions)	Estimated fuel use (billion ^a gallons)
Class 1	5.7	49.7	0.3%	7.3	672.7	37.4
Class 2a	1.8	19.2	2.5%	7.4	251.9	18.0
Class 2b	0.5	5.8	24.0%	8.6	76.7	5.5

Source: Davis, S.C. and L.F. Truett, *Investigation of Class 2b Trucks (Vehicles of 8,500 to 10,000 lbs GVWR)*, ORNL/TM-2002/49, March 2002, Table 16.

Note: CY - calendar year. MY - model year.

Table 4.4 Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999

		Sales estimat	es (thousands)	
Calendar Year	Class 1 (6,000 lbs and under)	Class 2a (6,001- 8,500 lbs)	Class 2b (8,5001- 10,000 lbs)	Total
1989	3,313	918	379	4,610
1990	3,451	829	268	4,548
1991	3,246	670	206	4,122
1992	3,608	827	194	4,629
1993	4,119	975	257	5,351
1994	4,527	1,241	265	6,033
1995	4,422	1,304	327	6,053
1996	4,829	1,356	334	6,519
1997	5,085	1,315	397	6,797
1998	5,263	1,694	342	7,299
1999	5,707	1,845	521	8,073
		Percen	t change	
1989–1999	72.3%	101.0%	37.5%	75.1%

Source: Davis, S.C. and L.F. Truett, *Investigation of Class 2b Trucks (Vehicles of 8,500 to 10,000 lbs GVWR)*, ORNL/TM-2002/49, March 2002, Table 1.

Note: These data were calculated using Methodology 4 from the report.

^aEstimates derived using 2000 population data and 1997 usage data. See source for details.



Automobile sales dropped under 8 million in 2004 for the first time since 1982, likely due to consumers continued interest in light trucks, such as pickups and sport-utility vehicles.

Table 4.5 New Retail Automobile Sales in the United States, 1970–2003

	Domestica	Import ^b	Total		Percentage transplants ^c	Percentage	
Calendar				Percentage	on model	imports and	Percentage
year	(the	ousands)		imports	year basis	transplants	diesel
1970	7,119	1,285	8,404	15.3%	d	d	d
1975	7,053	1,571	8,624	18.2%	d	d	0.31%
1980	6,581	2,398	8,979	26.7%	2.1%	28.8%	4.31%
1981	6,209	2,327	8,536	27.3%	1.8%	29.1%	6.10%
1982	5,759	2,223	7,982	27.9%	1.4%	29.3%	4.44%
1983	6,795	2,387	9,182	26.0%	1.3%	27.3%	2.09%
1984	7,952	2,439	10,391	23.5%	2.0%	25.5%	1.45%
1985	8,205	2,838	11,043	25.7%	2.2%	27.9%	0.82%
1986	8,215	3,238	11,453	28.3%	2.8%	31.1%	0.37%
1987	7,081	3,197	10,278	31.1%	5.2%	36.3%	0.16%
1988	7,526	3,099	10,626	29.2%	5.8%	35.0%	0.02%
1989	7,073	2,825	9,898	28.5%	7.3%	35.8%	0.13%
1990	6,897	2,404	9,301	25.8%	11.2%	37.0%	0.08%
1991	6,137	2,038	8,175	24.9%	13.7%	38.6%	0.10%
1992	6,277	1,937	8,213	23.6%	14.1%	37.7%	0.06%
1993	6,742	1,776	8,518	20.9%	14.9%	35.8%	0.03%
1994	7,255	1,735	8,990	19.3%	16.5%	35.8%	0.04%
1995	7,129	1,506	8,635	17.4%	18.9%	36.3%	0.04%
1996	7,255	1,271	8,526	14.9%	22.3%	37.2%	0.10%
1997	6,917	1,355	8,272	16.4%	23.7%	40.1%	0.09%
1998	6,762	1,380	8,142	16.9%	25.1%	42.0%	0.13%
1999	6,979	1,719	8,698	19.8%	24.6%	44.4%	0.16%
2000	6,831	2,016	8,847	22.8%	24.4%	47.2%	0.26%
2001	6,325	2,098	8,423	24.9%	26.0%	50.9%	0.18%
2002	5,878	2,226	8,104	27.5%	26.7%	54.2%	0.39%
2003	5,527	2,083	7,610	27.4%	27.7%	55.1%	0.38%
			Average ar	ınual percentag	ge change		
1970-2003	-0.8%	1.5%	-0.3%	, 0			
1993-2003	-2.0%	1.6%	-1.1%				

Source:

Domestic and import data - 1970–97: American Automobile Manufacturers Association, *Motor Vehicle Facts and Figures 1998*, Detroit, MI, 1998, p. 15, and annual. 1997 data from *Economic Indicators, 4th Quarter 1997*. 1998–2003: Ward's Communication, *Ward's Motor Vehicle Facts and Figures*, Detroit, MI, 2004, p. 16. Diesel data - Ward's Communications, *Ward's Automotive Yearbook*, Detroit, MI, 2004, p. 47, and annual. Transplant data - Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares Data System, Oak Ridge, TN, 2004. (Additional resources: www.aama.com, www.wardsauto.com)



^a North American built.

^b Does not include import tourist deliveries.

^c A transplant is an automobile which was built in the U.S. by a foreign firm. Also included are joint ventures which are built in the U.S.

^d Data are not available.

In 2003, light trucks, which include pick-ups, minivans, sport-utility vehicles, and other trucks less than 10,000 pounds gross vehicle weight (GVW), accounted for 54% of light vehicle sales.

Table 4.6 New Retail Sales of Trucks 10,000 Pounds GVW and Less in the United States, 1970–2003

					Percentages		
Calendar year	Light truck sales ^a (thousands)	Import ^b	Transplants ^c	Diesel ^d	Four-wheel drive of domestic light trucks ^d	Light trucks of light-duty vehicle sales ^e	Light trucks of total truck sales
1970	1,463	4.5%	f	g	f	14.8%	80.4%
1975	2,281	10.0%	f	g	23.4%	20.9%	87.9%
1980	2,440	19.7%	0.9%	3.6%	20.7%	21.4%	88.9%
1981	2,189	20.3%	0.0%	3.1%	18.6%	20.4%	89.8%
1982	2,470	16.5%	0.0%	8.5%	16.8%	23.6%	92.8%
1983	2,984	15.6%	0.0%	6.7%	28.5%	24.5%	93.6%
1984	3,863	15.7%	2.0%	4.8%	27.0%	27.1%	93.0%
1985	4,458	17.2%	2.6%	3.8%	29.1%	28.8%	93.6%
1986	4,594	20.1%	2.3%	3.7%	27.0%	28.6%	94.3%
1987	4,610	17.9%	1.7%	2.3%	32.0%	31.0%	93.9%
1988	4,800	12.6%	2.4%	2.3%	32.1%	31.1%	93.2%
1989	4,610	10.9%	2.6%	2.9%	31.4%	31.8%	93.3%
1990	4,548	13.2%	3.4%	3.1%	31.6%	32.8%	93.9%
1991	4,123	12.8%	4.5%	3.2%	34.4%	33.5%	94.5%
1992	4,629	8.6%	5.5%	3.3%	31.6%	36.0%	94.4%
1993	5,351	6.8%	7.1%	3.7%	32.6%	38.6%	94.2%
1994	6,033	6.5%	8.1%	3.9%	34.4%	40.2%	94.0%
1995	6,053	6.5%	7.5%	4.1%	39.1%	41.2%	93.4%
1996	6,519	6.6%	8.4%	3.7%	35.7%	43.3%	94.1%
1997	6,797	8.4%	7.0%	4.8%	39.6%	46.6%	94.1%
1998	7,299	8.9%	7.6%	1.7%	43.8%	47.3%	93.3%
1999	8,073	9.5%	8.7%	5.9%	43.3%	48.1%	92.6%
2000	8,387	9.9%	11.3%	4.8%	41.7%	48.7%	93.9%
2001	8,700	11.3%	12.8%	5.3%	42.2%	50.8%	96.1%
2002	8,713	12.2%	12.1%	4.9%	46.4%	51.8%	96.4%
2003	8,938	13.7%	13.1%	4.3%	46.4%	54.0%	95.5%
			Aver	age annual p	percentage change		
1970–2003	5.8%						
1993–2003	5.3%						

Sources:

Four-wheel drive and diesel - 1970–88: Ward's Communications, *Ward's Automotive Yearbook*, Detroit, MI, 1989, p. 168, and annual. 1989–on: Ward's Communications, *Ward's Automotive Yearbook*, Factory Installation Reports, Detroit, MI, 2004, and annual. Transplants - Oak Ridge National Laboratory, Light-Duty Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. All other - 1970–97: American Automobile Manufacturers Association, *Motor Vehicle Facts and Figures 1998*, Detroit, MI, 1998, pp. 8, 15, 24, and annual. 1998–on: Ward's Communications, *Ward's 2004 Motor Vehicle Facts and Figures*, Detroit, MI, p. 26, and annual. (Additional resources: www.aama.com, www.wardsauto.com)

^g Indicates less than 1 percent.



^a Includes all trucks of 10,000 pounds gross vehicle weight and less sold in the U.S.

^b Excluding transplants.

^c Based on model year data. A transplant is a light truck which was built in the U.S. by a foreign firm. Also included are joint ventures built in the U.S.

^dBased on model year factory installations.

^e Light-duty vehicles include automobiles and light trucks.

f Data are not available.

The sales-weighted fuel economy of automobiles increased dramatically from 1976 (17.2 mpg) to 1990 (27.6 mpg), but has risen only about 1 mpg since then.

Table 4.7
Period Sales, Market Shares, and Sales-Weighted Fuel Economies
of New Domestic and Import Automobiles, Selected Sales Periods^a 1976–2003

Sales Period ^a	1976	1980	1985	1990	1995	2000	2001	2002	2003
MINICOMPACT									
Total sales, units	_	428,346	52,295	76,698	44,752	19,245	33,206	53,840	80,286
Market share, %	_	4.7	0.5	0.8	0.5	0.2	0.4	0.6	1.0
Fuel economy, mpg	_	29.4	32.7	26.4	27.0	25.6	24.6	26.2	29.0
SUBCOMPACT									
Total sales, units	2,625,929	3,441,480	2,382,339	2,030,226	1,518,209	1,789,350	922,287	636,397	459,025
Market share, %	27.1	37.8	21.7	22.0	17.4	19.9	11.1	7.6	6.0
Fuel economy, mpg	23.5	27.3	30.1	31.3	31.7	31.1	29.6	27.6	27.1
COMPACT									
Total sales, units	2,839,603	599,423	3,526,118	3,156,481	3,289,735	2,397,813	3,058,389	3,217,151	3,018,407
Market share, %	29.3	6.6	32.1	34.2	37.7	26.7	36.8	38.6	39.2
Fuel economy, mpg	17.1	22.3	29.6	28.9	30.2	30.4	31.3	31.5	31.5
MIDSIZE									
Total sales, units	1,815,505	3,073,103	3,117,817	2,511,503	2,498,521	3,352,198	2,669,116	2,917,527	2,624,346
Market share, %	18.7	33.8	28.4	27.2	28.6	37.3	32.1	35.0	34.1
Fuel economy, mpg	15.3	21.3	24.9	25.9	25.9	26.8	27.2	27.4	28.0
LARGE									
Total sales, units	2,206,102	1,336,190	1,516,249	1,279,092	1,320,608	1,297,237	1,506,890	1,377,357	1,350,670
Market share, %	22.8	14.7	13.8	13.9	15.1	14.4	18.1	16.5	17.5
Fuel economy, mpg	13.9	19.3	22.3	23.5	24.1	25.3	25.4	25.5	25.9
TWO SEATER									
Total sales, units	199,716	215,964	373,697	170,465	53,045	122,259	118,097	134,187	165,322
Market share, %	2.1	2.4	3.4	1.8	0.6	1.4	1.4	1.6	2.1
Fuel economy, mpg	20.1	21.0	27.6	28.0	24.7	25.8	26.5	25.2	25.1
TOTAL									
Total sales, units	9,686,855	9,094,506	10,968,515	9,224,465	8,724,870	8,978,102	8,307,985	8,336,459	7,698,056
Market share, %	100	100	100	100	100	100	100	100	100
Fuel economy, mpg	17.2	23.2	27.0	27.6	28.0	28.2	28.5	28.5	28.7

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

^a Sales period is October 1 of the previous year through September 30 of the current year. These figures represent only those sales that could be matched to corresponding EPA fuel economy values.

Light truck sales have more than tripled from 1976 to 2003. Similar to the automobile trend, the sales-weighted fuel economy of light trucks increased during the late '70's and '80's, but has remained fairly constant since then.

Table 4.8
Period Sales, Market Shares, and Sales-Weighted Fuel Economies
of New Domestic and Import Light Trucks, Selected Sales Periods^a 1976–2003

Sales Period ^a	1976	1980	1985	1990	1995	2000	2001	2002	2003
SMALL PICKUP			_		_				
Total sales, units	170,351	516,412	863,584	1,135,727	1,067,764	1,071,730	819,033	761,802	744,040
Market share, %	7.1	23.3	20.4	25.2	18.0	12.9	10.2	8.8	8.6
Fuel economy, mpg	23.9	25.5	26.8	24.5	24.4	22.0	21.3	21.3	21.7
LARGE PICKUP									
Total sales, units	1,586,020	1,115,248	1,690,931	1,116,490	1,472,885	1,968,710	1,987,833	2,209,671	2,077,330
Market share, %	65.8	50.3	39.9	24.7	24.8	23.7	24.8	25.5	24.1
Fuel economy, mpg	15.1	17.0	19.0	17.5	17.8	18.7	19.0	18.4	18.3
SMALL VAN									
Total sales, units	18,651	13,649	437,660	1,012,141	1,330,586	1,272,070	1,141,109	1,165,202	1,065,875
Market share, %	0.8	0.6	10.3	22.4	22.4	15.3	14.2	13.4	12.4
Fuel economy, mpg	19.5	19.6	23.9	22.3	22.4	23.0	23.2	23.0	23.5
LARGE VAN									
Total sales, units	574,745	328,065	536,242	319,429	327,586	368,820	323,806	349,706	321,627
Market share, %	23.9	14.8	12.7	7.1	5.5	4.4	4.0	4.0	3.7
Fuel economy, mpg	15.4	16.3	16.4	17.1	17.2	18.2	18.3	18.5	17.9
SMALL SUV									
Total sales, units	0	51,684	441,966	402,354	509,737	756,142	894,788	877,777	852,677
Market share, %	0.0	2.3	10.4	8.9	8.6	9.1	11.2	10.1	9.9
Fuel economy, mpg		17.7	22.1	22.5	22.0	23.8	24.3	25.3	25.4
MEDIUM SUV									
Total sales, units	50,763	151,929	187,447	434,491	1,076,686	2,167,329	2,067,855	2,448,269	2,691,743
Market share, %	2.1	6.9	4.4	9.6	18.1	26.1	25.8	28.2	31.2
Fuel economy, mpg	15.1	14.9	17.2	19.7	19.2	20.4	20.5	20.5	21.3
LARGE SUV									
Total sales, units	9,228	39,550	77,535	93,993	148,622	702,152	785,094	860,652	864,122
Market share, %	0.4	1.8	1.8	2.1	2.5	8.5	9.8	9.9	10.0
Fuel economy, mpg	14.2	13.7	17.1	16.5	16.1	17.5	17.6	17.5	17.6
TOTAL									
Total sales, units	2,409,758	2,216,537	4,235,365	4,514,625	5,933,866	8,306,953	8,019,518	8,673,079	8,617,414
Market share, %	100	100	100	100	100	100	100	100	100
Fuel economy, mpg	15.6	18.1	20.4	20.5	20.2	20.4	20.5	20.2	20.5

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

Note: Revised definitions of light trucks are based on vehicle curb weight as follows:

Small pickup= <3,500 lbs.


Small van = <4,500 lbs.

Large pickup=3,500-8,500 lbs.

Large van=4,500-8,500 lbs.

Small utility= <3,500 lbs. Medium utility=3,500-4,799 lbs. Large utility=4,800-8,500 lbs.

^a Sales period is October 1 of the previous year through September 30 of the current year. These figures represent only those sales that could be matched to corresponding EPA fuel economy values.



Back in 1976 only 20% of new light vehicle sales were light trucks. Because of the boom in sales of minivans, sport utility vehicles, and pick-up trucks, today more than half of light vehicle sales are light trucks.

Table 4.9 Light Vehicle Market Shares by Size Class, Sales Periods^a 1976–2003

Sales period ^a	1976	1980	1985	1990	1995	2000	2002	2003
Minicompact	0.0%	3.8%	0.3%	0.6%	0.3%	0.1%	0.3%	0.5%
Subcompact	21.7%	30.4%	15.7%	14.8%	10.4%	10.4%	3.7%	2.8%
Compact	23.5%	5.3%	23.2%	23.0%	22.4%	13.9%	18.8%	18.5%
Midsize	15.0%	27.2%	20.5%	18.3%	17.0%	19.4%	17.2%	16.1%
Large	18.2%	11.8%	10.0%	9.3%	9.0%	7.5%	8.1%	8.3%
Two seater	1.7%	1.9%	2.5%	1.2%	0.4%	0.7%	0.8%	1.0%
Small pickup	1.4%	4.6%	5.7%	8.3%	7.3%	6.2%	4.5%	4.6%
Large pickup	13.1%	9.9%	11.1%	8.1%	10.0%	11.4%	13.0%	12.7%
Small van	0.2%	0.1%	2.9%	7.4%	8.6%	7.4%	6.9%	6.5%
Large van	4.8%	2.9%	3.5%	2.3%	9.1%	2.1%	2.1%	2.0%
Small utility	0.0%	0.5%	2.9%	2.9%	3.5%	4.4%	5.2%	5.2%
Medium utility	0.4%	1.3%	1.2%	3.2%	7.3%	12.5%	14.3%	16.5%
Large utility	0.1%	0.3%	0.5%	0.7%	1.0%	4.1%	5.1%	5.3%
Total light vehicles sold	12,096,613	11,311,043	15,203,880	13,739,090	14,658,736	17,285,055	17,009,538	16,315,470
Cars	80.1%	80.4%	72.1%	67.1%	59.5%	51.9%	49.0%	47.2%
Light trucks	19.9%	19.6%	27.9%	32.9%	40.5%	48.1%	51.0%	52.8%


Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

^a Sales period is October 1 of the current year through September 30 of the next year.

This graph shows the emergence of the mini-van in the early 1980's and the rising popularity of sport utility vehicles in the 1990's.

Figure 4.1. Light Vehicle Market Shares, Sales Periods 1976–2003



Source:

See Table 4.9

The compact, midsize, and large automobile sales-weighted engine sizes declined dramatically in the late '70's and early '80's.

Table 4.10
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class,
Sales Periods^a 1976–2003
(liters^b)

Sales period ^a	Minicompact	Subcompact	Compact	Midsize	Large	Two seater	All
1976	С	2.67	5.00	5.85	6.79	2.89	4.89
1977	1.98	2.73	4.79	5.47	6.02	2.81	4.56
1978	2.06	2.67	3.95	4.89	6.17	3.01	4.33
1979	1.86	2.39	3.74	4.41	5.56	2.77	3.78
1980	1.90	2.10	3.03	3.90	5.12	2.79	3.22
1981	1.57	2.04	2.20	3.63	5.00	2.49	2.98
1982	1.53	2.08	2.12	3.47	4.73	2.41	2.89
1983	1.60	2.19	2.20	3.45	4.95	2.52	2.98
1984	2.17	2.22	2.21	3.40	4.87	2.50	2.97
1985	1.95	2.29	2.27	3.37	4.65	2.47	2.92
1986	1.45	2.19	2.21	3.19	4.38	2.83	2.76
1987	1.48	2.19	2.20	2.99	4.36	2.57	2.68
1988	1.52	2.05	2.21	3.00	4.32	2.75	2.66
1989	2.54	2.08	2.11	3.01	4.31	2.81	2.68
1990	2.42	1.96	2.25	3.13	4.33	2.57	2.72
1991	2.17	1.97	2.23	3.16	4.40	2.67	2.72
1992	1.89	2.01	2.33	3.16	4.34	3.01	2.76
1993	1.96	2.07	2.28	3.16	4.27	3.47	2.78
1994	2.21	2.27	2.23	3.15	4.17	3.82	2.79
1995	2.42	2.26	2.23	3.12	4.12	3.76	2.79
1996	2.49	2.23	2.19	2.98	4.09	3.67	2.71
1997	2.62	2.13	2.28	3.02	4.03	3.08	2.74
1998	3.15	2.29	2.17	2.94	3.98	3.51	2.75
1999	2.86	2.31	2.25	2.91	3.91	3.62	2.76
2000	2.55	2.30	2.23	2.85	3.88	3.45	2.73
2001	3.01	2.66	2.16	2.85	3.69	3.48	2.74
2002	2.90	3.01	2.14	2.87	3.69	3.74	2.75
2003	2.29	2.94	2.17	2.85	3.69	3.74	2.75
			Average ar	ınual percentag	ge change		
1976–2003	$0.6\%^{d}$	0.4%	-3.0%	-2.6%	-2.5%	1.0%	-2.1%
1993-2003	1.6%	3.6%	-0.5%	-1.0%	-1.4%	0.8%	-0.1%

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)



^a Sales period is October 1 of the previous year through September 30 of the current year.

^b 1 liter = 61.02. cubic inches.

^c There were no minicompact automobiles sold in 1976.

^d Average annual percentage change begins with 1977.

Pickups and vans have been increasing over the years while utility vehicles engine sizes are smaller in 2003 than in the 1970's.

Table 4.11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class
Sales Periods^a 1976–2003
(liters^b)

	Small	Large	Small	Large	Small	Medium	Large	·
Sales period ^a	pickup	pickup	van	van	utility	utility	utility	All
1976	1.92	4.41	1.97	4.27	c	4.21	5.74	4.18
1977	1.95	4.41	1.97	4.37	С	4.21	5.74	4.11
1978	1.96	4.39	1.97	4.25	3.80	4.48	5.74	4.09
1979	2.00	5.15	1.97	4.24	4.23	4.67	5.74	4.41
1980	1.99	4.41	1.97	4.85	2.47	4.51	5.74	3.88
1981	2.08	4.16	1.97	4.34	2.47	4.55	5.00	3.67
1982	2.06	4.02	1.59	4.33	2.47	4.54	5.00	3.55
1983	2.04	4.05	1.59	4.32	2.28	4.84	5.59	3.37
1984	2.05	4.17	2.13	4.33	2.33	4.14	5.65	3.40
1985	2.09	4.02	2.22	4.43	2.60	4.44	4.96	3.38
1986	2.13	3.79	2.29	4.41	2.28	4.33	4.95	3.12
1987	2.17	3.71	2.29	4.46	2.39	3.83	4.95	3.07
1988	2.56	4.68	3.15	5.21	3.23	4.19	5.55	3.82
1989	2.64	4.70	3.11	5.22	3.77	3.77	5.58	3.93
1990	2.90	5.14	3.43	5.24	3.68	3.55	5.56	3.93
1991	2.93	5.22	3.36	5.26	3.60	3.85	5.46	3.92
1992	3.09	5.15	3.43	5.31	3.62	3.94	5.45	4.00
1993	3.15	5.15	3.41	5.24	3.60	4.06	5.58	4.02
1994	3.05	5.26	3.58	5.37	3.53	4.01	5.54	4.10
1995	2.99	5.13	3.50	5.16	3.56	4.04	5.41	4.06
1996	2.93	5.17	3.51	5.25	3.43	4.29	5.35	4.12
1997	3.00	5.05	3.47	5.04	2.75	3.96	5.33	4.09
1998	2.89	5.01	3.45	4.99	2.84	4.15	5.39	4.16
1999	3.36	5.02	3.48	5.05	2.87	4.12	5.46	4.19
2000	3.42	4.94	3.43	5.00	2.78	4.03	5.21	4.11
2001	3.50	4.79	3.59	4.96	2.70	3.84	5.13	4.05
2002	3.54	4.88	3.61	4.89	2.60	3.80	5.18	4.09
2003	3.43	5.01	3.53	4.96	2.66	3.76	5.16	4.08
			Ave	erage annual p	ercentage cha	nge		
1976-2003	2.2%	0.7%	2.2%	0.6%	С	-0.4%	-0.4%	-0.1%
1993-2003	0.9%	-0.3%	0.3%	-0.5%	-3.0%	-0.8%	-0.8%	0.1%

Source

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

Note: Revised definitions of light trucks are based on vehicle curb weight as follows:

Small pickup= <3,500 lbs.

Small van = <4,500 lbs.

Large pickup=3,500-8,500 lbs.

Large van=4,500-8,500 lbs.

Small utility= <3,500 lbs. Medium utility=3,500-4,799 lbs. Large utility=4,800-8,500 lbs.

^c Data are not available.



^a Sales period is October 1 of the previous year through September 30 of the current year.

^b 1 liter = 61.02 cubic inches.

The large car size class is the only class that showed a decline in curb weight from 1992 to 2002.

Table 4.12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class,
Sales Periods^a 1976–2003
(pounds)

Sales period ^a	Minicompact	Subcompact	Compact	Midsize	Large	Two seater	All
1976	b	2,577	3,609	4,046	4,562	2,624	3,608
1977	2,228	2,586	3,550	3,900	4,026	2,608	3,424
1978	2,200	2,444	3,138	3,427	3,956	2,763	3,197
1979	2,120	2,367	3,048	3,287	3,763	2,699	3,000
1980	2,154	2,270	2,813	3,081	3,667	2,790	2,790
1981	1,920	2,370	2,382	2,996	3,672	2,744	2,744
1982	2,002	2,302	2,422	2,992	3,703	2,525	2,730
1983	2,072	2,334	2,441	3,027	3,779	2,663	2,788
1984	2,376	2,380	2,454	2,990	3,734	2,559	2,788
1985	2,211	2,392	2,464	2,954	3,575	2,539	2,743
1986	2,120	2,415	2,432	2,857	3,451	2,575	2,675
1987	1,960	2,423	2,474	2,857	3,483	2,602	2,689
1988	1,933	2,346	2,558	2,880	3,487	2,693	2,717
1989	2,576	2,357	2,517	2,985	3,496	2,735	2,760
1990	2,651	2,368	2,637	3,065	3,594	2,656	2,828
1991	2,584	2,406	2,652	3,085	3,650	2,707	2,848
1992	2,395	2,444	2,674	3,131	3,670	2,770	2,879
1993	2,449	2,478	2,659	3,142	3,615	2,967	2,894
1994	2,719	2,571	2,639	3,171	3,657	3,035	2,921
1995	2,831	2,552	2,647	3,179	3,648	2,947	2,937
1996	2,847	2,533	2,667	3,203	3,671	2,985	2,950
1997	2,997	2,489	2,737	3,241	3,653	2,863	2,977
1998	3,004	2,584	2,703	3,198	3,675	2,956	3,002
1999	2,835	2,626	2,755	3,198	3,689	3,007	3,034
2000	2,906	2,635	2,800	3,215	3,680	2,943	3,052
2001	3,332	2,803	2,720	3,197	3,606	2,849	3,047
2002	3,068	2,928	2,731	3,218	3,587	3,086	3,066
2003	2,828	3,008	2,781	3,204	3,590	3,183	3,090
			Average annual	percentage cha	nge		
1976-2003	0.9%°	0.6%	-1.0%	-0.9%	-0.9%	0.7%	-0.6%
1993-2003	1.4%	2.0%	0.4%	0.2%	-0.1%	0.7%	0.7%

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)



^a Sales period is October 1 of the previous year through September 30 of the current year.

^b There were no minicompact automobiles sold in 1976.

^c Average annual percentage change begins with 1977.

The sales-weighted interior space has not changed much for midsize automobiles over the last two decades, but has increased for subcompact autos and decreased for compact and large autos.

Table 4.13 Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods^a 1976–2003

			oic feet)	3		
Sales period ^a	Minicompact (< 85)	Subcompact (85–99)	Compact (100–109)	Midsize (110–119)	Large (>120)	All ^b
1977	78.8	89.8	107.1	113.0	128.0	107.9
1978	79.4	89.8	105.3	112.9	128.5	107.9
1979	80.0	90.2	105.8	113.4	130.1	106.9
1980	82.4	89.9	105.4	113.5	130.8	104.9
1981	83.3	90.2	103.6	113.7	130.6	105.5
1982	83.1	91.3	102.9	113.9	130.4	106.0
1983	82.7	93.3	103.0	113.1	131.3	107.3
1984	77.0	93.8	103.0	113.3	130.4	108.0
1985	77.8	94.1	103.1	113.5	129.7	107.9
1986	80.1	94.5	102.8	113.8	127.6	107.0
1987	81.6	93.1	103.0	113.9	127.5	106.9
1988	81.0	93.5	103.3	113.6	127.2	107.0
1989	75.0	93.3	102.7	113.8	127.4	107.5
1990	79.9	93.9	103.2	113.8	127.8	107.3
1991	79.6	94.4	103.2	113.8	128.3	107.1
1992	79.1	94.0	104.2	114.0	129.2	107.5
1993	79.2	94.5	104.0	114.0	128.9	108.0
1994	79.4	94.4	103.8	113.8	128.8	108.0
1995	78.5	93.8	103.9	114.3	128.1	108.7
1996	76.7	94.9	103.4	114.2	128.0	108.8
1997	77.2	95.6	103.2	114.6	128.0	108.7
1998	66.9	97.0	102.2	114.4	127.7	109.2
1999	76.3	96.7	103.3	114.1	127.1	109.5
2000	76.3	96.6	103.1	114.2	126.4	109.3
2001	78.2	94.6	103.2	113.5	125.2	109.4
2002	80.3	94.7	103.7	114.8	125.0	110.1
2003	82.2	94.6	104.5	114.8	125.0	110.7
		Aver	age annual perc	centage change		
1977-2003	0.2%	0.2%	-0.1%	0.1%	-0.1%	0.1%
1993-2003	0.4%	0.0%	0.0%	0.1%	-0.3%	0.2%

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

b Interior volumes of two-seaters are not reported to EPA.



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a Sales period is October 1 of the previous year through September 30 of the current year.

The sales-weighted wheelbase of new automobiles and light trucks was rising in the 1990's. In this decade, automobile wheel-base has not varied much while light truck wheel-base has declined slightly.

Table 4.14
Sales-Weighted Wheelbase of New
Automobiles and Light Trucks, Sales Periods^a 1976–2003
(inches)

			Automobiles and
Sales		Light	light trucks
period ^a	Automobiles	trucks	combined
1976	110.78	118.87	112.03
1977	109.75	117.79	111.05
1978	107.67	116.23	108.65
1979	105.77	116.27	107.93
1980	103.61	114.54	105.76
1981	102.97	114.86	105.10
1982	103.01	114.87	105.60
1983	103.76	113.73	106.10
1984	103.50	113.87	106.21
1985	102.96	113.98	106.02
1986	102.27	113.40	105.48
1987	102.11	113.27	105.52
1988	102.21	111.79	105.21
1989	102.66	112.23	105.71
1990	103.13	111.41	105.85
1991	103.27	111.09	105.82
1992	103.60	112.68	106.78
1993	104.03	112.57	107.21
1994	104.31	113.23	107.75
1995	104.95	113.37	108.31
1996	105.04	113.36	108.53
1997	105.36	113.36	108.89
1998	105.55	114.53	109.76
1999	105.77	114.70	110.06
2000	105.89	114.05	109.81
2001	105.66	113.04	109.64
2002	105.87	112.91	109.84
2003	106.32	112.78	110.12
	Average	annual perce	ntage change
1976–2003	-0.2%	-0.2%	-0.1%
1993-2003	0.2%	0.0%	0.3%

Source:

Oak Ridge National Laboratory, Light Vehicle MPG and Market Shares System, Oak Ridge, TN, 2004. (Additional resources: www-cta.ornl.gov)

^a Sales period is October 1 of the current year through September 30 of the next year.

The average auto lost over 500 pounds from 1977 to 1987. Much of the weight reduction was due to the declining use of conventional steel and iron and the increasing use of aluminum and plastics. Conventional steel, however, remained the predominant component of automobiles in 2003 with a 40.3% share of total materials. As conventional steel use has been decreasing, use of high-strength steel has increased.

Table 4.15 Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003

	1	.977		1987		2003
Material	Pounds	Percentage	Pounds	Percentage	Pounds	Percentage
Conventional steel ^a	1,995.0	54.4%	1,459.0	45.9%	1,354.5	40.3%
High-strength steel	125.0	3.4%	228.0	7.2%	379.0	11.3%
Stainless steel	26.0	0.7%	32.0	1.0%	56.5	1.7%
Other steels	56.0	1.5%	55.5	1.7%	26.5	0.8%
Iron	540.0	14.7%	460.0	14.5%	328.0	9.8%
Aluminum	97.0	2.6%	146.0	4.6%	277.5	8.3%
Rubber	150.0	4.1%	135.5	4.3%	149.0	4.4%
Plastics/composites	168.0	4.6%	221.5	7.0%	255.5	7.6%
Glass	87.5	2.4%	86.0	2.7%	98.5	2.9%
Copper	38.5	1.1%	46.0	1.4%	50.0	1.5%
Zinc die castings	38.0	1.0%	18.0	0.6%	8.5	0.3%
Powder metal parts	15.5	0.4%	19.5	0.6%	40.0	1.2%
Fluids & lubricants	200.0	5.5%	183.0	5.8%	198.0	5.9%
Magnesium parts	128.0	3.5%	2.5	0.1%	9.5	0.3%
Other materials	1.0	0.0%	85.5	2.7%	127.5	3.8%
Total	3,665.5	100.0%	3,178.0	100.0%	3,358.5	100.0%

Source:

American Metal Market, www.amm.com/ref/carmat98.htm, New York, NY, 2003. (Additional resources: www.amm.com)



^a Includes cold-rolled and pre-coated steel.

The number of franchised dealerships which sell new light-duty vehicles (cars and light trucks) has declined 28% since 1970, though new vehicle sales have increased. The average number of vehicles sold per dealer in 2001 was 768 vehicles per dealer – more than double the 1970 number.

Table 4.16 New Light Vehicle Dealerships and Sales, 1970–2002

New	Light Vehicle Deale	erships and Sales, I	1970-2002
	Number of	New	
	franchised new	light vehicle	Light vehicle
Calendar	light vehicle	sales	sales
year	dealerships ^a	(thousands)	per dealer
1970	30,800	9,867	320
1971	30,300	12,006	396
1972	30,100	13,189	438
1973	30,100	14,184	471
1974	30,000	11,191	373
1975	29,600	10,905	368
1976	29,300	13,066	446
1977	29,100	14,613	502
1978	29,000	15,122	521
1979	28,500	13,984	491
1980	27,900	11,419	409
1981	26,350	10,725	407
1982	25,700	10,452	407
1983	24,725	12,166	492
1984	24,725	14,254	577
1985	24,725	15,501	627
1986	24,825	16,047	646
1987	25,150	14,888	592
1988	25,025	15,426	616
1989	25,000	14,508	580
1990	24,825	13,849	558
1991	24,200	12,298	508
1992	23,500	12,842	546
1993	22,950	13,869	604
1994	22,850	15,023	657
1995	22,800	14,688	644
1996	22,750	15,046	661
1997	22,700	15,069	664
1998	22,600	15,441	683
1999	22,400	16,771	748
2000	22,250	17,234	774
2001	22,150	17,123	773
2002	21,800	16,737	768
	Average	annual percentage	change
1970-2002	-1.1%	1.7%	2.8%
1992–2002	-0.7%	2.7%	3.5%

Source:

Number of dealers - National Automobile Dealers Association, *Automotive Executive Magazine*, 2004. (Additional resources: www.nada.org) Light-duty vehicle sales - See tables 4.5 and 4.6.



^aAs of the beginning of the year.

The number of conventional refueling stations is declining while the number of vehicles fueling at those stations continues to rise. In 2002, there were 0.77 fueling stations per thousand vehicles or 1.30 vehicles per station. Data for alternative fuels in 2003 indicate that there was an average of 11.90 stations per thousand alternative fuel vehicles or 0.09 vehicles per station.

Table 4.17
Conventional and Alternative Fuel Refueling Stations

		Vehicles		
	Number of	in operation	Stations per	Vehicles
_	retail outlets	(thousands)	thousand vehicles	per station
Year		Conventional fuels		
1993	207,416	186,315	1.11	0.90
1994	202,878	188,714	1.08	0.93
1995	195,455	193,441	1.01	0.99
1996	190,246	198,294	0.96	1.04
1997	187,892	201,071	0.93	1.07
1998	182,596	205,043	0.89	1.12
1999	180,567	209,509	0.86	1.16
2000	175,941	213,300	0.82	1.21
2001	172,169	216,683	0.79	1.26
2002	170,018	221,027	0.77	1.30
2003	167,571	a	a	a
	A	Alternative fuels, 200)3	
LPG	3,966	190	20.87	0.08
CNG	1,035	133	7.78	0.11
Electricity	830	46	18.04	0.02
M85/M100	0	5	0.00	0.00
LNG	62	3	20.67	0.09
E85/E95	188	134	1.40	0.55
Total	6,081	511	11.90	0.09

Sources:

Conventional refueling stations: National Petroleum News Survey, 2003.

Alternative fuel refueling stations: Alternative Fuels Data Center, www.eere.energy.gov/cleancities/afdc.

Conventional vehicles: The Polk Company, Detroit, MI, FURTHER REPRODUCTION PROHIBITED.

Alternative fuels vehicles: U.S. Department of Energy, Energy Information Administration, Alternatives to Traditional Transportation Fuels web site, www.eia.doe.gov/cneaf/alternate/page/datatables/atf1-13_03.html

Note: The County Business Patterns (CBP) data published by the Bureau of the Census tells the number of establishments by North American Industry Classification System (NAICS). NAICS is an industry classification system that groups establishments into industries based on the activities in which they are primarily engaged. NAICS 447 represents gasoline stations. However, the CBP gasoline station data differ from the National Petroleum News Survey data; the CBP may not include every gasoline retail outlet due to the classification of the primary activity of the business.

^a Data are not available.



The Corporate Average Fuel Economy standards were established by the U.S. Energy Policy and Conservation Act of 1975 (PL94-163). These standards must be met at the manufacturer level. Some manufacturers fall short of meeting the standards while others exceed them.

Table 4.18
Automobile Corporate Average Fuel Economy (CAFE)
Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2004^a
(miles per gallon)

		Αι	itomobiles		CAFE estimates
Model	CAFE		CAFE estimates ^c		Autos and light
year ^b	standards	Domestic	Import	Combined	trucks combined
1978	18.0	18.7	27.3	19.9	19.9
1979	19.0	19.3	26.1	20.3	20.1
1980	20.0	22.6	29.6	24.3	23.1
1981	22.0	24.2	31.5	25.9	24.6
1982	24.0	25.0	31.1	26.6	25.1
1983	26.0	24.4	32.4	26.4	24.8
1984	27.0	25.5	32.0	26.9	25.0
1985	27.5	26.3	31.5	27.6	25.4
1986	26.0	26.9	31.6	28.2	25.9
1987	26.0	27.0	31.2	28.5	26.2
1988	26.0	27.4	31.5	28.8	26.0
1989	26.5	27.2	30.8	28.4	25.6
1990	27.5	26.9	29.9	28.0	25.4
1991	27.5	27.3	30.1	28.4	25.6
1992	27.5	27.0	29.2	27.9	25.1
1993	27.5	27.8	29.6	28.4	25.2
1994	27.5	27.5	29.7	28.3	24.7
1995	27.5	27.7	30.3	28.6	24.9
1996	27.5	28.1	29.6	28.5	24.9
1997	27.5	27.8	30.1	28.7	24.6
1998	27.5	28.6	29.2	28.8	24.7
1999	27.5	28.0	29.0	28.3	24.5
2000	27.5	28.7	28.3	28.5	24.8
2001	27.5	28.7	29.0	28.8	24.5
2002	27.5	29.1	28.8	29.0	24.7
2003	27.5	29.0	29.8	29.4	25.0
2004	27.5	29.3	29.3	29.3	24.7

Source:

U.S. Department of Transportation, NHTSA, "Summary of Fuel Economy Performance," Washington, DC, March 2004. (Additional resources: www.nhtsa.dot.gov)



^aOnly vehicles with at least 75 percent domestic content can be counted in the average domestic fuel economy for a manufacturer.

^bModel year as determined by the manufacturer on a vehicle by vehicle basis.

^cAll CAFE calculations are sales-weighted.

The Corporate Average Fuel Economy standards for light trucks are lower than the automobile standards. Light trucks include pickups, minivans, sport utility vehicles and vans.

Table 4.19 Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2004^a (miles per gallon)

_		Li	ght trucks ^c		CAFE estimates
	CAFE _		CAFE estimates ^d		Autos and light
Model year ^b	standards	Domestic	Import	Combined	trucks combined
1978	е	f	f	f	19.9
1979	e	17.7	20.8	18.2	20.1
1980	e	16.8	24.3	18.5	23.1
1981	e	18.3	27.4	20.1	24.6
1982	17.5	19.2	27.0	20.5	25.1
1983	19.0	19.6	27.1	20.7	24.8
1984	20.0	19.3	26.7	20.6	25.0
1985	19.5	19.6	26.5	20.7	25.4
1986	20.0	20.0	25.9	21.5	25.9
1987	20.5	20.5	25.2	21.7	26.2
1988	20.5	20.6	24.6	21.3	26.0
1989	20.5	20.4	23.5	21.0	25.6
1990	20.0	20.3	23.0	20.8	25.4
1991	20.2	20.9	23.0	21.3	25.6
1992	20.2	20.5	22.7	20.8	25.1
1993	20.4	20.7	22.8	21.0	25.2
1994	20.5	20.5	22.0	20.8	24.7
1995	20.6	20.3	21.5	20.5	24.9
1996	20.7	20.5	22.1	20.8	24.9
1997	20.7	20.1	22.1	20.6	24.6
1998	20.7	20.4	23.0	21.0	24.7
1999	20.7			20.9	24.5
2000	20.7	f	f	21.3	24.8
2001	20.7	f	f	20.9	24.5
2002	20.7	f	f	21.4	24.7
2003	20.7	f	f	21.6	25.0
2004	20.7	f	f	21.5	24.7

Source:

U.S. Department of Transportation, NHTSA, "Summary of Fuel Economy Performance," Washington, DC, March 2004. (Additional resources: www.nhtsa.dot.gov)



^aOnly vehicles with at least 75 percent domestic content can be counted in the average domestic fuel economy for a manufacturer.

Model year as determined by the manufacturer on a vehicle by vehicle basis.

""" trucks combined. Gross vehicle weight

^cRepresents two- and four-wheel drive trucks combined. Gross vehicle weight of 0-6,000 pounds for model year 1978–1979 and 0–8,500 pounds for subsequent years.

All CAFE calculations are sales-weighted.

eStandards were set for two-wheel drive and four-wheel drive light trucks separately, but no combined standard was set in this year.

Data are not available.

Manufacturers of autos and light trucks whose vehicles do not meet the CAFE standards are fined. Data from the National Highway Traffic Safety Administration show that nearly \$20 million has been collected from the manufacturers for model year (MY) 2002 and \$34 million for MY 2001.

Table 4.20 Corporate Average Fuel Economy (CAFE) Fines Collected, 1983-2002^a (thousands)

Model	Current	2002 constant
year	dollars	dollars ^b
1983	58	105
1984	5,958	10,316
1985	15,565	26,023
1986	29,872	49,032
1987	31,261	49,505
1988	44,519	67,701
1989	47,381	68,740
1990	48,429	66,659
1991	42,243	55,797
1992	38,287	49,093
1993	28,688	35,717
1994	31,499	38,236
1995	40,787	48,147
1996	19,302	22,131
1997	36,212	40,589
1998	21,740	23,994
1999	27,516	29,713
2000	51,067	53,351
2001	34,009	34,547
2002	19,805	19,805

Source:

U.S. Department of Transportation, National Highway Traffic Safety Administration, Office of Vehicle Safety Compliance, Washington, DC, January 2004. (Additional resources: www.nhtsa.dot.gov)



^a These are fines which are actually collected. Fines which are assessed in certain year may not have been collected in that year.

^bAdjusted using the Consumer Price Inflation Index.

Consumers must pay the Gas Guzzler Tax when purchasing an automobile that has an Environmental Protection Agency (EPA) fuel economy rating less than that stipulated in the table below. The Gas Guzzler Tax doubled in 1991 after remaining constant from 1986 to 1990. The tax has not changed since 1991. This tax does not apply to light trucks such as pickups, minivans, sport utility vehicles, and vans.

Table 4.21
The Gas Guzzler Tax on New Cars (dollars per vehicle)

Vehicle fuel economy (mpg)	1980	1981	1982	1983	1984	1985	1986–90	1991+
Over 22.5	0	0	0	0	0	0	0	0
22.0-22.5	0	0	0	0	0	0	500	1,000
21.5-22.0	0	0	0	0	0	0	500	1,000
21.0-21.5	0	0	0	0	0	0	650	1,300
20.5-21.0	0	0	0	0	0	500	650	1,300
20.0-20.5	0	0	0	0	0	500	850	1,700
19.5-20.0	0	0	0	0	0	600	850	1,700
19.0-19.5	0	0	0	0	450	600	1,050	2,100
18.5-19.0	0	0	0	350	450	800	1,050	2,100
18.0-18.5	0	0	200	350	600	800	1,300	2,600
17.5–18.0	0	0	200	500	600	1,000	1,300	2,600
17.0-17.5	0	0	350	500	750	1,000	1,500	3,000
16.5-17.0	0	200	350	650	750	1,200	1,500	3,000
16.0–16.5	0	200	450	650	950	1,200	1,850	3,700
15.5-16.0	0	350	450	800	950	1,500	1,850	3,700
15.0-15.5	0	350	600	800	1,150	1,500	2,250	4,500
14.5–15.0	200	450	600	1,000	1,150	1,800	2,250	4,500
14.0-14.5	200	450	750	1,000	1,450	1,800	2,700	5,400
13.5-14.0	300	550	750	1,250	1,450	2,200	2,700	5,400
13.0-13.5	300	550	950	1,250	1,750	2,200	3,200	6,400
12.5-13.0	550	650	950	1,550	1,750	2,650	3,200	6,400
Under 12.5	550	650	1,200	1,550	2,150	2,650	3,850	7,700

Source

Internal Revenue Service, Form 6197, (Rev. 1-91), "Gas Guzzler Tax." (Additional resources: www.irs.ustreas.gov)



Consumers continue to demand gas guzzling automobiles. The IRS collected over \$79 million in 2002 from those buying autos with fuel economy less than 22.5 miles per gallon. This tax does not apply to light trucks such as pickups, minivans, sport utility vehicles, and vans.

Table 4.22
Tax Receipts from the Sale of Gas Guzzlers, 1980–2002 (thousands)

Model	Current	2002 constant
year	dollars	dollars ^a
1980	740	1,616
1981	780	1,544
1982	1,720	3,207
1983	4,020	7,261
1984	8,820	15,272
1985	39,790	66,526
1986	147,660	42,373
1987	145,900	31,051
1988	116,780	177,589
1989	109,640	159,066
1990	103,200	142,048
1991	118,400	156,389
1992	144,200	184,901
1993	111,600	138,940
1994	64,100	77,811
1995	73,500	86,763
1996	52,600	60,311
1997	48,200	54,026
1998	47,700	52,646
1999	68,300	73,753
2000	70,800	73,966
2001	78,200	79,436
2002	79,700	79,700

Source:

Ward's Communications, *Motor Vehicle Facts and Figures*, 2003, Detroit, MI, 2003, p. 85. Original data source: Internal Revenue Service.



^aAdjusted using the Consumer Price Inflation Index.

Fuel Economy by Vehicle Speed

ORNL has developed fuel consumption and emissions lookup tables for the Federal

Highway Administration, for use in their TRAF series of traffic models (NETSIM,

CORSIM, FRESIM), although more generic uses are also possible. To develop the data-

based models, vehicles are tested both on-road and on a chassis dynamometer. Engine

parameters are measured on-road under real-world driving conditions that cover the vehicle's

entire operating envelope. Emissions and fuel consumption are then measured on the chassis

dynamometer as functions of engine conditions. The two data sets are merged to produce

the final three-dimensional maps as functions of vehicle speed and acceleration. Eight well-

functioning, late-model vehicles, and one 1997 model vehicle, have been tested thus far in

fully warmed-up conditions.

Similar continuing work is planned for the Department of Energy as well as FHWA,

which will include more well-functioning, late-model vehicles, pre-control (1960's) vehicles,

malfunctioning high-emitter vehicles, light-duty diesel vehicles (cars and pickup trucks),

alternative fuel vehicles, and possibly heavy-duty diesel vehicles. ORNL will also be

developing cold-start algorithms to enhance the existing models, since emissions and fuel

economy generally improve as vehicles warm up to normal operating temperatures.

For further information regarding this study please contact:

Scott Sluder

Fuels, Combustion, and Engine Technology

P.O. Box 2009, Building 9108

Oak Ridge, TN 37831-8087

Phone: 865-241-9133 Fax: 865-241-1747

email: sluders@ornl.gov

Table 4.23 Vehicle Specifications for Vehicles Tested in the 1997 Study

	Fuel				EPA fuel economy		
Vehicle	Curb weight	Engine	delivery system ^a	Trans- mission	City	Highway	
1988 Chevrolet Corsica	2,665	2.8 liter V6	PFI	M5	19	29	
1994 Olds Cutlass Supreme	3,290	3.4 liter V6	PFI	L4	17	26	
1994 Oldsmobile 88	3,433	3.8 literV6	PFI	L4	19	29	
1994 Mercury Villager	4,020	3.0 liter V6	PFI	L4	17	23	
1995 Geo Prizm	2,359	1.6 liter I-4	PFI	L3	26	30	
1994 Jeep Grand Cherokee	3,820	4.0 liter I-6	PFI	L4	15	20	
1994 Chevrolet Pickup	4,020	5.7 liter V8	TBI	L4	14	18	
1993 Subaru Legacy	2,800	2.2 liter H4	PFI	L4	22	29	
1997 Toyota Celica	2,395	1.8 liter I4	PFI	L4	27	34	

Source:

West, B.H., R.N. McGill, J.W. Hodgson, S.S. Sluder, and D.E. Smith, *Development and Verification of Light-Duty Modal Emissions and Fuel Consumption Values for Traffic Models*, Washington, DC, April 1997 and additional project data, April 1998.

^a PFI = port fuel injection. TBI = throttle- body fuel injection.

The two earlier studies by the Federal Highway Administration (FHWA) indicate maximum fuel efficiency was achieved at speeds of 35 to 40 mph. The recent FHWA study indicates greater fuel efficiency at higher speeds. Note that the 1973 study did not include light trucks.

Table 4.24 Fuel Economy by Speed, 1973, 1984, and 1997 Studies (miles per gallon)

Speed (miles per hour)	1973 ^a (13 vehicles)	1984 ^b (15 vehicles)	1997° (9 vehicles)		
15	d	21.1	24.4		
20	d	25.5	27.9		
25	d	30.0	30.5		
30	21.1	31.8	31.7		
35	21.1	33.6	31.2		
40	21.1	33.6	31.0		
45	20.3	33.5	31.6		
50	19.5	31.9	32.4		
55	18.5	30.3	32.4		
60	17.5	27.6	31.4		
65	16.2	24.9	29.2		
70	14.9	22.5	26.8		
75	d	20.0	24.8		
	Fuel economy loss				
55–65 mph	12.4%	17.8%	9.7%		
65–70 mph	8.0%	9.6%	8.2%		
55–70 mph	19.5%	25.7%	17.1%		

Sources:

1973- U.S. Department of Transportation, Federal Highway Administration, Office of Highway Planning, *The Effect of Speed on Automobile Gasoline Consumption Rates*, Washington, DC, October 1973.

1984 - U.S. Department of Transportation, Federal Highway Administration, Fuel Consumption and Emission Values for Traffic Models, Washington, DC, May 1985.

1997 - West, B.H., R.N. McGill, J.W. Hodgson, S.S. Sluder, and D.E. Smith, Development and Verification of Light-Duty Modal Emissions and Fuel Consumption Values for Traffic Models, FHWA Report (in press), Washington, DC, April 1997, and additional project data, April 1998. (Additional resources: www.fhwa-tsis.com)

^dData are not available.



^aModel years 1970 and earlier automobiles.

^bModel years 1981–84 automobiles and light trucks.

^cModel years 1988–97 automobiles and light trucks.




Figure 4.2. Fuel Economy by Speed, 1973, 1984, and 1997 Studies

Source: See Table 4.23.

Of the tested vehicles, the 1994 Oldsmobile Olds 88 had the greatest fuel economy loss from 55 mph to 75 mpg. The 1997 Toyota Celica tested fuel economy was slightly better at 65 mph than at 55 mph.

Table 4.25 Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study (miles per gallon)

Speed (mph)	1988 Chevrolet Corsica	1993 Subaru Legacy	1994 Oldsmobile Olds 88	1994 Oldsmobile Cutlass	1994 Chevrolet Pickup	1994 Jeep Grand Cherokee	1994 Mercury Villager	1995 Geo Prizm	1997 Toyota Celica
5	10.0	14.5	10.5	5.1	7.9	8.2	12.3	18.1	19.1
10	16.8	24.7	14.9	7.9	16.0	11.2	19.0	23.1	34.1
15	17.7	31.9	22.2	11.4	16.3	17.5	22.4	38.9	41.7
20	21.7	34.4	26.3	12.5	19.9	24.7	25.8	39.4	46.0
25	23.9	37.4	28.3	15.6	22.7	21.8	30.8	41.7	52.6
30	28.7	39.7	29.0	19.0	26.3	21.6	30.3	40.0	50.8
35	28.6	38.0	30.9	21.2	24.3	25.0	26.1	39.1	47.6
40	29.2	37.0	33.2	23.0	26.7	25.5	29.0	38.9	36.2
45	28.8	33.7	32.4	23.0	27.3	25.4	27.8	42.3	44.1
50	31.2	33.7	34.2	27.3	26.3	24.8	30.1	39.1	44.8
55	29.1	37.7	34.6	29.1	25.1	24.0	31.7	37.7	42.5
60	28.2	35.9	32.5	28.2	22.6	23.2	27.3	36.7	48.4
65	28.7	33.4	30.0	25.0	21.8	21.3	25.3	34.1	43.5
70	26.1	31.0	26.7	22.9	20.1	20.0	23.9	31.7	39.2
75	23.7	28.8	24.0	21.6	18.1	19.1	22.4	28.3	36.8
Fuel economy loss									
55-65 mph	1.4%	11.4%	13.3%	14.1%	13.1%	11.3%	20.2%	9.5%	-2.4%
65–75 mph	17.4%	13.8%	20.0%	13.6%	17.0%	10.3%	11.5%	17.0%	15.4%
55–75 mph	18.6%	23.6%	30.6%	25.8%	27.9%	20.4%	29.3%	24.9%	13.4%

Source

B.H. West, R.N. McGill, J.W. Hodgson, S.S. Sluder, D.E. Smith, *Development and Verification of Light-Duty Modal Emissions and Fuel Consumption Values for Traffic Models*, Washington, DC, April 1997, and additional project data, April 1998. (Additional resources: www.fhwa-tsis.com)

Note: For specifications of the tested vehicles, please see Table 4.21.




The Environmental Protection Agency (EPA) tests new vehicles to determine fuel economy ratings. The city and highway fuel economies that are posted on the windows of new vehicles are determined by testing the vehicle during these driving cycles. The driving cycles simulate the performance of an engine while driving in the city and on the highway. Once the urban cycle is completed, the engine is stopped, then started again for the 8.5 minute hot start cycle.

80 Time duration (seconds) 1,372 Distance (miles) 7.5 70 Avg. speed (mph) 19.5 Speed - miles per hour 60 Maxiumum speed (mph) 56.7 50 40 30 20 10 0 0 200 400 600 800 1000 1200 Seconds

Figure 4.3. Urban Driving Cycle





Source:

Code of Federal Regulations, 40CFR, "Subpart B - Fuel Economy Regulations for 1978 and Later Model Year Automobiles - Test Procedures," July 1, 1988 edition, p. 676.

The New York Test Cycle was developed in the 1970's in order to simulate driving in downtown congested areas. The Representative Number Five Test Cycle was developed recently to better represent actual on-road driving by combining modern urban and freeway driving.

Figure 4.5. New York City Driving Cycle





Figure 4.6. Representative Number Five Driving Cycle



Source:

Data obtained from Michael Wang, Argonne National Laboratory, Argonne, IL, 1997.



The US06 driving cycle was developed as a supplement to the Federal Test Procedure. It is a short-duration cycle (600 seconds) which represents hard-acceleration driving.

Time duration (seconds) 600 8.0 Distance (miles) Avg. speed (mph) 48.0 80 Maxiumum speed (mph) 80.3 70 Speed - miles per hour 60 50 40 30 20 10 0 0 100 200 300 500 600 400 **Seconds**

Figure 4.7. US06 Driving Cycle

Source:

Data obtained from Michael Wang, Argonne National Laboratory, Argonne, IL, 1997.

Researchers at Argonne National Laboratory have estimated the fuel economy of a midsize car using driving cycles from different countries. These results illustrate the difference in fuel economy which can be obtained from the same vehicle using different test cycles.

Table 4.26
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles

Driving Cycle	Projected fuel economy for a 1995 composite midsize vehicle ^a
Japanese 10/15 mode test cycle	17.5 mpg
New European Driving Cycle (NEDC)	22.0 mpg
U.S. EPA city cycle (LA4)	19.8 mpg
U.S. EPA highway cycle	32.1 mpg
U.S. Corporate Average Fuel Economy cycle	23.9 mpg

Source:

Santini, D., A. Vyas, J. Anderson, and F. An, *Estimating Trade-Offs along the Path to the PNGV 3X Goal*, presented at the Transportation Research Board 80th Annual Meeting, Washington, DC, January 2001.

^aThe 1995 composite midsize vehicle is an average of a Chevrolet Lumina, Chrysler Concord, and Ford Taurus. The fuel economies were projected using the National Renewable Energy Laboratory's Advanced Vehicle Simulator (ADVISOR) model.

When comparing data between countries, one must realize that different countries have different testing cycles to determine fuel economy and emissions. This table compares various statistics on the European, Japanese, and U.S. testing cycles [for fuel economy measurements, the U.S. uses the formula, 1/fuel economy = (0.55/city fuel economy) + (0.45/highway fuel economy)]. Most vehicles will achieve higher fuel economy on the U.S. test cycle than on the European or Japanese cycles.

Table 4.27 Comparison of U.S., European, and Japanese Driving Cycles

	Ti	Percent of time stopped	Distance	Average	Maximum	Maximum
	Time (seconds)	or decelerating	Distance (miles)	speed (mph)	speed (mph)	acceleration (mph/s)
Japanese 10/15 mode test cycle	631	52.3	2.6	14.8	43.5	1.78
New European Driving Cycle (NEDC)	1,181	24.9	6.84	20.9	74.6	2.4
U.S. EPA city cycle (LA4) ^a	1,372	43.2	7.5	19.5	56.7	3.3
U.S. EPA highway cycle	765	9.3	17.8	48.2	59.9	3.3
U.S. Corporate Average Fuel Economy cycle	2,137	27.9	10.3	29.9	59.9	3.3

Source:

Santini, D., A. Vyas, J. Anderson, and F. An, *Estimating Trade-Offs along the Path to the PNGV 3X Goal*, presented at the Transportation Research Board 80th Annual Meeting, Washington, DC, January 2001.

^aThe actual Federal Procedure (FTP), which is also the test for emissions certification, repeats the first 505 seconds of the Federal Urban Driving Simulation cycle, hot started, after a 10 minute hot soak. Starting with Model Year 2001, the emissions test-but not the fuel economy test-incorporates a supplemental cycle that simulates aggressive urban driving, coupled with an added air conditioning load.

Total traffic fatalities were lower in 2002 than in 1975. Thirteen percent of traffic fatalities in 2002 were not vehicle occupants (pedestrians, cyclists, etc.).

Table 4.28 Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities, 1975–2002

	1975	1980	1985	1990	1995	2000	2002	2002 share
Vehicle occupant fatalitic vehicle type	es by							
Passenger car								
Subcompact	3,834	7,299	7,993	8,309	6,791	4,773	4,226	9.9%
Compact	614	927	2,635	5,310	6,899	7,022	7,002	16.4%
Intermediate	1,869	3,878	4,391	4,849	4,666	5,204	5,473	12.8%
Full	10,800	11,580	6,586	4,635	3,413	3,184	3,233	7.6%
Unknown	8,812	3,765	1,607	989	654	516	482	1.1%
Total	25,929	27,449	23,212	24,092	22,423	20,492	20,416	47.7%
Truck								
Light	4,856	7,486	7	8,601	9,568	11,418	12,182	28.5%
Large	961	1,262	977	705	648	741	684	1.6%
Total	5,817	8,748	7,666	9,306	10,216	12,159	12,866	30.1%
Other Vehicles								
Motorcycle	3,189	5,144	4,564	3,244	2,227	2,862	3,244	7.6%
Bus	53	46	57	32	33	22	45	0.1%
Other/unknown vehicle type	937	540	544	460	392	714	661	1.5%
Total	4,179	5,730	5,165	3,736	2,652	3,598	3,950	9.2%
TOTAL vehicle occupant fatalities	35,925	41,927	36,043	37,134	35,291	36,249	37,232	87.0%
Nonoccupant fatalities								
Pedestrian	7,516	8,070	6,808	6,482	5,584	4,739	4,808	11.2%
Pedalcyclist	1,003	965	890	859	833	690	662	1.5%
Other	81	129	84	124	109	143	113	0.3%
Total	8,600	9,164	7,782	7,465	6,526	5,572	5,583	13.0%
TOTAL traffic fatalities	44,525	51,091	43,825	44,599	41,817	41,821	42,815	100.0%

Source:

Traffic Safety Facts 2002, Washington, DC, January 2004, pp. 86, 101 and 110. (Additional resources: www.nhtsa.dot.gov)



In 2002, the fatality rate for vehicle occupants per 100 million vehicle miles are surprisingly similar for passenger cars and light trucks—1.3 and 1.2 fatalities per 100 million vehicle miles, respectively. However, the injury rate per 100 million vehicle miles is much lower for light trucks (87) than for passenger cars (112).

Table 4.29 Light Vehicle Occupant Safety Data, 1975–2002

	1975	1980	1985	1990	1995	2000	2002
]	Passenger car	rs		
Fatalities	25,929	27,449	23,212	24,092	22,423	20,699	20,416
Injuries (thousands)	a	a	a	2,376	2,469	2,052	1,805
Vehicle-miles (billions) ^b	1,030	1,107	1,249	1,427	1,478	1,580	1,608
Rates per 100 million vehicle	miles						
Fatalities	2.5	2.5	1.9	1.7	1.5	1.3	1.3
Injuries	a	a	a	167	167	130	112
			Light truc	cks (10,000 l	bs. or less)		
Fatalities	4,856	7,486	6,689	8,601	9,568	11,526	12,182
Injuries (thousands)	a	a	a	505	722	887	879
Vehicle-miles (billions) ^b	204	295	389	556	750	943	1,016
Rates per 100 million vehicle	-miles						
Fatalities	2.4	2.5	1.7	1.5	1.3	1.2	1.2
Injuries	a	a	a	91	96	94	87

Source:

U.S. DOT, National Highway Traffic Safety Administration, *Traffic Safety Facts* 2002, Washington, DC, January 2004, pp. 22, 24. (Additional resources: www.nhtsa.dot.gov)



^aData are not available.

^bVehicle-miles are estimated by the National Highway Traffic Safety Administration and do not match Federal Highway data.

In 2002, 39% of all passenger car and light truck fatal crashes were single-vehicle crashes. Because there are so many passenger cars on the roads compared to the other vehicle types, total passenger car crashes are more than half of total crashes. Most crashes are multiple-vehicle crashes with property damage only.

Table 4.30 Crashes by Crash Severity, Crash Type, and Vehicle Type, 2002

	Fat	al	Inj	jury	Property da	amage only	
Vehicle type	Single- vehicle crash	Multiple- vehicle crash	Single- vehicle crash	Multiple- vehicle crash	Single- vehicle crash	Multiple- vehicle crash	Total crashes
Passenger cars	10,379	16,723	342,000	1,795,000	744,000	3,699,000	6,607,102
Light trucks ^a	8,616	12,861	188,000	1,022,000	454,000	2,303,000	3,988,477
Large trucks ^b	723	3,819	14,000	80,000	96,000	240,000	434,542
Buses	93	177	1,000	12,000	4,000	41,000	58,270
Motorcycles	1,525	1,814	29,000	29,000	6,000	11,000	78,339
Total	21,336	35,394	574,000	2,938,000	1,304,000	6,294,000	11,166,730
Share	0.2%	0.3%	5.1%	26.3%	11.7%	56.4%	100%

Source:

U.S. Department of Transportation, National Highway Traffic Safety Administration, *Traffic Safety Facts* 2002, Washington, DC, January 2004, pp. 72, 74, 76, 80, 82. (Additional resources: www.nhtsa.dot.gov)

Note: Multiple-vehicle crashes cannot be totaled over vehicle type due to duplication of accidents between vehicle types.



 $^{^{\}mathrm{a}}$ Trucks 10,000 lbs. gross vehicle weight rating or less, including pickups, vans, and utility vehicles.

^b Trucks over 10,000 pounds gross vehicle weight rating including single-unit trucks and truck tractors.

For fatal crashes in 2002, sport-utility vehicles (SUVs) had the highest rollover rate (35.9%) while other light trucks had the lowest (14.6%). This does not mean that the rollover caused the fatality, just that a vehicle in the crash rolled over.




Figure 4.8. Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002

Source:

U.S. Department of Transportation, National Highway Traffic Safety Administration, *Traffic Safety Facts* 2002 Washington, DC, January 2004, p. 64. (Additional resources: www.nhtsa.dot.gov)

Demand response (also called paratransit or dial-a-ride) and public vanpools are widely used by transit agencies. There were over 40 thousand of these vehicles active in 2002.

Table 4.31
Summary Statistics on Light Transit Vehicles, 1994–2002^a

Year	Number of active vehicles	Vehicle-miles (millions)	Passenger-miles (millions)	Energy use (trillion Btu)
1994	31,090	490	781	9.8
1995	31,773	538	856	9.6
1996	33,472	588	958	10.2
1997	35,657	627	1,075	10.3
1998	33,481	721	1,103	10.9
1999	36,651	784	1,258	11.2
2000	37,957	826	1,274	11.4
2001	40,049	861	1,345	11.9
2002	40,691	879	1,336	12.3
		Average annual p	percentage change	
1994–2002	3.4%	7.6%	6.9%	2.9%

Source:

American Public Transit Association, 2004 Public Transportation Fact Book, Washington, DC, February 2004, Tables 6, 18, 22, 77 and 95. Historical van pool data are from earlier editions. (Additional resources: www.apta.com)

Note: See Glossary for detailed definitions of demand response and vanpool.

^a Includes demand response service and public van pools.

Chapter 5 Heavy Vehicles and Characteristics

Summary Statistics from Tables in this Chapter

Source		
Table 5.1	Heavy single-unit trucks, 2002	
	Registration (thousands)	5,651
	Vehicle miles (millions)	75,887
	Fuel economy (miles per gallon)	7.4
Table 5.2	Combination trucks, 2002	
	Registration (thousands)	2,277
	Vehicle miles (millions)	138,643
Table 5.6	Trucks by size, 1997 Vehicle Inventory & Use Survey	
	Light (0–10,000 lbs average weight)	92.88%
	Medium (10,001–26,000 lbs average weight)	3.80%
	Heavy (26,001 lbs and over average weight)	3.32%
Tables 5.10	Freight Shipments,1997 Commodity Flow Survey	
and 5.11	Value (billion dollars)	6,944
	Tons (millions)	11,089
	Ton-miles (billions)	2,661
Tables 5.12	Buses in operation, 2002	
and 5.13	Transit	76,790
	School	617,067



Heavy single-unit trucks include all single-unit trucks which have more than two axles or more than four tires. Most of these trucks would be used for business or for individuals with heavy hauling or towing needs.

Table 5.1 Summary Statistics for Heavy Single-Unit Trucks, 1970–2002

	Registrations	Vehicle travel	Fuel use	Fuel economy
Year	(thousands)	(million miles)	(million gallons)	(miles per gallon)
1970	3,681	27,081	3,968	6.8
1975	4,232	34,606	5,420	6.4
1980	4,374	39,813	6,923	5.8
1981	4,455	39,568	6,867	5.8
1982	4,325	40,658	6,803	6.0
1983	4,204	42,546	6,965	6.1
1984	4,061	44,419	7,240	6.1
1985	4,593	45,441	7,399	6.1
1986	4,313	45,637	7,386	6.2
1987	4,188	48,022	7,523	6.4
1988	4,470	49,434	7,701	6.4
1989	4,519	50,870	7,779	6.5
1990	4,487	51,901	8,357	6.2
1991	4,481	52,898	8,172	6.5
1992	4,370	53,874	8,237	6.5
1993	4,408	56,772	8,488	6.7
1994	4,906	61,284	9,032	6.8
1995	5,024	62,705	9,216	6.8
1996	5,266	64,072	9,409	6.8
1997	5,293	66,893	9,576	7.0
1998	5,414	67,894	9,741	7.0
1999	5,763	70,304	9,372	7.5
2000	5,926	70,500	9,563	7.4
2001	5,704	72,448	9,667	7.5
2002	5,651	75,887	10,305	7.4
		Average annua	l percentage change	
1970-2002	1.3%	3.3%	3.0%	0.3%
1992-2002	2.6%	3.5%	2.3%	1.3%

Source:

U. S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2003, Table VM1 and annual. (Additional resources: www.fhwa.dot.gov)

Note: Highway Statistics 1999 data were not used.



Combination trucks include all trucks designed to be used in combination with one or more trailers. The average vehicle travel of these trucks (on a per truck basis) far surpasses the travel of other trucks due to long-haul freight movement.

Table 5.2 Summary Statistics for Combination Trucks, 1970–2002^a

	Registrations	Vehicle travel	Fuel use	Fuel economy
Year	(thousands)	(million miles)	(million gallons)	(miles per gallon)
1970	905	35,134	7,348	4.8
1975	1,131	46,724	9,177	5.1
1980	1,417	68,678	13,037	5.3
1981	1,261	69,134	13,509	5.1
1982	1,265	70,765	13,583	5.2
1983	1,304	73,586	13,796	5.3
1984	1,340	77,377	14,188	5.5
1985	1,403	78,063	14,005	5.6
1986	1,408	81,038	14,475	5.6
1987	1,530	85,495	14,990	5.7
1988	1,667	88,551	15,224	5.8
1989	1,707	91,879	15,733	5.8
1990	1,709	94,341	16,133	5.8
1991	1,691	96,645	16,809	5.7
1992	1,675	99,510	17,216	5.8
1993	1,680	103,116	17,748	5.8
1994	1,681	108,932	18,653	5.8
1995	1,696	115,451	19,777	5.8
1996	1,747	118,899	20,192	5.9
1997	1,790	124,584	20,302	6.1
1998	1,831	128,159	21,100	6.1
1999	2,029	132,384	24,537	5.4
2000	2,097	135,020	25,666	5.3
2001	2,154	136,584	25,512	5.4
2002	2,277	138,643	26,451	5.2
		Average ann	ual percentage change	
1970–2002	2.9%	4.4%	4.1%	0.3%
1992–2002	3.1%	3.4%	4.4%	-1.1%

Source:

U. S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Washington, DC, 2003, Table VM1 and annual. (Additional resources: www.fhwa.dot.gov)

Note: Highway Statistics 1999 data were not used.



^a The Federal Highway Administration changed the combination truck travel methodology in 1993.

Sales of the medium trucks, classes 3-6 rose substantially in 1998. Light trucks under 10,000 lbs., continue to dominate truck sales.

New Retail Truck Sales by Gross Vehicle Weight, 1970-2002a Table 5.3

	-	7	5	7	(Constant)	0	5	5	
	Class 1	Class 7	Class 3	Class 4	Class 5	Class o	Class /	Class 8	
Calendar year	6,000 lbs.	6,001– 10 000 lbs	10,001– 14 000 lbs	14,001– 16,000 lbs	16,001– 19 500 lbs	19,501– 26,000 lbs	26,001– 33 000 lbs	33,001 lbs.	Total
dai yeai	01 1033	10,000 103.	Dome	stic sales (import	Domestic sales (import data are not available)	ilable)	22,000 103.	and over	1 Otal
1970 ^b	1,049	408	9	12	58	133	36	68	1,791
975	1,101	952	23	_	6	159	23	83	2,351
1980	985	975	4	3	2	96	58	117	2,231
1861	968	850	-	3	2	72	51	100	1,972
1982	1,102	196	-	0	_	44	62	9/2	2,248
1983	1,314	1,207	v	v	-	47	59	82	2,710
1984	2,031	1,224	9	o	5	55	78	138	3,538
1985	2,408	1,280	11	o	5	48	26	134	3,983
				Domestic and import	d import sales				
9861	3,380	1,214	12	٥	9	45	101	113	4,870
286	3,435	1,175	14	2	8	44	103	131	4,912
886	3,467	1,333	14	21	8	54	103	148	5,149
6861	3,313	1,297	61	27	7	39	93	145	4,942
1990	3,451	1,097	21	27	5	38	85	121	4,846
1991	3,246	928	21	24	3	22	73	66	4,365
1992	3,608	1,021	26	26	4	28	73	119	4,903
993	4,119	1,232	27	33	4	27	81	158	5,681
1994	4,527	1,506	35	44	4	20	86	186	6,421
995	4,422	1,631	40	53	4	23	107	201	6,481
966	4,829	1,690	52	59	7	19	104	170	6,930
266	5,085	1,712	53	57	6	18	114	179	7,226
8661	5,263	2,036	102	43	25	32	115	209	7,826
1999	5,707	2,366	122	49	30	48	130	262	8,716
2000	5,965	2,421	117	47	29	51	123	212	8,965
001	6,073	2,525	102	52	24	42	92	140	9,050
2002	890'9	2,565	80	38	24	45	69	146	9,035
				Average	Average annual percentage change	e change			
1970-1985	5.7%	7.9%	4.1%	3	-15.1%	%9.9-	%8.9	2.8%	5.5%
1986-2002	3 70%	4 8%	12 6%	•	6 1%	%00	-2 4%	1 60%	3 0%

Source:

Ward's Communication's, Motor Vehicle Facts and Figures 2003, Southfield, MI, 2000, p. 26, and annual. (Additional resources: www.wardsauto.com)

^a Sales include domestic-sponsored imports.

^b Data for 1970 is based on new truck registrations.

^cData are not available.



Vehicle Inventory and Use Survey

The Vehicle Inventory and Use Survey (VIUS), which was formerly the Truck Inventory and Use Survey (TIUS), provides data on the physical and operational characteristics of the Nation's truck population. It is based on a probability sample of private and commercial trucks registered (or licensed) in each state. The name of the 1997 survey was changed to the Vehicle Inventory and Use Survey due to future possibilities of including additional vehicle types. The 2002 VIUS, however, will only include trucks. Data from the 2002 VIUS is expected in late 2004 or early 2005. Copies of the 1997 VIUS report or CD may be obtained by contacting the U.S. Bureau of the Census, Transportation Characteristics Surveys Branch (301) 457-2797. Internet site: www.census.gov/sysd/www/tiusview.html

Since 1987, the survey has included minivans, vans, station wagons on truck chassis, and sport utility vehicles in addition to the bigger trucks. The 1977 and 1982 surveys did not include those vehicle types. The estimated number of trucks that were within the scope of the 1997 VIUS and registered in the U.S. as of July 1, 1997, was 72.8 million. These trucks were estimated to have been driven a total of 1,044 billion miles during 1997, an increase of 32.8% from 1992. The average annual miles traveled per truck was estimated at 14,300 miles.

In the 1997 VIUS, there are several ways to classify a truck by weight. The survey respondent was asked the average weight of the vehicle or vehicle-trailer combination when carrying a typical payload; the empty weight (truck minus cargo) of the vehicle as it was usually operated; and the maximum gross weight at which the vehicle or vehicle-trailer combination was operated. The Census Bureau also collected information on the Gross Vehicle Weight Class of the vehicles (decoded from the vehicle identification number) and the registered weight of the vehicles from the State registration files. Some of these weights are only provided in categories, while others are exact weights. Since all these weights could be quite different for a single truck, the tabulations by weight can be quite confusing. In most tables, the Gross Vehicle Weight Class was used.



Table 5.4
Truck Statistics by Gross Vehicle Weight Class, 1997

			Average	Harmonic	Gallons of	
Manufacturer's gross vehicle weight class	Number of trucks	Percentage of trucks	annual miles per truck	mean fuel economy	fuel used (millions)	Percentage of fuel use
1) 6,000 lbs and less	45,240,632	62.14%	13,328	17.1	35,184	44.34%
2) 6,001 – 10,000 lbs	22,373,167	30.73%	12,952	13.7	21,226	26.75%
Light truck subtotal	67,613,799	92.88%	13,204	15.8	56,410	71.10%
3) 10,001 – 14,000 lbs	510,476	0.70%	15,650	10.4	771	0.97%
4) 14,001 – 16,000 lbs	194,951	0.27%	16,390	10.0	320	0.40%
5) 16,001 – 19,500 lbs	178,111	0.24%	6,016	9.2	117	0.15%
6) 19,501 – 26,000 lbs	1,884,246	2.59%	13,637	8.0	3,202	4.04%
Medium truck subtotal	2,767,784	3.80%	13,712	8.6	4,410	5.56%
7) 26,001 – 33,000 lbs	207,386	0.28%	35,588	6.7	1,096	1.38%
8) 33,001 lbs and up	2,211,283	3.04%	48,095	6.1	17,427	21.96%
Heavy truck subtotal	2,418,669	3.32%	47,022	6.1	18,523	23.35%
Total	72,800,252	100.00%	14,347	13.2	79,344	100.00%

Source:

U.S. Department of Commerce, Bureau of the Census, 1997 Vehicle Inventory and Use Survey, Microdata File on CD, 2000. (Additional resources: www.census.gov/svsd/www.tiusview.html)

Table 5.5 Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997 (miles per gallon)

Manufacturer's	1992	1997
gross vehicle weight class	TIUS	VIUS
1) 6,000 lbs and less	17.2	17.1
2) 6,001–10,000 lbs	13.0	13.6
Light truck subtotal	15.7	15.8
3) 10,000–14,000 lbs	8.8	9.4
4) 14,001–16,000 lbs	8.8	9.3
5) 16,001–19,500 lbs	7.4	8.7
6) 19,501–26,000 lbs	6.9	7.3
Medium truck subtotal	7.3	8.6
7) 26,001–33,000 lbs	6.5	6.4
8) 33,001 lbs and over	5.5	5.7
Large truck subtotal	5.6	6.1

Sources:

Estimates are based on data provided on the following public use files: U.S. Department of Commerce, Bureau of the Census, Census of Transportation, Washington, DC, 1992 Truck Inventory and Use Survey, 1995; 1997 Vehicle Inventory and Use Survey, 2000. (Additional resources: www.census.gov/svsd/www/tiusview.html)

Note: Based on average fuel economy as reported by respondent.



As expected, most light trucks travel within 50 miles of their home base and refuel at public stations. Sixty percent of heavy trucks travel over 50 miles from their home base and 36% of them refuel at central company-owned refueling stations.

Table 5.6 Truck Statistics by Size, 1997

	Manufacture	Manufacturer's gross vehicle weight class				
		Medium				
	Light	(10,001-	Heavy			
	(< 10,000 lbs)	26,000 lbs)	(> 26,000 lbs)	Total		
Trucks	67,613,799	2,767,784	2,418,669	72,800,252		
Trucks (%)	92.88%	3.80%	3.32%	100%		
Miles per truck	13,204	13,712	47,022	14,347		
Total miles (%)	86.35%	3.35%	10.31%	100%		
Fuel use (%)	71.10%	5.56%	23.35%	100%		
Fuel economy (mpg)	15.81	7.84	5.75	13.02		
		Range of o	peration			
Under 50 miles	75.11%	64.45%	39.37%	73.53%		
51–100 miles	12.83%	16.53%	16.44%	13.09%		
101–200 miles	3.86%	5.64%	10.54%	4.15%		
201–500 miles	2.09%	4.65%	12.19%	2.52%		
Over 500 miles	2.31%	1.25%	16.80%	2.75%		
Off-road	3.81%	7.49%	4.66%	3.97%		
Total	100%	100%	100%	100%		
		Primary refue	ling facility			
Central company-owned	11.52%	27.32%	35.94%	29.20%		
Single off-site contract	3.61%	5.84%	7.00%	6.08%		
Pubic station	82.49%	61.96%	53.25%	60.56%		
Other	2.38%	4.88%	3.80%	4.16%		
Total	100%	100%	100%	100%		

Source:

U.S. Department of Commerce, Bureau of the Census, 1997 Vehicle Inventory and Use Survey, Microdata. File on CD, 2000. (Additional resources: www.census.gov/svsd/www/tiusview.html)



More medium truck owners listed construction as the truck's major use than any other major use category. Construction was the second highest major use for light trucks and heavy trucks.

Table 5.7 Percentage of Trucks by Size Ranked by Major Use, 1997

	Light	Medium	Heavy
	(< 10,000 lbs	(10,001 - 26,000 lbs)	(> 26,000 lbs
Rank	average weight)	average weight)	average weight)
1	Personal	Construction	For Hire
	74.56%	20.19%	31.48%
2	Construction	Agriculture	Construction
	7.56%	19.54%	17.56%
3	Services ^a	Services ^a	Agriculture
	5.57%	11.64%	14.01%
4	Agriculture	Retail	Wholesale
	3.82%	9.28%	7.81%
5	Retail	Wholesale	Services ^a
	2.79%	7.31%	7.39%
6	Not in Use	Personal	Retail
	1.61%	7.00%	5.67%
7	Wholesale	For Hire	Manufacturing
	1.33%	5.47%	5.61%
8	Utilities	Utilities	Forestry
	0.75%	4.40%	2.56%
9	Manufacturing	Daily Rental	Utilities
	0.74%	4.21%	2.18%
10	Daily Rental	Manufacturing	Mining
	0.53%	3.72%	2.18%
11	Forestry	Not in Use	Daily Rental
	0.26%	3.21%	2.11%
12	Mining	Forestry	Not in Use
	0.25%	1.64%	1.11%
13	For Hire	One-Way Rental	Personal
	0.21%	1.24%	0.31%
14	One-Way Rental	Mining	One-Way Rental
	0.01%	1.14%	0.01%

Source

U.S. Department of Commerce, Bureau of the Census, 1997 Vehicle Inventory and Use Survey, Micro data File on CD, 2000. (Additional resources: www.census.gov/svsd/www/tiusview.html)



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a Business and personal services.

In 1997 nearly 60% of all truck fleets use public fueling stations as their primary refueling facility. As expected, larger fleets use central company-owned facilities more than smaller fleets. Mid-size fleets (10–500 vehicles) use off-site contract facilities more than the smaller or larger fleets.

Table 5.8
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997

		Primary refueling facil	ity		
Truck fleet size	Central company-owned fueling facility	Single contract fueling facility located off-site	Public fueling stations	Other	Total
1	5.94%	2.70%	87.26%	4.09%	100%
2–5	13.80%	4.56%	76.12%	5.52%	100%
6–9	25.77%	7.32%	62.02%	4.88%	100%
10-24	37.08%	10.43%	49.70%	2.79%	100%
25–99	48.48%	9.65%	39.29%	2.59%	100%
100-499	48.76%	10.62%	38.40%	2.22%	100%
500-999	46.39%	7.46%	44.38%	1.77%	100%
1,000-4,999	45.24%	4.93%	45.94%	3.89%	100%
5,000-9,999	35.77%	6.01%	53.36%	4.87%	100%
10,000 & up	71.72%	2.56%	19.27%	6.45%	100%
Overall	30.08%	6.39%	59.37%	4.16%	100%

Source:

U.S. Department of Commerce, Bureau of the Census, 1997 Vehicle Inventory and Use Survey, Microdata File on CD, 2000. (Additional resources: www.census.gov/svsd/www/tiusview.html)



Most trucks are fueled at public fueling stations but one-way rental trucks are more often fueled at company-owned central fueling facilities or contract fueling facilities than at public stations. Mining and quarrying activities use central fueling facilities more than 40% of the time.

Table 5.9
Percentage of Trucks by Major Use and Primary Fueling Facility, 1997

	Primary fueling facility					
Major Use	Central company-owned fueling facility	Single contract fueling facility located off-site	Public fueling stations	Other	Total	
Agricultural services	32.09%	2.99%	53.92%	11.00%	100%	
Forestry or lumbering activities	22.49%	4.50%	70.33%	2.68%	100%	
Construction work	33.40%	5.39%	58.79%	2.42%	100%	
Contractor activities or special trades	12.09%	4.38%	81.18%	2.36%	100%	
Manufacturing, refining or processing activities	35.47%	9.48%	53.69%	1.36%	100%	
Wholesale trade	32.56%	11.90%	53.62%	1.92%	100%	
Retail trade	28.21%	10.25%	59.41%	2.12%	100%	
Business and personal services	26.40%	6.33%	65.42%	1.85%	100%	
Utilities	40.56%	5.09%	52.25%	2.09%	100%	
Mining or quarrying activities	43.82%	9.32%	44.44%	2.42%	100%	
Daily rental	39.42%	13.29%	45.12%	2.17%	100%	
Not in use for more than six months	10.56%	2.37%	53.12%	33.94%	100%	
For-hire transportation	32.87%	4.90%	59.53%	2.70%	100%	
One-way rental	48.47%	3.10%	48.43%	0.00%	100%	
Personal transportation	2.02%	0.56%	94.46%	2.96%	100%	
Overall	29.20%	6.08%	60.56%	4.16%	100%	

Source:

U.S. Department of Commerce, Bureau of the Census, 1997 Vehicle Inventory and Use Survey, Microdata File on CD, 2000. (Additional resources: www.census.gov/svsd/www/tiusview.html)



Commodity Flow Survey

The Commodity Flow Survey (CFS) is designed to provide data on the flow of goods and materials by mode of transport. The 1993, 1997, and 2002 CFS are a continuation of statistics collected in the Commodity Transportation Survey from 1963 through 1977, and include major improvements in methodology, sample size, and scope. The 2002 survey data have not yet been released. In 1997, CFS used a sample of 100,000 domestic establishments randomly selected from a universe of about 800,000 establishments engaged in mining, manufacturing, wholesale, auxiliary establishments (warehouses) of multi-establishment companies, and some selected activities in retail and service was used. Each selected establishment reported a sample of approximately 25 outbound shipments for a one-week period in each of the four calendar quarters of 1997. This produced a total sample of over 5 million shipments. For each sampled shipment, zip codes of origin and destination, 5-digit Standard Classification of Transported Goods (SCTG) code, weight, value, and modes of transport, were provided. Establishments also reported whether the shipment was containerized, a hazardous material, or an export.

The 1993 and 1997 CFS differ from previous surveys in their greatly expanded coverage of intermodalism (i.e., shipments which travel by at least two different modes, such as rail and truck). Earlier surveys reported only the principal mode. The 1993 and 1997 surveys report all modes used for the shipment (for-hire truck, private truck, rail, inland water, deep sea water, pipeline, air, parcel delivery or U.S. Postal Service, other mode, unknown). Route distance for each mode for each shipment as imputed from a mode-distance table was developed by Oak Ridge National Laboratory. Distance, in turn, was used to compute ton-mileage by mode of transport.

For more information about the CFS, contact the Commodity Flow Survey Branch, Department of Commerce, Bureau of the Census, Services Division at (301) 457-2108, or visit the following Internet site: **www.bts.gov/cfs**.

Industries covered by the 1997 Commodity Flow Survey (CFS) shipped over 11 billion tons of goods worth almost \$7 trillion. Compared to the 1993 CFS, the value of shipments is up 2.2% per year and ton shipped are up 3.4% per year. By value, intermodal shipments increased 7.0% per year from 1993 to 1997.

Table 5.10

Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys (Detail may not add to total because of rounding)

	Value	of goods ship	pped		Tons		
Mode of Transportation	1997 (billion 1997 dollars)	1993 (billion 1997 dollars)	Average annual percent change	1997 (millions)	1993 (millions)	Average annual percent change	
All modes	6,944.0	6,360.8	2.2%	11,089.7	9,688.5	3.4%	
Single modes	5,719.6	5,376.3	1.6%	10,436.5	8,922.3	4.0%	
Truck ^a For-hire truck Private truck	4981.5 2901.3 2036.5	4791.0 2856.1 1910.4	1.0% 0.4% 1.6%	7700.7 3402.6 4137.3	6385.9 2808.3 3543.5	4.8% 4.9% 3.9%	
Rail	319.6	269.2	4.4%	1,549.8	1,544.1	0.1%	
Water Shallow draft Great Lakes Deep draft	75.8 53.9 1.5 20.4	67.1 44.3 c 21.5	3.1% 5.0% -1.3%	563.4 414.8 38.4 110.2	505.4 362.5 33.0 109.9	2.8% 3.4% 3.9% 0.1%	
Air (includes truck and air)	229.1	151.3	10.9%	4.5	3.1	9.8%	
Pipeline ^b	113.5	97.8	3.8%	618.2	483.6	6.3%	
Multiple modes	945.9	720.9	7.0%	216.7	225.7	-1.0%	
Parcel, U.S. Postal Service or courier Truck and rail Truck and water Rail and water Other multiple modes	855.9 75.7 8.2 1.8 4.3	612.8 90.4 10.2 4.0 3.5	8.7% -4.3% -5.3% -18.1% 5.3%	23.7 54.2 33.2 79.3 26.2	18.9 40.6 68.0 79.2 18.9	5.8% 7.5% -16.4% 0.0% 8.5%	
Other and unknown modes	278.6	263.6	1.4%	436.5	540.5	-5.2%	

Source:

U.S. Department of Transportation, Bureau of Transportation Statistics, Freight USA, Washington, DC, 2000. (Additional resources: www.bts.gov/cfs)



^a "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

^b CFS data for pipeline lack most shipments of crude oil.

^c Denotes data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

Industries covered by the 1997 Commodity Flow Survey (CFS) accounted for about 2.7 trillion ton-miles on the nation's highways, railways, waterways, pipelines, and aviation system. Ton-miles increased an average of 2.4% per year from 1993 to 1997.

Table 5.11 Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys (Detail may not add to total because of rounding)

		Ton-mi	les	Avera	ige miles p	er shipment
Mode of Transportation	1997 (billions)	1993 (billions)	Average annual percent change	1997	1993	Average annual percent change
All modes	2,661.4	2,420.9	2.4%	472	424	2.7%
Single modes	2,383.5	2,136.9	2.8%	184	197	-1.7%
Truck ^a	1023.5	869.5	4.2%	144	144	0.0%
For-hire truck	741.1	629.0	4.2%	485	472	0.7%
Private truck	268.6	235.9	3.3%	53	52	0.5%
Rail	1,022.5	942.6	2.1%	769	766	0.1%
Water	261.7	272.0	-1.0%	482	c	c
Shallow draft	189.3	164.4	3.6%	177	c	c
Great Lakes	13.4	12.4	2.0%	204	534	-21.4%
Deep draft	59.0	95.2	-11.3%	1,024	1,861	-13.9%
Air (includes truck and air)	6.2	4.0	11.6%	1,380	1,415	-0.6%
Pipeline ^b	c	c	c	c	c	c
Multiple modes	204.5	191.5	1.7%	813	736	2.5%
Parcel, U.S. Postal Service						
or courier	18.0	13.2	8.1%	813	734	2.6%
Truck and rail	55.6	37.7	10.2%	1,347	1,403	-1.0%
Truck and water	34.8	40.6	-3.8%	1,265	1,417	-2.8%
Rail and water	77.6	70 <u>.</u> 2	2.5%	1,092 _c	627	14.9%
Other multiple modes	18.6	-	-	2	1,082	-
Other and unknown modes	73.4	92.6	-5.6%	122	229	-14.6%

Source:

U.S. Department of Transportation, Bureau of Transportation Statistics, Freight USA, Washington, DC, 2000. (Additional resources: www.bts.gov/cfs)



^a "Truck" as a single mode includes shipments which went by private truck only, for-hire truck only, or a combination of private truck and for-hire truck.

^b CFS data for pipeline lack most shipments of crude oil.

^c Denotes data do not meet publication standards because of high sampling variability or other reasons. Some unpublished estimates can be derived from other data published in this table. However, figures obtained in this manner are subject to these same limitations.

The American Public Transportation Association recently published data by mode and fuel type that were not previously available. Transit bus energy use had been overestimated in previous editions due to this lack of data.

Table 5.12 Summary Statistics on Transit Buses and Trolleybuses, 1994–2002

Year	Number of active buses	Vehicle-miles (millions)	Passenger- miles (millions)	Btu/ passenger-mile	Energy use (trillion Btu)
1994	69,000	2,176	19,019	4,268	81.2
1995	67,992	2,198	19,005	4,308	81.9
1996	72,549	2,234	19,280	4,337	83.6
1997	73,629	2,259	19,793	4,427	87.6
1998	73,022	2,188	20,542	4,380	90.0
1999	75,087	2,290	21,391	4,323	92.5
2000	75,964	2,329	21,433	4,505	96.6
2001	76,675	2,389	22,209	4,113	91.3
2002	76,790	2,425	22,030	4,112	90.6
		Average ar	nual percentage	e change	
1994–2002	1.3%	1.4%	1.9%	-0.5%	1.4%

Source:

American Public Transportation Association, 2004 Public Transportation Fact Book, Washington, DC, March 2004, Tables 6, 18, 22, and 77. (Additional resources: www.apta.com)



^a Comparisons cannot be made with data before 1992. Beginning in 1992, data were available on non-diesel fuel consumption (i.e. propane, compressed natural gas, methanol).

There are currently not many sources of data on intercity and school buses. The Eno Foundation for Transportation publishes petroleum use for intercity and school buses, and passenger-miles for intercity buses. The Federal Highway Administration publishes an estimate of the total number of school buses. School Bus Fleet magazine also contains statistics on school buses (www.schoolbusfleet.com/stats.cfm).

Table 5.13
Summary Statistics on Intercity and School Buses, 1970–2002

	Intercity bus	Intercity bus		School bus
	passenger-miles	energy use	Number of	energy use
Year	(billions)	(trillion Btu)	school buses	(trillion Btu)
1970	25.3	42.4	288,700	41.18
1975	25.4	25.1	368,300	46.95
1980	27.4	29.7	418,255	52.14
1981	27.1	28.5	432,813	53.12
1982	26.9	31.5	442,133	54.74
1983	25.6	32.9	470,727	55.03
1984	24.6	23.5	471,461	51.51
1985	23.8	23.0	480,400	58.37
1986	23.7	20.6	479,076	63.50
1987	23.0	21.6	486,753	66.91
1988	23.1	22.3	498,907	70.19
1989	24.0	23.1	507,628	68.41
1990	23.0	22.1	508,261	64.83
1991	23.1	22.3	513,227	73.25
1992	22.6	21.8	525,838	74.98
1993	24.7	23.8	534,872	73.25
1994	28.1	27.1	547,718	74.98
1995	28.1	27.1	560,447	74.87
1996	28.8	27.7	569,395	74.87
1997	30.6	29.5	568,113	74.81
1998	31.7	30.5	582,470	75.56
1999	34.7	33.4	592,029	76.31
2000	37.9	32.3	606,028	79.3
2001	41.5	a	607,835	
2002	a	a	617,067	a
		Average annual p	ercentage change	
1970-2001	1.6%	a	2.4%	a
1991-2001	6.0%	a	1.7%	a

Sources:

Intercity bus data and school bus energy use - Eno Foundation for Transportation, *Transportation in America 2001*, Nineteenth edition, Washington, DC, pp. 13 and 45. See Appendix A Energy Use Sources for detailed methodology on energy use conversion. (Additional resources: www.enotrans.com)

School buses - Federal Highway Administration, *Highway Statistics 2002* Washington, DC, 2003, Table MV-10, and annual. (Additional resources: www.fhwa.dot.gov/policy/ohpi)



^a Data are not available.

Chapter 6 Alternative Fuel and Advanced Technology Vehicles and Characteristics

Summary Statistics from Tables in this Chapter

Source		
Table 6.1	Alternative fuel vehicles in use, 2004 estimates	547,904
	LPG	194,389
	CNG	143,742
	$E85^a$	146,195
	Electric	55,852
	M85	4,592
	LNG	3,134
Table 6.4	Number of alternative fuel refuel sites, 2003	6,230
	LPG	3,966
	CNG	1,035
	Electric	830
Table 6.5	U.S. sales of advanced technology vehicles, 1999–2003	
	Honda Insight	11,915
	Toyota Prius	65,864

bbrevi	iations are used throughout this chapter.
=	20% biodiesel, 80% petroleum diesel
=	compressed natural gas
=	85% ethanol, 15% gasoline
=	95% ethanol, 5% gasoline
=	hydrogen
=	liquified natural gas
=	liquified petroleum gas
=	85% methanol, 15% gasoline
=	100% methanol



^aDoes not include flex-fuel vehicles.

Alternative Fuels

The Energy Policy Act of 1992 defines alternative fuels and allows the U.S. Department of Energy (DOE) to add to the list of alternative fuels if the fuel is substantially nonpetroleum, yields substantial energy security benefits, and offers substantial environmental benefits. DOE currently recognizes the following as alternative fuels:

- methanol, ethanol, and other alcohols,
- blends of 85% or more of alcohol with gasoline,
- natural gas and liquid fuels domestically produced from natural gas,
- liquefied petroleum gas (propane),
- coal-derived liquid fuels
- hydrogen and electricity
- biodiesel,
- P-series.

DOE has established the Alternative Fuels Data Center (AFDC) in support of its work aimed at fulfilling the Alternative Motor Fuels Act (AMFA) directives. The AFDC is operated and managed by the National Renewable Energy Laboratory (NREL) in Golden, Colorado.

The purposes of the AFDC are:

- to gather and analyze information on the fuel consumption, emissions, operation, and durability of alternative fuel vehicles, and
- to provide unbiased, accurate information on alternative fuels and alternative fuel vehicles to government agencies, private industry, research institutions, and other interested organizations.

Much of the AFDC data can be obtained through their web site: **www.eere.energy.gov/cleancities/afdc**. Several tables and graphs in this chapter contain statistics which were generated by the AFDC.

DOE is also sponsoring the **National Alternative Fuels Hotline** in order to assist the general public and interested organizations in improving their understanding of alternative transportation fuels. The Hotline can be by phone or on the Internet: **1-800-423-1DOE** or **www.eere.energy.gov/cleancities/afdc/tools/hotline.html**.



There are more LPG vehicles in use than any other alternative fuel vehicle. The population of E85 vehicles, however, has grown the most since 1995. For details on alternative fuel use by fuel type, see Table 2.3.

Table 6.1 Estimates of Alternative Fuel Vehicles in Use, 1995–2004

Fuel type	1995	1998	2000	2001	2002	2003	2004ª	Average annual percentage change 1995–2004
LPG	172,806	177,183	181,994	185,053	187,680	190,438	194,389	1.3%
CNG	50,218	78,782	100,750	111,851	120,839	132,988	143,742	12.4%
LNG	603	1,172	2,090	2,576	2,708	3,030	3,134	20.1%
M85	18,319	19,648	10,426	7,827	5,873	4,917	4,592	-14.3%
M100	386	200	0	0	0	0	0	-100.0%
E85 ^b	1,527	12,788	87,570	100,303	120,951	133,776	146,195	66.0%
E95	136	14	4	0	0	0	0	-100.0%
Electricit y	2,860	5,243	11,830	17,847	33,047	45,656	55,852	13.0%
Total	246,855	295,030	394,664	425,457	471,098	510,805	547,904	9.3%

Source:

U. S. Department of Energy, Energy Information Administration, *Alternatives to Traditional Transportation Fuels*, 2003 Washington, DC, 2003, web site www.eia.doe.gov/cneaf/alternate/page/datatables.html. (Additional resources: www.eia.doe.gov)



^a 2004 data are based on plans or projections.

^bDoes not include flex-fuel vehicles.

Nearly 73% of private alternative fuel vehicles are fueled by LPG and CNG. The Federal Government does not own many LPG vehicles; its alternative fuel vehicle fleet is 25% CNG and 73% E-85 vehicles in 2003.

Table 6.2 Estimates of Alternative Fuel Vehicles by Ownership, 2001and 2003

	Private		State and local government		Federal Government	
Fuel type	2001	2003	2001	2003	2001	2003
LPG	150,013	155,887	34,516	34,192	524	359
CNG	62,434	76,608	32,220	38,438	17,197	17,942
LNG	2,284	2,735	253	245	39	50
M-85	4,010	2,456	3,741	2,391	76	70
M-100	0	0	0	0	0	0
E-85	36,181	45,131	24,612	35,982	39,510	52,663
E-95	0	0	0	0	0	0
Electricity	12,292	36,315	4,942	8,083	613	1,258
Total	267,214	319,132	100,284	119,331	57,959	72,342

Source:



U. S. Department of Energy, Energy Information Administration, *Alternatives to Traditional Transportation Fuels*, 2003, Washington, DC, 2003, web site www.eia.doe.gov/cneaf/alternate/page/datatables.html. (Additional resources: www.eia.doe.gov)

Table 6.3 Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005

Model	Fuel	Type	Emission class			
Daimler Chrysler: 1-800-999-FLEET; www.fleet.chrysler.com						
Chrysler Sebring Sedan	E-85 flex fuel	Mid-size sedan	Tier II Bin 8			
Dodge Stratus Sedan	E-85 flex fuel	Sedan	Tier II Bin 8			
Dodge Ram Pickup 1500	E-85 flex fuel	Light-duty pickup	Tier II Bin 10A			
Dodge Caravan	E-85 flex fuel	Minivan	Tier II Bin 9A			
Dodge Grand Caravan	E-85 flex fuel	Minivan	Tier II Bin 9A			
Ford: 1-800-34-FLEET; wv	ww.fleet.ford.com					
Ford Taurus	E-85 flex fuel	Mid-size sedan/wagon	ULEV			
Mercury Sable	E-85 flex fuel	Sedan	ULEV			
Ford Explorer	E-85 flex fuel	Sport utility vehicle	ULEV			
Mercury Mountaineer	E-85 flex fuel	Sport utility vehicle	ULEV			
Ford Explorer Sport Trac	E-85 flex-fuel	Sport utility vehicle	ULEV			
General Motors: 1-800-25E	lectric, 313-556-7723 or 1-888-GM	I-AFT-4U (CNG)				
Chevy Silverado	CNG bi-fuel/CNG dedicated	Light-duty pickup	LEV/ULEV			
GMC Sierra	CNG bi-fuel/CNG dedicated	Light-duty pickup	LEV/ULEV			
Chevy Avalanche	E-85 flex fuel	Sport utility vehicle	Tier II Bin 10			
GMC Yukon	E-85 flex-fuel	Sport utility vehicle	Tier II Bin 10			
Chevrolet Tahoe	E-85 flex-fuel	Sport utility vehicle	Tier II Bin 10			
Chevrolet Suburban	E-85 flex fuel	Sport utility vehicle	Tier II Bin 10			
GMC Yukon/XL	E-85 flex fuel	Sport utility vehicle	Tier II Bin 10			
Chevrolet Silverado	E-85 flex fuel	Light-duty pickup	Tier II Bin 10			
GMC Sierra	E-85 flex fuel	Light-duty pickup	Tier II Bin 10			
Honda: 1-888-CCHonda; www.honda.com						
Civic GX	CNG dedicated	Compact sedan	SULEV (Tier II Bin II)			
Mercedes-Benz USA: 1-800-367-6372; www.mbusa.com						
C320	E-85 flex fuel	Sedan	LEV			
C240	E-85 flex fuel	Sedan/wagon	LEV			

Source:

U.S. Department of Energy, National Alternative Fuels Data Center, web site, www.eere.energy.gov/afdc/afv/ld_vehicles.html. (Additional resources: www.afdc.nrel.gov)

Note: LEV=low emission vehicle. ILEV=inherently low emission vehicle. ULEV=ultra low emission vehicle. ZEV=zero emission vehicle. TLEV=transitional low emission vehicle. SULEV=super ultra low emission vehicle. See Chapter 12 for details on emissions.



This list includes public and private refuel sites; therefore, not all of these sites are available to the public.

Table 6.4 Number of Alternative Refuel Sites by State and Fuel Type, 2003

Number of Afternative Kerder Sites by State and Fuer Type, 2003								
State	CNG sites	E85 sites	LPG sites	LNG sites	Electric sites	Biodiesel sites	Hydrogen sites	Total
Alabama	9	0	77	1	34	0	0	121
Alaska	0	0	9	0	0	0	0	9
Arizona	27	1	112	8	54	3	1	206
Arkansas	4	0	85	0	0	0	0	89
California	194	1	352	35	514	17	5	1,118
Colorado	35	9	85	0	6	8	0	143
Connecticut	25	0	29	0	5	1	0	60
Delaware	3	0	4	0	0	4	0	11
District of Columbia	2	0	0	0	0	0	0	2
Florida	44	0	154	0	3	1	0	202
Georgia	65	0	54	0	87	2	0	208
Hawaii	0	0	7	0	11	3	0	21
Idaho	9	1	33	2	0	2	0	47
Illinois	22	13	92	0	0	3	0	130
Indiana	23	0	54	3	0	1	0	81
Iowa	0	11	44	0	0	1	0	56
Kansas	6	2	67	1	0	6	0	82
	1	7	27	0	0	0	0	35
Kentucky Louisiana	11	0	45	0	0	0	0	55 56
					0	2		
Maine	0	0	15 28	0		7	0	17
Maryland	20	3		0	1	•	0	59
Massachusetts	13	0	44	0	41	2	0	100
Michigan	20	4	138	0	5	9	0	176
Minnesota	5	87	58	0	0	1	0	151
Mississippi	0	0	34	0	0	0	0	34
Missouri	8	7	151	0	0	1	0	167
Montana	5	2	41	1	0	1	0	50
Nebraska	1	5	27	0	0	1	0	34
Nevada	17	0	34	0	0	6	1	58
New Hampshire	2	0	30	0	12	3	0	47
New Jersey	18	0	25	0	0	0	0	43
New Mexico	13	2	81	0	0	1	0	97
New York	55	0	67	0	11	0	0	133
N. Carolina	9	2	75	0	6	22	0	114
N. Dakota	4	2	18	0	0	0	0	24
Ohio	38	2	77	0	0	2	0	119
Oklahoma	57	1	99	0	0	0	0	157
Oregon	16	0	49	1	4	5	0	75
Pennsylvania	51	0	105	1	0	1	0	158
Rhode Island	6	0	7	0	2	0	0	15
S. Carolina	4	1	62	0	0	2	0	69
S. Dakota	0	9	26	0	0	0	0	35
Tennessee	2	1	60	0	0	0	0	63
Texas	40	0	969	6	6	1	0	1,022
Utah	65	2	38	1	0	0	0	106
Vermont	1	0	15	0	11	0	0	27
Virginia	22	1	58	2	11	6	0	100
Washington	22	1	83	0	6	14	0	126
W. Virginia	5	0	9	0	0	0	0	14
Wisconsin	22	10	77	0	0	1	0	110
Wyoming	14	1	36	0	0	2	0	53
Total	1,035	188	3,966	62	830	142	7	6,230

Source

U.S. Department of Energy, Alternative Fuels Data Center web site, www.eere.energy/cleancities/afdc/infrastructure/station_counts.html, May 2004.



Clean Cities is a locally-based government/industry partnership, coordinated by the U.S. Department of Energy to expand the use of alternatives to gasoline and diesel fuel. By combining the decision-making with voluntary action by partners, the "grass-roots" approach of Clean Cities departs from traditional "top-down" Federal programs.




Figure 6.1. Clean Cities Coalitions

Source:

U.S. Department of Energy, Alternative Fuel Data Center, September 2004. (Additional resources: www.eere.energy.gov/cleancities)



The Honda Insight, Civic Hybrid, Toyota Prius, Ford Escape Hybrid, Chevrolet Silverado Hybrid, and the GMC Sierra Hybrid are the six advanced technology vehicles which are currently available to the public in the U.S. The Honda Accord Hybrid, Lexus Rx 400h, and the Toyota Highlander Hybrid will be available in 2005. They are hybrid vehicles, using both electricity (from batteries) and mechanical power (from a small internal combustion engine). Learn more about hybrid vehicles at www.fueleconomy.gov/feg/hybrid_sbs.shtml.

Table 6.5
Sales and Specifications of Available Advanced Technology Vehicles

	Fuel Economy (city/hwy)	Emissi Rating		senger pacity	Cargo Capacity	Price
2005 Honda Insight CVT ^a	57/56	SULE	V-2	2	16.3 ft ³	\$21,380
2005 Toyota Prius CVT ^a	60/51	AT-PZ	EV	5	16.1 ft ³	\$20,875
2005 Honda Civic Hybrid CVT SULEV ^a	48/47	ULEV		5	10.1 ft ³	\$19,800
2005 Ford Escape Hybrid 2WD 4WD	36/31 33/29	AT-PZEV		5	27.6 ft ³	\$26,380 \$28,005
2005 Chevrolet Silverado Hybrid 2WD 4WD	18/21 17/19	ULEV		5	56.9 ft ³	\$30,345 \$31,835
2005 GMC Sierra Hybrid 2WD 4WD	18/21 17/19	ULEV		5	43.5 ft ³	\$28,132
		Calendar Year Sales in the U.S.				
	1999	2000	2001	2002	2003	2004 ^b
2005 Honda Insight CVT ^a	17	3,788	4,726	2,216	1,168	570
2005 Toyota Prisu CVT ^a	0	5,562	15,556	20,119	24,627	41,838

Source:

Manufacturer's web sites: www.hondacars.com and www.toyota.com. Also www.autosite.com. Insight and Prius sales data - Ward's Communications, Inc., *Wards Automotive Reports*, Southfield, MI, 2004.

Note: SULEV = Super ultra low emission vehicle. AT-PZEV = Advanced technology partial zero emission vehicle. See Chapter 12 for details on emissions.



^aSpecifications are for the model containing a continuously variable transmission (CVT).

^bSales through October 2004.



FreedomCAR and Fuel Initiative

www.eere.energy.gov/hydrogenfuel

www.eere.energy.gov/vehiclesandfuels

www.eere.energy.gov/hydrogenandfuelcells

Freedom Cooperative Automotive Research (FreedomCAR) is a government-industry partnership for the advancement of high-efficiency vehicles, focused on fuel cells and hydrogen produced from renewable energy sources. The U.S. Department of Energy and the U.S. Council for Automotive Research (composed of automakers Ford, General Motors, and DaimlerChrysler) began this effort in January 2002 with the long-term goal of developing technologies for hydrogen-powered fuel cell cars and trucks that will require no foreign oil and emit no harmful pollutants or greenhouse gases.

But, successful marketing of hydrogen cars may depend on the development of a hydrogen infrastructure, like today's petroleum infrastructure, at the same time automakers are perfecting hydrogen vehicles. That means the creation of everything from hydrogen manufacturing plants, to distribution and storage networks, to convenient hydrogen fueling stations.

The FreedomCAR and Hydrogen Fuel Initiative is aimed at coordinating the efforts of the energy companies, automakers, utilities, state and local governments, foreign interests and other appropriate players. By working on parallel tracks, developing the hydrogen vehicles and infrastructure concurrently instead of consecutively, a decision to go forward with the commercialization of hydrogen automobiles could be made as early as 2015, 15 years ahead of current projections.

For additional information about the FreedomCAR and Hydrogen Fuel Initiative, visit the websites listed above or call 1-800-DOE-3732.



The relative efficiencies of seven different hydrogen production methods are summarized here as a result of research done by Argonne National Laboratory. The study indicates that:

- Steam methane reforming is a very efficient and cost-effective way to manufacture hydrogen, but there are issues with natural gas supply and carbon sequestration.
- Electrolysis is well understood but its overall efficiency depends largely on efficient electrical generation.
- Thermochemical cycles have the potential to produce hydrogen from any high-temperature heat source with high efficiency in very high volumes. New research into lower-temperature cycles should increase the applicability of this method.

Table 6.6 Hydrogen Production Methods

Method	Maximum process temperature (°C)	Overall efficiency (%)	Status
Sulfur-iodine thermo-chemical cycle	850	45-49	Calculation ^a
Calcium-bromine thermo-chemical cycle	760	36-40	Pilot plant ^b
Copper-chlorine thermo-chemical cycle	500	41	Bench ^c
Electrolysis	90	$20 - 30^d$	Commerciale
High-temperature electrolysis	900	40	Experiment ^f
Steam methane reforming (SMR)	900	77	Commerciale
SMR with CO ₂ sequestration	900	58	Calculation ^g

Source:

Argonne National Laboratory (ANL), *Meeting U.S. Transportation Needs in the Hydrogen Economy*, http://www.hydrogen.anl.gov/pdfs/meeting_transportation_needs.pdf, May 2003, and updates from ANL.

Note: The efficiency is the ratio of the energy value of the hydrogen produced to that of the heat used in the process, except in the case of steam methane reforming, where it is the ratio of the energy of the hydrogen produced to that of the methane consumed.

 $^{^{\}rm g}$ Calculated from SMR commercial plant data and estimates of the energy required to sequester the $\rm CO_2.$



^a Calculated from laboratory experiments and thermodynamic data. A full-scale pilot plant has not yet been built.

^b A pilot plant has been constructed.

^c The efficiency calculation is based on thermodynamics.

^d Takes electricity generation efficiency into account.

^e Commercial Data.

^f Calculated from commercial electrolysis data and thermodynamic data. No pilot plant data are yet available.

According to recent data compiled by Argonne National Laboratory, there are more than 200 hydrogen production plants in existence today. Many of the plants that produce hydrogen are part of other processes, like petroleum refining, ammonia production, and methanol production.

Table 6.7
U.S. Hydrogen Production Plants and Storage Terminals

	Number of production plants	Number of storage terminals
Gaseous hydrogen	81	14
Liquid hydrogen	10	3
Gaseous and liquid hydrogen	Not applicable	3
Petroleum refineries	61	Not available
Ammonia producers	54	Not available
Methanol producers	15	4
Total	221	24

Source:

Mintz, Marianne, Argonne National Laboratory, September 2003.



In 1999 (the latest year for which data are available) the U.S. accounted for about 20% of world hydrogen consumption. Ammonia producers made up 61% of World hydrogen consumption, but only 38% of U.S. hydrogen consumption.

Table 6.8
U.S. and World Hydrogen Consumption by End-Use Category, 1999

	United States		World	World total	
	(trillion cubic feet)	(share)	(trillion cubic feet)	(share)	- U.S. share of World total
Captive users:					
Ammonia producers	1.185	38%	9.662	61%	12%
Oil refiners ^a	1.164	37%	3.721	23%	31%
Methanol producers	0.303	10%	1.428	9%	21%
Other	0.121	4%	0.482	3%	25%
Merchant users	0.379	12%	0.570	4%	67%
Total	3.153	100%	15.864	100%	20%

Source:

SRI Consulting, Chemical Economics Handbook 2001, Menlo Park, CA, July 2001.

Note: Captive users consume hydrogen at the site where it is produced. Merchant users consume hydrogen at sites other than where it is produced.



^aExcluding byproduct hydrogen.

Table 6.9 U.S. Hydrogen Fueling Stations (as of May 2004)

		(as 01 May 2004)	
Location	Fuel	Project	Dates
Auburn, California	Compressed H2	California Fuel Cell Partnership Station located at Pacific Gas & Electric service facility	Mid 2004
Davis California	Compressed H2, CNG/H2	University of California, Davis Hydrogen Bus Technology Validation Program, Toyota FCVs	In operation June 2003
Riverside, California	Compressed H2	University of California, Riverside, College of Engineering – Center for Research and Technology with SCAQMD	1992 (1st of its kind)
El Segundo, California	Compressed H2	Xerox Corp., DOE, UC Riverside, Matrix Engineers, City of West Hollywood, Kaiser Engineering, SCAQMD, CAN	Opened in 1995
Irvine, California	LH2 to Compressed H2	UC Irvine, SCAQMD, Toyota FCV	Opened June 2003
Thousand Palms, California	Compressed H2	SunLine Transit Agency and Ballard P4 Bus Demo.	Opened April 2000
Sacramento, California	Liquid to Compressed H2, MeOH	California Fuel Cell Partnership BP, Shell, and Texaco helped in the design	Opened Nov. 2000
Torrance, California	Compressed H2	American Honda Motors Co., Inc. Research and Development center	Opened 7/20/2001
Torrance, California	Compressed H2	As part of Toyota's efforts to establish California fuel cell "communities" with the leasing of 6 FCHVs to 2 UC campuses, it plans to open 5 more refueling stations in addition to this one.	Opened early 2003
Oxnard, California	Liquid H2	BM North American Engineering and Emission Test Center	Opened 7/12/2001
Chula Vista, California (mobile station)	Compressed H2	City of Chula Vista	2003
Thousand Palms, California	Compressed H2	Schatz Hydrogen Generation Center at SunLine Transit	Opened 1994; retro fit in 2001-02
Richmond, California	Compressed H2	AC Transit facility	Opened 10/30/2002
San Jose, California	To Be Determined (TBD)	VTA, San Mateo Transportation District, CaFCP, and CARB	2004 readiness target
Chicago, Illinois	Liquid to Compressed H2 at station	Chicago Transit Authority – Ballard Bus Demo.	3/98 – 02/ 2000
Crane, Indiana	Compressed H2	Navy Refueler	Delivered in 2004
Dearborn, Michigan	Liquid H2 & Liquid to Compressed H2 at Station	Ford Vehicle Refueling Station	Opened 1999
Ann Arbor, Michigan	LH2 to Compressed H2	EPA's National Vehicle and fuel Emissions Laboratory (NVFEL), DaimlerChysler, UPS	2004
Milford, Michigan	Compressed H2	GM and APCI	Will open 2004
Arizona (mobile station)	Compressed H2	Ford Motor Company	Delivered in 2002
Phoenix, Arizona	Compressed H2, CNG, & H2/CNG blend	Arizona Public Service (Vehicle Testing Center – part of DOE Field Operations Program)	Opened in 2001
Las Vegas, Nevada	Compressed H2	Nevada Test Site Development Corp., DOE, Corporation for Solar Technologies and Renewable Resources and City of Las Vegas	Opened 11/15/02
Washington, DC	LH2 & Compressed H2	General Motors Corp. and Shell Hydrogen	To be opened Oct. 2003 until 2005
Penn State, Pennsylvania	Compressed H2	DOE, APCI, Penn State	Fall 2004
Charlotte,	Compressed H2	APCI and John Deere	2004

Source:

Fuel Cells 2000, www.fuelcells.org/h2fuelingstations.pdf.

Note: This list differs from the hydrogen station count on Table 6.4 because mobile stations, stations not yet completed, and stations with no specific contact information are excluded from Table 6.4.



The Department of Energy is currently developing systems which will store hydrogen on-board a light vehicle. Below is a list of storage technologies and the advantages/disadvantages of each The DOE goals for on-board hydrogen storage systems are listed at the bottom of the table.

Table 6.10 Hydrogen Storage Systems for On-Board Light Vehicles

Storage technology	System status	Advantages/disadvantages
Chemical hydride	1.6 kWh/kg, 1.4 kWh/L, \$8/kWh	☑ Low pressure ☑ Low cost, energy-efficient regeneration processes have not been developed ☑ By-product removal
Complex metal hydride	0.8 kWh/kg, 0.6 kWh/L, \$16/kWh	 ✓ Low pressure ✓ Reversible H₂ uptake and release ✓ Insufficient storage capacity at practical temperature and pressure
Liquid hydrogen 2.0 kWh/kg, 1.6 kWh/L, \$6/kWh		 ☑ Lowest capital cost ☑ Highest gravimetric and volumetric capacities ☑ Most energy intensive ☑ Boil-off requires venting, and presents an energy penalty and a potential safety hazard
10,000 psi compressed hydrogen tanks	1.9 kWh/kg, 1.3 kWh/L, \$16/kWh	 ✓ Near-term solution to hydrogen storage ✓ Most energy efficient method to densify H₂
5,000 psi compressed hydrogen tanks	2.1 kWh/kg, 0.8 kWh/L, \$12/kWh	High pressureCost is high due to high pressure containment materials
	Department of Energy 2010 a	and 2015 System Goals ^a
•	Year 2010 2.0 kWh/kg (6 wt%) 1.5 kWh/L \$4/k Wh	Year 2015 3.0 kWh/kg (9 wt%) 2.7 kWh/L \$2/kWh

Source:

U.S. Department of Energy, Hydrogen, Fuel Cells & Infrastructure Technologies Program, 2003.



^a Goals apply to all storage technologies and are for the complete system including storage material, packaging, regulators, valves, and any thermal management or other ancillary equipment; cost goals and status are based on high-volume production.

Table 6.11 Properties of Conventional and Alternative Fuels

Property	Gasoline	No. 2 diesel	Methanol	Ethanol
Chemical formula	C_4 to C_{12}	C_{10} to C_{20}	CH₃OH	C ₂ H ₅ OH
Physical state	Liquid	Liquid	Liquid	Liquid
Molecular weight	100-105	≈200	32.04	46.07
Composition (weight %)				
Carbon	85-88	84–87	37.5	52.2
Hydrogen	12-15	33–16	12.6	13.1
Oxygen	0	0	49.9	34.7
Main fuel source(s)	Crude oil	Crude oil	Natural gas, coal, or woody biomass	Corn, grains, or agricultural waste
Specific gravity (60° F/ 60° F)	0.72 - 0.78	0.81 - 0.89	0.796	0.796
Density (lb/gal @ 60° F)	6.0-6.5	6.7–7.4	6.63	6.61
Boiling temperature (F°)	80–437	370-650	149	172
Freezing point (F°)	-40	-40–30	-143.5	-173.2
Autoiginition temperature (F°)	495	≈600	867	793
Reid vapor pressure (psi)	8–15	0.2	4.6	2.3

Property	Propane	CNG	Hydrogen
Chemical formula	C_3H_8	CH_4	H_2
Physical state	Compressed gas	Compressed gas	Compressed gas or liquid
Molecular weight	44.1	16.04	2.02
Composition (weight %)			
Carbon	82	75	0
Hydrogen	18	25	100
Oxygen	n/a	n/a	0
Main fuel source	Underground reserves	Underground reserves	Natural gas, methanol, and other energy sources
Specific gravity (60° F/ 60° F)	0.508	0.424	0.07
Density (lb/gal @ 60° F)	4.22	1.07	n/a
Boiling temperature (F°)	-44	-259	-423
Freezing point (F°)	-305.8	-296	-435
Autoiginition temperature (F°)	850-950	1,004	1,050-1,080
Reid vapor pressure (psi)	208	2,400	n/a

Source:

Alternative Fuels Data Center, "Properties of Fuel," www.afdc.doe.gov/pdfs/fueltable.pdf and "Fuel Comparison," www.afdc.doe.gov/fuel_comp.html, August 2003.

Note: n/a = not applicable.



There are many types of fuel cells which can be used in many different applications. The Proton Exchange Membrane Fuel Cells (PEMFCs) are the best candidates for transportation-related applications, such as cars, trucks, buses and small portable devices, due to their relatively low operating temperatures and their ability to vary their output to meet changing power demands.

Table 6.12 Fuel Cell Type Comparison

	Electrolyte	Operating Temperature	Efficiency	Electrical Power	Possible Applications
Alkaline	Potassium Hydroxide	60 - 90°C	45 - 60%	Up to 20 kW	Submarines, spacecraft
Direct Methanol	Polymer Membrane	60 - 130°C	40%	< 1 kW	Portable applications
Molten Carbonate	Immobilized Liquid Molten Carbonate	650°C	45 - 60%	> 1 MW	Power stations
Phosphoric Acid	Immobilized Liquid Phosphoric Acid	200°C	36 - 38%	> 50 kW	Power stations
Proton Exchange Membrane	Ion Exchange Membrane	80°C	35 - 60%	Up to 250 kW	Cars, buses, residential energy supply
Solid Oxide	Ceramic	1,000°C	50 - 65%	Up to 1 MW	Small power stations

Source:

Fuel Cell Today, http://www.fuelcelltoday.com.



Chapter 7 Fleet Vehicles and Characteristics

Summary Statistics from Tables/Figures in this Chapter

Source		
Figure 7.1	Fleet automobiles, 2003	4,310,000
Figure 7.1	Fleet trucks ≤ 19,500 lbs. GVW, 2003	4,510,000
Table 7.4	Average annual miles per business fleet vehicle	
	Intermediate cars	25,728
	Pick up trucks	26,580
	SUVs	26,268
Figure 7.2	Average annual miles per Federal Government fleet vehicle	
	Automobiles	12,611
	4x4 trucks	13,058
	Heavy trucks	14,354
Table 7.5	Federal government vehicles, FY 2002	579,506
	Automobiles	113,814
	Buses	7,313
	Light trucks (<8,500 lbs. GVW)	358,872
	Medium trucks (8,500–26,000 lbs. GVW)	78,150
	Heavy trucks (>26,000 lbs. GVW)	21,357



The definition of fleet vehicles has changed in this edition. Previously, vehicles in fleets of 10 or more were counted in this graph. Now, vehicles in fleets of 15 or more are counted as fleet vehicles, as well as vehicles in fleets where 5 or more vehicles are purchased annually.

Figure 7.1. Fleet Vehicles in Service as of February 1, 2003

4,310,000

Police & Taxi® (11%)

Government (32%)

Rental® (36%)

Business (22%)

Automobiles Trucks < 19,501 lbs. gross vehicle weight

Source:

Bobit Publishing Company, Automotive Fleet Research Department, *Automotive Fleet Factbook 2003*, Redondo Beach, CA, 2004. (Additional resources: www.fleet-central.com)



^aTaxi category includes vans.

^bRental category includes vans and sports utility vehicles under **automobiles**, not trucks.

^cFleets of 15 or more in operation or 5 or more fleet vehicles purchased annually.

According to these estimates of light fleet vehicle population, commercial and government fleets have a greater share of light trucks in their light vehicle population than rental fleets do. This is also reflected in the new vehicle purchases.

Table 7.1 Light Vehicles in Fleets of 15 or More, 2002

	Automobiles	Trucks	Total
Commercial	29.9%	70.1%	3,110,000
Rental	86.1%	13.9%	1,806,000
Government	28.4%	71.6%	4,790,000
Other	98.1%	1.9%	474,000
Total	48.9%	51.1%	8,820,000

Source:

Bobit Publishing Company, Automotive Fleet Factbook 2003, pp. 12-13.

Table 7.2 New Light Fleet Vehicle Purchases by Vehicle Type, 2002

	Commercial	Rental	Government	Total
Cars	22.3%	56.7%	30.9%	43.5%
Light trucks	38.9%	21.6%	34.6%	28.2%
Pickups	16.7%	3.2%	18.9%	8.8%
Minivans	6.8%	6.4%	2.8%	6.2%
Full-size vans	6.5%	1.9%	6.7%	3.8%
Sport utility vehicles	8.8%	10.2%	6.2%	9.4%
Total	1,131,689	2,108,757	298,129	3,538,575

Source:

Bobit Publishing Company, Automotive Fleet Factbook 2003, pp. 30-46.



^aIn this study, light trucks are <10,000 lbs gross vehicle weight.

The average length of service for an intermediate size fleet car is 30 months. Of the light vehicle types, full-size vans have the longest average months in service. Medium trucks are in service for an average of 70 months.

Table 7.3 Average Length of Time Business Fleet Vehicles are in Service, 2002

Vehicle type	Average months in service
Compact cars	27
Intermediate cars	30
Pickup trucks	40
Minivans	37
Sport utility vehicles	32
Full-size vans	46
Medium trucks	70

Source:

Bobit Publishing Company, *Automotive Fleet Factbook* 2003, pp. 52-60. (Additional resources: www.fleet-central.com)

Note: Based on data collected from four leading Fleet Management companies.

Table 7.4 Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002

Business fleet vehicles	Average annual miles of travel
Compact cars	25,416
Intermediate cars	25,728
Pickup trucks	26,580
Minivans	27,432
SUVs	26,268
Full-size vans	23,652
Medium trucks	18,264

Source:

Bobit Publishing Company, Automotive Fleet Factbook 2003, pp. 58-67.



These data, which apply to domestic Federal fleet vehicles, indicate that heavy trucks have the highest average annual miles per vehicle, followed closely by sedans and station wagons. There is nearly a 7,000-mile difference in the average for 4x2 light trucks as opposed to 4x4 light trucks.

Sedans & station wagons 12,611 4x2 trucks 6,226 4x4 trucks 13,058 6,967 Ambulances 9,752 Buses 9,096 Medium trucks 14,354 Heavy trucks 3,000 6,000 9,000 12,000 15,000 18,000 0 Average Miles per Vehicle

Figure 7.2. Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002

Source:

U.S. General Services Administrations, Federal Vehicle Policy Division, *FY 2002 Federal Fleet Report*, Washington, DC, 2003, Table 5. (Additional resources: www.gsa.gov/vehiclepolicy)



Table 7.5 Federal Government Vehicles by Agency, Fiscal Year 2002^a

Federal Gover	innent venier	is by Agency				
		-	Light	Medium	Heavy	
Department or Agency	Autos	Buses	trucks ^b	trucks ^c	trucks ^d	Total
DOMESTIC						
Armed Forces Retirement Home - Washington	3	2	1	1	2	9
Broadcasting Board of Governors	3	0	23	3	6	35
Defense Contract Management Agency	0	0	10	0	0	10
Department of Agriculture	3,390	75	22,935	5,037	247	31,684
Department of Commerce	128	1	285	60	9	483
Department of Energy	364	152	2,134	626	492	3,768
Department of Health and Human Services	152	4	235	25	19	435
Department of Housing and Urban Development	98	0	56	0	0	154
Department of Justice	21,405	379	14,837	3,331	354	40,306
Department of State	144	1	174	25	47	391
Department of the Interior	1,340	152	11,417	4,042	2,261	19,212
Department of Transportation	6	0	51	182	100	339
Department of Treasury	11,666	17	5,265	229	51	17,228
Department of Veterans Affairs	161	120	1,153	172	137	1,743
Environmental Protection Agency	32	10	104	31	5	182
Executive Office of the President	20	0	46	6	0	72
Federal Communications Commission	54	0	60	0	0	114
Federal Emergency Management Agency	25	6	145	5	33	214
General Services Administration	55,290	3,842	76,903	30,148	6,355	172,538
			,		,	
Government Printing Office	8	0	31	17	0	56
National Aeronautics and Space Administration	95	62	384	223	117	881
National Science Foundation	21	8	116	29	22	196
Space Corps	0	0	10	0	0	10
Tennessee Valley Authority	684	0	1,061	853	379	2,977
All Other Agencies	11	0	12	4	4	31
DOMESTIC CIVILIAN AGENCIES	95,100	4,831	137,448	45,049	10,640	293,068
Corps of Engineers Civil	1	0	92	74	290	457
Defense Agencies	1,753	0	102	0	0	1,855
Department of Air Force	959	891	8,682	9,206	1,170	20,908
Department of Army	835	34	4,926	816	345	6,956
Department of Navy	1,638	165	10,740	4,884	1,660	19,087
United States Marine Corps	159	177	575	662	411	1,984
DOMESTIC MILITARY AGENCIES	5,345	1,267	25,117	15,642	3,876	51,247
U.S. POSTAL SERVICE	8,781	0	181,126	10,368	4,640	204,915
TOTAL DOMESTIC FLEETS	109,226	6,098	343,691	71,059	19,156	549,230
FOREIGN	,	-,	,	,	,	,
American Battle Monuments Commission	38	0	30	1	0	69
Broadcasting Board of Governors	22	15	97	23	14	171
Defense Contract Management Agency	47	0	46	1	0	94
Department of Commerce	80	0	124	0	0	204
	286	0	580	11	0	877
Department of Justice						
Department of State	1,577	18	2,166	2,037	96	5,894
Department of Treasury	37	0	26	0	0	63
Department of Veterans Affairs	1	0	47	0	0	48
General Services Administration	87	2	46	4	0	139
National Aeronautics and Space Administration	22	0	27	2	2	53
Peace Corps	7	41	484	0	0	532
U.S. Agency for International Development	102	16	671	63	19	871
FOREIGN CIVILIAN AGENCIES:	2,306	92	4,344	2,142	131	9,015
Department of Air Force	1,004	547	4,730	3,994	968	11,243
Department of Navy	643	284	2,587	225	561	4,300
Department of Army	530	181	2,667	683	533	4,594
United States Marine Corps	105	111	853	47	8	1,124
FOREIGN MILITARY AGENCIES	2,282	1,123	10,837	4,949	2,070	21,261
TOTAL FOREIGN FLEETS	4,588	1,215	15,181	7,091	2,201	30,276
GRAND TOTAL OF ALL FLEETS	113,814	7.313	358.872	78,150	21,357	579,506

U.S. General Services Administration, Federal Supply Service, *FY 2002 Federal Fleet Report*, Washington, DC, 2003, Table 14. (Additional resources: policyworks.gov/org/main/mt/homepage/mtv/mtvhp.htm)



^a Federally-owned and commercially-leased domestic vehicles.

b Less than 8,500 lbs GVWR. Includes ambulances. c 8,501–23,999 lbs GVWR. d 24,000 lbs. or more GVWR.

Table 7.6 Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002

	FY98	FY99	FY00	FY01	FY02
Gasoline	48,338	54,625	38,561	18,886	44,289
Diesel	2,503	3,100	1,700	2,569	7,199
Natural gas	1,139	1,836	1,469	371	1,263
Ethanol/E-85	3,015	3,886	5,615	1,466	8,054
Electricity	36	11	620	8	6
Other	0	107	0	0	0
Methanol/M-85	104	33	10	3	25
LPG	91	33	63	22	55
Biodiesel	0	5	0	0	0
Hydrogen	0	0	0	0	0
Total	55,226	63,636	48,038	23,325	60,891

Source:

U.S. General Services Administrations, Federal Vehicle Policy Division, *FY 2002 Federal Fleet Report*, Washington, DC, 2003, Chart 16. (Additional resources: www.gsa.gov/vehiclepolicy)

Table 7.7
Fuel Consumed by Federal Government Fleets, FY 1998–2002
(thousand gasoline equivalent gallons)

	FY98	FY99	FY00	FY01	FY02
Gasoline	251,478	275,879	284,480	281,791	276,859
Diesel	55,188	63,942	70,181	70,761	62,450
CNG	5,510	4,019	865	2,387	1,735
Electricity	63	25	1	35	56
Biodiesel	11	128	569	1,315	2,252
Methanol/M-85	232	13	14	5	4
LPG	43	26	34	102	108
Ethanol/E-85	3,708	130	347	5,900	4,673
LNG	0	1	0	0	0
Other	195	2,143	0	0	0
Total	316,428	346,306	356,491	362,296	348,137

Source:

U.S. General Services Administrations, Federal Vehicle Policy Division, *FY 2002 Federal Fleet Report*, Washington, DC, 2003, Charts 8 and 9. (Additional resources: www.gsa.gov/vehiclepolicy)



The Energy Policy Act of 1992 (EPACT) set alternative fuel vehicle acquisition requirements for Federal and State Governments, alternative fuel providers and the private sector. Additional rule making has adjusted the original purchase requirements. State government and alternative fuel providers requirements began in 1997.

Table 7.8

Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles

Year	Federal	State	Alternative fuel providers
1993	5,000	-	-
1994	7,500	-	-
1995	10,000	-	-
1996	25%	-	-
1997	33%	10%	30%
1998	50%	15%	50%
1999	75%	25%	70%
2000	75%	50%	90%
2001	75%	75%	90%
2002	75%	75%	90%
2003	75%	75%	90%
2004	75%	75%	90%
2005	75%	75%	90%
2006-on	75%	75%	90%

Source:

Final rule for the alternative fuels transportation programs, *Federal Register*, Vol. 61, p. 10622, March 14, 1996.

Note: In 2003 the Department of Energy issued notice that private fleets would not be subject to alternative fuel vehicle purchase requirements.



Chapter 8 Household Vehicles and Characteristics

Summary Statistics from Tables/Figures in this Chapter

Source		
Table 8.2	Vehicles per capita, 2002	0.766
Table 8.3	Average household transportation expense, 2002	18.8%
Table 8.4	Share of households owning 3 or more vehicles	
	1960	2.5%
	1970	5.5%
	1980	17.5%
	1990	17.3%
	2000	18.3%
Table 8.5	Vehicles per licensed driver, 2001	1.06
Figure 8.1	Average occupancy rates by vehicle type, 2001	
	Automobile	1.58
	Pickup truck	1.46
	Sports Utility	1.74
	Van	2.20
Table 8.12	Average annual miles per household vehicle, 2001	11,100
Table 8.14	Share of workers who car pooled, 2000	11.2%
Table 8.17	Long-distance trips in the U.S., 2001	
	Person-trips	2,554 million
	Person-miles	1,138 billion



Vehicle-miles are growing at a faster rate than vehicles and more than twice the rate of population. See Table 8.2 for vehicles per capita and vehicle-miles per capita.

Table 8.1 Population and Vehicle Profile, 1950–2002

Year	Resident population ^a (thousands)	Total households (thousands)	Number of vehicles in operation (thousands)	Total vehicle-miles (millions)	Number of licensed drivers (thousands)	Number of civilian employed persons (thousands)
1950	151,868	43,554	43,256	458,246	62,194	58,918
1955	165,069	47,874	55,804	605,646	74,686	62,170
1960	179,979	52,799	66,582	718,762	87,253	65,778
1965	193,526	57,251	82,067	887,812	98,502	71,088
1970	203,984	63,401	98,136	1,109,724	111,543	78,678
1975	215,465	71,120	120,054	1,327,664	129,791	85,846
1980	227,225	80,776	139,832	1,527,295	145,295	99,303
1985	237,924	86,789	157,048	1,774,826	156,868	107,150
1986	240,133	88,458	162,094	1,834,872	159,487	109,597
1987	242,289	89,479	167,193	1,921,204	161,975	112,440
1988	244,499	91,061	171,741	2,025,962	162,853	114,968
1989	246,819	92,830	175,960	2,096,487	165,555	117,342
1990	249,623	93,347	179,299	2,144,362	167,015	118,793
1991	252,981	94,312	181,438	2,172,050	168,995	117,718
1992	256,514	95,689	181,519	2,247,151	173,125	118,492
1993	259,916	96,391	186,315	2,296,378	173,149	120,259
1994	263,126	97,107	188,714	2,357,588	175,403	123,060
1995	266,278	98,990	193,441	2,422,696	176,628	124,900
1996	269,394	99,627	198,294	2,485,848	179,539	126,708
1997	272,647	101,018	201,071	2,561,695	182,709	129,558
1998	275,854	102,528	205,043	2,631,522	184,980	131,463
1999	279,040	103,874	209,509	2,691,056	187,170	133,488
2000	282,797	104,705	213,300	2,746,925	190,625	136,891
2001	285,318	108,209	216,683	2,797,287	191,276	136,933
2002	288,369	109,297	221,027	2,855,756	194,296	136,485
			Average annu	al percentage chan	ge	
1950-2002	1.2%	1.8%	3.2%	3.6%	2.2%	1.6%
1992–2002	1.2%	1.3%	2.0%	2.4%	1.2%	1.4%

Sources:

Resident population and civilian employed persons - U.S. Department of Commerce, Bureau of the Census, *Statistical Abstract of the United States*–2003, 123rd edition, Washington, DC, 2003, pp. 8, 49, 367, and annual. (Additional resources: www.census.gov)

Vehicles in operation - The Polk Company. **FURTHER REPRODUCTION PROHIBITED**. (Additional resources: www.polk.com) Licensed drivers and vehicle-miles - U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Tables DL-20 and VM-1, and annual. (Additional resources: www.fhwa.dot.gov)

^aEstimates as of July 1. Includes Armed Forces stationed in the United States.



Vehicle-miles per capita have nearly reached 10,000 miles. There were 1.6 vehicles for every employed civilian in the U.S. in 2002.

Table 8.2 Vehicles and Vehicle-Miles per Capita, 1950–2002^a

Year	Vehicles per capita	Vehicle-miles per capita	Vehicles per civilian employed persons
1950	0.285	3,029	0.73
1955	0.338	3,656	0.90
1960	0.370	3,994	1.01
1965	0.424	4,587	1.15
1970	0.481	5,440	1.25
1975	0.557	6,162	1.40
1980	0.615	6,722	1.41
1985	0.660	7,460	1.47
1986	0.675	7,641	1.48
1987	0.690	7,929	1.49
1988	0.702	8,286	1.49
1989	0.713	8,494	1.50
1990	0.718	8,590	1.51
1991	0.717	8,586	1.54
1992	0.708	8,760	1.53
1993	0.717	8,835	1.55
1994	0.717	8,960	1.53
1995	0.726	9,098	1.55
1996	0.736	9,228	1.56
1997	0.737	9,396	1.55
1998	0.743	9,540	1.56
1999	0.751	9,644	1.57
2000	0.754	9,713	1.56
2001	0.759	9,804	1.58
2002	0.766	9,903	1.62
	Aver	age annual percenta	ge change
1950-2002	1.9%	2.3%	1.5%
1992–2002	0.8%	1.2%	0.6%

Sources:

Resident population and civilian employed persons - U.S. Department of Commerce, Bureau of the Census, *Statistical Abstract of the United States*–2003, 123rd edition, Washington, DC, 2003, pp. 8, 367, and annual. (Additional resources: www.census.gov)

Vehicles in operation - The Polk Company. **FURTHER REPRODUCTION PROHIBITED**. (Additional resources: www.polk.com)

Vehicle-miles - U.S. Department of Transportation, Federal Highway Administration, *Highway Statistics* 2002, Table VM-1 and annual. (Additional resources: www.fhwa.dot.gov)



^aIncludes all vehicles (light and heavy).

Transportation (18.8%) is second only to housing (31.7%) as the largest expenditure for the average household. In 2002, approximately 15.7% of transportation expenditures were for purchasing gasoline and motor oil. There is an average of two vehicles per household.

Table 8.3 Average Annual Expenditures of Households by Income, 2002^a

					In	Income before taxes	es			
	All households	Less than \$5,000	\$5,000- \$9999	\$10,000- \$14999	\$15,000- \$19,999	\$20,000- \$29,999	\$30,000-	\$40,000- \$49,999	\$50,000-	\$70,000 and over
Total expenditures	\$42,557	\$19,699	\$16,488	\$20,918	\$25,015	\$28,836	\$35,095	\$41,787	\$50,406	\$76,627
					Percentage of to	Percentage of total expenditures ^b				
Food	14.2%	18.7%	18.4%	16.2%	15.8%	16.0%	14.9%	14.2%	13.9%	12.6%
Housing	31.7%	34.4%	36.8%	33.9%	34.1%	33.3%	32.0%	31.5%	30.3%	30.9%
Apparel and services	4.4%	%8.9	4.3%	4.8%	4.5%	4.1%	4.3%	4.0%	4.1%	4.5%
Transportation	18.8%	15.1%	15.7%	18.9%	19.0%	18.3%	20.1%	20.7%	20.9%	17.6%
Vehicle purchases (net outlay)	8.9%	6.4%	7.0%	%8.6	9.7%	8.1%	%5.6	10.3%	10.3%	8.1%
Gasoline and motor oil	2.9%	3.1%	3.0%	3.1%	3.2%	3.4%	3.6%	3.1%	3.2%	2.5%
Other vehicle expenditures	%0.9	4.7%	4.7%	5.2%	2.5%	%0.9	6.5%	6.4%	%9.9	2.9%
Public transportation	%6.0	%6.0	1.0%	%8.0	0.7%	%8.0	%8.0	0.9%	%6.0	1.1%
Health care	5.7%	5.4%	%6.9	8.9%	8.5%	7.9%	%8.9	6.2%	5.3%	4.2%
Entertainment	5.1%	4.4%	4.4%	4.1%	4.0%	4.1%	4.4%	4.6%	5.2%	2.8%
Personal Insurance & pensions	10.8%	1.5%	2.1%	3.8%	4.0%	6.3%	8.3%	10.1%	11.4%	14.9%
Others ^d	9.3%	13.7%	11.4%	9.4%	10.1%	10.0%	9.5%	8.7%	8.9%	9.5%
Households ^e (thousands)	92,388	3,882	7,051	8,007	7,068	12,312	10,727	8,873	13,521	20,947
Percentage of households	100%	4.2%	7.6%	8.7%	7.7%	13.3%	11.6%	%9.6	14.6%	22.7%
Average number of vehicles in HH	2.0	1.0	6.0	1.2	1.4	1.6	2.0	2.1	2.5	2.9

^a Public assistance monies are included in reported income. Data for those reporting income.

^b Percentages may not sum to totals due to rounding.

c Includes alcoholic beverages.

^d Includes personal care, reading, education, tobacco and smoking supplies, cash contributions, and miscellaneous items.

e The term household refers to a "consumer unit," which is defined differently than households on Table 8.1.



Household vehicle ownership shows a dramatic increase from 1960 to 1990. In 1960, nearly 79% of households owned less than two vehicles; by 1990, it declined to 45%. Census data prior to 1990 indicated that the majority of households owned one vehicle; in 1990 that changed to two vehicles.

Table 8.4 Household Vehicle Ownership, 1960–2000 Census (percentage)

	No vehicles	One vehicle	Two vehicles	Three or more vehicles	Total vehicles ^a
1960	21.53%	56.94%	19.00%	2.53%	54,766,718
1970	17.47%	47.71%	29.32%	5.51%	79,002,052
1980	12.92%	35.53%	34.02%	17.52%	129,747,911
1990	11.53%	33.74%	37.35%	17.33%	152,380,479
2000	9.35%	33.79%	38.55%	18.31%	179,417,526

Source:

U. S. Department of Transportation, Volpe National Transportation Systems Center, *Journey-to-Work Trends in the United States and its Major Metropolitan Area, 1960–1990*, Cambridge, MA, 1994, p. 2-2.

2000 data - U.S. Bureau of the Census, American Fact Finder, factfinder.census.gov, Table QT-04, August 2001. (Additional resources: www.census.gov)



^aEstimates using Census Bureau data; these data on the total number of vehicles do not match the figures on Table 8.1. The figures on Table 8.1, from R.L. Polk and Company, are the preferred data.

2001 National Household Travel Survey Daily Trip Data

The Department of Transportation (DOT) colleted data on daily trips in 1969, 1977, 1983, 1990 and 1995 via the Nationwide Personal Transportation Survey (NPTS). Data on longer trips were collected in 1977 and 1995 via the American Travel Survey (ATS). For 2001, the DOT combined the collection of long trip and daily trip data into one survey – the 2001 National Travel Household Travel Survey (NHTS).

The NHTS is the nation's inventory of daily and long-distance travel. The survey includes demographic characteristics of households, people, vehicles, and detailed information on daily and longer-distance travel for all purposes by all modes. NHTS survey data are collected from a sample of U.S. households and expanded to provide national estimates of trips and miles by travel mode, trip purpose, and a host of household attributes.

The NHTS was designed to continue the NPTS and ATS series, but as with all data surveys, caution should be used when comparing statistics from one survey to another due to changes in terminology, survey procedures, and target population. The 2001 survey collected data on trips of children under 5 years of age, while the previous NPTS did not. Improved methodologies first used in the collection of trip information in the 1995 NPTS make it impossible to compare these data with past NPTS survey data. Thus, the 1990 NPTS trip data have been adjusted to make it comparable with the later surveys.

Version 1 of the NHTS data containing the daily trip data were released in January 2003. The final daily trip data were released in January 2004. All tables have been updated to include the final data and are available at the Internet site: nhts.ornl.gov.

Table 8.5
Demographic Statistics from the 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS

	1969	1977	1983	1990	1995	2001	Percent change 1969–2001
Persons per household	3.16	2.83	2.69	2.56	2.63	2.58	-18%
Vehicles per household	1.16	1.59	1.68	1.77	1.78	1.89	63%
Workers per household	1.21	1.23	1.21	1.27	1.33	1.35	12%
Licensed drivers per household	1.65	1.69	1.72	1.75	1.78	1.77	7%
Vehicles per worker	0.96	1.29	1.39	1.40	1.34	1.39	45%
Vehicles per licensed driver	0.70	0.94	0.98	1.01	1.00	1.06	52%
Average vehicle trip length (miles)	8.89	8.34	7.90	8.98	9.06	9.87	11%

Sources:

U.S. Department of Transportation, Federal Highway Administration, 1990 Nationwide Personal Transportation Survey: Summary of Travel Trends, FHWA-PL-92-027, Washington, DC, March 1992, Table 2. Data for 1995 and 2001 were generated from the Internet sites www-cta.ornl.gov/npts, and nhts.ornl.gov. (Additional resources: www.fhwa.dot.gov)

Note: Average vehicle trip length for 1990 and 1995 is calculated using only those records with trip mileage information present. The 1969 survey does not include pickups and other light trucks as household vehicles.



Due to methodology improvements in collecting trip information, the 2001 and 1995 data should be compared only to the 1990 adjusted data. The original 1990 data are comparable to all previous surveys; however, comparisons should always be made with caution because of differing survey methodologies.

Table 8.6 Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS

	Journey-to-work ^a	All trips
Average an	nual vehicle-miles per hou	sehold
1969	4,183	12,423
1977	3,815	12,036
1983	3,538	11,739
1990 original	4,853	15,100
1990 adjusted	4,853	18,161
1995	6,492	20,895
2001	5,724	21,171
Average an	nual vehicle trips per hou	sehold
1969	445	1,396
1977	423	1,442
1983	414	1,486
1990 original	448	1,702
1990 adjusted	448	2,077
1995	553	2,321
2001	479	2,171
Averag	e vehicle trip length (mile	s)
1969	9.4	8.9
1977	9.0	8.4
1983	8.5	7.9
1990 original	11.0	9.0
1990 adjusted	11.0	8.9
1995	11.8	9.1
2001	12.2	9.9

Sources:

U.S. Department of Transportation, Federal Highway Administration, 1990 Nationwide Personal Transportation Survey: Summary of Travel Trends, FHWA-PL-92-027, Washington, DC, March 1992, Table 7. Data for 1995 were generated from the Internet site www-cta.ornl.gov/npts. 1990 adjusted data - Oak Ridge National Laboratory, Oak Ridge, TN, August 1998. 2001 NHTS data were generated from the Internet site nhts.ornl.gov. (Additional resources: www.fhwa.dot.gov, www-cta.ornl.gov/npts)

^aIt is believed that the methodology changes in the 1995 NPTS did not affect journey-to-work trips; therefore, no adjustment is necessary.



TRANSPORTATION ENERGY DATA BOOK: EDITION 24-2004

Due to methodology improvements in collecting trip information, the 2001 and 1995 data should be compared only to the 1990 adjusted data. The original 1990 data are comparable to all previous surveys; however, comparisons should always be made with caution because of differing survey methodologies.

Table 8.7 Average Annual Person-Miles Traveled (PMT), Person Trips and Trip Length per Household by Selected Trip Purposes 1983, 1990, 1995 NPTS and 2001 NHTS

	I 4l-8	Chi	Social and	All			
	Journey-to-work ^a	Shopping	recreational	purposes ^b			
Average annual PMT per household							
1983	4,586 (20%)	2,567 (11%)	8,964 (39%)	22,802 (100%)			
1990 original	5,637 (23%)	2,674 (11%)	8,567 (35%)	24,803 (100%)			
1990 adjusted	5,637 (19%)	3,343 (11%)	11,308 (37%)	30,316 (100%)			
1995	7,740 (22%)	4,659 (14%)	10,571 (31%)	34,459 (100%)			
2001	6,706 (18%)	5,188 (14%)	11,281 (30%)	37,002 (100%)			
	Average annua	ıl person trips per h	ousehold				
1983	537 (20%)	474 (18%)	728 (28%)	2,628 (100%)			
1990 original	539 (20%)	504 (19%)	662 (25%)	2,673 (100%)			
1990 adjusted	539 (17%)	630 (19%)	874 (27%)	3,262 (100%)			
1995	676 (18%)	775 (20%)	953 (25%)	3,828 (100%)			
2001	565 (15%)	749 (20%)	1,022 (27%)	3,828 (100%)			
	Average p	erson trip length (n	iiles)				
1983	8.5	5.4	12.3	8.7			
1990 original	10.7	5.4	13.2	9.5			
1990 adjusted	10.7	5.4	13.2	9.5			
1995	11.6	6.1	11.3	9.1			
2001	12.1	7.0	11.3	9.9			

Sources:

U.S. Department of Transportation, Federal Highway Administration, Nationwide Personal Transportation Study, Public Use Tapes, Washington, DC. Data for 1995 and 2001 were generated from the Internet sites www-cta.ornl.gov/npts and nhts.ornl.gov. 1990 adjusted data - Oak Ridge National Laboratory, Oak Ridge, TN, August 1998. (Additional resources: www-cta.ornl.gov/npts)

Note: Average person trip length for 1990 and 1995 is calculated using only those records with trip mileage information present. "All purposes" includes unreported trip purposes.



^aIt is believed that the methodology changes in the 1995 NPTS did not affect journey-to-work trips; therefore, no adjustment is necessary.

^bIncludes trip purposes not shown on this table.

In 2001 vehicle-miles traveled (vmt) for a three-person household is over 28,000 miles. The number of drivers in a household makes a big difference in vmt, as does the presence of children in the household. Households with children have 74% more vmt than households without children.

Table 8.8
Average Number of Vehicles and Vehicle Travel per Household,
1990 NPTS and 2001 NHTS

	Average number of vehicles per household		vehicle-mi	rage les traveled usehold
Number of Licenced Drivers	1990	2001	1990	2001
1	1.5	1.2	15,200	9,700
2	2.1	2.2	22,900	25,800
3	2.9	3.0	29,400	37,900
4 or more	3.8	3.8	40,500	47,200
Household size				
1 person	1.2	1.0	11,400	7,500
2 persons	1.9	2.0	19,300	21,200
3 persons	2.2	2.3	23,700	28,400
4 persons	2.4	2.4	25,300	28,600
5 persons	2.4	2.4	24,900	33,200
6 or more persons	2.7	2.5	29,200	33,800
Household urban status				
Urban	1.9	1.8	19,000	19,300
Rural	2.1	2.3	22,200	28,400
Household composition				
With children	2.2	2.2	24,100	28,300
Without children	1.8	1.7	17,600	16,700
All households	1.8	1.9	18,300	21,200

Source:

Generated from the Department of Transportation, Federal Highway Administration, Nationwide Personal Transportation Survey Public Use Files, Washington, DC, 2000 and the National Household Travel Survey Internet site: nhts.ornl.gov. (Additional resources: www-cta.ornl.gov/npts)



Table 8.9
Trip Statistics by Trip Purpose, 2001 NHTS

Trip Purpose	Share of trips	Share of vehicle-miles traveled	Trip length (miles)	Trip duration (minutes)
To/from work	22.1%	27.0%	12.1	22.3
Work-related business	4.1%	8.4%	20.3	30.9
Shopping	21.1%	14.5%	6.7	14.4
Other family/personal business	24.7%	18.7%	7.5	15.2
School/church	4.9%	3.7%	7.5	15.8
Medical/dental	2.2%	2.2%	9.9	20.7
Vacation	0.4%	1.8%	47.4	59.6
Visit friends/relatives	6.3%	9.4%	14.9	24.4
Other social/recreational	13.7%	13.2%	9.6	18.2
Other	0.5%	1.0%	18.1	31.4
All	99.9%	100.0%	9.9	18.7

Source:

Generated from the National Household Travel Survey Internet site: nhts.ornl.gov.



While automobile occupancy declined slightly from 1995 to 2001, all other vehicle types showed increased occupancy. Vans and sport utility vehicles have higher vehicle occupancies than automobiles.

1.59 Auto 1.58 2.07 Van 2.20 1.70 **Sport utility** 1.74 1.38 **Pickup** 1.46 1.12 Other truck 1.20 1.18 Motorcycle 1.27 1.58 Other 1.73 1995 1.59

Figure 8.1. Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS

Sources:

AII

0.00

0.50

U.S. Department of Transportation, Federal Highway Administration, 1995 Nationwide Personal Transportation Survey, Washington, DC, 1997, and 2001 National Household Travel Survey, Washington, DC, 2004. (Additional resources: www.fhwa.dot.gov, www-cta.ornl.gov/npts, nhts.ornl.gov)

1.00



2001

2.50

1.63

2.00

1.50

The average vehicle occupancy, calculated as person-miles per vehicle-mile, is highest for social and recreational purposes. The highest vehicle occupancy levels for all purposes were in 1977. The increase in number of vehicles per household and the decrease in average household size could have contributed to the decline since then.




Figure 8.2. Average Vehicle Occupancy by Trip Purpose 1977 NPTS and 2001 NHTS

Sources:

U.S. Department of Transportation, Federal Highway Administration, 1990 Nationwide Personal Transportation Survey: Summary of Travel Trends, FHWA-PL-92027, Washington, DC, March 1992, Figure 6. Data from 2001 NHTS were generated from the Internet site nhts.ornl.gov, June 2003. (Additional resources: www.fhwa.dot.gov, nhts.ornl.gov)



As households owned more vehicles, the average annual miles for the most frequently driven vehicle increased. For example, the most frequently driven vehicle in five-vehicle households was driven 36% more per year than the one in two-vehicle households (15,019 miles vs. 20,467 miles).

Table 8.10 Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS

Vehicle ^a	One-vehicle household	Two-vehicle household	Three-vehicle household	Four-vehicle household	Five-vehicle household
#1	10,539	15,224	17,235	19,369	20,107
#2	-	7,643	9,114	10,392	11,386
#3	-	-	4,205	5,868	6,730
#4	-	-	-	2,900	3,826
#5	-	-	-	-	1,915
Average	10,539	11,933	11,136	10,829	10,130

Source:

Generated from the National Household Travel Survey Internet site: nhts.ornl.gov.

Table 8.11 Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS

Vehicle ^a	One-vehicle household	Two-vehicle household	Three-vehicle household	Four-vehicle household	Five-vehicle household
#1	8.0	6.7	6.9	7.1	7.3
#2	-	8.9	8.9	9.0	9.1
#3	-	-	12.4	11.6	11.4
#4	-	-	-	14.7	14.5
#5	-	-	-	-	16.4
Average	8.0	7.6	9.0	10.0	10.9

Source:

Generated from the National Household Travel Survey Internet site: nhts.ornl.gov.



^aVehicles are ranked by descending annual miles driven.

The average annual miles per vehicle declined from 1995 to 2001. With households having more and more vehicles at their disposal, each vehicle is being driven fewer miles.

Table 8.12
Average Annual Miles Per Household Vehicle by Vehicle Age

Vehicle age	1983	1990	1995	2001
(years)	self-reported	self-reported	self-reported	self-reported
Under 1	8,200	19,600	15,900	15,500
1	15,200	16,800	16,800	14,300
2	16,800	16,600	15,500	14,000
3	14,500	14,700	14,400	13,100
4	13,000	13,600	14,100	12,500
5	12,100	12,900	13,500	12,000
6	11,300	13,200	13,200	11,800
7	10,000	12,400	12,800	11,600
8	9,800	12,600	12,200	10,900
9	9,000	11,500	12,200	10,800
10 and older	7,300	9,200	8,900	7,400
All household				
vehicles	10,400	12,500	12,200	11,100

Sources:

Nationwide Personal Transportation Study—1983: D. Klinger and J. Richard Kuzmyak, COMSIS Corporation, Personal Travel in the United States, Volume 1: 1983–84 Nationwide Personal Travel Study, prepared for the U.S. Department of Transportation, Washington, DC, August 1986, Table 4-22, p.4-21. 1990: Generated from the 1990 Nationwide Personal Transportation Study Public Use Tape, March 1992. 1995: Generated from the Internet site: www-cta.ornl.gov/npts. 2001: Generated from the Internet site: nhts.ornl.gov. (Additional resources: www.fhwa.dot.gov, www.eia.doe.gov)

Note: Data include all household vehicles, and have been rounded to the nearest hundred.



Historically, the data from the Nationwide Personal Transportation Survey (NPTS) are based on estimates reported by survey respondents. For the 1995 NPTS and the 2001 National Household Travel Survey (NHTS), odometer data were also collected. The 1995 data indicate that respondents overestimate the number of miles they drive in a year, but the 2001 data do not show that same trend.

Table 8.13 Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS and 2001 NHTS

Vehicle age	1995	1995	2001	2001
(years)	self-reported	odometer	self-reported	odometer
Under 1	15,900	15,600	15,500	14,500
1	16,800	14,500	14,300	14,200
2	15,500	14,800	14,000	13,700
3	14,400	13,800	13,100	14,100
4	14,100	12,900	12,500	13,400
5	13,500	12,700	12,000	12,900
6	13,200	12,400	11,800	12,400
7	12,800	11,600	11,600	12,100
8	12,200	11,300	10,900	11,300
9	12,200	11,200	10,800	10,500
10 and older	8,900	9,000	7,400	8,100
All household				
vehicles	12,200	11,800	11,000	11,800

Source:

Generated from the Internet site: www-cta.ornl.gov/npts and 2001 NHTS public use file.

Note: Survey methodology on odometer reading data differs from 1995 to 2001 data.



According to the U.S. Census data, the percentage of workers who car pooled has dropped from 19.7% in 1980 to 11.2% in 2000. The percent of workers using public transit declined from 6.4% to 5.3% in the ten year period between 1980 and 1990, but stayed relatively the same from 1990 to 2000 (5.2%). The average travel time increased by 2.6 minutes from 1980 to 2000.

Table 8.14
Means of Transportation to Work, 1980, 1990 and 2000 Census

	1980 Ce	nsus	1990 Ce	nsus	2000 Ce	nsus
Means of transportation	Number of workers (thousands)	Share	Number of workers (thousands)	Share	Number of workers (thousands)	Share
Private vehicle	81,258	84.1%	99,593	86.5%	111,554	87.5%
Drove alone	62,193	64.4%	84,215	73.2%	97,247	76.3%
Car pooled	19,065	19.7%	15,378	13.4%	14,307	11.2%
Public transportation	6,175	6.4%	6,070	5.3%	6,575	5.2%
Bus or trolley bus ^a	3,925	4.1%	3,445	3.0%	3,572	2.8%
Streetcar or trolley car ^a	b	b	78	0.1%	88	0.1%
Subway or elevated	1,529	1.6%	1,755	1.5%	1,981	1.6%
Railroad	554	0.6%	574	0.5%	696	0.5%
Ferryboat	b	b	37	0.0%	43	0.0%
Taxicab	167	0.2%	179	0.2%	194	0.2%
Motorcycle	419	0.4%	237	0.2%	158	0.1%
Bicycle	468	0.5%	467	0.4%	563	0.4%
Walked only	5,413	5.6%	4,489	3.9%	3,413	2.7%
Other means	703	0.7%	809	0.7%	1,099	0.9%
Worked at home	2,180	2.3%	3,406	3.0%	4,075	3.2%
Total workers	96,617	100.0%	115,070	100.0%	127,437	100.0%
Average travel time (minutes)	21.7		22.4		24.3	

Sources:

1980-1990 data - Provided by the Journey-to-Work and Migration Statistics Branch, Population Division, U.S. Bureau of the Census

2000 data - U.S. Bureau of the Census, American Fact Finder, factfinder.census.gov, Tables QT-03 and P047, August 2001. (Additional resources: www.census.gov)



^a This category was "Bus or streetcar" in 1980.

^b Data are not available.

More than half of workers had 15-29 minute commutes in 1990, but that dropped to 35% by 2000. The share of workers commuting less than 15 minutes increased the most in the ten-year period (14 percentage points), but the share of workers commuting 30 minutes or more also saw small increases.

Table 8.15 Workers by Commute Time, 1990 and 2000 Census

Commute time	1990	2000
Less than 15 minutes	15.9%	30.1%
15–29 minutes	51.6%	36.3%
30–39 minutes	14.7%	15.7%
40–59 minutes	9.0%	10.7%
60 minutes or more	5.9%	7.3%
Average travel time (minutes)	22.4	24.3

Sources:

1990 - U. S. Department of Transportation, Volpe National Transportation Systems Center, *Journey-to-Work Trends in the United States and its Major Metropolitan Area, 1960–1990*, FHWA-PL-94-012, Cambridge, MA, 1994, p. 2-6.

2000 - U.S. Bureau of the Census, American Fact Finder, factfinder.census.gov, Tables QT-03 and P048, August 2001. (Additional resources: www.census.gov)



Sales of bicycles with wheel sizes of 20-inches and over have grown at an average annual rate of 2% from 1981 to 2002. The largest growth in bicycle sales, however, were bicycles with wheel sizes under 20 inches which grew at an average annual rate of 4.8%.

Table 8.16 Bicycle Sales, 1981–2002 (millions)

	Wheel sizes	Wheel sizes	
	under	of 20 inches	All
	20 inches	and over	wheel sizes
1981	a	8.9	a
1982	a	6.8	a
1983	ā	9.0	a
1984	ā	10.1	a
1985	a	11.4	a
1986	a	12.3	a
1987	a	12.6	a
1988	a	9.9	a
1989	a	10.7	a
1990	a	10.8	a
1991	a	11.6	a
1992	3.7	11.6	15.3
1993	3.8	13.0	16.8
1994	4.2	12.5	16.7
1995	4.1	12.0	16.1
1996	4.5	10.9	15.4
1997	4.2	11.0	15.2
1998	4.7	11.1	15.8
1999	5.9	11.6	17.5
2000	9.0	11.9	20.9
2001	5.4	11.3	16.7
2002	5.9	13.6	19.5
	Average	annual percentage ch	ange
1981-2002	a	2.0%	a
1992-2002	4.8%	1.6%	2.5%

Source:

1981–1996: Bicycle Manufacturers Association. 1997–on: The Bicycle Council. (Additional resources: www.nbda.com)

^a Data are not available.



One-third of bicycle sales in 2002 were mountain bikes, which sold for an average of \$450 per bike. Road bicycles, which list the most expensive average price, have been slowly gaining market share from 2000 to 2002. Youth bicycles account for 28% of the bicycle market.

Table 8.17 Specialty Bicycle Sales by Year, 2000–2002^a

Category	2000	2001	2002	Average 2002 price
Mountain	41.0%	36.8%	33.8%	\$450.30
Youth	28.5%	26.1%	28.3%	\$197.49
Comfort	13.6%	20.8%	20.6%	\$339.15
Hybrid	10.2%	8.8%	9.4%	\$404.66
Road	3.6%	4.4%	5.3%	\$1,194.68
Cruiser	2.8%	2.8%	2.2%	\$275.17
Tandem	0.12%	0.11%	0.15%	\$887.91

Source:

National Bicycle Dealers Association Retail Data Capture Program.



^a Sales of top 19 bicycle brands through panel of retailers.

In 2001, 4.8% of walk trips and 7.5% of bike trips were to/from work. More than half of all bike trips were for social/recreational purposes. Fourteen-percent of walk trips were shopping trips.

4.8% Work Walk (35,366 million person-trips) 7.5% Bike (3,314 million person-trips) 1.4% Work-related 0.5% 14.0% Shopping 5.7% 21.3% Other Family & 8.8% personal business 10.6% School & 5.8% church 1.4% Vacation 1.9% 11.3% Visit Friends & 15.1% relatives 32.8% Other Social & 54.1% recreational 30.0% 0.0% 10.0% 20.0% 40.0% 50.0% 60.0% Percent of trips

Figure 8.3. Walk and Bike Trips by Trip Purpose, 2001 NHTS

Source:

U.S. Department of Transportation, Federal Highway Administration, National Household Travel Survey web site: nhts.ornl.gov.



Long Distance Trips – 2001 National Household Travel Survey

The 2001 National Household Travel Survey (NHTS) collected data on long-distance trips as well as everyday travel. The everyday travel data is a continuation of the Nationwide Personal Transportation Survey (NPTS), while the long-distance travel data is a continuation of the American Travel Survey (ATS) which was collected in 1977 and 1985. The survey collected trip-related data such as mode of transportation, duration, distance and purpose of trip. It also gathered demographic, geographic, and economic data for analysis purposes.

A long-distance trip is defined as a trip of 50 miles or more, one-way. Long-trip data from the 2001 NHTS were released in the summer of 2004. For additional information about the 2001 NHTS data, contact the Bureau of Transportation Statistics at 202-366-3282 or visit the following Inernet site: www.bts.gov/programs/national_household_travel_survey.



Table 8.18 Long-Distance Trip^a Characteristics, 2001 NHTS

	Person trips		Person m	iles
Trip characteristic	(thousands)	(percent)	(thousands)	(percent)
Total	2,554,068	100.0	1,138,322,697	100.0
Principal means of transportation:				
Personal use vehicles	2,310,376	90.5	735,882,255	64.7
Airplane	165,039	6.5	367,888,741	32.3
Commercial airplane	158,880	6.2	361,717,015	31.8
Bus ^b	52,962	2.1	23,747,433	2.1
Intercity bus	3,456	0.1	1,765,696	0.2
Charter, tour, or school bus	45,952	1.8	21,019,942	1.9
Train	20,672	0.8	9,266,373	0.8
Round trip distance:				
100 to 300 miles	1,688,358	66.1	284,586,370	25.0
300 to 499 miles	373,550	14.6	143,571,597	12.6
500 to 999 miles	261,802	10.3	180,669,482	15.9
1,000 to 1,999 miles	125,665	4.9	178,629,838	15.7
2,000 miles or more	104,694	4.1	350,865,409	30.8
Mean (miles)	446	c c	c c	c c
Median (miles)	206	C	C	Ç
Calendar quarter:				
1 st quarter	566,502	22.2	246,556,190	21.7
2 nd quarter	653,310	25.6	298,154,812	26.2
3 rd quarter	734,878	28.8	341,021,290	30.0
4 th quarter	599,378	23.5	252,590,405	22.2
Main purpose of trip:				
Commuting	329,395	12.9	65,877,968	5.8
Other business	405,866	15.9	242,353,212	21.3
Personal/leisure	1,406,411	55.1	667,471,358	58.7
Personal business	322,645	12.6	130,020,982	11.4
Other	88,230	3.5	32,031,679	2.8
Nights away from home:				
None	1,454,847	57.0	304,469,524	26.8
1 to 3 nights	808,281	31.7	414,219,147	36.4
4 to 7 nights	214,464	8.4	269,265,597	23.7
8 or more nights	76,475	3.0	150,368,429	13.2
Destination:				
Within Census division	2,077,810	81.4	549,651,116	48.3
Across Census division, within	196,890	7.7	134,930,113	11.9
Census	279,367	10.9	453,741,468	39.9
Across Census region	<u> </u>			

U.S. Bureau of Transportation Statistics and the U.S. Federal Highway Administration, 2001 National Household Transportation Survey.

^c Not applicable.



^a A long-distance trip.^b Includes other types of buses.

Chapter 9 Nonhighway Modes

Summary Statistics from Tables in this Chapter

Source		
	Passenger-miles, 2002	(millions)
Table 9.2	Domestic and international air carrier	655,061
Table 9.3	General aviation, 2001	16
Table 9.12	Amtrak	5,314
Table 9.13	Commuter rail	9,504
Table 9.14	Transit rail	15,095
]	Freight ton-miles, 2002	(millions)
Table 9.5	Domestic waterborne commerce	612,000
Table 9.9	Class I railroad	1,507,011
]	Passenger energy use, 2002	(trillion Btus)
Table 9.2	Domestic and international air carrier	2,408.3
Table 9.3	General aviation	141.5
Table 9.7	Recreational boats	187.2
Table 9.12	Amtrak	25.7
Table 9.13	Commuter rail	25.8
Table 9.14	Transit rail	49.3
]	Freight energy use, 2002	(trillion Btus)
Table 9.5	Domestic waterborne commerce	286.1
Table 9.9	Class I railroad	520.3



Nonhighway transportation modes accounted for nearly 19% of total transportation energy use in 2002.

Table 9.1 Nonhighway Energy Use Shares, 1970–2002

			Share of tra	nsportation	energy use	
					Nonhighway	Transportation
Year	Air	Water	Pipeline	Rail	total	total (trillion Btu)
1970	8.5%	5.4%	6.5%	3.6%	24.0%	15,402
1971	8.1%	4.8%	6.3%	3.5%	22.8%	16,022
1972	7.7%	4.6%	6.1%	3.4%	21.9%	17,042
1973	7.7%	5.0%	5.6%	3.5%	21.7%	17,893
1974	7.3%	5.1%	5.5%	3.6%	21.5%	17,178
1975	7.3%	5.3%	4.8%	3.2%	20.7%	17,426
1976	7.2%	5.8%	4.4%	3.2%	20.6%	18,492
1977	7.1%	6.1%	4.1%	3.1%	20.4%	19,126
1978	7.1%	6.8%	3.9%	2.9%	20.8%	20,095
1979	7.4%	7.9%	4.3%	3.0%	22.6%	20,099
1980	7.6%	7.3%	4.8%	3.1%	22.7%	18,937
1981	7.6%	8.3%	4.8%	3.0%	23.7%	19,071
1982	7.8%	7.2%	4.6%	2.6%	22.2%	18,507
1983	7.7%	6.6%	4.0%	2.6%	20.9%	18,624
1984	8.4%	6.5%	4.1%	2.8%	21.7%	19,265
1985	8.6%	6.4%	3.9%	2.6%	21.4%	19,597
1986	9.0%	6.2%	3.7%	2.4%	21.3%	20,209
1987	9.2%	6.1%	3.7%	2.4%	21.5%	20,673
1988	9.3%	6.0%	4.1%	2.4%	22.0%	21,202
1989	9.2%	6.1%	4.2%	2.4%	21.9%	21,493
1990	9.6%	6.6%	4.3%	2.4%	22.8%	21,598
1991	9.2%	7.1%	4.1%	2.3%	22.6%	21,188
1992	9.0%	7.2%	3.9%	2.3%	22.4%	21,846
1993	8.9%	6.3%	4.0%	2.3%	21.5%	22,298
1994	9.0%	5.9%	4.2%	2.4%	21.5%	22,900
1995	9.1%	6.1%	4.1%	2.4%	21.8%	23,432
1996	9.2%	5.7%	4.1%	2.4%	21.4%	24,936
1997	9.5%	4.9%	4.2%	2.4%	21.0%	24,288
1998	9.6%	4.8%	3.6%	2.4%	20.4%	24,717
1999	9.5%	5.1%	3.5%	2.3%	20.5%	25,909
2000	9.7%	5.3%	3.5%	2.3%	20.8%	26,225
2001	9.3%	4.4%	3.4%	2.4%	19.5%	25,918
2002	8.4%	4.5%	3.5%	2.4%	18.8%	26,364

Source:

Table 2.7.



These data include all international and domestic certificated route air carrier statistics; therefore, the data are different than those in Chapter 2. All of the air carrier statistics declined in the year 2001, most likely due to the events of September 11, 2001, which caused air travel to decline drastically in the last quarter of the year.

Table 9.2
Summary Statistics for U.S. Domestic and International
Certificated Route Air Carriers (Combined Totals), 1970–2002^a

Year	Revenue aircraft-miles (millions)	Average passenger trip length ^b (miles)	Revenue passenger-miles (millions)	Available seat-miles (millions)	Available seats per aircraft ^c	Passenger load factor (percentage) ^d	Revenue cargo ton-miles (millions)	Energy use (trillion Btu) ^e
1970	2,542	678	148,137	264,904	111	49.7%	3,755	1,363.4
1975	2,241	698	173,324	315,823	135	54.9%	5,062	1,283.4
1980	2,924	736	267,722	448,479	148	59.7%	7,885	1,386.0
1985	3,462	758	351,073	565,677	163	62.1%	9,048	1,701.4
1986	3,873	767	378,923	623,073	161	60.8%	10,987	1,847.1
1987	4,182	779	417,830	670,871	160	62.3%	13,137	1,945.9
1988	4,355	786	437,649	696,337	160	62.9%	14,632	2,049.4
1989	4,442	792	447,480	703,888	158	63.6%	16,347	2,087.4
1990	4,724	803	472,236	753,211	159	62.7%	16,514	2,213.0
1991	4,661	806	463,296	738,030	158	62.8%	16,149	2,085.2
1992	4,899	806	493,715	772,869	158	63.9%	17,306	2,144.2
1993	5,118	799	505,996	793,959	155	63.7%	19,083	2,169.7
1994	5,360	787	537,506	809,240	151	66.4%	21,773	2,266.2
1995	5,627	791	558,757	845,012	150	66.1%	23,375	2,338.6
1996	5,855	802	596,164	859,720	147	69.3%	24,892	2,409.1
1997	6,025	814	619,969	880,607	146	70.4%	27,610	2,514.2
1998	6,227	812	635,517	899,851	145	70.6%	28,102	2,573.4
1999	6,558	824	668,626	942,311	144	71.0%	28,984	2,653.1
2000	6,944	833	708,419	980,379	139	72.3%	30,863	2,743.1
2001	6,814	843	664,849	950,519	139	69.9%	27,972	2,599.4
2002	6,847	850	655,061	928,817	133	71.9%	30,587	2,408.3
			Avera	ge annual per	rcentage char	nge		
1970-2002	3.1%	0.7%	4.8%	4.0%	0.6%		6.8%	1.8%
1992-2002	3.4%	0.5%	2.9%	1.9%	-1.7%		5.9%	1.2%

Sources:



U.S. Department of Transportation, Bureau of Transportation Statistics, *Air Carrier Traffic Statistics Monthly*, December 2001/2000, Washington, DC, pp. 1–2, and annual.

^{1970–76} Energy Use - Department of Transportation, Civil Aeronautics Board, *Fuel Cost and Consumption*, Washington, DC, 1981, and annual.

^{1977–2002} Energy Use - Department of Transportation, Bureau of Transportation Statistics, "Fuel Cost and Consumption Table," Washington, DC. (Additional resources: www.bts.gov, www.faa.gov)

^aData are for all U.S. air carriers reporting on Form 41.

^bScheduled services of domestic operations only. The average passenger trip length for international operations is more than three and a half times longer than for domestic operations.

^cAvailable seats per aircraft is calculated as the ratio of available seat-miles to revenue aircraft-miles.

^dPassenger load factor is calculated as the ratio of revenue passenger-miles to available seat-miles for scheduled and nonscheduled services.

^eEnergy use includes fuel purchased abroad for international flights.

General aviation includes: (1) aircraft operating under general operating and flight rules; (2) not-for-hire airplanes with a seating capacity of 20 or more or a maximum payload capacity of 6,000 lbs. or more; (3) rotocraft external load operations; (4) on-demand and commuter operations not covered under Federal Aviation Regulations Part 121; and (5) agricultural aircraft operations.

Table 9.3 Summary Statistics for General Aviation, 1970–2002

	Total number	Aircraft hours flown	Interesity massanger travel	Emanayyyaa
Calendar year	of aircraft	(thousands)	Intercity passenger travel (billion passenger-miles)	Energy use (trillion btu)
1970	131,700 ^a	26,030 ^b	9.1	94.4
1975	168,475	30,298	11.4	121.5
1976	177,964	31,950	12.1	130.3
1977	184,294	33,679	12.8	149.7
1978	199,178	36,844	14.1	159.4
1979	210,339	40,432	15.5	167.2
1980	211,045	41,016	14.7	169.0
1981	213,226	40,704	14.6	162.4
1982	209,779	36,457	13.1	170.5
1983	213,293	35,249	12.7	143.9
1984	220,943	36,119	13.0	148.9
1985	196,500	31,456	12.3	144.0
1986	205,300	31,782	12.4	148.0
1987	202,700	30,883	12.1	139.1
1988	196,200	31,114	12.6	148.6
1989	205,000	32,332	13.1	134.0
1990	198,000	32,096	13.0	131.9
1991	196,874	29,862	12.1	120.4
1992	185,650	26,747	10.8	104.7
1993	177,120	24,455	9.9	97.5
1994	172,935	24,092	9.8	95.3
1995	188,089	26,612	10.8	106.6
1996	191,129	26,909	12.0	111.1
1997	192,414	27,713	12.5	121.1
1998	204,710	28,100	13.1	147.4
1999	219,464	31,756	14.1	172.1
2000	217,533	30,975	15.2	175.2
2001	211,446	29,133	15.9	165.1
2002	211,244	27,040	c	141.5
		Average an	nual percentage change	
1970-2002	1.5%	0.1%		1.3%
1992-2002	1.3%	0.1%		3.1%

Sources:

Intercity passenger-miles - Eno Foundation for Transportation, *Transportation in America 2001*, Nineteenth edition, Lansdowne, VA, 2002, p. 45, and annual.

All other- U.S. Department of Transportation, Federal Aviation Administration, *General Aviation Activity and Avionics Survey: Calendar Year* 2002, Tables 1.2, 1.5, 5.1, and annual. (Additional resources: apo.faa.gov/pubs.asp)

^cData are not available.



^aActive fixed-wing general aviation aircraft only.

^bIncludes rotocraft.

In the early seventies, domestic waterborne commerce accounted for over 60% of total tonnage, but by 1994 foreign tonnage grew to more than half of all waterborne tonnage. Total foreign and domestic tons shipped peaked in 2000 and has declined slightly since then.

Table 9.4
Tonnage Statistics for Domestic and
International Waterborne Commerce, 1970–2002
(million tons shipped)

	Foreign and			Percent domestic
Year	domestic total	Foreign total ^a	Domestic total ^b	of total
1970	1,532	581	951	62.1%
1975	1,695	749	946	55.8%
1976	1,835	856	979	53.4%
1977	1,908	935	973	51.0%
1978	2,021	946	1,075	53.2%
1979	2,073	993	1,080	52.1%
1980	1,999	921	1,077	53.9%
1981	1,942	887	1,054	54.3%
1982	1,777	820	957	53.9%
1983	1,708	751	957	56.0%
1984	1,836	803	1,033	56.3%
1985	1,788	774	1,014	56.7%
1986	1,874	837	1,037	55.3%
1987	1,967	891	1,076	54.7%
1988	2,088	976	1,112	53.3%
1989	2,140	1,038	1,103	51.5%
1990	2,164	1,042	1,122	51.8%
1991	2,092	1,014	1,079	51.6%
1992	2,132	1,037	1,095	51.4%
1993	2,128	1,060	1,068	50.2%
1994	2,215	1,116	1,099	49.6%
1995	2,240	1,147	1,093	48.8%
1996	2,284	1,183	1,101	48.2%
1997	2,333	1,221	1,113	47.7%
1998	2,340	1,245	1,094	46.8%
1999	2,323	1,261	1,062	45.7%
2000	2,425	1,355	1,070	44.1%
2001	2,393	1,351	1,042	43.5%
2002	2,340	1,319	1,021	43.6%
		Average annual	l percentage change	
1970-2002	1.3%	2.6%	0.2%	
1992-2002	0.9%	2.4%	-0.7%	

Source:

U.S. Department of the Army, Corps of Engineers, *Waterborne Commerce of the United States*, *Calendar Year 2002*, Part 5: National Summaries, New Orleans, Louisiana, 2003, Table 1-1, p. 1-3, and annual. (Additional resources: www.wrc-ndc.usace.army.mil/ndc)

^bAll movements between U.S. ports, continental and noncontiguous, and on the inland rivers, canals, and connecting channels of the U.S., Puerto Rico, and the Virgin Islands, excluding the Panama Canal. Beginning in 1996, fish was excluded for internal and intra port domestic traffic.



^aAll movements between the U.S. and foreign countries and between Puerto Rico and the Virgin Islands and foreign countries are classified as foreign trade.

Table 9.5 Summary Statistics for Domestic Waterborne Commerce, 1970–2002

Year Number of vessels* Ton-miles (billions) Tons shippedb (millions) Average length of haud (miles) Energy use intensity (pillion Btu) Energy use (rillion Btu) 1970 25,832 596 949 628.2 545 334.8 1975 31,666 566 944 599.9 549 311.0 1976 33,204 592 976 606.3 468 277.3 1977 35,333 599 969 618.0 458 274.3 1978 35,723 827 1,072 771.6 383 316.6 1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 986 954 929.0 310 274.9 1982 42,079 886 954 929.0 310 274.9 1983 41,784 888 1,029 862.5 346 307.3 <th></th> <th></th> <th></th> <th></th> <th>Average</th> <th>Energy</th> <th></th>					Average	Energy	
Year vessels* (billions) (millions) (milles) (Btu/ton-mile) (trillion Btu) 1970 25,832 596 949 628.2 545 324.8 1975 31,666 566 944 599.9 549 311.0 1976 33,204 592 976 606.3 468 277.3 1977 35,333 599 969 618.0 458 274.3 1978 35,723 827 1,072 771.6 383 316.6 1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,672 893 1,011 883.5 346 307.3 1985 41,672 893		Number of	Ton-miles	Tons shipped ^b			Energy use
1970	Year						
1975 31,666 566 944 599.9 549 311.0 1976 33,204 592 976 606.3 468 277.3 1977 35,333 599 969 618.0 458 274.3 1978 35,723 827 1,072 771.6 383 316.6 1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
1977 35,333 599 969 618.0 458 274.3 1978 35,723 827 1,072 771.6 383 316.6 1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804	1975			944		549	
1978 35,723 827 1,072 771.6 383 316.6 1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 7	1976	33,204	592	976	606.3	468	277.3
1979 36,264 829 1,076 770.0 457 378.7 1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 848 1,118 7	1977	35,333	599	969	618.0	458	274.3
1980 38,792 922 1,074 856.4 358 329.8 1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 7	1978	35,723	827	1,072	771.6	383	316.6
1981 42,079 929 1,051 884.0 360 334.5 1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 7	1979	36,264	829	1,076	770.0	457	378.7
1982 42,079 886 954 929.0 310 274.9 1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 7	1980	38,792	922	1,074	856.4	358	329.8
1983 41,784 920 953 964.6 319 293.7 1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,664 815 1,093 <td< td=""><td></td><td>42,079</td><td></td><td></td><td>884.0</td><td>360</td><td>334.5</td></td<>		42,079			884.0	360	334.5
1984 41,784 888 1,029 862.5 346 307.3 1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093	1982	42,079	886		929.0	310	274.9
1985 41,672 893 1,011 883.5 446 398.6 1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 <					964.6	319	
1986 40,308 873 1,033 845.3 463 404.0 1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087		*					
1987 40,000 895 1,072 835.0 402 370.7 1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056							
1988 39,192 890 1,106 804.3 361 321.3 1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064							
1989 39,209 816 1,097 743.2 403 328.6 1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037							
1990 39,233 834 1,118 745.7 388 323.2 1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016							
1991 39,233 848 1,074 789.9 386 327.5 1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change							
1992 39,210 857 1,090 785.7 398 341.0 1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970-2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4% <td></td> <td>*</td> <td></td> <td></td> <td></td> <td></td> <td></td>		*					
1993 39,064 790 1,063 742.7 389 307.0 1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
1994 39,064 815 1,093 745.5 369 300.7 1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
1995 39,641 808 1,086 743.6 374 302.2 1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
1996 41,104 765 1,093 699.4 412 314.9 1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
1997 41,419 707 1,106 639.5 415 293.2 1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%		*					
1998 42,032 673 1,087 619.0 436 293.1 1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
1999 41,766 656 1,056 621.1 457 299.9 2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
2000 41,354 646 1,064 606.8 473 305.6 2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%		*					
2001 41,588 622 1,037 599.7 460 286.1 2002 41,002 612 1,016 602.5 471 288.5							
2002 41,002 612 1,016 602.5 471 288.5 Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%							
Average annual percentage change 1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%		*					
1970–2002 1.5% 0.1% 0.2% -0.1% -0.5% -0.4%	2002	41,002	612				288.5
			_				_
<u>1992–2002</u> 0.6% -3.3% -0.7% -2.6% 1.7% -1.7%							
Sources		0.6%	-3.3%	-0.7%	-2.6%	1.7%	-1.7%

Sources:

Number of vessels -1970–92, 1995–2002 - U.S. Department of the Army, Corps of Engineers, "Summary of U.S. Flag Passenger and cargo vessels, 2001," New Orleans, LA, 2003, and annual. 1993–94 - U.S. Dept of the Army, Corps of Engineers, *The U.S. Waterway System-Facts*, Navigation Data Center, New Orleans, Louisiana, January 1996.

Ton-miles, tons shipped, average length of haul - U.S. Department of the Army, Corps of Engineers, *Waterborne Commerce of the United States, Calendar Year 2002* Part 5: National Summaries, New Orleans, LA, 2003, Table 1-4, pp. 1-6, 1-7, and annual.

Energy use - See Appendix A for Water Energy Use. (Additional resources: www.wrc-ndc.usace.army.mil/ndc)

^bThese figures are not consistent with the figures on Table 9.3 because intra-territory tons are not included in this table. Intra-territory traffic is traffic between ports in Puerto Rico and the Virgin Islands.



^aGrand total for self-propelled and non-self-propelled.

The majority of the energy-related products were shipped internally and locally (67%). Barge traffic accounted for 97.3% of all internal and local waterborne commerce. Fifty-six percent of all domestic marine cargo in 2002 were energy-related products (petroleum, coal, coke).

Table 9.6 Breakdown of Domestic Marine Cargo by Commodity Class, 2002

	Coastwise	wise	Lakewise	wise	Internal and local	and local	L	Total domestica	
Commodity class	Tons shipped (millions)	Average haul ^b (miles)	Tons shipped (millions)	Average haul ^b (miles)	Tons shipped (millions)	Average haul ^b (miles)	Tons shipped (millions)	Percentage	Average haul ^b (miles)
Petroleum and products	154	1,255	2	307	187	208	344	33.8%	829
Chemicals and related products	13	1,960	ပ	344	09	493	73	7.2%	759
Crude materials	13	545	9/	539	126	370	215	21.1%	441
Coal and coke	13	647	19	543	194	315	227	22.3%	354
Primary manufactured goods	∞	497	4	333	30	758	42	4.2%	671
Food and farm products	9	1,757	v	586	16	1,037	86	%9.6	1,080
Manufactured equipment	8	1,683	v	S	9	96	14	1.4%	826
Waste and scrap	v	85	v	o	8	189	3	0.3%	189
Unknown	v	2,005	υ	48	v	o	9	%0.0	1,769
Total	216	1,219	101	529	869	422	1,016	100.0%	602
Barge traffic (million tons)	103		15		629		709		
Percentage by barge	47.8%		14.9%		97.3%		%8.69		

Source:

U.S. Department of the Army, Corps of Engineers, Waterborne Commerce of the United States, Calendar Year 2002, Part 5: National Summaries, New Orleans, Louisiana, 2003, Tables 2-1, 2-2, and 2-3, pp. 2-1—2-8, and annual. (Additional resources: www.wrc-ndc.usace.army.mil/ndc)

Note: Coastwise applies to domestic traffic receiving a carriage over the ocean or between the Great Lakes ports and seacoast ports when having a carriage over the ocean. Lakewise applies to traffic between United States ports on the Great Lakes. Internal applies to traffic between ports or landings wherein the entire movement takes place on inland waterways. Local applies to movements of freight within the confines of a port.



^aDoes not include intra-territory tons.

^bCalculated as ton-miles divided by tons shipped.

Neoligible

In previous editions, the recreational boat energy use was based on data from a 1980's off-highway study. The new data displayed in this table come from the Environmental Protection Agency's NONROAD2002 model.

Table 9.7
Recreational Boat Energy Use, 1970–2002

Recreational Boat Energy Use, 1970–2002							
	Number of	Diesel fuel	Gasoline	Total energy use			
Year	boats		(trillion Btu)				
1970	11,179,276	3.2	153.0	156.2			
1971	11,213,613	3.8	153.5	157.2			
1972	11,247,950	4.4	153.9	158.3			
1973	11,282,287	5.0	154.3	159.3			
1974	11,316,625	5.6	154.7	160.3			
1975	11,350,961	6.2	155.1	161.3			
1976	11,385,298	6.8	155.5	162.3			
1977	11,419,635	7.4	155.9	163.3			
1978	11,453,972	8.0	156.3	164.3			
1979	11,488,309	8.6	156.7	165.4			
1980	11,522,645	9.2	157.1	166.4			
1981	11,556,982	9.8	157.5	167.4			
1982	11,591,319	10.4	158.0	168.4			
1983	11,625,656	11.1	158.4	169.4			
1984	11,659,993	11.7	158.8	170.4			
1985	11,694,330	12.3	159.2	171.4			
1986	11,728,667	12.9	159.6	172.5			
1987	11,763,004	13.5	160.0	173.5			
1988	11,797,341	14.1	160.4	174.5			
1989	11,831,678	14.7	160.8	175.5			
1990	11,866,014	15.3	161.2	176.5			
1991	11,900,351	15.9	161.6	177.5			
1992	11,934,688	16.5	162.1	178.6			
1993	11,969,025	17.1	162.5	179.6			
1994	12,003,362	17.7	162.9	180.6			
1995	12,037,699	18.3	163.3	181.6			
1996	12,072,036	18.9	163.7	182.6			
1997	12,106,373	19.5	164.1	183.6			
1998	12,140,710	20.1	164.5	184.6			
1999	12,174,976	20.7	164.7	185.4			
2000	12,209,242	21.3	164.6	185.9			
2001	12,309,454	22.0	164.9	186.8			
2002	12,409,666	22.6	164.6	187.2			
		Average annual p	ercentage chang	e			
1970-2002	0.3%	6.3%	0.2%	0.6%			
1992-2002	0.4%	3.2%	0.2%	0.5%			

Source:

U.S. Environmental Protection Agency, NONROAD2002 model, downloadable file from http://www.epa.gov/otaq/nonrdmdl.htm#model.



The Interstate Commerce Commission designates Class I railroads on the basis of annual gross revenues. In 2002, seven railroads were given this designation. The number of railroads designated as Class I has changed considerably in the last 25 years; in 1976 there were 52 railroads given Class I designation.

Table 9.8 Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002

Railroad	Revenue ton-miles (billions)	Percent
Union Pacific Railroad Company	519	34.4%
Burlington Northern and Sante Fe Railway Company	488	32.4%
CSX Transportation	228	15.1%
Norfolk Southern Railway	179	12.0%
Canadian National, Grand Trunk Corporation	50	3.3%
Soo Line Railroad Company	23	1.5%
Kansas City Southern Railway Company	20	1.3%
Total	1,507	100.0%

Source

Association of American Railroads, *Railroad Facts*, 2003 Edition, Washington, DC, December 2003, p. 66. (Additional resources: www.aar.org)



Revenue ton-miles for Class I freight railroads was over 1.5 trillion in 2002. Though there are many regional and local freight railroads, the Class I freight railroads accounted for 92% of the railroad industry's freight revenue in 2002 and 70% of the industry's mileage operated. The energy intensity of Class I railroads hit an all-time low of 345 btu/ton-mile in 2002.

Table 9.9 Summary Statistics for Class I Freight Railroads, 1970–2002

						Average		Energy	Energy
	Number of	Number of	Train-		Tons	length of	Revenue	intensity	use
	locomotives	freight cars	miles	Car-miles	originated ^c	haul	ton-miles	(Btu/ton-	(trillion
Year	in service ^a	(thousands)b	(millions)	(millions)	(millions)	(miles)	(millions)	mile)	Btu)
1970	$27,077^{d}$	1,424	427	29,890	1,485	515	764,809	691	528.1
1975	27,846	1,359	403	27,656	1,395	541	754,252	687	518.3
1980	28,094	1,168	428	29,277	1,492	616	918,958	597	548.7
1981	27,421	1,111	408	27,968	1,453	626	910,169	572	521.0
1982	26,795	1,039	345	23,952	1,269	629	797,759	553	440.8
1983	25,448	1,007	346	24,358	1,293	641	828,275	525	435.1
1984	24,117	948	369	26,409	1,429	645	921,542	510	469.9
1985	22,548	867	347	24,920	1,320	665	876,984	497	436.1
1986	20,790	799	347	24,414	1,306	664	867,722	486	421.5
1987	19,647	749	361	25,627	1,372	688	943,747	456	430.3
1988	19,364	725	379	26,339	1,430	697	996,182	443	441.4
1989	19,015	682	383	26,196	1,403	723	1,013,841	437	442.6
1990	18,835	659	380	26,159	1,425	726	1,033,969	420	434.7
1991	18,344	633	375	25,628	1,383	751	1,038,875	391	405.8
1992	18,004	605	390	26,128	1,399	763	1,066,781	393	419.2
1993	18,161	587	405	26,883	1,397	794	1,109,309	389	431.6
1994	18,505	591	441	28,485	1,470	817	1,200,701	388	465.4
1995	18,812	583	458	30,383	1,550	843	1,305,688	372	485.9
1996	19,269	571	469	31,715	1,611	842	1,355,975	368	499.4
1997	19,684	568	475	31,660	1,585	851	1,348,926	370	499.7
1998	20,261	576	475	32,657	1,649	835	1,376,802	365	502.0
1999	20,256	579	490	33,851	1,717	835	1,433,461	363	520.0
2000	20,028	560	504	34,590	1,738	843	1,465,960	352	516.0
2001	19,745	500	500	34,243	1,742	859	1,495,472	346	517.3
2002	20,506	478	500	34,680	1,767	853	1,507,011	345	520.3
			Α	verage annu	al percentage	change			
1970-2002	-0.9%	-3.4%	0.5%	0.5%	0.5%	1.6%	2.1%	-2.1%	0.0%
1992-2002	1.3%	-2.3%	2.5%	2.9%	2.4%	1.1%	3.5%	-1.3%	2.2%

Source:

Association of American Railroads, *Railroad Facts*, 2003 Edition, Washington, DC, December 2003, pp. 27, 28, 33, 34, 36, 49, 51, 61. (Additional resources: www.aar.org)



^aDoes not include self-powered units.

^bDoes not include private or shipper-owned cars. Beginning in 2001, Canadian-owned U.S. railroads are excluded.

^cTons originated is a more accurate representation of total tonnage than revenue tons. Revenue tons often produces double-counting of loads switched between rail companies.

^dData represent total locomotives used in freight and passenger service. Separate estimates are not available.

The "other" category, which consists primarily of intermodal traffic, has grown 160% in carloads from 1974 to 2002. Coal now accounts for more than one quarter of all carloads.

Table 9.10 Railroad Revenue Carloads by Commodity Group, 1974 and 2002

	Carloads (thousands)		Percent d	listribution	Percentage change
Commodity group	1974	2002	1974	2002	1974–2002
Coal	4,544	7,088	17.0%	25.4%	60.0%
Farm products	3,021	1,471	11.3%	5.3%	-51.3%
Chemicals and allied products	1,464	1,891	5.5%	6.7%	29.2%
Nonmetallic minerals	821	1,310	3.1%	4.7%	55.6%
Food and kindred products	1,777	1,472	6.6%	5.3%	-17.2%
Lumber and wood products	1,930	619	7.2%	2.2%	-67.9%
Metallic ores	1,910	328	7.1%	1.2%	-82.8%
Stone, clay and glass	2,428	559	9.1%	2.0%	-77.0%
Pulp, paper, and allied products	1,180	646	4.4%	2.3%	-45.3%
Petroleum products	877	507	3.3%	1.8%	-42.2%
Primary metal products	1,366	694	5.1%	2.5%	-49.2%
Waste and scrap material	889	617	3.3%	2.2%	-31.0%
Transportation equipment	1,126	1,720	4.2%	6.2%	52.8%
Others	3,451	8,979	12.9%	32.2%	160.2%
Total	26,784	27,901	100.0%	100.0%	4.2%

Sources:

1974 - Association of American Railroads, Railroad Facts, 1976 Edition, Washington, DC, 1975, p. 26.

2002 - Association of American Railroads, *Railroad Facts*, 2003 Edition, Washington, DC, December 2003, p. 25. (Additional resources: www.aar.org)



According to the 1997 Commodity Flow Survey, 5% of all freight ton-miles are rail intermodal shipments (truck/rail or rail/water). See Table 5.11 for details. The number of trailers and containers moved by railroads has increased more than five-fold from 1965 to 2002. Containerization has increased in recent years, evidenced by the 197% increase in the number of containers from 1988 to 2002.

Table 9.11 Intermodal Rail Traffic, 1965–2002

Inter	moual Kan 1	1 allie, 1705–2	2002
	Trailers &		
Year	containers	Trailers	Containers
1965	1,664,929	a	a
1970	2,363,200	a	a
1975	2,238,117	a	a
1980	3,059,402	a	a
1985	4,590,952	a	a
1986	4,997,229	a	a
1987	5,503,819	a	a
1988	5,779,547	3,481,020	2,298,527
1989	5,987,355	3,496,262	2,491,093
1990	6,206,782	3,451,953	2,754,829
1991	6,246,134	3,201,560	3,044,574
1992	6,627,841	3,264,597	3,363,244
1993	7,156,628	3,464,126	3,692,502
1994	8,128,228	3,752,502	4,375,726
1995 ^b	7,936,172	3,492,463	4,443,709
1996 ^b	8,143,258	3,302,128	4,841,130
1997 ^b	8,698,308	3,453,907	5,244,401
1998 ^b	8,772,663	3,353,032	5,419,631
1999°	8,907,626	3,207,407	5,700,219
2000^{c}	9,176,890	2,888,630	6,288,260
2001	8,935,444	2,603,423	6,332,021
2002^{P}	9,349,630	2,532,639	6,816,991
	Average a	nnual percento	age change
1965-2002	4.8%	a	a
1992-2002	3.5%	-2.5%	7.3%
C			

Source:

Association of American Railroads, *Railroad Facts*, 2003 edition, Washington, DC, December 2003, p. 26. (Additional resources: www.aar.org)

^P Preliminary data.



^a Data are not available.

 $^{^{\}rm b}$ The Grand Trunk Western Railroad and the Soo Line Railroad Company data are excluded.

 $^{^{\}rm c}$ The Illinois Central, Grand Trunk Western Railroad and the Soo Line Railroad company data are excluded.

The National Railroad Passenger Corporation, known as Amtrak, began operation in 1971. Though Amtrak revenue passenger-miles have grown at an average annual rate of 3.5% from 1971 to 2002, they showed a small decline in annual percentage change from 1991 to 2002.

Table 9.12 Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971–2002

Year	Number of locomotives in service	Number of passenger cars	Train-miles (thousands)	Car-miles (thousands)	Revenue passenger- miles (millions)	Average trip length (miles)	Energy intensity (Btu per revenue passenger-mile)	Energy use (trillion Btu)
1971	a	1,165	16,537	140,147	1,993	188	a	a
1975	355	1,913	30,166	253,898	3,753	224	3,677	13.8
1980	448	2,128	29,487	235,235	4,503	217	3,176	14.3
1981	398	1,830	30,380	222,753	4,397	226	2,979	13.1
1982	396	1,929	28,833	217,385	3,993	220	3,156	12.6
1983	388	1,880	28,805	223,509	4,227	223	2,957	12.5
1984	387	1,844	29,133	234,557	4,427	227	3,027	13.4
1985	382	1,818	30,038	250,642	4,785	238	2,800	13.4
1986	369	1,793	28,604	249,665	5,011	249	2,574	12.9
1987	381	1,850	29,515	261,054	5,361	259	2,537	13.6
1988	391	1,845	30,221	277,774	5,686	265	2,462	14.0
1989	312	1,742	31,000	285,255	5,859	274	2,731	16.0
1990	318	1,863	33,000	300,996	6,057	273	2,609	15.8
1991	316	1,786	34,000	312,484	6,273	285	2,503	15.7
1992	336	1,796	34,000	307,282	6,091	286	2,610	15.9
1993	360	1,853	34,936	302,739	6,199	280	2,646	16.4
1994	411	1,874	34,940	305,600	5,869	276	2,357	13.8 ^b
1995	422	1,907	31,579	282,579	5,401	266	2,590	14.0
1996	348	1,501	30,542	277,750	5,066	257	2,792	14.1
1997	292	1,572	32,000	287,760	5,166	255	2,918	15.1
1998	362	1,347	32,926	315,823	5,325	251	2,900	15.4
1999	385	1,285	34,080	349,337	5,289	245	3,062	16.2
2000	385	1,891	35,404	371,215	5,574	243	3,356	18.7
2001	401	2,084	36,512	377,705	5,571	238	4,137	23.0
2002	372	2,896	37,624	378,542	5,314	228	4,830	25.7
			A^{1}	verage annual	percentage ch	ange		
1971-2002	a	3.0%	2.7%	3.3%	3.2%	0.6%	a	a
1992–2002	1.0%	4.9%	1.0%	2.1%	-1.4%	-2.2%	6.3%	4.9%

Sources:



¹⁹⁷¹⁻⁸³⁻ Association of American Railroads, Economics and Finance Department, *Statistics of Class I Railroads*, Washington, DC, and annual.

^{1984–88-} Association of American Railroads, Railroad Facts, 1988 Edition, Washington, DC, December 1989, p. 61, and annual.

¹⁹⁸⁹⁻⁹³⁻ Personal communication with the Corporate Accounting Office of Amtrak, Washington, D.C.

^{1994–2002 -} Number of locomotives in service, number of passenger cars, train-miles, car-miles, revenue passenger-miles, and average trip length - Association of American Railroads, *Railroad Facts*, 2003 Edition, Washington, DC, 2003, p. 77.

Energy use - Personal communication with the Amtrak, Washington, DC. (Additional resources: www.amtrak.com, www.aar.org)

^a Data are not available.

^b Energy use for 1994 on is not directly comparable to earlier years. Some commuter rail energy use may have been inadvertently included in earlier years.

Commuter rail, which is also known as regional rail or suburban rail, is long-haul rail passenger service operating between metropolitan and suburban areas, whether within or across state lines. Commuter rail lines usually have reduced fares for multiple rides and commutation tickets for regular, recurring riders.

Table 9.13
Summary Statistics for Commuter Rail Operations, 1984–2002

Year	Number of passenger vehicles	Vehicle- miles (millions)	Passenger trips (millions)	Passenger- miles (millions)	Average trip length (miles)	Energy intensity (Btu/ passenger- mile)	Energy use (trillion Btu)
1984	4,075	167.9	267	6,207	23.2	3,011	18.7
1985	4,035	182.7	275	6,534	23.8	3,053	20.0
1986	4,440	188.6	306	6,723	22.0	3,174	21.3
1987	4,686	188.9	311	6,818	21.9	3,043	20.7
1988	4,649	202.2	325	6,964	21.4	3,075	21.4
1989	4,472	209.6	330	7,211	21.9	3,120	22.5
1990	4,415	212.7	328	7,082	21.6	3,068	21.7
1991	4,370	214.9	318	7,344	23.1	3,011	22.1
1992	4,413	218.8	314	7,320	23.3	2,848	20.8
1993	4,494	223.9	322	6,940	21.6	3,222	22.4
1994	4,517	230.8	339	7,996	23.6	2,904	23.2
1995	4,565	237.7	344	8,244	24.0	2,849	23.5
1996	4,665	241.9	352	8,351	23.7	2,796	23.3
1997	4,943	250.7	357	8,038	22.5	2,949	23.7
1998	4,963	259.5	381	8,704	22.8	2,859	24.9
1999	4,883	265.9	396	8,766	22.1	2,929	25.7
2000	5,073	270.9	413	9,402	22.8	2,759	25.9
2001	5,124	277.3	419	9,548	22.8	2,717	25.9
2002	5,381	283.7	414	9,504	22.9	2,714	25.8
			Average a	annual percenta	ge change		
1984-2002	1.6%	3.0%	2.5%	2.4%	-0.1%	-0.6%	1.8%
1992-2002	2.0%	2.6%	2.8%	2.6%	-0.2%	-0.5%	2.2%

Source:

American Public Transportation Association, 2004 Public Transportation Fact Book, Washington, DC, March 2004, Table 108. (Additional resources: www.apta.com)



This table on transit rail operations includes data on light rail and heavy rail systems. Light rail vehicles are usually single vehicles driven electrically with power drawn from overhead wires. Heavy rail is characterized by high speed and rapid acceleration of rail cars operating on a separate right-of-way.

Table 9.14
Summary Statistics for Rail Transit Operations, 1970–2002^a

	Number of passenger	Vehicle- miles	Passenger trips	Passenger-miles	Average trip length	Energy intensity (Btu/	Energy use
Year	vehicles	(millions)	(millions) ^b	(millions) ^c	(miles) ^d	passenger-mile) ^e	(trillion Btu)
1970	10,548	440.8	2,116	12,273	f	2,453	30.1
1975	10,617	446.9	1,797	10,423	f	2,962	31.1
1980	10,654	402.2	2,241	10,939	4.9	3,008	32.9
1981	10,824	436.6	2,217	10,590	4.8	2,946	31.2
1982	10,831	445.2	2,201	10,428	4.7	3,069	32.0
1983	10,904	423.5	2,304	10,741	4.7	3,212	34.5
1984	10,848	452.7	2,388	10,531	4.4	3,732	39.3
1985	11,109	467.8	2,422	10,777	4.4	3,461	37.3
1986	11,083	492.8	2,467	11,018	4.5	3,531	38.9
1987	10,934	508.6	2,535	11,603	4.6	3,534	41.0
1988	11,370	538.3	2,462	11,836	4.8	3,565	42.2
1989	11,261	553.4	2,704	12,539	4.6	3,397	42.6
1990	11,332	560.9	2,521	12,046	4.8	3,453	41.6
1991	11,426	554.8	2,356	11,190	4.7	3,727	41.7
1992	11,303	554.0	2,395	11,438	4.8	3,575	40.9
1993	11,286	549.8	2,234	10,936	4.9	3,687	42.2
1994	11,192	565.8	2,453	11,501	4.7	3,828	44.0
1995	11,156	571.8	2,284	11,419	5.0	3,818	43.6
1996	11,341	580.7	2,418	12,487	5.2	3,444	43.0
1997	11,471	598.9	2,692	13,091	4.9	3,253	42.6
1998	11,521	609.5	2,669	13,412	5.0	3,216	43.1
1999	11,603	626.4	2,813	14,108	5.0	3,168	44.7
2000	12,168	648.0	2,952	15,200	5.1	3,105	47.2
2001	12,084	662.4	3,064	15,615	5.1	3,114	48.6
2002	12,479	681.9	3,025	15,095	5.0	3,268	49.3
	•			rage annual percenta	ige change	,	
1970-2002	0.5%	1.4%	1.1%	0.6%	0.1% ^g	0.9%	1.6%
1992-2002	1.0%	2.1%	2.4%	2.8%	0.4%	-0.9%	1.9%

Sources:

American Public Transit Association, 2004 Public Transportation Fact Book, Washington, DC, March 2004, Tables 109 and 110. (Additional resources: www.apta.com)

Energy use - See Appendix A for Rail Transit Energy Use.



^aHeavy rail and light rail. Series not continuous between 1983 and 1984 because of a change in data source by the American Public Transit Association (APTA). Beginning in 1984, data provided by APTA are taken from mandatory reports filed with the Urban Mass Transit Administration (UMTA). Data for prior years were provided on a voluntary basis by APTA members and expanded statistically.

^b1970–79 data represents total passenger rides; after 1979, data represents unlinked passenger trips.

^cEstimated for years 1970–76 based on an average trip length of 5.8 miles.

^dCalculated as the ratio of passenger-miles to passenger trips.

^eLarge system-to-system variations exist within this category.

^fData are not available.

^gAverage annual percentage change is calculated for years 1980–2002.

Chapter 10

Transportation and the Economy

Summary Statistics from Tables/Figures in this Chapter

Source		
Figure 10.1	Share of gasoline cost attributed to taxes, 2003	
	Canada	40%
	France	76%
	Germany	74%
	Japan	54%
	United Kingdom	76%
	United States	24%
Table 10.10	Average price of a new car, 2002 (current dollars)	21,605
	Domestic	19,126
	Import	27,524
Table 10.11	Automobile operating costs, 2003	
	Variable costs (constant 2003 dollars per 10,000 miles)	1,310
	Fixed costs (constant 2003 dollars per 10,000 miles)	4,884
Table 10.15	Transportation sector share of total employment	
	1960	13.5%
	1993	8.3%
	2003	8.0%



Gasoline Prices for Selected Countries, 1978-2003 Table 10.1

				Current d	Current dollars per gallon	1			Average annual percentage change	Average annual percentage change
	1978ª	1982ª	1986	1990 ^b	1994 ^b	1996 ^b	2000 ^b	2003 ^b	1978–2003	1990-2003
China	2	2	v	v	2	0.93	1.21	0	ŭ	5
India	v	o	U	1.92	2.28	2.25	o	o	o	٥
Japan	2.00	2.60	2.79	3.05	4.14	3.77	3.65	3.36	2.8%	2.0%
France	2.15	2.56	2.58	3.40	3.31	4.41	4.01	4.74	3.2%	2.6%
United Kingdom	1.22	2.42	2.07	2.55	2.86	3.47	5.13	4.95	5.8%	5.2%
Germany	1.75	2.17	1.88	2.72	3.34	4.32	3.78	4.39	3.7%	3.8%
Canada	0.69	1.37	1.31	1.92	1.57	1.80	2.04	2.24	4.8%	1.2%
United States ^d	99.0	1.32	0.93	1.04	1.24	1.28	1.47	1.65	3.7%	3.6%
				Constant 200.	Constant 2003 dollars ^e per gallon	ıllon			Average annual percentage change	Average annual percentage change
	1978ª	1982ª	1986ª	1990 ^b	1994 ^b	₄ 9661	2000 ^b	2003 ^b	1978–2003	1990-2003
China	o	0	o ·	ပ	U	1.09	1.29	Ų	υ	O
India	v	υ	o	2.70	2.83	2.64	v	v	v	o
Japan	5.64	4.96	4.68	4.29	5.14	4.42	3.90	3.36	-2.1%	-1.9%
France	6.07	4.88	4.33	4.79	4.11	5.17	4.28	4.74	-1.0%	-0.1%
United Kingdom	3.44	4.61	3.48	3.59	3.55	4.07	5.48	4.95	1.5%	2.5%
Germany	4.94	4.14	3.16	3.83	4.15	5.07	4.04	4.39	-0.5%	1.1%
Canada	1.95	2.61	2.20	2.70	1.95	2.11	2.18	2.24	%9.0	-1.4%
United States ^d	1.86	2.52	1.56	1.46	1.54	1.50	1.57	1.65	-0.5%	%6.0

Source:

U.S. Department of Energy, Energy Information Administration, International Energy Annual 2004, Washington, DC, June 2004, Table 7.2 and annual. (Additional resources: ww.eia.doe.gov)

product quality, marketing practices, and market structures; and the extent to which the standard categories of sales are representative of total national sales for a given period. Note: Comparisons between prices and price trends in different countries require care. They are of limited validity because of fluctuations in exchange rates; differences in

Prices represent the retail prices (including taxes) for premium leaded gasoline. Prices are representative for each country based on quarterly data averaged for the year.

^b Regular gasoline.
^c Data are not available.

d These estimates are for international comparisons only and do not necessarily correspond to gasoline price estimates in other sections of the book.

e Adjusted by the U.S. Consumer Price Inflation Index.



In 2003 more than seventy percent of the cost of gasoline in France, Germany, and the United Kingdom went for taxes. Of the listed countries, the U.S. has the lowest percentage of taxes.

☐ Cost ☐ Tax 2003 1990_2003 5 2003 Constant 2003 dollars 1990 1990 1990 76% 2003 76% 71% 74% 3 1990 2003 63% 60% 47% 2003 54% 1990 40% 40% 27% 24% U.K. Canada **France Germany** Japan U.S.

Figure 10.1. Gasoline Prices for Selected Countries, 1990 and 2003

Source:

Table 10.1 and International Energy Agency, *Energy Prices and Taxes*, *Fourth Quarter 2003*, Paris, France, 2004. (Additional resources: www.iea.org)



Table 10.2

Diesel Fuel Prices for Selected Countries, 1978–2003^a

				Current d	Current dollars per gallon	T.			Average annual percentage change	annual ge change
	1978	1982	1986	1990	1994	1996	2000	2003	1978–2003	1990-2003
China	q	q	ф	Ф	q	0.88	1.27	q	q.	q
India	q	q	Д	0.78	0.74	0.92	a	q	Ф	p
Japan	Ф	1.78	1.90	1.75	2.48	2.51	2.89	2.67	q	3.3%
France	1.30	1.88	1.69	1.78	2.10	3.10	3.05	3.61	4.2%	2.6%
United Kingdom	1.24	2.05	1.71	2.04	2.46	3.26	4.77	4.76	2.9%	%2.9
Germany	1.48	1.81	1.51	2.72	2.16	3.02	2.90	3.46	3.5%	1.9%
Canada	q	1.27	1.27	1.55	1.47	1.43	1.68	1.43	q	%9.0-
United States ^c	0.54	1.16	0.94	0.99	96.0	1.15	1.36	1.49	4.1%	3.2%
				Constant 200	Constant 2003 dollars ^d per gallon	ıllon			Average annual percentage change	Average annual percentage change
	1978	1982ª	1986³	1990 ^b	1994 ^b	1996 ^b	2000b	2003 ^b	1978–2003	1990-2003
China	q.	.q	q	q	9	1.03	1.36	q	ф	q
India	q	q	q	1.10	0.92	1.08	q	Ф	q	q.
Japan	q	3.39	3.19	2.46	3.08	2.94	3.09	2.67	Ф	%9.0
France	3.67	3.58	2.84	2.51	2.61	3.64	3.26	3.61	-0.1%	2.8%
United Kingdom	3.50	3.91	2.87	2.87	3.05	3.82	5.10	4.76	1.2%	4.0%
Germany	4.18	3.45	2.54	3.83	2.68	3.54	3.10	3.46	-0.8%	-0.8%
Canada	۵	2.42	2.13	2.18	1.83	1.68	1.80	1.43	q	-3.2%
United States ^e	1.52	2.21	1.58	1.39	1.19	1.35	1.45	1.49	-0.1%	0.5%

Source:

U.S. Department of Energy, Energy Information Administration, International Energy Annual 2004, Washington, DC, June 2004, Table 7.2 and annual. (Additional resources: www.eia.doe.gov) Note: Comparisons between prices and price trends in different countries require care. They are of limited validity because of fluctuations in exchange rates; differences in product quality, marketing practices, and market structures; and the extent to which the standard categories of sales are representative of total national sales for a given

^c These estimates are for international comparisons only and do not necessarily correspond to gasoline price estimates in other sections of the book.





Prices represent the retail prices (including taxes) for diesel fuel. Prices are representative for each country based on quarterly data averaged for the year or on data as of January 1. Data are not available.

Diesel fuel is taxed heavily in the European countries shown here. The U.S. diesel fuel tax share is the lowest of the listed countries.




Figure 10.2. Diesel Prices for Selected Countries, 1990 and 2003

Source:

Table 10.2 and International Energy Agency, *Energy Prices and Taxes, Fourth Quarter 2003*, Paris, France, 2004. (Additional resources: www.iea.org)



Though the cost of crude oil certainly influences the price of gasoline, it is not the only factor which determines the price at the pump. Processing cost, transportation cost, and taxes also play a major part of the cost of a gallon of gasoline. The average price of a barrel of crude oil (in constant 2003 dollars) rose by 102% from 1998 to 2003, while the average price of a gallon of gasoline increased only 47% in this same time period.

Table 10.3

Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003

		Crude oil ^a ars per barrel)		Gasoline ^b s per gallon)	Ratio of gasoline
Year	Current	Constant 2003 ^c	Current	Constant 2003 ^c	to crude oil
1978	12.5	35.2	65.2	184.0	219.8
1979	17.7	44.9	88.2	223.5	209.1
1980	28.1	62.7	122.1	272.7	182.7
1981	35.2	71.3	135.3	273.9	161.3
1982	31.9	60.8	128.1	244.3	168.8
1983	29.0	53.6	122.5	226.3	177.5
1984	28.6	50.7	119.8	212.2	175.7
1985	26.8	45.7	119.6	204.5	187.8
1986	14.6	24.4	93.1	156.3	268.7
1987	17.9	29.0	95.7	155.0	224.5
1988	14.7	22.8	96.3	149.8	275.7
1989	18.0	26.7	106.0	157.3	247.7
1990	22.2	31.3	121.7	171.3	230.0
1991	19.1	25.7	119.6	161.6	263.5
1992	18.4	24.2	119.0	156.1	271.2
1993	16.4	20.9	117.3	149.4	300.2
1994	15.6	19.4	117.4	145.8	316.3
1995	17.2	20.8	120.5	145.5	293.7
1996	20.7	24.3	128.8	151.0	261.2
1997	19.0	21.8	129.1	148.0	284.8
1998	12.5	14.1	111.5	125.9	374.0
1999	17.5	19.3	122.1	134.9	292.9
2000	28.3	30.2	156.3	167.0	232.3
2001	23.1	23.8	153.1	159.1	280.2
2002	24.1	24.6	144.1	147.1	251.2
2003	28.5	28.5	163.8	163.8	241.4
		Average annual p	ercentage change		
1978-2003	3.4%	-0.8%	3.9%	-0.5%	
1993-2003	5.7%	3.2%	3.4%	0.9%	

Sources:

Crude oil - U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March 2004*, Washington, DC, Table 9.1.

Gasoline - U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March 2004*, Washington, DC, Table 9.4. (Additional resources: www.eia.doe.gov)

^bAverage for all types. These prices were collected from a sample of service stations in 85 urban areas selected to represent all urban consumers. Urban consumers make up about 80% of the total U.S. population. ^cAdjusted by the Consumer Price Inflation Index.



^aRefiner acquisition cost of composite (domestic and imported) crude oil.

Diesel fuel price is generally lower than gasoline; however, in 2003 the price of gasoline and diesel fuel were almost equal.

Table 10.4
Retail Prices for Motor Fuel, 1978–2003
(cents per gallon, including tax)

	Diese	l fuel ^a	Averag	ge for all ne types ^b
Year	Current	Constant 2003°	Current	Constant 2003°
1978	d	d	65	184
1979	d	d	88	224
1980	101	226	122	273
1981	118	239	135	274
1982	116	221	128	244
1983	120	222	123	226
1984	122	216	120	212
1985	122	209	120	205
1986	94	158	93	156
1987	96	155	96	155
1988	95	148	96	150
1989	102	151	106	157
1990	107	151	122	171
1991	91	123	120	162
1992	106	139	119	156
1993	98	125	117	149
1994	96	119	117	146
1995	97	117	121	145
1996	115	135	129	151
1997	129	148	129	148
1998	112	126	112	126
1999	97	107	122	135
2000	136	145	156	167
2001	152	158	153	159
2002	115	118	144	147
2003	149	149	165	165
		Average annual p	percentage change	
1978-2003	0.5% e	-2.7% ^e	3.8%	-0.4%
1993-2003	0.8%	-1.7%	3.4%	1.0%

Sources:

Gasoline - U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review*, 2004, Washington, DC, Table 9.4.

Diesel - U.S. Department of Energy, Energy Information Administration, *International Energy Annual* 2004, Washington, DC, June 2004, Table 7.2 (Additional resources: www.eia.doe.gov)



^aCollected from a survey of prices on January 1 of the current year.

^bThese prices were collected from a sample of service stations in 85 urban areas selected to represent all urban consumers. Urban consumers make up about 80% of the total U.S. population.

^cAdjusted by the Consumer Price Inflation Index.

^dData are not available.

^eAverage annual percentage change is from the earliest year possible to 2002.

The fuel prices shown here are **refiner sales prices** of transportation fuels to end users, excluding tax. Sales to end users are those made directly to the ultimate consumer, including bulk consumers. Bulk sales to utility, industrial, and commercial accounts previously included in the wholesale category are now counted as sales to end users.

Table 10.5
Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003
(cents per gallon, excluding tax)

	Prop	oane ^a	No. 2 d	liesel fuel
		Constant		Constant
Year	Current	2003 ^b	Current	2003 ^b
1978	33.5	94.5	37.7	104.6
1979	35.7	90.5	58.5	148.3
1980	48.2	107.6	81.8	182.7
1981	56.5	114.4	99.5	201.4
1982	59.2	112.9	94.2	179.6
1983	70.9	131.0	82.6	152.6
1984	73.7	130.5	82.3	145.7
1985	71.7	122.6	78.9	134.9
1986	74.5	125.1	47.8	80.2
1987	70.1	113.5	55.1	89.2
1988	71.4	111.1	50.0	77.8
1989	61.5	91.3	58.5	86.8
1990	74.5	104.9	72.5	102.1
1991	73.0	98.6	64.8	87.5
1992	64.3	84.3	61.9	81.2
1993	67.3	85.7	60.2	76.7
1994	53.0	65.8	55.4	68.8
1995	49.2	59.4	56.0	67.6
1996	60.5	70.9	68.1	79.9
1997	55.2	63.3	64.2	73.6
1998	40.5	45.7	49.4	55.8
1999	45.8	50.6	58.4	64.5
2000	60.3	64.4	93.5	99.9
2001	50.6	52.6	84.2	87.5
2002	41.9	42.9	76.2	77.9
2003	57.6	57.6	94.3	94.3
		Average annu	al percentage change	
1978-2003	2.2%	-2.0%	3.7%	-0.4%
1993-2003	-1.5%	-3.9%	4.6%	2.1%

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March* 2004, Washington, DC, Table 9.7. (Additional resources: www.eia.doe.gov)

^bAdjusted by the Consumer Price Inflation Index.



^aConsumer grade.

The average price of finished aviation gasoline jumped 20 cents from 2002 to 2003; jet fuel rose by 15 cents in that same time period.

Table 10.6
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003
(cents per gallon, excluding tax)

	Finished gas	l aviation oline	Keros je	ene-type t fuel
Year	Current	Constant 2003 ^a	Current	Constant 2003ª
1978	51.6	145.6	38.7	109.2
1979	68.9	174.6	54.7	138.6
1980	108.4	242.1	86.6	193.4
1981	130.3	263.8	102.4	207.3
1982	131.2	250.2	96.3	183.6
1983	125.5	231.8	87.8	162.6
1984	123.4	218.5	84.2	149.1
1985	120.1	205.4	79.6	136.1
1986	101.1	169.7	52.9	88.8
1987	90.7	146.9	54.3	88.0
1988	89.1	138.6	51.3	79.8
1989	99.5	147.6	59.2	87.8
1990	112.0	157.7	76.6	107.8
1991	104.7	141.4	65.2	88.1
1992	102.7	134.7	61.0	80.0
1993	99.0	126.1	58.0	73.9
1994	95.7	118.8	53.4	66.3
1995	100.5	121.3	54.0	65.2
1996	111.6	130.9	65.1	76.3
1997	112.8	129.3	61.3	70.3
1998	97.5	110.1	45.2	51.0
1999	105.9	117.0	54.3	60.0
2000	130.6	139.5	89.9	96.1
2001	132.3	137.5	77.5	80.5
2002	128.8	131.7	72.1	73.7
2003	149.2	149.2	87.3	87.3
		Average annua	al percentage change	
1978-2003	4.3%	0.1%	3.3%	9.4%
1993-2003	4.2%	1.7%	4.2%	1.7%

Source:

U.S. Department of Energy, Energy Information Administration, *Monthly Energy Review, March* 2004, Washington, DC, Table 9.7. (Additional resources: www.eia.doe.gov)



^aAdjusted by the Consumer Price Inflation Index.

At the end of 2002, only four states offered tax exemptions to encourage the use of gasohol for transportation purposes. This list is quite short compared to the 30 states which offered gasohol tax exemptions twenty years ago. Still, the Federal Government encourages gasohol use via a difference in the Federal tax rates of gasoline and gasohol.

Table 10.7 State Tax Exemptions for Gasohol, 2002

	Exemption
State	(Cents/gallon of gasohol)
Connecticut	1.0
Idaho	2.5
Iowa	1.0
South Dakota	2.0

Source:

U.S. Department of Transportation, Federal Highway Administration, "Highway Statistics 2002," January 2004, Washington, DC, Table MF-121T. (Additional resources: www.fhwa.dot.gov)

Table 10.8 Federal Excise Taxes on Motor Fuels, 2003

Fuel		Cents per gallon
Gasoline		18.40
Diesel ^a		24.40
Gasohol	10% Ethanol	13.20
	7.7% Ethanol	14.396
	5.7% Ethanol	15.436
Other special fuels ^a		18.40
Neat alcohol	85% Alcohol	9.25
CNG		48.54/mcf ^b
LNG		11.90
LPG		13.60

Source:

U.S. Department of Transportation, Federal Highway Administration, "Highway Statistics 2002," January 2004, Washington, DC, Table FE-21B. (Additional resources: www.fhwa.dot.gov)



^a Includes benzol, benzene, naphtha, and other liquid used a motor fuel.

^b Thousand cubic feet.

These states currently offer extra incentives for ethanol production or consumption (gasohol or E85). Details on these incentives can be found at www.fleets.doe.gov/fleet_tool.cgi?27519,benefits,2,3957.

Table 10.9 State Ethanol Incentives, 2003

	Producer	State tax	Other
State	incentives	incentives	incentives
Arkansas	✓		
California		✓	
Connecticut		✓	
Florida			✓
Hawaii	✓	✓	
Idaho			✓
Illinois	✓	✓	
Indiana	✓		
Iowa	✓	✓	✓
Kansas	✓		
Maine	✓	✓	
Minnesota	✓		✓
Missouri	✓		
Montana	✓	✓	
Nebraska	✓		
North Carolina	✓		
North Dakota	✓		
Ohio		✓	
South Dakota	✓	✓	
Wyoming	✓		

Source:

U.S. Department of Energy, "Alternative Fuel Vehicle Fleet Buyer's Guide, Incentives and Laws," www.fleets.doe.gov/fleet_tool.cgi?27519,benefits,2,3957.



In current dollars, import cars, on average, were less expensive than domestic cars until 1982. Since then, import prices have nearly tripled, while domestic prices have nearly doubled (current dollars).

Table 10.10 Average Price of a New Car, 1970–2002

	Dom	nestic ^a	Imp	oort	Τ	'otal
Year	Current dollars	Constant 2002 dollars ^b	Current dollars	Constant 2002 dollars ^b	Current dollars	Constant 2002 dollars ^b
1970	3,708	17,193	2,648	12,278	3,542	16,423
1975	5,084	17,000	4,384	14,660	4,950	16,552
1980	7,609	16,612	7,482	16,335	7,574	16,536
1981	8,912	17,638	8,896	17,606	8,910	17,634
1982	9,865	18,391	9,957	18,562	9,890	18,437
1983	10,516	18,994	10,868	19,630	10,606	19,157
1984	11,079	19,183	12,336	21,359	11,375	19,696
1985	11,589	19,376	12,853	21,489	11,838	19,792
1986	12,319	20,221	13,670	22,438	12,652	20,767
1987	12,922	20,464	14,470	22,915	13,386	21,198
1988	13,418	20,405	15,221	23,147	13,932	21,187
1989	13,936	20,218	15,510	22,502	14,371	20,850
1990	14,489	19,943	16,640	22,904	15,042	20,704
1991	15,192	20,066	16,327	21,566	15,475	20,440
1992	15,644	20,060	18,593	23,841	16,336	20,947
1993	15,976	19,890	20,261	25,225	16,871	21,004
1994	16,930	20,551	21,989	26,692	17,903	21,732
1995	16,864	19,907	23,202	27,389	17,959	21,200
1996	17,468	20,029	26,205	30,046	18,777	21,530
1997	17,907	20,071	27,722	31,073	19,531	21,892
1998	18,479	20,395	29,614	32,684	20,364	22,475
1999	18,630	20,117	28,931	31,241	20,658	21,307
2000	18,897	19,742	27,767	29,009	20,427	21,340
2001	19,039	19,340	27,941	28,383	21,258	21,594
2002	19,126	19,126	27,524	27,524	21,440	21,440
			Average annua	l percentage ch	ange	
1970–2002	5.3%	0.3%	7.6%	2.6%	5.8%	0.8%
1992-2002	2.0%	-0.5%	4.0%	1.4%	2.8%	0.2%

Source:

U.S. Department of Commerce, Bureau of Economic Analysis, *National Income and Product Accounts*, underlying detail estimates for Motor Vehicle Output, Washington, DC, 2003. (Additional resources: www.stat-usa.gov)

^bAdjusted by the Consumer Price Inflation Index.



^aIncludes transplants.

The total cost of operating an automobile is the sum of the fixed cost (depreciation, insurance, finance charge, and license fee) and the variable cost (gas and oil, tires, and maintenance), which is related to the amount of travel. The gas and oil share of total cost in 2003 was 11.6%, which is nearly 2% higher than in 2002.

Table 10.11 Automobile Operating Cost per Mile, 1985–2003

	Constant 2003 dollars per 10,0		000 miles ^a	Total cost per	Percentage gas	
Model				mile ^b (constant	and oil of total	
year	Variable cost	Fixed cost	Total cost	2003 cents ^a)	cost	
1985	1,269	3,524	4,793	47.93	19.9%	
1986	1,095	3,873	4,968	49.68	15.1%	
1987	1,085	3,771	4,856	48.56	14.7%	
1988	1,229	4,713	5,942	59.42	13.6%	
1989	1,187	4,333	5,520	55.20	14.2%	
1990	1,183	4,584	5,766	57.66	13.2%	
1991	1,310	4,818	6,128	61.28	14.6%	
1992	1,180	4,963	6,143	61.43	12.6%	
1993	1,171	4,739	5,911	59.11	12.7%	
1994	1,130	4,763	5,892	58.92	11.8%	
1995	1,159	4,835	5,994	59.94	11.7%	
1996	1,126	4,917	6,043	60.43	10.9%	
1997	1,238	4,985	6,234	62.34	12.1%	
1998	1,208	5,111	6,308	63.08	11.1%	
1999	1,171	5,147	6,317	63.17	9.8%	
2000	1,304	5,048	6,351	63.51	11.6%	
2001	1,413	4,801	6,214	62.14	13.2%	
2002	1,207	4,985	6,192	61.92	9.7%	
2003	1,310	4,884	6,194	61.94	11.6%	
	A	verage annual p	ercentage chang	зe		
1985-2003	0.2%	1.8%	1.4%	1.4%		

Source:

American Automobile Association, *Your Driving Costs*, 2003 Edition, Heathrow, FL, and annual. (Additional resources: www.aaa.com, www.runzheimer.com)



TRANSPORTATION ENERGY DATA BOOK: EDITION 24–2004

^a Adjusted by the Consumer Price Inflation Index.

^b Based on 10,000 miles per year.

While the previous table shows costs per mile, this table presents costs per year for fixed costs associated with automobile operation. For 2003 model year autos, the fixed cost is almost \$16 per day.

Fixed Automobile Operating Costs per Year, 1975-2003 (constant 2003 dollars)a **Table 10.12**

Model year Fire & theth planeage & registration Idense parage & registration Idense pa				00)	constant 2003 dollars)"	llars)"			
folded lycar Fire & therfh Collision* Idamage & registration registration Pinance charge Total charge To				Property	License,				Average
todel year Fire & thetheth Collision* liability* & taxes Depreciation charge Total 1975 181 482 646 103 2,644 * 4,056 1986 156 384 554 1183 2,138 913 4,536 1985 144 321 384 188 2,158 913 4,536 1986 144 321 389 218 2,158 913 4,054 1987 144 317 408 207 2,420 852 4,346 1988 134 442 207 2,420 852 4,346 1989 134 442 207 2,420 873 4,761 1989 148 347 489 222 3,383 1,170 4,926 1992 148 375 489 228 3,563 1,044 5,868 1993 148 375 489 227				damage &	registration		Finance		fixed cost
1975 181 482 646 103 2,644 ¢ 4,056 1980 156 384 554 188 2,318 945 4,540 1987 148 313 364 118 2,216 1,069 4,536 1986 144 321 389 207 2,420 852 4,346 1988 134 316 442 216 2,775 879 4,346 1988 134 347 489 207 2,944 873 5,038 1990 151 347 489 224 3,94 4,761 4,366 1991 148 375 489 228 3,563 1,044 4,586 1992 148 375 489 228 3,563 1,044 5,868 1993 148 375 489 228 3,563 1,044 5,868 1994 148 376 242 3,563	Model year	Fire & theft ^b	Collision	liability ^d	& taxes	Depreciation	charge	Total	per day
1980 156 384 554 183 2,318 945 4,540 1985 128 364 188 2,158 913 4,054 1986 144 321 389 218 2,16 1,069 4,338 1987 141 317 408 20 2,216 1,069 4,338 1988 134 316 442 216 2,775 879 4,761 1989 151 347 459 214 2,994 873 5,38 1990 155 345 448 232 3,318 957 5,455 1991 146 375 489 227 3,438 1,170 4,926 1992 148 304 497 227 3,563 8,235 5,630 1994 153 305 497 241 3,650 828 5,729 1995 169 304 495 245 3,718	1975	181	482	646	103	2,644	v	4,056	11.12
128 364 188 2,158 913 4,054 144 321 389 218 2,216 1,069 4,358 144 321 389 218 2,216 1,069 4,358 134 317 468 207 2,420 872 4,346 155 347 448 214 2,994 873 5,038 155 347 448 222 3,318 957 4,761 168 375 489 227 3,383 1,170 4,926 168 375 489 228 3,563 1,044 5,868 168 375 489 228 3,563 1,044 5,868 168 375 489 227 3,604 853 5,631 168 375 497 245 3,718 828 5,630 169 324 40 227 3,718 82 5,830		156	384	554	183	2,318	945	4,540	12.44
144 321 389 218 2,216 1,069 4,358 141 317 408 207 2,420 852 4,346 134 316 442 216 2,775 879 4,761 151 347 448 214 2,994 873 5,038 155 345 448 232 3,318 957 5,455 168 375 489 227 3,649 873 5,635 168 375 489 227 3,604 873 5,650 146 309 497 241 3,604 873 5,631 146 309 497 241 3,604 828 5,729 146 309 497 245 3,710 828 5,729 169 322 3,718 842 5,803 174 348 541 252 3,718 842 5,866 174 34	1985	128	303	364	188	2,158	913	4,054	11.12
141 317 408 207 2,420 852 4,346 134 316 442 216 2,775 879 4,761 151 347 459 214 2,994 873 5,038 155 345 448 232 3,318 957 5,038 168 375 489 227 3,383 1,170 4,926 168 375 489 227 3,664 853 5,631 146 309 490 227 3,660 805 5,868 146 304 495 245 3,710 828 5,729 146 304 495 245 3,718 828 5,803 169 322 500 252 3,718 842 5,803 174 348 541 255 3,735 880 5,886 174 348 514 258 3,735 914 6,913	1986	144	321	389	218	2,216	1,069	4,358	11.94
134 316 442 216 2,775 879 4,761 151 347 459 214 2,994 873 5,038 155 345 448 232 3,318 957 5,455 146 334 477 227 3,383 1,170 4,926 148 375 489 228 3,563 1,044 5,868 148 309 490 227 3,604 853 5,650 148 309 490 227 3,604 853 5,650 148 309 497 241 3,604 853 5,650 146 304 495 242 3,710 828 5,729 169 322 540 3,771 828 5,803 151 324 541 252 3,771 828 5,803 174 348 514 258 3,775 84 5,913 1	1987	141	317	408	207	2,420	852	4,346	11.90
151 347 459 214 2,994 873 5,038 155 345 448 232 3,318 957 5,455 146 334 477 227 3,383 1,170 4,926 168 375 489 228 3,563 1,044 5,868 148 309 490 227 3,604 853 5,631 153 305 497 241 3,650 805 5,631 146 304 495 245 3,710 828 5,631 169 322 500 252 3,718 828 5,729 178 374 460 248 3,751 880 5,860 179 358 535 250 3,795 914 6,030 174 358 498 216 3,686 900 5,913 177 365 495 26 3,806 847 5,789	1988	134	316	442	216	2,775	879	4,761	13.05
155 345 448 232 3,318 957 5,455 146 334 477 227 3,383 1,170 4,926 168 375 489 228 3,563 1,044 5,868 148 309 490 227 3,604 853 5,631 153 305 497 241 3,650 805 5,631 146 304 495 245 3,710 828 5,631 169 322 500 252 3,718 842 5,803 169 322 50 252 3,718 842 5,803 178 374 460 248 3,731 880 5,803 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 495 206 3,806 847 5,789	1989	151	347	459	214	2,994	873	5,038	13.80
146 334 477 227 3,383 1,170 4,926 168 375 489 228 3,663 1,044 5,868 148 309 490 227 3,604 853 5,631 153 305 497 241 3,650 805 5,631 146 304 495 245 3,710 828 5,630 169 322 500 252 3,718 828 5,729 169 324 460 248 3,751 880 5,850 171 324 541 255 3,797 918 5,880 174 348 514 238 3,731 907 5,913 174 348 514 238 3,731 907 5,895 203 401 498 205 3,738 744 5,789 404% -0.9% -0.9% -1.0% 0.4% -1.4% 0.3%	1990	155	345	448	232	3,318	957	5,455	14.95
168 375 489 228 3,563 1,044 5,868 148 309 490 227 3,604 853 5,631 153 305 497 241 3,650 805 5,650 146 304 495 245 3,710 828 5,729 169 322 500 252 3,718 842 5,820 18 374 460 248 3,751 880 5,820 151 324 541 255 3,797 918 5,880 174 348 514 255 3,797 918 5,913 174 348 514 238 3,731 907 5,913 174 358 498 205 3,806 847 5,895 203 401 498 205 3,738 744 5,789 404 -0.7% -0.9% -0.9% -1.0% 0.4% -1.4%	1991	146	334	477	227	3,383	1,170	4,926	13.50
148 309 490 227 3,604 853 5,631 153 305 497 241 3,650 805 5,650 146 304 495 245 3,710 828 5,650 169 322 500 252 3,718 842 5,729 138 374 460 248 3,751 880 5,803 151 324 541 255 3,797 918 5,986 174 348 514 258 3,731 907 5,913 174 358 498 216 3,686 900 5,832 174 368 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 24% -0.7% -0.9% -0.9% -1.0% -1.0% -1.0% 0.4% -1.4% 0.3%	1992	168	375	489	228	3,563	1,044	5,868	16.08
153 305 497 241 3,650 805 5,650 146 304 495 245 3,710 828 5,729 169 322 500 252 3,718 842 5,803 138 374 460 248 3,751 880 5,803 151 324 541 255 3,797 918 5,986 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,738 744 5,789 203 -0.7% -0.9% 2.5% 1.2% -1.4% 0.3% 3.2% -0.9% -0.9% -1.0% 0.4% -1.4% 0.3%	1993	148	309	490	227	3,604	853	5,631	15.43
146 304 495 245 3,710 828 5,729 169 322 500 252 3,718 842 5,803 138 374 460 248 3,751 880 5,803 131 324 541 255 3,797 918 5,880 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,738 744 5,789 203 401 498 205 3,738 744 5,789 0.4% -0.9% 2.5% 1.2% -1.4% 0.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1994	153	305	497	241	3,650	805	5,650	15.48
169 322 500 252 3,718 842 5,803 138 374 460 248 3,751 880 5,850 151 324 460 248 3,751 880 5,850 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 0.4% -0.7% -0.9% 2.5% 1.2% -1.4% 0.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1995	146	304	495	245	3,710	828	5,729	15.70
138 374 460 248 3,751 880 5,850 151 324 541 255 3,797 918 5,986 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 0.4% -0.7% -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1996	169	322	500	252	3,718	842	5,803	15.90
151 324 541 255 3,797 918 5,986 179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 0.4% -0.7% -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1997	138	374	460	248	3,751	880	5,850	16.03
179 358 535 250 3,795 914 6,030 174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 Average annual percentage change -0.7% -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1998	151	324	541	255	3,797	918	5,986	16.40
174 348 514 238 3,731 907 5,913 174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 Average annual percentage change -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1999	179	358	535	250	3,795	914	6,030	16.52
174 358 498 216 3,686 900 5,832 177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 Average annual percentage change -0.7% -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	2000	174	348	514	238	3,731	206	5,913	16.20
177 365 495 206 3,806 847 5,895 203 401 498 205 3,738 744 5,789 Average annual percentage change -0.9% 2.5% 1.2% -1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	2001	174	358	498	216	3,686	0006	5,832	15.98
203 401 498 205 3,738 744 5,789 Average annual percentage change 0.4% -0.7% -0.9% 2.5% 1.2%	2002	177	365	495	206	3,806	847	5,895	16.15
0.4% -0.7% -0.9% 2.5% 1.2% e 1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	2003	203	401	498	205	3,738	744	5,789	15.86
0.4% -0.7% -0.9% 2.5% 1.2% • 1.3% 3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%					Average annual	vercentage change			
3.2% 2.6% 0.2% -1.0% 0.4% -1.4% 0.3%	1975-2003	0.4%	-0.7%	-0.9%	2.5%	1.2%	o	1.3%	1.3%
	1993-2003	3.2%	2.6%	0.2%	-1.0%	0.4%	-1.4%	0.3%	0.3%

Source:

American Automobile Association, "Your Driving Costs," 2003 Edition, Heathrow, FL, and annual. (Additional resources: www.aaa.com,

www.runzheimer.com)



^a Adjusted by the Consumer Price Inflation Index.

b \$50 deductible 1975 through 1977; \$100 deductible 1978 through 1992; \$250 deductible for 1993 - on.

c \$100 deductible through 1977; \$250 deductible 1978 through 1992; \$500 deductible for 1993 - on.

d Coverage: \$100,000/\$300,000.

e Data are not available.

Table 10.13
Personal Consumption Expenditures, 1950–2003
(billion dollars)

	Personal co expend	*		ion personal expenditures	
Year	Current	Constant 2003 ^a	Current	Constant 2003 ^a	Transportation PCE as a percent of PCE
1970	648.5	2,490.8	81.4	312.6	12.6%
1980	1,757.1	3,437.5	238.9	467.4	13.6%
1990	3,839.9	4,973.3	471.7	610.9	12.3%
2000	6,739.4	7,121.6	853.5	901.9	12.7%
2001	7,045.4	7,272.7	874.0	902.2	12.4%
2002	7,385.3	7,508.9	876.7	891.4	11.9%
2003	7,757.4	7,757.4	910.1	910.1	11.7%

Source:

U.S. Department of Commerce, Bureau of Economic Analysis, National Income and Product Accounts, Table 2.3.5, http://www.bea.doc.gov/bea/dn/nipaweb.

Note: Transportation PCE includes the following categories: transportation, motor vehicles and parts, and gasoline and oil.

Table 10.14 Consumer Price Indices, 1970–2003 (1970 = 1.000)

Year	Consumer Price Index	Transportation Consumer Price Index ^b	New car Consumer Price Index	Used car Consumer Price Index	Gross National Product Index
1970	1.000	1.000	1.000	1.000	1.000
1980	2.124	2.216	1.667	1.997	2.706
1990	3.369	3.213	2.286	3.769	5.575
2000	4.438	4.088	2.689	4.994	9.422
2002	4.637	4.077	2.637	4.872	10.039
2003	4.742	4.203	2.597	4.580	10.545

Source:

Bureau of Labor Statistics, Consumer Price Index Table 1A for 2003, and annual. [GNP—see above.] (Additional resources: stats.bls.gov/cpihome.htm)



^a Adjusted by the GNP price deflator.

^b Transportation Consumer Price Index includes new and used cars, gasoline, auto insurance rates, intracity mass transit, intracity bus fare, and airline fares.

Knowing the number of employees that are in transportation-related jobs is not an easy task. The data below were summarized from the Bureau of Labor Statistics (BLS) Current Employment Statistics Survey data using the North American Industry Classification System (NAICS). Employment statistics shown in Edition 22 and previous used the Standard Industrial Classification System (SIC) and do not match these data due to the differences between the two classification systems and other survey revisions by the BLS.

Table 10.15 Transportation-related Employment, 1993 and 2003 (thousands)

	1993	2003
Truck transportation	1,154.8	1,328.0
Transit and ground transportation	299.9	380.3
Air transportation	516.6	527.3
Rail transportation	242.2	215.4
Water transportation	52.8	52.5
Pipeline transportation	58.7	40.0
Motor vehicle and parts - retail	1,475.3	1,883.5
Motor vehicles and parts - wholesale	305.9	344.4
Gasoline stations - retail	881.2	879.9
Automotive repair and maintenance	669.9	896.5
Automotive equipment rental and leasing	155.7	195.2
Manufacturing	1,972.0	1,824.9
Autos and light trucks	225.1	236.2
Heavy-duty trucks	38.6	31.3
Motor vehicle bodies and trailers	136.3	151.3
Motor vehicle parts	677.8	707.4
Aerospace products and parts	624.0	439.5
Ship & boat building	146.5	148.5
All other transportation equipment	36.5	38.6
Tires	87.2	72.1
Oil and gas pipeline construction	66.0	76.9
Highway street and bridge construction	270.9	341.1
Scenic & sightseeing	19.3	28.0
Support activities for transporation	381.8	516.3
Couriers and messengers	414.3	566.6
Travel arrangement and reservation services	255.7	239.9
Total transportation-related employment	9,193.0	10,336.7
Total nonfarm employment	110,844.0	129,931.0
Transportation-related to total employment	8.3%	8.0%

Source:

Bureau of Labor Statistics web site query system: data.bls.gov/labjava/outside.jsp?survey=ce (Additional resources: www.bls.gov)



Chapter 11 Greenhouse Gas Emissions

Summary Statistics from Tables in this Chapter

Source			
Table 11.1	Carbon dioxide emissions (million metric tonnes)	1990	2002
	United States	4,989	5,692
	China	2,262	3,050
	Germany	995	819
	Japan	987	1,158
	United Kingdom	600	563
	India	561	917
	France	374	396
Table 11.4	Transportation share of U.S. carbon dioxide emission consumption	s from fossil f	fuel
	1990		31.5%
	1995		31.6%
	2002		32.3%



The U. S. accounted for 23.1% of the World's carbon dioxide emissions in 1990 and 23.8% in 2001. Nearly half (43%) of the U.S. carbon emissions are from oil use.

Table 11.1 World Carbon Dioxide Emissions from Energy Consumption, 1990 and 2001

	19	990	20	001
	Million metric tons	Percent of emissions from oil use	Million metric tons	Percent of emissions from oil use
Industrialized countries	10,462	49%	11,634	48%
United States	4,989	43%	5,692	43%
Canada	473	47%	569	45%
Mexico	308	78%	352	71%
United Kingdom	600	40%	563	41%
France	374	66%	396	67%
Germany	995	38%	819	42%
Italy	415	65%	445	59%
Netherlands	211	47%	248	40%
Other Western Europe	816	62%	994	64%
Japan	987	66%	1,158	58%
Other industrialized countries	294	38%	398	34%
Eastern Europe	4,902	30%	3,148	24%
Developing countries	6,200	41%	9,118	41%
China	2,262	15%	3,050	21%
India	561	29%	917	30%
Other developing countries	3,377	60%	5,151	55%
Total World	21,564	42%	23,900	42%

Source:

U.S. Department of Energy, Energy Information Administration, *International Energy Outlook* 2004, Washington, DC, May 2004, Tables A9 and A10. (Additional resources: www.eia.doe.gov)



Global Warming Potentials (GWP) were developed to allow comparison of the ability of each greenhouse gas to trap heat in the atmosphere relative to carbon dioxide. Extensive research has been performed and it has been discovered that the effects of various gases on global warming are too complex to be precisely summarized by a single number. Further understanding of the subject also causes frequent changes to estimates. Despite that, the scientific community has developed approximations, which are shown below. Most analysts use the 100-year time horizon.

Table 11.2 Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide (kilogram of gas per kilogram of carbon dioxide)

		Globa	Global warming potential				
	Lifetime	direct eff	direct effect for time horizons of				
Gas	(years)	20 years	100 years	500 years			
Carbon Dioxide (CO ₂₎	5-200a	1	1	1			
Methane (CH ₄₎	12	62	23	7			
Nitrous Oxide (N ₂ O)	114	275	296	156			
HFCs ^b , PFCs ^c , and Sulfur Hexafluoride							
HFC-23	260	9,400	12,000	10,000			
HFC-125	29	5,900	3,400	1,100			
HFC-134a	14	3,300	1,300	400			
HFC-152a	1	410	120	37			
HFC-227ea	33	5,600	3,500	1,100			
Perfluoromethane (CF ₄)	50,000	3,900	5,700	8,900			
Perfluoroethane (C ₂ F ₆)	10,000	8,000	11,900	18,000			
Sulfur hexafluoride (SF ₆)	3,200	15,100	22,200	32,400			

Source:

U.S. Department of Energy, Energy Information Administration, *Emissions of Greenhouse Gases in the United States 2002*, Washington, DC, October 2003, Table 3. Original source: Intergovernmental Panel on Climate Change; *Climate Change 2001: The Scientific Basis* (Cambridge, UK: Cambridge University Press, 2000), pp. 38 and 388-389.
(Additional resources: www.eia.doe.gov, www.ipcc.ch)

Note: The typical uncertainty for global warming potentials is estimated by the Intergovernmental Panel on Climate Change \pm 35 percent.



^aNo single lifetime can be defined for carbon dioxide due to different rates of uptake by different removal processes.

^bHydrofluorocarbons

^cPerfluorocarbons

Carbon dioxide emissions in 2002 were 16% higher than in 1990. Carbon dioxide accounts for the majority of greenhouse gases.

Table 11.3
Estimated U.S. Emissions of Greenhouse Gases, 1990–2002

Greenhouse gas	Unit of measure ^a	1990	1995	2000	2002 ^b
Carbon dioxide	million metric tons of gas	5,006.1	5,318.5	5,854.0	5,795.6
	million metric tons of carbon	5,006.0	5,319.0	5,854.0	5,796.0
Methane	million metric tons of gas	31.3	30.5	27.8	26.6
	million metric tons of carbon (gwp) ^c	719.0	702.0	639.0	613.0
Nitrous oxide	million metric tons of gas	1.1	1.2	1.2	1.1
	million metric tons of carbon (gwp) ^b	334.0	355.0	341.0	333.0
HFCs, PFCs, and SF ₆ ^d	million metric tons of carbon (gwp) ^b	97.0	95.0	123.0	121.0

Source:

U.S. Department of Energy, Energy Information Administration, *Emissions of Greenhouse Gases in the United States*, 2002, Washington, DC, October 2003, Tables ES1 and ES2. (Additional resources: www.eia.doe.gov)



^aGases that contain carbon can be measured either in terms of the full molecular weight of the gas or just in terms of their carbon content. See Appendix B, Table B.5 for details.

^bPreliminary

^cBased on global warming potential.

^dHFC-hydrofluorocarbons. PFC-perfluorocarbons. SF₆-sulfur hexaflouride.

Gases which contain carbon can be measured in terms of the full molecular weight of the gas or just in terms of their carbon content. This table presents carbon content. The ratio of the weight of carbon to carbon dioxide is 0.2727. The transportation sector accounts for approximately one-third of carbon emissions.

Table 11.4
U.S. Carbon Emissions from Fossil Energy Consumption
by End-Use Sector, 1990–2002^a
(million metric tons of carbon)

End use sector	1990	1995	1997	1998	1999	2000	2001	2002
Residential	950.8	1,025.7	1,076.6	1,096.2	1,123.9	1,169.4	1,160.8	1,193.0
Commercial	779.5	836.7	911.2	922.4	933.5	1,005.9	1,018.3	1,012.9
Industrial	1,688.8	1,732.0	1,800.4	1,776.0	1,767.0	1,774.1	1,685.3	1,673.7
Transportation	1,569.5	1,661.4	1,722.7	1,757.9	1,806.0	1,849.2	1,827.3	1,849.7
Percentage	31.5%	31.6%	31.3%	31.7%	32.1%	32.9%	32.1%	32.3%
Total energy	4,988.6	5,255.8	5,510.9	5,552.5	5,630.5	5,798.6	5,691.7	5,729.3

Source:

U.S. Department of Energy, Energy Information Administration, *Emissions of Greenhouse Gases in the United States*, 2002, Washington, DC, October 2003, Table 5, and annual. (Additional resources: www.eia.doe.gov)



^aIncludes energy from petroleum, coal, and natural gas. Electric utility emissions are distributed across consumption sectors.

Most U.S. transportation sector carbon emissions come from petroleum fuels (98%). Motor gasoline has been responsible for about 60% of U.S. carbon emissions over the last twenty years.

Table 11.5
U.S. Carbon Emissions from Energy Use in the Transportation Sector, 1990–2002
(million metric tons of carbon)

	19	990	19	995	20	002
Fuel	Emissions	Percentage	Emissions	Percentage	Emissions	Percentage
			Petro	oleum		
Motor						
gasoline	955.2	60.9%	1,015.5	61.1%	1,138.7	61.6%
LPG ^a	1.3	0.1%	1.0	0.1%	0.8	0.0%
Jet fuel	220.4	14.0%	219.9	13.2%	234.4	12.7%
Distillate fuel	265.1	16.9%	303.8	18.3%	379.0	20.5%
Residual fuel	79.3	5.1%	71.0	4.3%	49.9	2.7%
Lubricants	6.5	0.4%	6.2	0.4%	6.0	0.3%
Aviation gas	3.1	0.2%	2.7	0.2%	2.3	0.1%
Subtotal	1,530.9	97.5%	1,620.1	97.5%	1,811.2	97.9%
			Other	energy		
Natural gas	35.9	2.3%	38.2	2.3%	35.2	1.9%
Electricity ^b	2.7	0.2%	3.2	0.2%	3.4	0.2%
Total	1569.5	100.0%	1,661.4	100.0%	1,849.7	100.0%

Source:

U.S. Department of Energy, Energy Information Administration, *Emissions of Greenhouse Gases in the United States*, 2002, Washington, DC, October 2003, Table 9, and annual. (Additional resources: www.eia.doe.gov)



^aLiquified petroleum gas.

^bShare of total electric utility carbon dioxide emissions weighted by sales to the transportation sector.

The Greenhouse Gases, Regulated Emissions, and Energy Use in Transportation (GREET) Model

greet.anl.gov

The GREET model, which is sponsored by the Department of Energy, estimates the full fuel-cycle emissions and energy use associated with various transportation fuels and advanced transportation technologies for light-duty vehicles. It calculates fuel-cycle emissions of three greenhouse gases (carbon dioxide, methane, and nitrous oxide) and five criteria pollutants (volatile organic compounds, carbon monoxide, nitrogen oxides, sulfur oxides, and particulate matter measuring 10 microns or less). The model also calculates the total fuel-cycle energy consumption, fossil fuel consumption, and petroleum consumption using various transportation fuels. The fuel cycles that are included in the GREET model are:

- petroleum to conventional gasoline, reformulated gasoline, conventional diesel, reformulated diesel, liquefied petroleum gas, and electricity via residual oil;
- natural gas to compressed natural gas, liquefied natural gas, liquefied petroleum gas, methanol, Fischer-Tropsch diesel, dimethyl ether, hydrogen, and electricity;
- coal to electricity;
- uranium to electricity;
- renewable energy (hydropower, solar energy, and wind) to electricity;
- corn, woody biomass, and herbaceous biomass to ethanol;
- soybeans to biodiesel; and
- landfill gases to methanol.

For additional information about the GREET model, see the GREET website, or contact:

Michael Q. Wang Argonne National Laboratory 9700 South Cass Avenue, ES/362 Argonne, IL 60439-4815 phone: 630-252-2819

fax: 630-252-3443 email: mqwang@anl.gov



Chapter 12 Criteria Air Pollutants

Summary Statistics from Tables in this Chapter

Source		
Table 12.1	Transportation's share of U.S. emissions, 2001	
	CO	82.4%
	NO_X	55.5%
	VOC	41.7%
	PM-10	2.2%
	PM-2.5	6.1%
	SO_2	4.4%
	NH_3	6.3%



Transportation accounts for the majority of carbon monoxide and nitrogen oxide emissions. Highway vehicles are responsible for the largest share of transportation emissions.

Table 12.1
Total National Emissions of the Criteria Air Pollutants by Sector, 2001
(millions of short tons/percentage)

Sector	CO	NO _x	VOC	PM-10	PM-2.5	SO_2	NH ₃
Highway vehicles	74.83	8.25	4.87	0.22	0.16	0.26	0.28
	62.0%	36.9%	27.1%	0.9%	2.2%	1.7%	5.6%
Aircraft	0.26	0.08	0.02	0.00	0.00	0.01	0.00
	0.2%	0.4%	0.1%	0.0%	0.0%	0.1%	0.0%
Railroads	0.10	1.00	0.04	0.03	0.02	0.06	0.00
	0.1%	4.5%	0.2%	0.1%	0.3%	0.4%	0.0%
Vessels	0.13	1.01	0.03	0.04	0.04	0.16	0.00
	0.1%	4.5%	0.2%	0.2%	0.5%	1.0%	0.0%
Other off-highway	24.19	2.07	2.53	0.24	0.23	0.22	0.04
	20.0%	9.2%	14.1%	1.0%	3.1%	1.4%	0.7%
Transportation total	99.50	12.41	7.50	0.53	0.45	0.70	0.32
	82.4%	55.5%	41.7%	2.2%	6.1%	4.4%	6.3%
Stationary source fuel combustion	4.59	8.60	1.18	1.50	1.32	13.63	0.07
	3.8%	38.5%	6.6%	6.2%	17.9%	86.3%	1.4%
Industrial processes	2.74	0.86	7.45	0.76	0.52	1.41	0.17
	2.3%	3.9%	41.5%	3.1%	7.1%	8.9%	3.4%
Waste disposal and recycling total	3.23	0.17	0.54	0.50	0.48	0.04	0.09
	2.7%	0.8%	3.0%	2.1%	6.4%	0.2%	1.8%
Miscellaneous	10.69	0.31	1.29	20.80	4.61	0.01	4.35
	8.9%	1.4%	7.2%	86.3%	62.5%	0.1%	87.1%
Total of all sources	120.76	22.35	17.96	24.10	7.38	15.79	5.00
	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Source:

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website www.epa.gov/ttn/chief/trends (Additional resources: www.epa.gov/oar/oaqps)

Note: CO = Carbon monoxide. NO_x = Nitrogen oxides. PM-10 = Particulate matter less than 10 microns. PM-2.5 = Particulate matter less than 2.5 microns. SO_2 = Sulfur dioxide. VOC = Volatile organic compounds. NH_3 = Ammonia.



The transportation sector accounted for more than 80% of the nation's carbon monoxide (CO) emissions in 2001. Highway vehicles are by far the source of the greatest amount of CO. For details on the highway emissions of CO, see Table 12.3.

Table 12.2
Total National Emissions of Carbon Monoxide, 1980–2001^a
(million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001
Highway vehicles	143.83	134.19	110.26	83.88	68.06	74.83	62.0%
Aircraft	0.21	0.22	0.24	0.25	0.27	0.26	0.2%
Railroads	0.12	0.10	0.09	0.10	0.10	0.10	0.1%
Vessels ^b	0.13	0.14	0.13	0.14	0.13	0.13	0.1%
Other off-highway	16.23	18.58	20.98	23.39	23.68	24.19	20.0%
Transportation total	160.51	153.22	131.70	107.76	92.24	99.50	82.4%
Stationary fuel combustion total	7.30	8.49	5.51	5.93	4.60	4.59	3.8%
Industrial processes total	6.95	5.28	4.77	4.61	2.62	2.74	2.3%
Waste disposal and recycling total	2.30	1.94	1.08	1.19	3.23	3.23	2.7%
Miscellaneous total	8.34	7.93	11.12	7.30	20.90	10.69	8.9%
Total of all sources	185.41	176.85	154.19	126.78	123.59	120.76	100.0%

Source:



^aThe sums of subcategories may not equal total due to rounding.

^bRecreational marine vessels.

Though gasoline-powered light vehicles continue to be responsible for the majority of carbon monoxide emissions from highway vehicles, the total pollution from light vehicles in 2001 is less than half what it was in 1980. This is despite the fact that there were many more light vehicles on the road in 2001.

Table 12.3 Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001^a (million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001				
Gasoline powered											
Light vehicles & motorcycles	98.21	87.80	67.24	46.54	36.40	41.23	55.1%				
Light trucks ^b	28.83	32.11	32.23	29.81	27.04	29.33	39.2%				
Heavy vehicles	15.35	12.40	8.92	5.96	3.42	3.13	4.2%				
Total	142.39	132.32	108.39	82.31	66.86	73.70	98.5%				
Diesel powered											
Light vehicles	0.03	0.04	0.04	0.02	0.01	0.01	0.0%				
Light trucks ^b	0.05	0.04	0.03	0.02	0.01	0.01	0.0%				
Heavy vehicles	1.36	1.80	1.81	1.53	1.19	1.12	1.5%				
Total	1.43	1.87	1.87	1.57	1.20	1.13	1.5%				
Total											
Highway vehicle total	143.83	134.19	110.26	83.88	68.06	74.83	100.0%				
Percent diesel	1.0%	1.4%	1.7%	1.9%	1.8%	1.5%					

Source:



^aThe sums of subcategories may not equal total due to rounding.

^bLess than 8,500 pounds.

The transportation sector accounted for over half of the nation's nitrogen oxide (NOx) emissions in 2001, with the majority coming from highway vehicles. For details on the highway emissions of NOx, see Table 12.5.

Table 12.4
Total National Emissions of Nitrogen Oxides, 1980–2001^a
(million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001
Highway vehicles Railroads Other off-highway	11.49 1.19 2.17	10.93 0.96 2.62	9.59 0.95 2.84	8.88 1.03 3.08	8.39 1.00 3.17	8.25 1.00 3.16	36.9% 4.5% 14.1%
Transportation total	14.85	14.51	13.38	12.99	12.56	12.41	55.5%
Stationary fuel combustion total	11.32	10.05	10.89	10.83	9.04	8.60	38.5%
Industrial processes total	0.56	0.80	0.80	0.77	0.83	0.86	3.9%
Waste disposal and recycling total	0.11	0.09	0.09	0.10	0.17	0.17	0.8%
Miscellaneous total	0.25	0.31	0.37	0.27	0.61	0.31	1.4%
Total of all sources	27.08	25.76	25.53	24.96	23.20	22.35	100.0%

Source:



^aThe sums of subcategories may not equal total due to rounding.

Heavy diesel-powered vehicles were responsible for nearly one-half of highway vehicle nitrogen oxide emissions in 2001, while light gasoline vehicles were responsible for the rest.

Table 12.5 Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001^a (million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001			
Gasoline powered										
Light vehicles & motorcycles	6.63	5.68	4.26	3.05	2.31	2.39	28.9%			
Light trucks ^b	1.58	1.60	1.50	1.46	1.44	1.50	18.2%			
Heavy vehicles	0.62	0.58	0.57	0.52	0.45	0.46	5.5%			
Total	8.83	7.85	6.33	5.03	4.20	4.35	52.7%			
Diesel powered										
Light vehicles	с	0.04	0.04	0.02	0.01	0.01	0.1%			
Light trucks ^b	c	c	0.02	0.01	0.01	0.01	0.1%			
Heavy vehicles	2.59	3.00	3.19	3.82	4.18	3.89	47.2%			
Total	2.66	3.08	3.26	3.85	4.19	3.90	47.3%			
		To	tal							
Highway vehicle total	11.49	10.93	9.59	8.88	8.69	8.25	100.0%			
Percent diesel	23.1%	28.2%	34.0%	43.4%	48.2%	47.3%				

Source



^a The sums of subcategories may not equal total due to rounding.

^b Less than 8,500 pounds.

^c Data are not available.

The transportation sector accounted for over 40% of the nation's volatile organic compound (VOC) emissions in 2001, with the majority coming from highway vehicles. For details on the highway emissions of VOC, see Table 12.7.

Table 12.6
Total National Emissions of Volatile Organic Compounds, 1980–2001^a
(million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001
Highway vehicles	13.87	12.65	9.39	6.75	5.33	4.87	27.1%
Off-highway	2.19	2.44	2.66	2.89	2.64	2.62	14.6%
Transportation total	16.06	15.09	12.05	9.64	7.97	7.50	41.7%
Stationary fuel combustion total	1.05	1.57	1.01	1.07	1.18	1.18	6.6%
Industrial processes total	12.10	9.50	9.01	9.71	7.28	7.45	41.5%
Waste disposal and recycling total	0.76	0.98	0.99	1.07	0.54	0.54	3.0%
Miscellaneous total	1.13	0.57	1.06	0.55	2.74	1.29	7.2%
Total of all sources	31.11	27.70	24.12	22.04	19.70	17.96	100.0%

Source:



^aThe sum of subcategories may not equal total due to rounding. The EPA's definition of volatile organic compounds excludes methane, ethane, and certain other nonphotochemically reactive organic compounds.

Gasoline-powered vehicles are responsible for 80% of highway vehicle emissions of volatile organic compounds. VOC emissions from highway vehicles in 2001 were less than half the 1980 level.

Table 12.7 Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001^a (thousand short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001			
		Gasoline	powered	ì						
Light vehicles & motorcycles	9,304	7,962	5,690	3,768	2,903	2,620	45.0%			
Light trucks ^b	2,864	2,908	2,617	2,225	1,929	1,805	31.0%			
Heavy vehicles	1,198	959	633	421	256	224	3.9%			
Total	13,366	11,829	8,940	6,414	5,088	4,649	79.9%			
Diesel powered										
Light vehicles	16	19	18	9	3	3	0.1%			
Light trucks ^b	28	22	15	10	4	4	0.1%			
Heavy vehicles	459	483	415	315	230	218	3.7%			
Total	503	525	448	335	238	225	3.9%			
	Total									
Highway vehicle total	13,869	10,545	9,388	9,376	6,443	5,816	100.0%			
Percent diesel	3.6%	5.0%	4.8%	3.6%	3.7%	3.9%				

Source:



^aThe sums of subcategories may not equal total due to rounding.

^bLess than 8,500 pounds.

The transportation sector accounted for only 2% of the nation's particulate matter (PM-10) emissions in 2001. For details on the highway emissions of PM-10, see Table 12.9.

Table 12.8

Total National Emissions of Particulate Matter (PM-10), 1980–2001^a

(million short tons)

Source category	1980	1985	1990	1995	2000	2001	Percent of total, 2001
Highway vehicles Off-highway	0.43 0.26	0.41 0.30	0.39 0.33	0.30 0.34	0.23 0.32	0.22 0.32	0.9% 1.3%
Transportation total	0.69	0.71	0.72	0.64	0.55	0.53	2.2%
Stationary fuel combustion total	2.45	1.54	1.20	1.18	1.53	1.50	6.2%
Industrial processes total	2.75	1.06	1.04	0.95	0.73	0.76	3.1%
Waste disposal and recycling total	0.27	0.28	0.27	0.29	0.50	0.50	2.1%
Fugitive dust Other miscellaneous	b b	29.73 8.01	18.08 6.46	17.01 5.76	14.31 7.08	14.66 6.14	60.8% 25.5%
Miscellaneous total	0.85	37.74	24.54	22.77	21.39	20.80	86.3%
Total of all sources	7.01	41.32	27.76	25.82	24.70	24.10	100.0%

Source:

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website www.epa.gov/ttn/chief/trends (Additional resources: www.epa.gov/oar/oaqps)

Note: Because PM-10 is fine particle matter less than 10 microns, it also includes PM-2.5. Specific data for PM-2.5 are shown on Tables 12.10 and 12.11.

^aFine particle matter less than 10 microns. The sums of subcategories may not equal total due to rounding.

^bData are not available.

Since 1985, diesel-powered vehicles have been responsible for more than half of highway vehicle emissions of particulate matter (PM-10). Heavy vehicles are clearly the main source.

Table 12.9
Emissions of Particulate Matter (PM-10) from Highway Vehicles, 1980–2001^a (thousand short tons)

							Percent of total,
Source category	1980	1985	1990	1995	2000	2001	2001
		Gasoli	ne power	ed			
Light vehicles & motorcycles	141	86	57	53	51	51	23.4%
Light trucks ^b	49	37	31	32	31	31	14.2%
Heavy vehicles	30	23	17	13	10	10	4.6%
Total	220	146	105	98	92	92	42.2%
		Diese	l powere	d			
Light vehicles	9	13	11	4	1	1	0.5%
Light trucks ^b	12	8	5	3	1	1	0.5%
Heavy vehicles	191	240	266	199	135	125	57.3%
Total	212	262	282	206	137	127	58.3%
		7	Γotal				
Highway vehicle total	432	408	387	304	230	218	100.0%
Percent diesel	49.1%	64.2%	72.9%	67.8%	59.6%	58.3%	

Source

U. S. Environmental Protection Agency, National Emission Inventory Air Pollutant Emission Trends website www.epa.gov/ttn/chief/trends (Additional resources: www.epa.gov/oar/oaqps)

Note: Because PM-10 is fine particle matter less than 10 microns, it also includes PM-2.5. Specific data for PM-2.5 are shown on Tables 12.10 and 12.11.



^aThe sums of subcategories may not equal total due to rounding.

^bLess than 8,500 pounds.

The transportation sector accounted for only 6% of the nation's particulate matter (PM-2.5) emissions in 2001. For details on the highway emissions of PM-2.5, see Table 12.11.

Table 12.10
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001
(million short tons)

Source category	1990	1995	2000	2001	Percent of total, 2001
Highway vehicles Off-highway	0.32 0.30	0.25 0.31	0.17 0.30	0.16 0.29	2.2% 3.9%
Transportation total	0.63	0.56	0.47	0.45	6.1%
Stationary fuel combustion total	0.91	0.90	1.34	1.32	17.9%
Industrial processes total	0.56	0.50	0.50	0.52	7.1%
Waste disposal and recycling total	0.23	0.25	0.47	0.48	6.4%
Fugitive dust Other miscellaneous	3.17 2.06	3.04 1.69	2.57 2.82	2.63 1.98	35.6% 26.8%
Miscellaneous total	5.23	4.73	5.39	4.61	62.5%
Total of all sources	7.56	6.93	8.17	7.38	100.0%

Source:



Diesel vehicles are responsible for the majority of highway vehicle PM-2.5 emissions. More than two-thirds of the highway vehicles' PM-2.5 emissions are from heavy diesel trucks.

Table 12.11 Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001^a (thousand short tons)

Source category	1990	1995	2000	2001	Percent of total, 2001
	Gasolir	ne powered			
Light vehicles & motorcycles	35	30	27	27	16.7%
Light trucks ^b	21	20	18	17	10.5%
Heavy vehicles	11	9	7	7	4.3%
Total	67	59	52	51	31.5%
	Diesel	powered			
Light vehicles	10	4	1	1	0.6%
Light trucks ^b	4	2	1	1	0.6%
Heavy vehicles	243	179	119	109	67.3%
Total	257	185	121	111	68.5%
	7	Total			
Highway vehicle total	324	245	173	162	100.0%
Percent diesel	79.3%	75.5%	69.9%	68.5%	

Source



^a The sums of subcategories may not equal total due to rounding.

^b Less than 8,500 pounds.

The Greenhouse Gases, Regulated Emissions, and Energy Use in Transportation (GREET) Model

greet.anl.gov

The GREET model, which is sponsored by the Department of Energy, estimates the full fuel-cycle emissions and energy use associated with various transportation fuels and advanced transportation technologies for light vehicles. It calculates fuel-cycle emissions of five criteria pollutants (volatile organic compounds, carbon monoxide, nitrogen oxides, sulfur oxides, and particulate matter measuring 10 microns or less) and three greenhouse gases (carbon dioxide, methane, and nitrous oxide). The model also calculates the total fuel-cycle energy consumption, fossil fuel consumption, and petroleum consumption using various transportation fuels. The fuel cycles that are included in the GREET model are:

- petroleum to conventional gasoline, reformulated gasoline, conventional diesel, reformulated diesel, liquefied petroleum gas, and electricity via residual oil;
- natural gas to compressed natural gas, liquefied natural gas, liquefied petroleum gas, methanol,
 Fischer-Tropsch diesel, dimethyl ether, hydrogen, and electricity;
- coal to electricity;
- uranium to electricity;
- renewable energy (hydropower, solar energy, and wind) to electricity;
- corn, woody biomass, and herbaceous biomass to ethanol;
- soybeans to biodiesel; and
- landfill gases to methanol.

For additional information about the GREET model, see the GREET website, or contact:

Michael Q. Wang Argonne National Laboratory 9700 South Cass Avenue, ES/362 Argonne, IL 60439-4815 phone: 630-252-2819

fax: 630-252-3443 email: mqwang@anl.gov



Table 12.12 Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years^a

(grams/mile)

Bin	NMOG	СО	NOx	PM	НСНО
		50,0	000 miles		
10^{b}	0.125	3.4	0.4	-	0.015
9 ^b	0.075	3.4	0.2	c	0.015
8	0.100	3.4	0.14	c	0.015
7	0.075	3.4	0.11	c	0.015
6	0.075	3.4	0.08	c	0.015
5	0.075	3.4	0.05	c	0.015
		120,	,000 miles		
MDPV ^b	0.280	7.3	0.9	0.12	0.032
$10^{\rm b}$	0.156	4.2	0.6	0.08	0.018
9^{b}	0.090	4.2	0.3	0.06	0.018
8	0.125	4.2	0.2	0.02	0.018
7	0.090	4.2	0.15	0.02	0.018
6	0.090	4.2	0.10	0.01	0.018
5	0.090	4.2	0.07	0.01	0.018
4	0.070	2.1	0.04	0.01	0.011
3	0.055	2.1	0.03	0.01	0.011
2	0.010	2.1	0.02	0.01	0.004
1	0.000	0.0	0.00	0.00	0.000

Source:

Federal Register, Vol. 65, No. 28, Thursday, February 10, 2000, pp. 6822–6870.

Acronyms	Used on Tables 12.12 and 12.13
CO	Carbon monoxide
GVW	Gross vehicle weight
HC	Hydrocarbons
НСНО	Formaldehyde
LDT	Light-duty truck
LEV	Low-emission vehicle
LVW	Loaded vehicle weight
MDPV	Medium-duty passenger vehicle
	(8,500–10,000 lbs. GVWR)
NMOG	Non-methane organic gases
NOx	Nitrogen oxides
PC	Passenger car
PM	Particulate matter
SULEV	Super-ultra-low-emission vehicle
ULEV	Ultra-low-emission vehicle
ZEV	Zero-emission vehicle

^aSome temporary standards are not shown. ^bBin expires after 2008.



^cNo Standard.

Table 12.13
Light Vehicle Exhaust Emission Standards in Effect in 2009
When U.S. Tier 2 Standards are Final

(grams/mile) Vehicle fuels: Gasoline AND diesel unless noted otherwise

Vehicle size: Up to 8,500 lbs GVW unless noted otherwise

Useful life:				50,00	50,000 miles				12	120,000 miles	les	
	Bins, category, size	NMOG	00	NOx	PM	НСНО	HC+NOx	NMOG	00	NOx	PM	НСНО
U.S.	Bins							25				
emission	8	0.100	3.4	0.14	f	0.015	U	0.125	4.2	0.20	0.02	0.018
standards	7	0.075	3.4	0.11	1	0.015	1	0.090	4.2	0.15	0.02	0.018
	9	0.075	3.4	0.08	.1	0.015	1	0.090	4.2	0.10	0.01	0.018
	5	0.075	3.4	0.05	ij	0.015	I	0.090	4.2	0.07	0.01	0.018
	4	1	Ī	1	1	1	1	0.070	2.1	0.04	0.01	0.011
	3	I	Ĺ	Ĺ	1	I)	E	0.055	2.1	0.03	0.01	0.011
	2	Ĩ	Ï	I	1	1	I	0.010	2.1	0.02	0.01	0.004
	1	Ţ	1	1	1	1	1	0.000	0.0	0.00	0.00	0.000
	Average ^a	I	ŀ	Ţ	ţ	1	1	ŧ	Î	0.07	I	I
California	Category			(Diese	(Diesel only)				9	(Diesel only)	y)	
LEV II	LEV ^b	0.075	3.4	0.05	Į	0.015	Ţ	0.090	4.2	0.07	0.01	0.018
emission	ULEV	0.04	1.7	0.05	Ī	0.08	Ĭ	0.055	2.1	0.07	0.01	0.011
standards	SULEV	1	I	1	J	1	1	0.010	1.0	0.02	0.01	0.004
	ZEV°	0.00	0.0	0.00	Ī	0.00	Ĩ	0.000	0.0	0.00	0.00	0.000
	Avg. for all PCs + LDTs 0-3,750 lbs LVW	0.038	I	1	1	1	1	1	Ĩ	1	1	1
	Avg. for LDTs 3,751 lbs LVW - 8,500 lbs GVW	0.047	1	Ī	Ĭ	İ		Ţ	1	Ĭ	Ĭ.	Ţ

Source:

U.S.: Federal Register, Vol. 65, No. 28, Thursday, February 10, 2000, pp. 6822-6870.

California Exhaust Emission Standards and Test Procedures for 2001 and Subsequent Model Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles, as of December 1, 1999 (adopted August 5, 1999), incorporated by reference in section 1961(d), title 13, CCR.

Note: See acronym list on previous page.

[°] Only apply to PCs and LDTs 0-3750 lbs LVW.



^a Includes medium-duty passenger vehicles which are also required to meet bin standards.

^b A LEV Option 1 with higher NOx levels also exists for up to 4% of LDTs above 3,750 lbs.

Table 12.14
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles ab (grams per mile)

	Prior to			ľ									
Engine Type & Pollutant	control	1968-69	1970-71	1972	1973-74	1975-76	1977-79	1980	1981	1982-86	1987-93	1994-2004 b	004 b
Gasoline				000									
Hydrocarbons (total)	11	C	2.2	3.4		1.5		0.41				0.41	(e)
Non-methane hydrocarbons	p	6										0.25	(0.31)
Carbon monoxide	80	C	23	39		15		7.0	3.4			3.4	(4.2)
Cold-temp. Carbon monoxidef	p	в										10	(e)
Nitrogen oxides	4	6			3.0	3.1	2.0		1.0			0.4	(0.0)
Particulates	p	6										80.0	(0.10)
Diesel													
Hydrocarbons (total)	11	6				1.5		0.41				0.41	(e)
Non-methane hydrocarbons	p	в										0.25	(0.31)
Carbon monoxide	80	а	ををはない			15		7.0	3.4			3.4	(4.2)
Nitrogen oxides	4					3.1	2.0		1.0			1.0	(1.25)
Particulates	p	6								09.0	0.20	0.08	(0.10)
Test Procedure		7-mode		CVS-72		CVS-75							
Useful Life (intermediate) ^b		6										5 yrs/50,000 mi	0 mi
(full)		5 yrs/50,000 mi) mi									10 yrs/100,000 mi	000 mi

Source:

40 CFR 86.085-2; 40 CFR 86.090-2; 40 CFR 86.090-8; 40 CFR 86.094-8; 40 CFR 86.096-2; 40 CFR 86.096-8; 40 CFR 86.098-8; 40 CFR 86.099-8; 40 CFR 86.099-8; 40 CFR 86.090-8; Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999. ^aThe test procedure for measuring exhaust emissions has changed several times over the course of vehicle emissions regulation. The 7-mode procedure was used through model Additional standards for carbon monoxide and composite standards for non-methane hydrocarbons and nitrogen oxides tested over the new Supplemental Federal Test Procedure will be year 1971 and was replaced by the CVS-72 procedure beginning in model year 1972. The CVS-75 became the test procedure as of model year 1975. While it may appear that the total hydrocarbon and carbon monoxide standards were relaxed in 1972-74, these standards were actually more stringent due to the more stringent nature of the CVS-72 test procedure. phased-in during model years 2000-02; these standards are not shown in this table.

useful life of 10 years/100,000 miles (these standards are shown in parentheses). Tier 1 exhaust standards were phased-in during 1994-96 at a rate of 40, 80, and 100 percent, respectively. ^bAll emission standards must be met for a useful life of 5 years/50,000 miles. Beginning in with model year 1994, a second set of emission standards must also be met for a full In 1968-69, exhaust emission standards were issued in parts per million (ppm) rather than grams per mile and are, therefore, incompatible with this table.

dNo estimate available.

No standard set.

The cold CO emission standard is measured at 20 degrees F (rather than 75 degrees F) and is applicable for a 5-year/50,000-mile useful life.



Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT1) abc (grams per mile) **Table 12.15**

2	Prior to														
Engine Type & Pollutant	control	1968-69	1970-71	1972	1973-74	1975	1976-78	1968-69 1970-71 1972 1973-74 1975 1976-78 1979-81 1982-83 1984 1985-86 1987 1988-93 1994	1982-83	1984	1985-86	1987	1988-93	1994	1995-2004
Gasoline															
Hydrocarbons (total)	11	p	2.2	3.4		2.0		1.7		08.0				f (0.80)	
Non-methane hydrocarbons	в	J									Ar V			0.25 (0.31)	
Carbon monoxide	80	p	23	39		20		18		10				3.4 (4.2)	
Cold-temp. carbon monoxide g	в	f												(f) (f)	
Nitrogen oxides	4	- f			3.0	3.1		2.3					1.2	0.4 (0.6)	
Particulates	в	J													0.08 (0.10)
Diesel															
Hydrocarbons (total)	11	J					2.0	1.7		0.80				f (0.80)	
Non-methane hydrocarbons	в	f												0.25 (0.31)	
Carbon monoxide	08	J					20	18		10				3.4 (4.2)	E E
Nitrogen oxides	4	¥					3.1	2.3					1.2	1.0 (1.25)	F
Particulates	в	£							09.0			0.26			0.08 (0.10)
													GVW	GVWR up through 6,000 lbs;	5,000 lbs;
LDT1 Weight Criteria h		16	GVWR	up throu	GVWR up through 6,000 lbs	lbs		AD GV	GVWR up through 8,500 lbs	rough 8,	,500 lbs		LV	LVW up through 3,750 lbs	,750 lbs
Test Procedure b		7-mode		CV.	CVS-72	CVS-75	3-75								
Useful Life (intermediate) c		f												5 yrs/50,000 mi	,000 mi
(full)		5 yrs/50,000 mi	000 mi								11 yrs,	11 yrs/120,000 mi	0 mi	11 yrs/120,000 mi	0,000 mi

40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.090-2; 40 CFR 86.090-9; 40 CFR 86.091-9; 40 CFR 86.094-9; 40 CFR 86.096-2; 40 CFR 86.096-9; 40 CFR 86.099-9; 40 CFR 86.090-9; 40 CFR 86.001-9; 40 CFR 86.004-9. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication. Source:

classified as light trucks and were required to meet the same standards. As of 1979, the maximum weight was raised to 8,500 lbs GVWR. During 1988 through 1993, light trucks were ^aLight truck categories LDT1-LDT4 were not actually created until 1994. From 1968 to 1978 all trucks with a Gross Vehicle Weight Rating (GVWR) up to 6,000 lbs were divided into two subcategories that coincide with the current LDT1 and LDT2/3/4 categories.

The test procedure for measuring exhaust emissions has changed several times over the course of vehicle emissions regulation. The 7-mode procedure was used through model Additional standards for carbon monoxide and composite standards for non-methane hydrocarbons and nitrogen oxides tested over the new Supplemental Federal Test Procedure will be year 1971 and was replaced by the CVS-72 procedure beginning in model year 1972. The CVS-75 became the test procedure as of model year 1975. While it may appear that the total lydrocarbon and carbon monoxide standards were relaxed in 1972-74, these standards were actually more stringent due to the more stringent nature of the CVS-72 test procedure. phased-in during model years 2000-02; these standards are not shown in this table.

several useful life options were available for 1984). Beginning in model year 1994, emission standards were established for an intermediate useful life of 5 years/50,000 miles as well as a full useful life of 11 years/120,000 miles (these standards are shown in parentheses). Hydrocarbon standards, however, were established only for full useful life. Tier 1 exhaust standards, except PM standards, were phased-in during 1994-96 at a rate of 40, 80, and 100 percent, respectively. PM standards were phased-in at a rate of 40, 80, and 100 percent during 1995-97. ^cEmission standards had to be met for a useful life of 5 years/50,000 miles through model year 1983, and a full useful life of 11 years 120,000 miles was defined for 1985-93

¹In 1968-69, exhaust emission standards were issued in parts per million (ppm) rather than grams per mile and are, therefore, incompatible with this table. No estimate available.

No standard set.

^h Gross vehicle weight rating (GVWR) is the maximum design loaded weight. Loaded vehicle weight (LVW) is the curb weight (nominal vehicle weight) plus 300 lbs. ²The cold CO emission standard is measured at 20 degrees F (rather than 75 degrees F) and is applicable for a 5-year/50,000-mile useful life.

Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT2) (grams per mile) Table 12.16

Engine Type & Pollutant	Prior to control	Prior to 1968-69 1970-71 1972	1970-71		973-74	1975	1976-78	1979-81	1973-74 1975 1976-78 1999-81 1982-83 1984 1985-86 1987 1988-90 1991-93 1994	1984	1985-86	1987	1988-90	1991-93	1994		1995–2004
Gasoline					5												
Hydrocarbons (total)	11	p	2.2	3.4		2.0		1.7	1	08.0					<i>f</i> (08.0	
Non-methane hydrocarbons	в	J. S.													0.32 ((0.40)	
Carbon monoxide	80	p	23	39		20		18		10					4.4	(5.5)	
Cold-temp. carbon monoxide g	в	f													12.5	S	
Nitrogen oxides	4	f			3.0	3.1		2.3					1.7		0.7	(0.97)	
Particulates	в	f														0	0.08 (0.10)
Diesel																	
Hydrocarbons (total)	11	f					2.0	1.7		08.0					<i>f</i> (0.80)	
Non-methane hydrocarbons	в	f													0.32 ((0.40)	
Carbon monoxide	08	f					20	18		10					4.4	(5.5)	
Nitrogen oxides	4	f					3.1	2.3					1.7		<i>f</i> ((0.97)	
Particulates	в	f							09.0			0.50	0.45	0.13		0	0.08 (0.10)
LDT2 Weight Criteria h		8	GVWR	up thro	GVWR up through 6,000 lbs	00 lbs		D	GVWR up through 8,500 lbs	hrough 8	3,500 lbs		S	GVWR up through 5,000 lbs and LVW over 3,750 lbs	R up through 5,000 Il LVW over 3,750 lbs	,000 lbs 50 lbs	and
Test Procedure b		7-mode		CVS-72		CVS-75	5										
Useful Life (intermediate) c		J													5	5 yrs/50,000 mi	00 mi
(full)		5 yrs/5	5 yrs/50,000 mi								1	1 yrs/12	11 yrs/120,000 mi		11	11 yrs/120,000 mi	000 mi
C		100000000000000000000000000000000000000															

40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.090-2; 40 CFR 86.090-9; 40 CFR 86.091-9; 40 CFR 86.094-9; 40 CFR 86.096-2; 40 CFR 86.096-9; 40 CFR 86.099-9; 40 CFR 86.000-9; 40 CFR 86.001-9; 40 CFR 86.004-9. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999.

classified as light trucks and were required to meet the same standards. As of 1979, the maximum weight was raised to 8,500 lbs GVWR. During 1988-93, light trucks were divided into ^aLight truck categories LDT1-LDT4 were not actually created until 1994. From 1968 to 1978 all trucks with a Gross Vehicle Weight Rating (GVWR) up to 6,000 lbs were two subcategories that coincide with the current LDT1 and LDT2/3/4 categories.

The test procedure for measuring exhaust emissions has changed several times over the course of vehicle emissions regulation. The 7-mode procedure was used through model Additional standards for carbon monoxide and composite standards for non-methane hydrocarbons and nitrogen oxides tested over the new Supplemental Federal Test Procedure will be rear 1971 and was replaced by the CVS-72 procedure beginning in model year 1972. The CVS-75 became the test procedure as of model year 1975. While it may appear that the total hydrocarbon and carbon monoxide standards were relaxed in 1972-74, these standards were actually more stringent due to the more stringent nature of the CVS-72 test procedure. phased-in during model years 2000-02; these standards are not shown in this table.

several useful life options were available for 1984). Beginning in model year 1994, emission standards were established for an intermediate useful life of 5 years/50,000 miles as well as a full useful life of 11 years/120,000 miles (these standards are shown in parentheses). Hydrocarbon standards, however, were established only for full useful life. Tier 1 exhaust standards, except PM standards, were phased-in during 1994-96 at a rate of 40, 80, and 100 percent, respectively. PM standards were phased-in at a rate of 40, 80, and 100 percent during 1995-97. Emission standards had to be met for a useful life of 5 years/50,000 miles through model year 1983, and a full useful life of 11 years 120,000 miles was defined for 1985-93

In 1968-69, exhaust emission standards were issued in parts per million (ppm) rather than grams per mile and are, therefore, incompatible with this table.

No estimate available.

⁹The cold CO emission standard is measured at 20 degrees F (rather than 75 degrees F) and is applicable for a 5-year/50,000-mile useful life.

¹Gross vehicle weight rating (GVWR) is the maximum design loaded weight. Loaded vehicle weight (LVW) is the curb weight (nominal vehicle weight) plus 300 lbs.



Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT3) abs Table 12.17

						20	(grams per mile)	mile)								
	Prior to															
Engine Type & Pollutant	control	1968-69	1970-71	1972	1973-74	1975	1976-78	control 1968-69 1970-71 1972 1973-74 1975 1976-78 1979-81 1982-83 1984 1985-86 1987 1988-89 1990 1991-95	2-83 1984	4 1985-86	1987	1988-89	1990	1991-95	1996-2004	004
Gasoline																
Hydrocarbons (total)	11	p	2.2	3.4		2.0		1.7	0.80) f	0.80)
Non-methane hydrocarbons	в	f													61	0.46)
Carbon monoxide	80	p	23	39		20		18	10						4.4	(6.4)
Cold-temp. carbon monoxide g	в	f													12.5	S
Nitrogen oxides	4	J.			3.0	3.1		2.3				2.3	1.7		0.7	(86.0
Particulates	в	f									+) f	0.10)
Diesel						1										
Hydrocarbons (total)	11	J			The second		2.0	1.7	0.80) J	(08.0)
Non-methane hydrocarbons	в	f													0.32 (0.46)
Carbon monoxide	80	Jan Jan					20	18	10		8				4.4	(6.4)
Nitrogen oxides	4	f					3.1	2.3				2.3	1.7			(86.0
Particulates	в	f						09.0	0.		0.50	0.45		0.13		(0.10)
LDT3 Weight Criteria			GVWI	R up thre	GVWR up through 6,000 lbs	0 lbs		GVWR	up throug	GVWR up through 8,500 lbs	S	A	Any ALW	_	ALW up through	rough
													GVWR	GVWR 6,001-8,500 lbs	00 lbs	
Test Procedure b		7-mode	9	CV	CVS-72	CV	CVS-75									
Useful Life (intermediate) c		1													5 yrs/50,000 mi	00 mi
(full)		5 VIS	5 yrs/50,000 mi	in.						11 y	11 yrs/120,000 mi)00 mi			11 yrs/120,000	0000

Source:

40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.090-2; 40 CFR 86.090-9; 40 CFR 86.091-9; 40 CFR 86.094-9; 40 CFR 86.094-9; 40 CFR 86.096-2; 40 CFR 86.096-9; 40 CFR 86.099-9; 40 CFR 86.000-9; 40 CFR 86.001-9; 40 CFR 86.004-9. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999.

classified as light trucks and were required to meet the same standards. As of 1979, the maximum weight was raised to 8,500 lbs GVWR. During 1988-93, light trucks were divided into ^aLight truck categories LDT1-LDT4 were not actually created until 1994. From 1968 to 1978 all trucks with a Gross Vehicle Weight Rating (GVWR) up to 6,000 lbs were wo subcategories that coincide with the current LDT1 and LDT2/3/4 categories.

The test procedure for measuring exhaust emissions has changed several times over the course of vehicle emissions regulation. The 7-mode procedure was used through model Additional standards for carbon monoxide and composite standards for non-methane hydrocarbons and nitrogen oxides tested over the new Supplemental Federal Test Procedure will be year 1971 and was replaced by the CVS-72 procedure beginning in model year 1972. The CVS-75 became the test procedure as of model year 1975. While it may appear that the total hydrocarbon and carbon monoxide standards were relaxed in 1972-74, these standards were actually more stringent due to the more stringent nature of the CVS-72 test procedure. phased-in during model years 2002-04; these standards are not shown in this table.

several useful life options were available for 1984). Beginning in model year 1996, emission standards were established for an intermediate useful life of 5 years/50,000 miles as well as a ^cEmission standards had to be met for a full useful life of 5 years/50,000 miles through model year 1983, and a full useful life of 11 years 120,000 miles was defined for 1985-93 full useful life of 11 years/120,000 miles (these standards are shown in parentheses). This applied to all pollutants except hydrocarbons and particulates for all LDT3s and NOx for dieselpowered LDT3s, which were only required to meet full useful life standards. Tier 1 exhaust standards were phased-in during 1996-97 at a rate of 50 and 100 percent, respectively. ^d_{In} 1968-69, exhaust emission standards were issued in parts per million (ppm) rather than grams per mile and are, therefore, incompatible with this table.

No estimate available.
No standard set.

²The cold CO emission standard is measured at 20 degrees F (rather than 75 degrees F) and is applicable for a 5-year/50,000-mile useful life.

ⁿGross vehicle weight rating (GVWR) is the maximum design loaded weight. Loaded vehicle weight (LVW) is the curb weight (nominal vehicle weight) plus 300 lbs.

Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT4) Table 12.18

						(g)	(grams per mile)	r mile)					100				
	Prior to	20000 100000000000000000000000000000000	7000000						Acres Section 1		1000		The state of the s	9017907	2 20 March 200	10 E	0 2000
Engine Type & Pollutant	control	control 1968-69 1970-71 1972 1973-74 1975 1976-78 1979-81 1982-83 1984 1985-86 1987 1988-89	1970-71	1972	1973-74	1975	1976-78	1979-81	1982-83	1984	98-586	1987	1988-89	1990	1990 1991-95	1996-2004	2004
Gasoline												p					
Hydrocarbons (total)	11	p	2.2	3.4		2.0		1.7		08.0						f	(0.80)
Non-methane hydrocarbons	в	f														0.39	(0.56)
Carbon monoxide	80	p	23	39		20		18		10							(7.3)
Cold-temp. carbon monoxide g	в	f														2	S
Nitrogen oxides	4	f			3.0	3.1		2.3					2.3	1.7		1.1	(1.53)
Particulates	в	f = f														f	(0.12)
Diesel																	
Hydrocarbons (total)	11	f					2.0	1.7	-	0.80						f	(0.80)
Non-methane hydrocarbons	в	f														0.39	(0.56)
Carbon monoxide	80	f					20	18		10						5.0	(7.3)
Nitrogen oxides	4	f					3.1	2.3					2.3	1.7		f	(1.53)
Particulates	в	f							09.0			0.50	0.45		0.13	f	(0.12)
LDT4 Weight Criteria h			GVWR	up thro	GVWR up through 6,000 lbs	0 lbs		ΔS	GVWR up through 8,500 lbs	rough 8,	500 lbs		An	Any ALVW	>	ALVW over 5.750 lbs	over lbs
														GVWR	GVWR 6,001-8,500 lbs	00 lbs	
Test Procedure b		7-mode		CVS	CVS-72	CVS	CVS-75										
Useful Life (intermediate) c	F	f													N. C.	5 yrs/50,000 mi	000 mi
(full)		5 yrs	5 yrs/50,000 mi	ıi						1	11 yrs.	11 yrs/120,000 mi) mi			11 yrs/120,000	20,000

40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.090-2; 40 CFR 86.090-9; 40 CFR 86.091-9; 40 CFR 86.094-9; 40 CFR 86.096-2; 40 CFR 86.096-9; 40 CFR 86.099-9; 40 CFR 86.090-9; 40 CFR 86.001-9; 40 CFR 86.004-9. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999.

classified as light trucks and were required to meet the same standards. As of 1979, the maximum weight was raised to 8,500 lbs GVWR. During 1988-93, light trucks were divided into ^aLight truck categories LDT1-LDT4 were not actually created until 1994. From 1968 to 1978 all trucks with a Gross Vehicle Weight Rating (GVWR) up to 6,000 lbs were two subcategories that coincide with the current LDT1 and LDT2/3/4 categories.

The test procedure for measuring exhaust emissions has changed several times over the course of vehicle emissions regulation. The 7-mode procedure was used through model Additional standards for carbon monoxide and composite standards for non-methane hydrocarbons and nitrogen oxides tested over the new Supplemental Federal Test Procedure will be year 1971 and was replaced by the CVS-72 procedure beginning in model year 1972. The CVS-75 became the test procedure as of model year 1975. While it may appear that the total hydrocarbon and carbon monoxide standards were relaxed in 1972-74, these standards were actually more stringent due to the more stringent nature of the CVS-72 test procedure. phased-in during model years 2002-04; these standards are not shown in this table.

(several useful life options were available for 1984). Beginning in model year 1996, emission standards were established for an intermediate useful life of 5 years/50,000 miles as well as a Emission standards had to be met for a full useful life of 5 years/50,000 miles through model year 1983, and a full useful life of 11 years 120,000 miles was defined for 1985-93 full useful life of 11 years/120,000 miles (these standards are shown in parentheses). This applied to all pollutants except hydrocarbons and particulates for all LDT3s and NOx for dieselpowered LDT3s, which were only required to meet full useful life standards. Tier 1 exhaust standards were phased-in during 1996-97 at a rate of 50 and 100 percent, respectively.

In 1968-69, exhaust emission standards were issued in parts per million (ppm) rather than grams per mile and are, therefore, incompatible with this table.

No estimate available.

No standard set.

weight

The cold CO emission standard is measured at 20 degrees F (rather than 75 degrees F) and is applicable for a 5-year/50,000-mile useful life.

¹Gross vehicle weight rating (GVWR) is the maximum design loaded weight. Adjusted loaded vehicle weight (ALVW) is the numerical average of the GVWR and the curb

Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Heavy Trucks (Grams per brake horsepower-hour) Table 12.19

Engine Type & Pollutant	1970-73	1974-78	1979-83 1984	1984	1985-86	1987	1988-89 1990	1990	1991-93	1994-97	1998-2003	2004+
Gasoline												
Hydrocarbons + nitrogen oxides (HC + NOx)	a	16	10		a							
Hydrocarbons (HC)	9	р	1.5		1.9	1.1						
Nitrogen oxides (NOx)	a				10.6			0.9	5.0		4.0	
Carbon Monoxide (CO)	9	40	25		37.1	14.4						
Diesel												
Hydrocarbons + nitrogen oxides (HC + NOx)	D	16	10	a					SWEET STREET			
Hydrocarbons (HC)	9	a	1.5	1.3								
Nitrogen oxides (NOx)	a			10.7				0.9	5.0		4.0	
Non-methane hydrocarbons + nitrogen oxides	a											2.4
Carbon Monoxide (CO)	q	40	25	15.5								
Particulates	a						09.0		0.25	0.10		
Smoke Opacity (acceleration/lugging/peak) d	40/20/a	20/15/50										
Weight Criteria for Light Heavy Trucks e	GVWR over 6,000 lbs	e,000 lbs	GVW	GVWR over 8,500 lbs	500 lbs		G	/WR 8,5	GVWR 8,501 through 14,000 lbs	14,000 lbs		
Test Procedure (gasoline) f	9-mode steady-state	dy-state			MVMA transient	nsient						
(diesel)f	13-mode steady-state	ady-state		EPA transient	sient					2		
Useful Life (gasoline) g	5 years/50,000 miles	00 miles			8 years/110,000 miles	,000 miles	-					
Useful Life (gasoline) g	5 years/50,0	00 miles			8 years/110	,000 miles						

Sources: 40 CFR 86.082-2; 40 CFR 86.08

86.094-11; 40 CFR 86.096-2; 40 CFR 86.096-10; 40 CFR 86.096-11; 40 CFR 86.098-10; 40 CFR 86.098-11; 40 CFR 86.098-11; 40 CFR 86.099-10; 40 CFR 86.099-11; 40 CFR 86.098-10; 40 CFR 86.099-10; 40 40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.088-10; 40 CFR 86.090-2; 40 CFR 86.090-10; 40 CFR 86.090-11; 40 CFR 86.091-11; 40 CFR 86.091-1 86.004-15. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999. Rob French, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999.

^bAlthough emission standards for hydrocarbons and carbon monoxide were in effect for these years, they were not measured in grams/brake horsepower-hour and are, therefore, incompatible with this table.

Cychicles can meet a composite non-methane hydrocarbons and nitrogen oxides standard of 2.5, if they meet a non-methane hydrocarbon standard of no more than 0.5. ^dSmoke opacity is expressed in percentage for acceleration, lugging, and peak modes (acceleration/lugging/peak). Lugging is when a vehicle is carrying a load.

Gross vehicle weight rating (GVWR) is the maximum design loaded weight.

standards. For 1984, either the steady-state tests or the EPA transient test procedure could be used. For diesels, the EPA transient test was required from 1985 to the present. For gasolinepowered vehicles, either either the EPA or MVMA (Motor Vehicle Manufacturers Association) transient test procedure could be used during 1985-86, and the MVMA procedure was Several testing procedures have been used during the course of exhaust emission control. A steady-state 9-mode test procedure (13-mode for diesel) was used for 1970-83 required thereafter.

was a transitional year in which vehicles could meet the older standard (and test procedure) or the newer one. Useful life requirement for gasoline-powered trucks meeting. NOx standards ⁸Emissions standards apply to the useful life of the vehicle. Useful life was 5 years/50,000 miles through 1983, and 8 years/110,000 miles for model year 1985 and after. 1984 for 1998 and after is 10 years/110,000 miles. The useful life requirements for heavy diesel truck standards are more complex and vary by vehicle weight, pollutant, test procedure, and year. Consult the U.S. Code of Federal Regulations for further information.

^aNo standard set

Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy Heavy Trucks (Grams per brake horsepower-hour) **Table 12.20**

Engine Type & Pollutant	1970-73	1974-78	1974-78 1979-83	1984	1985-86	1987	1988-89	1990	1991-93	1990 1991-93 1994-97	1998-2003	2004+
Gasoline												
Hydrocarbons + nitrogen oxides (HC + NOx)	σ	91	10		a							
Hydrocarbons (HC)	9	a	1.5		1.9							
Nitrogen oxides (NOx)	a				10.6			0.9	5.0		4.0	
Carbon Monoxide (CO)	q	40	25		37.1							
Diesel												
Hydrocarbons + nitrogen oxides (HC + NOx)	a	16	10	a								
Hydrocarbons (HC)	9	a	1.5	1.3								
Nitrogen oxides (NOx)	a			10.7				0.9	5.0		4.0	
Non-methane hydrocarbons + nitrogen oxides	a											2.4c
Carbon Monoxide (CO)	9	40	25	15.5								
Particulates	a						09.0		0.25	0.10		
Smoke Opacity (acceleration/lugging/peak) d	40/20/a	20/15/50										
Weight Criteria for Heavy Heavy Trucks e	GVWR over 6,000 lbs	over lbs	GVWR	GVWR over 8,500 lbs	oo Ibs			GVWR	GVWR over 14,000 lbs	sql 00	-	
Test Procedure (gasoline) f	13-m	13-mode steady-state	tate		MVMA							
(diesel)f	13-m	13-mode steady-state	itate	EPA tı	EPA transient							
Useful Life (gasoline) g	5	5 years/50,000 miles	0 miles		8 years/	8 years/110,000 miles	miles					

Sources

86.094-11; 40 CFR 86.096-2; 40 CFR 86.096-10; 40 CFR 86.096-11; 40 CFR 86.098-10; 40 CFR 86.098-11; 40 CFR 86.099-10; 40 CFR 86.099-11; 40 CFR 86.098-11; 40 CFR 86.098-11; 40 CFR 86.098-11; 40 CFR 86.099-10; 40 CFR 86.099-11; 40 CFR 86.098-11; 40 40 CFR 86.082-2; 40 CFR 86.085-2; 40 CFR 86.088-10; 40 CFR 86.090-2; 40 CFR 86.090-10; 40 CFR 86.090-11; 40 CFR 86.091-10; 40 CFR 86.091-11; 40 CFR 86.091-10 86.004-15. Lisa Snapp, Office of Air and Radiation, Environmental Protection Agency, Personal communication, April 1999. Rob French, Office of Air and Radiation,

Environmental Protection Agency, Personal communication, April 1999.

^aNo standard set.

^bAlthough emission standards for hydrocarbons and carbon monoxide were in effect for these years, they were not measured in grams/brake horsepower-hour and are, therefore, incompatible with this table.

^cVehicles can meet a composite non-methane hydrocarbons and nitrogen oxides standard of 2.5, if they meet a non-methane hydrocarbon standard of no more than 0.5. ^dSmoke opacity is expressed in percentage for acceleration, lugging, and peak modes (acceleration/lugging/peak). Lugging is when a vehicle is carrying a load.

Gross vehicle weight rating (GVWR) is the maximum design loaded weight.

standards. For 1984, either the steady-state tests or the EPA transient test procedure could be used. For diesels, the EPA transient test was required from 1985 to the present. For gasolinepowered vehicles, either either the EPA or MVMA (Motor Vehicle Manufacturers Association) transient test procedure could be used during 1985-86, and the MVMA procedure was Several testing procedures have been used during the course of exhaust emission control. A steady-state 9-mode test procedure (13-mode for diesel) was used for 1970-83 required thereafter.

was a transitional year in which vehicles could meet the older standard (and test procedure) or the newer one. Useful life requirement for gasoline-powered trucks meeting. NOx standards Emissions standards apply to the useful life of the vehicle. Useful life was 5 years/50,000 miles through 1983, and 8 years/110,000 miles for model year 1985 and after. 1984 for 1998 and after is 10 years/110,000 miles. The useful life requirements for heavy diesel truck standards are more complex and vary by vehicle weight, pollutant, test procedure, and year. Consult the U.S. Code of Federal Regulations for further information.

€0<u></u>

California Passenger Cars and Light Trucks Emission Certification Standards for Model Years 2001-2006 (grams/mile) **Table 12.21**

								Vehicle Useful Life	eful Life						
Fmission				5 Years	Years / 50,000 Miles) Miles					10 Years / 100,000 Miles	/ 100,00	00 Mile	S	
Category THC ^a NMHC ^b NMOG ^c	THC	Z	MHCb	NMOG	99	NOx	PM	НСНО	THCa	THC ^a NMHC ^b NMOG ^c	NMOG	00	NOx	PM	НСНО
Tier 1 – () -		0.25	1	3.4	0.4	0.08 ^d	0.015°	1	0.31	T	4.2	9.0	1	1
TLEV -	1		1	0.125	3.4	0.4	I	0.015	1	1	0.156	4.2	9.0	0.08 ^d	0.018
LEV -	1		1	0.075	3.4	0.2	Ţ	0.015	1	Ţ	0.000	4.2	0.3	0.08 ^d	0.018
ULEV	1	11		0.040	1.7	0.2	1	0.008	1	1	0.055	2.1	0.3	0.04^{d}	0.011
ZEV 0.0 0.00		0.0	00	0.000	0.0	0.0	0.00	0.000	0.00	0.00	0.000	0.0	0.0	0.00	0.000
Tier 1 - 0.25	- 0.2	0.2	5	T	3.4	0.4	0.08^{d}	0.015°	Ţ	0.31	1	4.2	9.0	T	t
TLEV	I	1		0.125	3.4	0.4	1	0.015	1	1	0.156	4.2	9.0	0.08^{d}	0.018
AS	1	1		0.075	3.4	0.2	1	0.015	Ĩ	1	0.090	4.2	0.3	0.08^{d}	0.018
ULEV – –	1	1		0.040	1.7	0.2	1	800.0	1	1	0.055	2.1	0.3	0.04^{d}	0.011
ZEV 0.0 0.00		0.0	0	0.000	0.0	0.0	0.00	0.000	0.00	0.00	0.000	0.0	0.0	0.00	0.000
Tier 1 – 0.32	- 0.3	0.3	2	ij	4.4	0.7	0.08^{d}	0.018^{e}	Î	0.40	1	5.5	0.97	1	J
TLEV	i	d	8	0.160	4.4	0.7	1	0.018	ĺ	1	0.200	5.5	6.0	0.10^{d}	0.023
LEV –	1	1	i i	0.100	4.4	0.4	1	0.018	î	1	0.130	5.5	0.5	0.10^{d}	0.023
ULEV –	T	53	â	0.050	2.2	0.4	1	0.009	1	ij	0.070	2.8	0.5	0.05^{d}	0.013

Source:

U.S. Environmental Protection Agency, Office of Transportation and Air Quality, EPA 420-B-00-001.

(Additional resources: www.epa.gov/otag)

Note: After 2003, Tier 1 and TLEV standards will be eliminated. LDT1 = light truck (6,000 lbs. or less GVWR) up through 3,750 lbs. loaded vehicle weight; LDT2 = light truck (6,000 lbs. or less GVWR) greater than 3,750 lbs. loaded vehicle weight.



^a THCE for methanol vehicles. Does not apply to CNG vehicles.

^b THCE for Tier 0 methanol vehicles. NMHCE for other alcohol vehicles.

c NMHC for diesel-fueled vehicles.

d Diesel-fueled vehicles only.

e Ethanol- and methanol-fueled vehicles only.

California's Low-Emission Vehicle regulations provide for reduced emission vehicles to be available to consumers. Vehicles meeting these standards have even lower emissions than the basic Tier 1 standards for all new vehicles sold in California. Currently, there is a wide array of TLEVs and LEVs, and a few ULEVs, SULEVs and ZEVs on the market. For a listing of the available low emission vehicles, see the California Air Resources Board web site referenced below.

Table 12.22 California Vehicle Emission Reduction for Passenger Cars and Light Trucks^a

		reduction fro fornia standar	
	НС	CO	NOx
Transitional Low-Emission Vehicle (TLEV)	50%	=	=
Low-Emission Vehicle (LEV)	70%	=	50%
Ultra-Low-Emission Vehicle (ULEV)	85%	50%	50%
Super-Ultra-Low-Emission Vehicle (SULEV)	96%	70%	95%
Zero-Emission Vehicles (ZEV)	100%	100%	100%

Source:

California Air Resources Board web site, www.arb.ca.gov/msprog/ccbg/ccbg.htm (Additional resources: www.arb.ca.gov)

Note: = indicates equivalent emissions to vehicles meeting the Tier 1 California standard.



^aLight trucks less than 6,000 lbs. gross vehicle weight rating.

^bSee Table 12.21.

APPENDIX A

SOURCES & METHODOLOGIES

This appendix contains documentation of the estimation procedures used by ORNL. The reader can examine the methodology behind the estimates and form an opinion as to their utility. The appendix is arranged by subject heading. Only tables which contain ORNL estimations are documented in Appendix A; all other tables have sources listed at the bottom of the table. Since abbreviations are used throughout the appendix, a list of abbreviations is also included.

Contents of Appendix A

List of Abbreviations Used in Appendix A
Energy Use Sources
Highway energy use
Off-highway energy use
Nonhighway energy use
Passenger Travel and Energy Use
Highway Passenger Mode Energy Intensities
Nonhighway Mode Energy Intensities
Freight Movement and Energy Use
Freight Mode Energy Intensities
Highway Vehicle Stock and New Sales

List of Abbreviations Used in Appendix A

AAMA American Automobile Manufacturers Association

AAR Association of American Railroads
APTA American Public Transit Association

Amtrak National Railroad Passenger Corporation

Btu British thermal unit

DOC Department of Commerce

DOE Department of Energy

DOT Department of Transportation

EIA Energy Information Administration
EPA Environmental Protection Agency
FAA Federal Aviation Administration
FHWA Federal Highway Administration
GSA General Services Administration

gvw gross vehicle weight lpg liquefied petroleum gas

mpg miles per gallon

NHTS National Household Travel Survey

NHTSA National Highway Traffic Safety Administration

NPTS Nationwide Personal Transportation Survey

NVPP National Vehicle Population Profile

ORNL Oak Ridge National Laboratory

pmt passenger-miles traveled

RECS Residential Energy Consumption Survey

RTECS Residential Transportation Energy Consumption Survey

TIUS Truck Inventory and Use Survey
TSC Transportation Systems Center

VIUS Vehicle Inventory and Use Survey

vmt vehicle-miles traveled

Energy Use Sources

Highway energy use

Automobiles

Fuel use in gallons from: DOT, FHWA, *Highway Statistics 2002*, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to 1995*. Fuel use was distributed among fuel types using the percentages shown in Table A.1.

Table A.1
Automobile Fuel Use and Fuel Type Shares for Calculation of Energy Use

	Fuel use	Source for	Source for	Sh	ares by fuel type)
Year	(million gallons)	gasohol shares	gasoline/diesel shares	Gasoline	Gasohol	Diesel
1970	67,820		1984 NVPP	99.8%	0.0%	0.2%
1971	71,346		interpolated	99.2%	0.0%	0.8%
1972	75,937		interpolated	98.7%	0.0%	1.3%
1973	78,233		interpolated	98.1%	0.0%	1.9%
1974	74,229		interpolated	97.5%	0.0%	2.5%
1975	74,140		interpolated	97.0%	0.0%	3.0%
1976	78,297		interpolated	96.4%	0.0%	3.6%
1977	79,060		interpolated	95.8%	0.0%	4.2%
1978	80,652		interpolated	95.3%	0.0%	4.7%
1979	76,588		1979 RTECS	94.7%	0.0%	5.3%
1980	69,981	FHWA, MF-24	interpolated	93.9%	0.5%	5.6%
1981	69,112	FHWA, MF-24	1981 RTECS	93.4%	0.7%	5.9%
1982	69,116	FHWA, MF-24	interpolated	93.5%	2.3%	4.2%
1983	70,322	FHWA, MF-24	1983 RTECS	93.2%	4.3%	2.5%
1984	70,663	FHWA, MF-24	interpolated	92.7%	5.3%	2.0%
1985	71,518	FHWA, MF-24	1985 RTECS	90.8%	7.7%	1.5%
1986	73,174	FHWA, MF-24	interpolated	91.0%	7.6%	1.4%
1987	73,308	FHWA, MF-24	interpolated	92.4%	6.3%	1.3%
1988	73,345	FHWA, MF-24	1988 RTECS	91.4%	7.4%	1.2%
1989	73,913	FHWA, MF-24	interpolated	92.6%	6.2%	1.2%
1990	69,568	FHWA, MF-24	interpolated	92.0%	6.8%	1.2%
1991	64,318	FHWA, MF-24	1991 RTECS	90.8%	8.0%	1.2%
1992	65,436	FHWA, MF-24	interpolated	90.8%	7.9%	1.2%
1993	67,047	FHWA, MF-24	interpolated	89.7%	9.1%	1.3%
1994	67,874	FHWA, MF-24	1994 RTECS	89.1%	9.6%	1.3%
1995	68,072	FHWA, MF-24	interpolated	87.6%	11.2%	1.2%
1996	69,221	FHWA, MF-24	interpolated	88.8%	10.1%	1.0%
1997	69,892	FHWA, MF-24	interpolated	86.9%	12.2%	0.9%
1998	71,695	FHWA, MF-24	interpolated	88.0%	11.2%	0.8%
1999	73,283	FHWA, MF-24	interpolated	88.3%	11.0%	0.6%
2000	73,065	FHWA, MF-24	2000 NVPP	86.9%	12.6%	0.5%
2001	73,559	FHWA, MF-24	2001 NVPP	86.5%	13.0%	0.5%
2002	74,949	FHWA, MF-24	2001 NVPP	83.9%	15.6%	0.5%
	Hoot contact	sed for conversio	n to htm	125,000	120,900	138,700
	neat content u	sed for conversio	น เบ บเน:	btu/gallon	btu/gallon	btu/gallo

Motorcycles

DOT, FHWA, Highway Statistics 2002, Table VM-1, and annual editions.

Table A.2 Motorcycle Fuel Use

	Fuel use		Fuel use
Year	(million gallons)	Year	(million gallons)
1970	59580000	1986	187,940,000
1971	72,140,000	1987	190,120,000
1972	86,620,000	1988	200,480,000
1973	103,880,000	1989	207,420,000
1974	108,900,000	1990	191,140,000
1975	112,580,000	1991	183,560,000
1976	120,060,000	1992	191,140,000
1977	126,980,000	1993	198,120,000
1978	143,160,000	1994	204,800,000
1979	172,740,000	1995	198,262,073
1980	204,280,000	1996	195,940,000
1981	213,800,000	1997	201,620,000
1982	198,200,000	1998	205,660,000
1983	175,200,000	1999	211,680,000
1984	175,680,000	2000	209,380,000
1985	181,720,000	2001	192,780,000
		2002	191,060,000
Heat	content used for conversion	to btu:	125,000 btu/gallon

Buses

Transit:

APTA, 2004 Transit Fact Book, 2004, Washington, DC. Includes motorbus and trolley bus data.

Table A.3 Transit Bus Fuel Use

						i e e e e e e e e e e e e e e e e e e e	
	Methanol (thousand	LNG (thousand	LPG (thousand	CNG (thousand	Gasoline (thousand	Diesel fuel (thousand	Electricity (thousand kilowatt
Year	gallons)	gallons)	gallons)	gallons)	gallons)	gallons)	hours)
1994	12,470	1,138	249	3,109	2,103	565,064	102,945
1995	11,967	1,737	269	10,011	2,297	563,767	100,659
1996	11,600	2,278	591	11,527	1,844	577,680	69,130
1997	8,705	3,276	1,033	20,050	2,722	597,636	78,561
1998	4,976	3,075	879	32,260	1,959	606,631	74,352
1999	2,711	5,251	659	39,861	1,402	618,024	75,920
2000	821	10,464	723	50,449	1,315	635,160	78,062
2001	763	11,670	1,171	60,917	1,472	587,184	75,108
2002	8,982	16,762	1,830	77,787	1,264	558,990	75,901
Heat content used for conversion to btu:	64,600 btu/gallon	90,800 btu/gallon	91,300 btu/gallon	129,400 btu/gallon	125,000 btu/gallon	138,700 btu/gallon	11,765 btu/kWhr

Intercity and School:

Eno Transportation Foundation, *Transportation in America 2001*, Nineteenth Edition, 2003, Washington, DC, pp. 20–23. School bus fuel was assumed to be 90% diesel fuel and 10% gasoline based on estimates from the National Association of State Directors of Pupil Transportation Services. Intercity bus fuel was assumed to be 100% diesel.

Table A.4
Intercity and School Bus Fuel Use

Intercity	and School Bus.	ruei Use
	Intercity	School
Year	(million gallons)	(million gallons)
1970	305.34	299.88
1971	296.73	309.75
1972	288.12	319.62
1973	252.42	327.04
1974	216.72	334.46
1975	181.02	341.88
1976	182.28	389.76
1977	181.86	401.52
1978	180.18	406.98
1979	205.38	404.88
1980	213.78	379.68
1981	205.38	386.82
1982	227.22	398.58
1983	237.30	400.68
1984	169.26	375.06
1985	165.48	425.04
1986	148.68	462.42
1987	155.82	487.20
1988	160.44	511.14
1989	166.74	498.12
1990	159.60	472.08
1991	160.44	533.40
1992	157.08	546.00
1993	171.36	533.40
1994	195.30	546.00
1995	195.30	545.16
1996	199.92	545.16
1997	212.52	544.74
1998	220.08	550.20
1999	241.08	555.66
2000	233.10	577.08
2001	217.35*	538.08*
2002	210.34*	520.74*
Fuel type shares	100% diesel	90% diesel 10% gasoline
Heat content used for	138,700	138,700 btu/gallon
conversion to btu:	btu/gallon	125,000 btu/gallon
	-	-

^{*} Estimated using the rate of change of bus vehicle-miles traveled from FHWA *Highway Statistics* Table VM-1.

Trucks

Light Trucks:

DOT, FHWA, *Highway Statistics* 2002, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to 1995*.

Table A.5
Light Truck Fuel Use and Fuel Type Shares for Calculation of Energy Use

	Fuel use (million	Source for	Source for gasoline/diesel		Shares by	fuel type	
Year	gallons)	gasohol shares	/lpg shares	Gasoline	Gasohol	Diesel	Lpg
1970	12,313		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1971	13,484		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1972	15,150		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1973	16,828		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1974	16,657		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1975	19,081		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1976	20,828		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1977	22,383		1977 TIUS	97.6%	0.0%	1.6%	0.8%
1978	24,162		Interpolated	97.1%	0.0%	2.0%	0.9%
1979	24,445		Interpolated	96.7%	0.0%	2.4%	1.0%
1980	23,796	FHWA, MF-24	Interpolated	95.7%	0.5%	2.7%	1.0%
1981	23,697	FHWA, MF-24	Interpolated	95.1%	0.7%	3.1%	1.1%
1982	22,702	FHWA, MF-24	1982 TIUS	93.0%	2.3%	3.5%	1.2%
1983	23,945	FHWA, MF-24	Interpolated	91.0%	4.3%	3.5%	1.2%
1984	25,604	FHWA, MF-24	Interpolated	90.0%	5.3%	3.5%	1.2%
1985	27,363	FHWA, MF-24	Interpolated	87.6%	7.7%	3.5%	1.2%
1986	29,074	FHWA, MF-24	Interpolated	87.7%	7.6%	3.5%	1.2%
1987	30,598	FHWA, MF-24	1987 TIUS	89.0%	6.3%	3.5%	1.2%
1988	32,653	FHWA, MF-24	Interpolated	88.2%	7.4%	3.5%	1.0%
1989	33,271	FHWA, MF-24	Interpolated	89.5%	6.2%	3.4%	0.8%
1990	35,611	FHWA, MF-24	Interpolated	89.2%	6.8%	3.4%	0.7%
1991	38,217	FHWA, MF-24	Interpolated	88.1%	8.0%	3.3%	0.5%
1992	40,929	FHWA, MF-24	1992 TIUS	88.5%	7.9%	3.3%	0.3%
1993	42,851	FHWA, MF-24	Interpolated	87.3%	9.1%	3.3%	0.3%
1994	44,112	FHWA, MF-24	Interpolated	86.8%	9.6%	3.3%	0.3%
1995	45,605	FHWA, MF-24	Interpolated	85.1%	11.2%	3.4%	0.3%
1996	47,354	FHWA, MF-24	Interpolated	86.2%	10.1%	3.4%	0.3%
1997	49,388	FHWA, MF-24	1997 VIUS	84.2%	12.2%	3.4%	0.2%
1998	50,462	FHWA, MF-24	1997 VIUS	85.2%	11.2%	3.4%	0.2%
1999	52,859	FHWA, MF-24	1997 VIUS	85.4%	11.0%	3.4%	0.2%
2000	52,939	FHWA, MF-24	1997 VIUS	83.8%	12.6%	3.4%	0.2%
2001	53,522	FHWA, MF-24	1997 VIUS	83.4%	13.0%	3.4%	0.2%
2002	54,841	FHWA, MF-24	1997 VIUS	80.8%	15.6%	3.4%	0.2%
	Heat conto	nt used for conversion	on to btu:	125,000	120,900	138,700	90,800
	rical colle	iii useu ioi conveisio	ni to btu.	btu/gallon	btu/gallon	btu/gallon	btu/gallon

Medium/Heavy Trucks:

DOT, FHWA, *Highway Statistics* 2002, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to 1995*. Total gallons for other trucks was the difference between total trucks and 2-axle, 4-tire trucks.

Table A.6 Medium/Heavy Truck Fuel Use and Fuel Type Shares for Calculation of Energy Use

	Fuel use	Source for gasoline/diesel /lpg	S	hares by fuel ty	pe
Year	(million gallons)	shares	Gasoline	Diesel	Lpg
1970	11,316	1977 TIUS	10.4%	89.5%	0.1%
1971	11,812	1977 TIUS	10.4%	89.5%	0.1%
1972	12,964	1977 TIUS	10.4%	89.5%	0.1%
1973	14,320	1977 TIUS	10.4%	89.5%	0.1%
1974	14,341	1977 TIUS	10.4%	89.5%	0.1%
1975	14,598	1977 TIUS	10.4%	89.5%	0.1%
1976	15,408	1977 TIUS	10.4%	89.5%	0.1%
1977	17,082	1977 TIUS	10.4%	89.5%	0.1%
1978	19,121	Interpolated	16.2%	83.5%	0.3%
1979	19,913	Interpolated	22.1%	77.5%	0.5%
1980	19,960	Interpolated	27.9%	71.4%	0.6%
1981	20,376	Interpolated	33.8%	65.4%	0.8%
1982	20,386	1982 TIUS	39.6%	59.4%	1.0%
1983	20,761	Interpolated	35.6%	63.6%	0.8%
1984	21,428	Interpolated	31.5%	67.8%	0.7%
1985	21,405	Interpolated	27.5%	72.0%	0.5%
1986	21,861	Interpolated	23.4%	76.2%	0.4%
1987	22,513	1987 TIUS	19.4%	80.4%	0.2%
1988	22,925	Interpolated	18.8%	81.0%	0.3%
1989	23,512	Interpolated	18.1%	81.6%	0.3%
1990	24,490	Interpolated	17.5%	82.1%	0.4%
1991	24,981	Interpolated	16.8%	82.7%	0.4%
1992	25,453	1992 TIUS	16.2%	83.3%	0.5%
1993	26,236	Interpolated	15.4%	84.1%	0.5%
1994	27,685	Interpolated	14.7%	84.8%	0.5%
1995	28,828	Interpolated	13.9%	85.6%	0.5%
1996	29,601	Interpolated	13.2%	86.3%	0.5%
1997	29,878	1997 VIUS	12.4%	87.1%	0.5%
1998	30,841	1997 VIUS	12.4%	87.1%	0.5%
1999	33,909	1997 VIUS	12.4%	87.1%	0.5%
2000	35,229	1997 VIUS	12.4%	87.1%	0.5%
2001	35,179	1997 VIUS	12.4%	87.1%	0.5%
2002	36,756	1997 VIUS	12.4%	87.1%	0.5%
П	leat content used for co	onversion to but	125,000	138,700	90,800
1.	icat content used for co	onversion to otu.	btu/gallon	btu/gallon	btu/gallon

Off-highway energy use

The off-highway energy use estimates are for the year 2001. The estimates are a combination of data from EPA's NONROAD2002 model and VIUS 1997. First, the NONROAD model was queried on a national basis for energy use by nonroad engines. The resulting database included sector, fuel type, number of gallons used annually, and a description of the off-highway equipment called the source category code (SCC). ORNL sorted the data by SCC and only the SCC's which pertained to off-highway transportation were kept in the database. Examples of exclusions include chainsaws and stationary generators. The EPA model does not include off-highway use of trucks; therefore, the 1997 VIUS was queried to derive the amount of fuel (by sector and fuel type) used by trucks off-road. The rate of change in off-highway transportation-related fuel use from NONROAD2002 between 1997 and 2001 was applied to the 1997 VIUS data to provide an estimate for 2001. The transportation-related fuel use from NONROAD and the VIUS estimates were added together for a total off-highway transportation-related fuel use by sector and fuel type. These totals are found on Table 2.8. Gallons were converted to btu using the gross heat content for each fuel. (Heat content values shown on Table B.4.)

Additional detail on this methodology can be found in the report *Off-Highway Transportation-related Fuel Use*, ORNL/TM-2004/92, April 2004, http://cta.ornl.gov/cta/Publications/pdf/ORNL_TM-2004_92.pdf .

Nonhighway energy use

Air

General Aviation:

DOT, FAA, General Aviation Activity and Avionics Survey: Annual Summary Report Calendar Year 2002, Table 5.1, and annual.

Table A.7 General Aviation Fuel Use

General Aviation Fuel Use					
Jet fuel Aviation gasoline					
Year	(million gallons)	(million gallons)			
1970	208.0	551.0			
1971	226.0	508.0			
1972	245.0	584.0			
1973	304.0	411.0			
1974	357.0	443.0			
1975	453.0	412.0			
1976	495.0	432.0			
1977	536.0	456.0			
1978	763.0	518.0			
1979	736.0	570.0			
1980	766.0	520.0			
1981	759.0	489.0			
1982	887.0	448.0			
1983	613.0	428.0			
1984	738.9	462.4			
1985	691.0	421.0			
1986	732.1	408.6			
1987	672.7	401.8			
1988	746.0	398.0			
1989	688.0	342.8			
1990	662.0	353.0			
1991	579.0	348.0			
1992	496.0	306.0			
1993	454.1	268.4			
1994	470.8	264.1			
1995	544.0	276.0			
1996	567.5	286.5			
1997	639.4	289.7			
1998	814.6	311.4			
1999	967.2	345.4			
2000	998.1	336.3			
2001	938.7	319.3			
2002	815.5	261.4			
Heat content used for	135,000	120,200			
conversion to btu:	btu/gallon	btu/gallon			

Domestic and International Air Carrier:

DOT, Bureau of Transportation Statistics, "Fuel Cost and Consumption Tables." Because the data for international included fuel purchased abroad, **the international total was divided in half to estimate domestic fuel use for international flights**.

Table A.8
Air Carrier Fuel Use

	Air Carrier Fuel Use				
	Domestic	All international	Total		
Year	(thousand gallons)	(thousand gallons)	(thousand gallons)		
1970			10,085,000		
1971			10,140,000		
1972	Separate estimate	s for domestic and	10,302,000		
1973	international are	not available from	10,671,000		
1974	1970-	1976.	10,417,260		
1975			10,412,640		
1976			10,400,040		
1977	8,202,051	1,708,376	9,910,427		
1978	8,446,117	1,741,918	10,188,035		
1979	8,865,885	1,828,435	10,694,320		
1980	8,519,233	1,747,306	10,266,539		
1981	8,555,249	2,032,520	10,587,769		
1982	8,432,465	1,967,733	10,400,198		
1983	8,672,574	1,998,289	10,670,863		
1984	9,625,958	2,286,407	11,912,365		
1985	10,115,007	2,487,929	12,602,936		
1986	11,137,331	2,544,996	13,682,327		
1987	11,586,838	2,893,617	14,480,455		
1988	11,917,904	3,262,824	15,180,728		
1989	11,905,144	3,557,294	15,462,438		
1990	12,429,305	3,963,081	16,392,386		
1991	11,506,477	3,939,666	15,446,144		
1992	11,762,852	4,120,132	15,882,983		
1993	11,958,663	4,113,321	16,071,984		
1994	12,475,549	4,310,879	16,786,428		
1995	12,811,717	4,511,418	17,323,135		
1996	13,187,305	4,658,093	17,845,398		
1997	13,659,581	4,964,181	18,623,762		
1998	13,876,971	5,185,562	19,062,533		
1999	14,402,127	5,250,492	19,652,619		
2000	14,844,592	5,474,685	20,319,277		
2001	14,017,461	5,237,487	19,254,948		
2002	12,848,329	4,990,798	17,839,127		
Heat content used for	135,000	135,000	135,000		
conversion to btu:	btu/gallon	btu/gallon	btu/gallon		

Water

Freight:

Total – DOE, EIA, Fuel Oil and Kerosene Sales 2002, Table 23. Adjusted sales of distillate and residual fuel oil for vessel bunkering. (This may include some amounts of bunker fuels used for recreational purposes.)

Table A.9
Diesel and Residual Fuel Oil for Vessel Bunkering

Diesei anu Kesic	luai ruei On 101 v	essei bulkering
	Distillate fuel oil	Residual fuel oil
Year	(thousand gallons)	(thousand gallons)
1970	819,000	3,774,120
1971	880,000	3,307,000
1972	1,013,000	3,273,000
1973	1,125,000	3,859,000
1974	1,018,920	3,827,040
1975	1,097,880	4,060,140
1976	1,220,100	4,977,000
1977	1,407,420	5,416,740
1978	1,578,822	6,614,790
1979	1,630,858	8,002,672
1980	717,376	7,454,242
1981	1,723,143	7,922,512
1982	1,423,216	6,408,818
1983	1,418,890	5,724,115
1984	1,692,141	5,687,375
1985	1,894,016	5,473,614
1986	2,034,215	5,287,347
1987	2,223,258	5,259,272
1988	2,310,367	5,248,981
1989	2,356,444	5,410,263
1990	2,197,004	6,248,095
1991	2,167,640	6,786,055
1992	2,240,170	7,199,078
1993	2,043,745	6,269,882
1994	2,026,899	5,944,383
1995	1,978,105	6,431,238
1996	2,177,608	5,804,977
1997	2,107,561	4,789,861
1998	2,125,568	4,640,153
1999	2,064,590	5,598,630
2000	2,041,433	6,192,294
2001	2,099,011	4,345,284
2002	2,069,514	4,746,843
Heat content used for	138,700	149,700
conversion to btu:	btu/gallon	btu/gallon

Recreational Boating:

Fuel use by recreational boating comes from the EPA's NONROAD2002 model. These data replace the methodology found in previous editions.

Table A.10 Recreational Boating Fuel Use

Recreational Boating Fuel Use				
Diesel use Gasoline us				
Year	(gallons)	(gallons)		
1970	22,919,633	1,224,387,527		
1971	27,285,285	1,227,661,371		
1972	31,650,932	1,230,935,023		
1973	36,016,574	1,234,208,840		
1974	40,382,224	1,237,482,584		
1975	44,747,857	1,240,756,375		
1976	49,113,522	1,244,030,051		
1977	53,479,150	1,247,303,843		
1978	57,844,803	1,250,577,648		
1979	62,210,461	1,253,851,392		
1980	66,576,099	1,257,125,122		
1981	70,941,738	1,260,398,961		
1982	75,307,388	1,263,672,690		
1983	79,673,029	1,266,946,393		
1984	84,038,675	1,270,220,218		
1985	88,404,326	1,273,493,987		
1986	92,769,953	1,276,767,669		
1987	97,135,633	1,280,041,517		
1988	101,501,282	1,283,315,295		
1989	105,866,923	1,286,589,025		
1990	110,232,557	1,289,862,771		
1991	114,598,187	1,293,136,531		
1992	118,963,858	1,296,410,363		
1993	123,329,476	1,299,684,037		
1994	127,695,138	1,302,957,750		
1995	132,060,765	1,306,231,593		
1996	136,426,421	1,309,505,360		
1997	140,792,086	1,312,726,774		
1998	145,157,736	1,315,890,987		
1999	149,455,150	1,317,593,242		
2000	153,752,606	1,316,718,386		
2001	158,363,828	1,319,052,215		
2002	162,975,025	1,317,004,231		
Heat content used for	138,700	125,000 btu/gallon		
conversion to btu:	btu/gallon	-20,000 Star Barron		

Pipeline

The sum of natural gas, crude petroleum and petroleum product, and coal slurry and water.

Natural Gas:

The amount of natural gas used to transport natural gas was defined as "pipeline fuel" as reported in DOE, EIA, *Natural Gas Annual 2001*, Table 1. Cubic feet were converted to Btu using 1,031 Btu/ft³. Electricity use was estimated using the following procedure as reported on p. 5-110 of J. N. Hooker et al., *End Use Energy Consumption DataBase: Transportation Sector*. The energy consumption of a natural gas pipeline was taken to be the energy content of the fuel used to drive the pumps. Some 94% of the installed pumping horsepower was supplied by natural gas. The remaining 6% of the horse power was generated more efficiently, mostly by electric motors. The energy consumed by natural gas pipeline pumps that were electrically powered was not known. In order to estimate the electricity consumed, the Btu of natural gas pipeline fuel consumed was multiplied by a factor of 0.015. From this computed value, electricity efficiency and generation loss must be taken into account. The electricity energy use in Btu must be converted to kWhr, using the conversion factor 29.305 x 10⁻⁵ kWhr/Btu. Electricity generation and distribution efficiency was 29%. When generation and distribution efficiency are taken into account, 1 kWhr equals 11,765 Btu.

Crude petroleum and petroleum product:

J. N. Hooker, *Oil Pipeline Energy Consumption and Efficiency*, ORNL-5697, ORNL, Oak Ridge, TN, 1981. (Data held constant; Latest available data.)

Coal slurry and water:

W. F. Banks, Systems, Science and Software, *Energy Consumption in the Pipeline Industry*, LaJolla, CA, October 1977. (Data held constant; Latest available data.)

Table A.11
Pipeline Fuel Use

Year Natural gas (million cubic feet) Estimated electricity use (million kWhr) Electricity constant (trillion btu) 1970 722,166 3,272.9 212.1 1971 742,592 3,365.4 212.1 1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1979 600,964 2,723.6 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 <		Pipeline Fuel Use				
Year (million cubic feet) electricity use (million kWhr) constant (trillion btu) 1970 722,166 3,272.9 212.1 1971 742,592 3,365.4 212.1 1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1988 613,912 </td <td></td> <td></td> <td>Estimated</td> <td></td>			Estimated			
Year cubic feet) (million kWhr) (trillion btu) 1970 722,166 3,272.9 212.1 1971 742,592 3,365.4 212.1 1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2		Natural gas	natural gas pipeline	Electricity		
1970 722,166 3,272.9 212.1 1971 742,592 3,365.4 212.1 1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1		(million	electricity use	constant		
1971 742,592 3,365.4 212.1 1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 1999 645,319 2,924.6 212.1 1999 645,319 2,924.6 212.1 1999 645,319 2,924.6 212.1 1999 645,319 2,924.6 212.1 2001 624,964 2,832.3 212.1 Heat content used for 1,031 btu/cubic	Year	cubic feet)	(million kWhr)	(trillion btu)		
1972 766,156 3,472.2 212.1 1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 1999 645,319 2,924.6 212.1 2001 624,964 2,832.3 212.1 Heat content used for 1,031 btu/cubic	1970	722,166	3,272.9	212.1		
1973 728,177 3,300.1 212.1 1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 Heat content used for 1,031 btu/cubic	1971	742,592	3,365.4	212.1		
1974 668,792 3,031.0 212.1 1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1995 700,335 3,173.9 212.1 1	1972	766,156	3,472.2	212.1		
1975 582,963 2,642.0 212.1 1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1	1973	728,177	3,300.1	212.1		
1976 548,323 2,485.0 212.1 1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1995 700,335 3,173.9 212.1 1	1974	668,792	3,031.0	212.1		
1977 532,669 2,414.1 212.1 1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1	1975	582,963	2,642.0	212.1		
1978 530,451 2,404.0 212.1 1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1998 635,477 2,880.0 212.1 1	1976	548,323	2,485.0	212.1		
1979 600,964 2,723.6 212.1 1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1998 635,477 2,880.0 212.1 1	1977	532,669	2,414.1	212.1		
1980 634,622 2,876.1 212.1 1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2	1978	530,451				
1981 642,325 2,911.0 212.1 1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 2000 642,210 2,910.5 212.1 2	1979	600,964	2,723.6	212.1		
1982 596,411 2,703.0 212.1 1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 2000 645,319 2,924.6 212.1 2001 624,964 2,832.3 212.1 2	1980	634,622	2,876.1	212.1		
1983 490,042 2,220.9 212.1 1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 <td c<="" td=""><td>1981</td><td>642,325</td><td>2,911.0</td><td>212.1</td></td>	<td>1981</td> <td>642,325</td> <td>2,911.0</td> <td>212.1</td>	1981	642,325	2,911.0	212.1	
1984 528,754 2,396.3 212.1 1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 <td c<="" td=""><td>1982</td><td>596,411</td><td>2,703.0</td><td>212.1</td></td>	<td>1982</td> <td>596,411</td> <td>2,703.0</td> <td>212.1</td>	1982	596,411	2,703.0	212.1	
1985 503,766 2,283.1 212.1 1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1983	490,042	2,220.9	212.1		
1986 485,041 2,198.2 212.1 1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1984	528,754	2,396.3	212.1		
1987 519,170 2,352.9 212.1 1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1985	503,766	2,283.1	212.1		
1988 613,912 2,782.3 212.1 1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1986	485,041	2,198.2	212.1		
1989 629,308 2,852.0 212.1 1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1987	519,170	2,352.9	212.1		
1990 659,816 2,990.3 212.1 1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1988	613,912	2,782.3	212.1		
1991 601,305 2,725.1 212.1 1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1989	629,308	2,852.0			
1992 587,710 2,663.5 212.1 1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
1993 624,308 2,829.4 212.1 1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1991	601,305	2,725.1	212.1		
1994 685,362 3,106.1 212.1 1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1992	587,710		212.1		
1995 700,335 3,173.9 212.1 1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
1996 711,446 3,224.3 212.1 1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1994	685,362	3,106.1			
1997 751,470 3,405.7 212.1 1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
1998 635,477 2,880.0 212.1 1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
1999 645,319 2,924.6 212.1 2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	1997					
2000 642,210 2,910.5 212.1 2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
2001 624,964 2,832.3 212.1 2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765						
2002 667,027 3,023.0 212.1 Heat content used for 1,031 btu/cubic 11,765	2000	642,210	2,910.5	212.1		
Heat content used for 1,031 btu/cubic 11,765	2001	624,964	2,832.3	212.1		
	2002	667,027	3,023.0	212.1		
* . 1. C . TS. N. XX.M	Heat content used for	1,031 btu/cubic	11,765			
conversion to btu: foot Btu/kWhr	conversion to btu:	foot	Btu/kWhr			

Note: Formula for estimating electricity use for natural gas pipelines is: Natural gas use (in million cubic ft) \times 1,031 btu/cubic ft \times 0.015 \times 29.305 \times 10⁻⁵ kWhr/btu

Rail

Freight:

AAR, Railroad Facts, 2004 Edition, Washington, DC, 2004.

Table A.12 Class I Freight Railroad Fuel Use

Fuel Use			
	Diesel fuel		
Year	(thousand gallons)		
1970	3,807,663		
1971	3,822,907		
1972	3,996,985		
1973	4,160,730		
1974	4,175,375		
1975	3,736,484		
1976	3,895,542		
1977	3,985,069		
1978	3,968,007		
1979	4,072,187		
1980	3,955,996		
1981	3,756,439		
1982	3,178,116		
1983	3,137,295		
1984	3,388,173		
1985	3,144,190		
1986	3,039,069		
1987	3,102,227		
1988	3,182,267		
1989	3,190,815		
1990	3,134,446		
1991	2,925,970		
1992	3,022,108		
1993	3,111,981		
1994	3,355,802		
1995	3,503,096		
1996	3,600,649		
1997	3,602,793		
1998	3,619,341		
1999	3,749,428		
2000	3,720,107		
2001	3,729,985		
2002	3,751,413		
Heat content used for	138,700		
conversion to btu:	Btu/gallon		

Passenger:

Commuter - APTA, 2004 Transit Fact Book, Washington, DC, 2004.

Table A.13
Commuter Rail Fuel Use

Commuter Rail Fuel Use				
	Diesel	Electricity		
Year	(thousand gallons)	(million kWhr)		
1984	58,320	901		
1985	55,372	1,043		
1986	54,608	1,170		
1987	51,594	1,155		
1988	53,054	1,195		
1989	52,516	1,293		
1990	52,681	1,226		
1991	54,315	1,239		
1992	54,951	1,124		
1993	59,766	1,196		
1994	61,900	1,244		
1995	63,064	1,253		
1996	61,888	1,255		
1997	63,195	1,270		
1998	69,200	1,299		
1999	73,005	1,322		
2000	70,818	1,370		
2001	72,204	1,354		
2002	72,847	1,334		
Heat content used for	138,700	11,765		
conversion to btu:	Btu/gallon	Btu/kWhr		

Transit – APTA, 2004 Transit Fact Book, Washington, DC, 2004. Includes light rail and heavy rail.

Table A.14 Transit Rail Fuel Use

Electricity (million kWhr)			
Year	Light rail	Heavy rail	Total
1970	215	1100.7 1011	2,561
1971			2,556
1972			2,428
1973			2,331
1974			2,630
1975			2,646
1976	Light rail and he	eavy rail data are	2,576
1977	_	eparately from	2,303
1978		o 1985.	2,223
1979			2,473
1980			2,446
1981			2,655
1982			2,722
1983			2,930
1984			3,092
1985			2,928
1986	173	3,066	3,239
1987	191	3,219	3,410
1988	243	3,256	3,499
1989	242	3,286	3,528
1990	239	3,284	3,523
1991	274	3,248	3,522
1992	297	3,193	3,490
1993	281	3,287	3,568
1994	282	3,431	3,713
1995	288	3,401	3,689
1996	321	3,322	3,643
1997	361	3,253	3,614
1998	381	3,280	3,661
1999	416	3,385	3,801
2000	463	3,549	4,012
2001	487	3,646	4,133
2002	510	3,683	4,193
Heat content used for	11,765	11,765	11,765
conversion to btu:	Btu/kWhr	Btu/kWhr	Btu/kWhr

Intercity – Personal communication with Amtrak, Washington, DC.

Table A.15
Intercity Rail Fuel Use

intercity Kan Fuel Ose				
	Diesel fuel	Electricity		
Year	(thousand gallons)	(thousand kWhr)		
1994	73,516	308,948		
1995	72,371	335,818		
1996	71,226	362,689		
1997	75,656	389,559		
1998	75,999	416,429		
1999	79,173	443,300		
2000	94,968	470,170		
2001	96,846	817,274		
2002	115,717	817,208		
Heat content used for	138,700	11,765		
conversion to btu:	Btu/gallon	Btu/kWhr		

Calculation of Million Barrels per Day Crude Oil Equivalent

One gallon of gasoline, diesel fuel, or lpg is estimated to be the equivalent of one gallon of crude oil. Petroleum used for electricity was calculated using the following formula:

 $(\{[(BTU*S)/G]/P\}/365)/1000$

BTU = Btus of electricity from Table 2.4

S = Share of petroleum used in making primary electricity (Calculated from Table 2.6 from the

EIA, Monthly Energy Review)

G = Electricity generation and distribution (assumed 29%)

P = Btus per barrel of petroleum product (Table A3 from the EIA, *Monthly Energy Review*).

Passenger Travel and Energy Use

Automobiles

Number of vehicles, vehicle-miles – DOT, FHWA, *Highway Statistics*, 2002, Table VM-1. Data series shown in Table 4.1.

Passenger-miles – Vehicle-miles multiplied by an average load factor.

Load factor – 2001 NHTS shows automobile load factor as 1.1 persons per vehicle.

Energy intensities –

Btu per vehicle-mile – Automobile energy use divided by vehicle-miles.

Btu per passenger-mile – Automobile energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-3. Data series shown in Table 2.6.

Light trucks

Number of vehicles, vehicle-miles – DOT, FHWA, *Highway Statistics 2002*, Table VM-1. Data by truck type were multiplied by the shares of trucks/truck travel which are for personal use (Table A.17).

Passenger-miles – Vehicle-miles multiplied by an average load factor.

Load factor – 2001 NHTS shows personal light truck load factor as 1.72 persons per vehicle.

Energy intensities -

Btu per vehicle-mile – Personal light truck energy use divided by personal light truck vehicle-miles.
 Btu per passenger-mile – Personal light truck energy use divided by personal light truck passenger-miles.

Energy use – See Energy Use Sources, p. A-6, A-7 (light trucks, medium/heavy trucks). Data by truck type were multiplied by the shares of truck fuel use which are for personal use (Table A.17) which were derived by ORNL from the 1997 VIUS Micro Data File on CD.

Table A.16 Share of Trucks, Truck Travel, and Fuel Use for Personal Travel

Personal t	rucks
75.2%	2-axle, 4-tire trucks
16.9%	Other single-unit and combination trucks
Personal t	ruck travel
70.7%	2-axle, 4-tire trucks
7.1%	Other single-unit and combination trucks
Personal t	ruck fuel use
68.5%	2-axle, 4-tire trucks
3.7%	Other single-unit and combination trucks
· · · · · · · · · · · · · · · · · · ·	<u> </u>

Note:

Since these shares come from the 1997 VIUS, they may underestimate the amount of personal trucks, truck travel, and energy use for 2001.

Motorcycles

Number of vehicles, vehicle-miles – DOT, FHWA, *Highway Statistics 2002* Table VM-1.

Passenger-miles – Vehicle-miles multiplied by an average load factor.

Load factor - 2001 NHTS shows motorcycle load factor as 1.22 persons per vehicle.

Energy intensities –

Btu per vehicle-mile – Motorcycle energy use divided by vehicle-miles.

Btu per passenger-mile – Motorcycle energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-4. Data series shown in Table 2.6.

Demand Response

Number of vehicles, vehicle-miles, passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004.

Load factor – Passenger-miles divided by vehicle-miles.

Energy intensities –

Btu per vehicle-mile – Energy use divided by vehicle-miles.

Btu per passenger-mile – Energy use divided by passenger-miles.

Energy use - APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004.

Vanpool

Number of vehicles, vehicle-miles, passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004.

Load factor – Passenger-miles divided by vehicle-miles.

Energy intensities –

Btu per vehicle-mile – Energy use divided by vehicle-miles.

Btu per passenger-mile – Energy use divided by passenger-miles.

Energy use - APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004.

1	R	11	C	Δ	c
-	1			-	

Transit

Number of vehicles, vehicle-miles, passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 5.12.

Load factor – Passenger-miles divided by vehicle-miles.

Energy intensities –

Btu per vehicle-mile – Transit bus energy use divided by transit bus vehicle-miles.

Btu per passenger-mile – Transit bus energy use divided by transit bus passenger-miles.

Energy use - See Energy Use Sources, p. A-4. Data series shown in Table 5.12.

Intercity

Energy use – See Energy Use Sources, p. A-5. Data series shown in Table 5.13. Because the 2001 and 2002 data are not available, the rate of change in bus VMT from FHWA, *Highway Statistics* 2002, was used to estimate the change in energy use.

School

Number of vehicles – DOT, FHWA, *Highway Statistics 2001*, Table MV-10. Data series shown in Table 5.13.

Energy use – See Energy Use Sources, p. A-5. Data series shown in Table 5.13. Because the 2001and 2002 data are not available, the rate of change in bus VMT from FHWA, *Highway Statistics* 2002, was used to estimate the change in energy use.

Certificated air carriers

Aircraft-miles, passenger-miles – DOT, BTS, *Air Carrier Traffic Statistics Monthly, December 2002/2003*, Washington, DC.

Load factor – Passenger-miles divided by aircraft-miles.

Energy intensities -

Btu per passenger-mile – Certificated air carrier energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-10. All of domestic fuel use and half of international fuel use was considered to be domestic use.

Note: These data differ from the data in Table 9.1 because that table contains data on ALL domestic AND international air carrier energy use and passenger-miles.

General aviation

Number of vehicles – DOT, FAA, *General Aviation Activity and Avionics Survey: Calendar Year* 2002. Data series shown in Table 9.2.

Passenger-miles – (No 2002 data available.) Eno Foundation for Transportation, *Transportation in America 2001*, Nineteenth edition, Washington, DC. Data series shown in Table 9.2.

Energy intensities –

Btu per passenger-mile – General aviation energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-9. Data series shown in Table 9.2.

Recreational	boating

Number of vehicles and energy use – U.S. EPA, NONROAD2002 model.

Intercity

Number of vehicles, vehicle-miles, passenger-miles – AAR, *Railroad Facts*, 2004 Edition, Washington, DC, 2004.

Load factor – Passenger-miles divided by vehicle-miles.

Energy Intensities -

Btu per vehicle-mile – Intercity rail energy use divided by vehicle-miles.

Btu per passenger-mile – Intercity rail energy use divided by passenger-miles.

Energy use - See Energy Use Sources, p. A-18. Data series shown in Table 9.11.

Transit

Number of vehicles, vehicle-miles, passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Sum of light and heavy rail transit. Data series shown on Table 9.13.

Load factor – Passenger-miles divided by vehicle-miles.

Energy intensities –

Btu per vehicle-mile – Light and heavy transit rail energy use divided by vehicle-miles.

Btu per passenger-mile – Light and heavy transit rail energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-17. Data series shown in Table 9.13.

Commuter

Number of vehicles, vehicle-miles, passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 9.12.

Load factor – Passenger-miles divided by vehicle-miles.

Energy intensities –

Btu per vehicle-mile – Commuter rail energy use divided by vehicle-miles.

Btu per passenger-mile – Commuter rail energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-16. Data series shown in Table 9.12.

Highway Passenger Mode Energy Intensities

Automobiles

Btu per vehicle-mile – Automobile energy use divided by automobile vehicle miles of travel.

Energy use – See Energy Use Sources, p. A-3. Data series shown in Table 2.6.

Vehicle-miles – DOT, FHWA, *Highway Statistics 2002*, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to 1995*. Data series shown in Table 4.1.

Btu per passenger-mile – Automobile energy use divided by automobile passenger-miles.

Energy use – See Energy Use Sources, p. A-3. Data series shown in Table 2.6.

Passenger miles – Vehicle miles multiplied by an average load factor.

Vehicle-miles – DOT, FHWA, Highway Statistics 2002, Table VM-1 and annual editions back to 1996; DOT, FHWA, Highway Statistics Summary to 1995. Data series shown in Table 4.1.

Load factor - NPTS 1969, 1977, 1983/84, 1990, and 1995, and NHTS 2001.

Table A.17
Automobile Load Factor used to calculate Passenger-Miles

Automobile Loau Fa	actor used to care	mate i assenger-wine
Year	Source	Load Factor
1970	1969 NPTS	1.90
1971	Interpolated	1.90
1972	Interpolated	1.90
1973	Interpolated	1.90
1974	Interpolated	1.90
1975	Interpolated	1.90
1976	Interpolated	1.90
1977	1977 NPTS	1.90
1978	Interpolated	1.88
1979	Interpolated	1.87
1980	Interpolated	1.85
1981	Interpolated	1.83
1982	Interpolated	1.82
1983	1983/84 NPTS	1.80
1984	Interpolated	1.77
1985	Interpolated	1.74
1986	Interpolated	1.71
1987	Interpolated	1.69
1988	Interpolated	1.66
1989	Interpolated	1.63
1990	1990 NPTS	1.60
1991	Interpolated	1.60
1992	Interpolated	1.60
1993	Interpolated	1.60
1994	Interpolated	1.60
1995	1995 NPTS	1.60
1996	Interpolated	1.60
1997	Interpolated	1.59
1998	Interpolated	1.59
1999	Interpolated	1.58
2000	Interpolated	1.58
2001	2001 NHTS	1.57
2002	2001 NHTS	1.57

Light trucks

Btu per vehicle-mile – Light truck energy use divided by light truck vehicle miles of travel.

Energy use – See Energy Use Sources, p. A-6. Data series shown in Table 2.6.

Vehicle-miles – DOT, FHWA, *Highway Statistics* 2002, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to* 1995. Data series shown in Table 4.2.

В	u	S	e	S
u	u	O	u	O

Transit

Btu per vehicle-mile – Transit bus energy use divided by transit bus vehicle-miles.

Energy use – See Energy Use Sources, p. A-4. Data series shown in Table 5.12.

Vehicle-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 5.12.

Btu per passenger-mile – Transit bus energy use divided by transit bus passenger-miles.

Energy use – See Energy Use Sources, p. A-4. Data series shown in Table 5.12.

Passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 5.12.

Intercity

Btu per passenger-mile – Intercity bus energy use divided by intercity bus passenger-miles.

Energy use – See Energy Use Sources, p. A-5. Data series shown in Table 5.13. Because the 2001 and 2002 data are not available, the rate of change in bus VMT from FHWA, *Highway Statistics* 2002, was used to estimate the change in energy use.

Passenger-miles – (2001 and 2002 data not available.) Eno Foundation for Transportation, *Transportation in America 2001*, Nineteenth edition, Washington, DC. Data series shown in Table 5.13.

Nonhighway Mode Energy Intensities

<u>Air</u>			

Certificated air carriers

Btu per passenger-mile – Certificated air carrier energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-10. All of domestic fuel use and half of international fuel use was considered to be domestic use.

Passenger-miles – DOT, BTS, Air Carrier Traffic Statistics Monthly, December 2002/2003, Washington, DC, and annual editions back to 1994. Pre-1994 data are from various editions of the FAA Statistical Handbook of Aviation (no longer published). Scheduled service passenger-miles of domestic air carriers and half of international air carriers were used to coincide with fuel use.

Note: These data differ from the data in Table 9.1 because that table contains data on ALL domestic AND international air carrier energy use and passenger-miles.

General aviation

Btu per passenger-mile – General aviation energy use divided by passenger-miles.
Energy use – See Energy Use Sources, p. A-9. Data series shown in Table 9.2.
Passenger-miles – (2002 data not available.) Eno Foundation for Transportation, Transportation in America 2001, Nineteenth edition, Washington, DC. Data series shown in Table 9.2.

Rail		

Intercity

Btu per passenger-mile – Intercity rail energy use divided by passenger-miles. *Energy use* – See Energy Use Sources, p. A-18. Data series shown in Table 9.11. *Passenger-miles* – AAR, *Railroad Facts*, 2004 Edition, and previous annual editions.

Transit

Btu per passenger-mile – Transit rail energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-17. Data series shown in Table 9.13.

Passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 9.13.

Commuter

Btu per passenger-mile – Commuter rail energy use divided by passenger-miles.

Energy use – See Energy Use Sources, p. A-16. Data series shown in Table 9.12.

Passenger-miles – APTA, 2004 Public Transportation Fact Book, Washington, DC, 2004. Data series shown on Table 9.12.

Freight Movement and Energy Use

Truck	
-------	--

Number of vehicles – DOT, FHWA, *Highway Statistics 2002*, Table VM-1. Data by truck type were multiplied by the shares of trucks engaged in intercity freight movement (Table A.19).

Ton miles, tons shipped and average length of haul – Eno Transportation Foundation, *Transportation in America 2001*, Nineteenth Edition, Washington, DC, 2002. Because 2002 data are not available, 2001 data are used.

Energy intensity – Freight truck energy use divided by ton-miles.

Energy use – See Energy Use Sources (light trucks, medium/heavy trucks), pp. A-6, A-7. Data by truck type were multiplied by the shares of trucks engaged in intercity freight movement (Table A.19).

Table A.18 Share of Trucks and Truck Fuel Use for Trucks Engaged in Intercity Freight Movement

101 Trucks Engaged in Interesty Treight Wovement				
Intercity freight trucks				
0.4% 2-axle, 4-tire trucks				
29.0% Other single-unit and combination trucks				
Intercity freight truck fuel use				
1.0%	2-axle, 4-tire trucks			
71.3% Other single-unit and combination trucks				

These percentages were derived by ORNL from the 1997 VIUS Micro Data File on CD. Intercity freight trucks were defined as any truck whose:

- greatest share of miles were traveled more than 50 miles away from the vehicle's home base; and
- principal use was not personal or passenger transportation; and
- body type was not pickup, minivan, or utility vehicle.

Rail

Number of locomotives, ton-miles, tons shipped, average length of haul – AAR, *Railroad Facts*, 2004 *Edition*, Washington, DC, 2004. Data series shown in Table 9.8.

Energy intensity – Class I rail energy use divided by freight car-miles.

Energy use – See Energy Use Sources, p. A-15. Data series shown in Table 9.8.

Water

Number of vehicles – U.S. Department of the Army, Army Corps of Engineers, "Summary of U.S. Flag Passenger and Cargo Vessels, 2002," New Orleans, LA, 2003.

Ton-miles, tons shipped, average length of haul – U.S. Department of the Army, Army Corps of Engineers, *Waterborne Commerce of the United States, Calendar Year 2002*, Part 5: National Summaries, New Orleans, LA, 2003. Data series shown in Table 9.4.

Btu per ton-mile – Domestic waterborne commerce energy use divided by ton-miles.

Energy use – See Energy Use Sources, p. A-11. Data series shown in Table 9.4.

Freight Mode Energy Intensities

Btu per vehicle-mile – Heavy single-unit and combination truck energy use divided by vehicle miles *Energy use* – See Energy Use Sources (medium/heavy trucks), p. A-7.

Vehicle-miles – DOT, FHWA, *Highway Statistics* 2002, Table VM-1 and annual editions back to 1996; DOT, FHWA, *Highway Statistics Summary to* 1995. Data series is the total of vehicle travel data on Tables 5.1 and 5.2.

Rail

Btu per freight car-mile – Class I rail energy use divided by freight car-miles.

Energy use – See Energy Use Sources, p. A-15. Data series shown in Table 9.8.

Freight car miles – AAR, *Railroad Facts*, 2004 Edition, Washington, DC, 2004. Data series shown in Table 9.8.

Btu per ton-mile – Class I rail energy use divided by ton-miles.

Energy use – See Energy Use Sources, p. A-15. Data series shown in Table 9.8.

Ton-miles – AAR, *Railroad Facts*, 2004 Edition, Washington, DC, 2004. Data series shown in Table 9.8.

Water

Btu per ton-mile – Domestic waterborne commerce energy use divided by ton-miles.

Energy use – See Energy Use Sources, p. A-11. Data series shown in Table 9.4.

Ton-miles – U.S. Department of the Army, Army Corps of Engineers, *Waterborne Commerce of the United States, Calendar Year 2002*, Part 5: National Summaries, New Orleans, LA, 2003. Data series shown in Table 9.4.

Highway Vehicle Stock and New Sales 2002 Calendar Year

Automobiles

Stock – Vehicle registrations by model year are from The Polk Company's National Vehicle Population Profile. Vehicles were distributed into size classes using the percentages in Table A.20. This method assumed that all vehicles, large and small, were scrapped at the same rate. Shares were generated from the ORNL MPG and Market Shares Database, 2004.

Table A.19
Shares by Automobile Size Class and Model Year

Year	Minicompact	Subcompact	Compact	Midsize	Large	Two-seater	Total
Pre-1977	7.1%	22.0%	16.4%	29.5%	23.0%	2.0%	100.0%
1977	7.2%	16.2%	25.7%	21.7%	27.4%	1.8%	100.0%
1978	8.5%	19.0%	15.2%	33.0%	22.3%	2.0%	100.0%
1979	5.5%	30.7%	8.4%	33.8%	19.4%	2.2%	100.0%
1980	4.7%	37.8%	6.6%	33.8%	14.7%	2.4%	100.0%
1981	3.3%	33.0%	13.4%	35.1%	12.5%	2.7%	100.0%
1982	2.9%	31.4%	17.0%	33.1%	13.0%	2.6%	100.0%
1983	2.6%	26.8%	22.0%	31.7%	14.5%	2.4%	100.0%
1984	0.4%	24.6%	27.1%	30.0%	14.7%	3.2%	100.0%
1985	0.6%	21.7%	32.1%	28.4%	13.8%	3.4%	100.0%
1986	1.8%	22.4%	33.2%	26.9%	13.2%	2.5%	100.0%
1987	1.4%	19.5%	39.1%	25.2%	12.5%	2.3%	100.0%
1988	0.8%	19.1%	40.5%	24.6%	13.2%	1.8%	100.0%
1989	0.2%	19.3%	36.2%	28.9%	13.8%	1.6%	100.0%
1990	0.9%	22.0%	34.2%	27.2%	13.9%	1.8%	100.0%
1991	0.9%	26.1%	29.5%	27.9%	13.9%	1.7%	100.0%
1992	1.2%	25.3%	30.6%	27.7%	14.1%	1.1%	100.0%
1993	0.9%	22.6%	32.3%	29.1%	14.2%	0.9%	100.0%
1994	0.5%	22.1%	35.2%	26.5%	14.9%	0.8%	100.0%
1995	0.5%	17.4%	37.8%	28.6%	15.1%	0.6%	100.0%
1996	0.4%	15.2%	40.3%	28.8%	14.6%	0.7%	100.0%
1997	0.5%	18.3%	35.5%	30.6%	14.1%	1.0%	100.0%
1998	0.2%	18.5%	28.6%	38.4%	13.0%	1.3%	100.0%
1999	0.1%	18.8%	27.4%	38.8%	13.7%	1.2%	100.0%
2000	0.2%	19.9%	26.7%	37.4%	14.4%	1.4%	100.0%
2001	0.4%	11.2%	36.8%	32.1%	18.1%	1.4%	100.0%
2002	0.6%	7.6%	38.7%	35.0%	16.5%	1.6%	100.0%

Business fleet autos – Bobit Publishing Company, Automotive Fleet Research Department, *Automotive Fleet Factbook 2003*, Redondo Beach, CA, 2003.

Personal autos – Difference between total vehicle stock and business fleet autos.

Sales – Domestic and import totals are from *Ward's Motor Vehicle Facts and Figures 2002*.

Domestic-sponsored imports (captive imports) were included in the import figure only. Domestic and import sales were distributed into size classes using the percentages in Table A.21 from the ORNL MPG and Market Shares Database, 2003.

Table A.20 Automobile Sales Shares by Size Class, 2002

Size class	Domestic	Import
Two-seaters	1.1%	3.0%
Minicompact	0.0%	2.4%
Subcompact	6.9%	9.6%
Compact	35.6%	46.9%
Midsize	34.5%	36.3%
Large	21.9%	1.8%

See Glossary for definition of Automobile Size Classifications.

Trucks

Stock – Total truck population from The Polk Company, 2002. The trucks were distributed using shares of trucks by standard weight classes from VIUS 1997 (Table A.22).

Table A.21
Share of Trucks by Weight Class

	Share of trucks in the
Weight classes	population
0 - 10,000 lbs	93.5%
10,001-19,500 lbs	2.0%
19,501–26,000 lbs	1.0%
26,001 lbs and over	3.5%
Total	100.0%

Then, the number of trucks in Class 2b were split from Classes 1 and 2 by model year (Polk NVPP data) using shares from ORNL's Class 2b study (Table A.23).

Table A.22 Share of Class 1 and 2 Trucks that are Class 2b Trucks (8,500-10,000 lbs)

that are Class 2b	1rucks (8,500-10,000 lbs)
Model Year	Share of class 2b trucks
Pre-1974	7.35%
1974	15.64%
1975	17.15%
1976	18.29%
1977	14.60%
1978	17.90%
1979	17.79%
1980	18.20%
1981	13.87%
1982	14.05%
1983	8.13%
1984	9.74%
1985	9.56%
1986	8.77%
1987	8.91%
1988	6.90%
1989	8.34%
1990	6.73%
1991	4.91%
1992	5.04%
1993	5.60%
1994	5.60%
1995	7.05%
1996	6.71%
1997	7.86%
1998	5.01%
1999	9.36%
2000	8.94%
2001	8.61%
2002*	8.61%

^{*} Study data ended 2001. Used same share for 2002 as 2001.

Trucks less than 8,500 lbs (Classes 1 and 2a) were distributed into size classes using the percentages in Table A.24. This method assumed that all vehicles, large and small, were scrapped at the same rate. Shares were generated from the ORNL MPG and Market Shares Database, 2004

Table A.23 Shares by Light Truck Size Class and Model Year for Trucks under 8,500 lbs

		Large		Large		Medium	Large	
Sales period	Small pickup	pickup	Small van	van	Small utility	utility	utility	Total
Pre-1976	9.5%	66.1%	0.9%	21.1%	0.0%	2.0%	0.4%	100.0%
1976	7.1%	65.7%	0.8%	23.9%	0.0%	2.1%	0.4%	100.0%
1977	11.0%	68.5%	1.0%	16.6%	0.0%	2.5%	0.4%	100.0%
1978	10.5%	64.0%	0.8%	22.8%	0.1%	1.4%	0.4%	100.0%
1979	16.1%	58.5%	0.6%	20.7%	1.8%	1.9%	0.4%	100.0%
1980	23.3%	50.3%	0.6%	14.8%	2.3%	6.9%	1.8%	100.0%
1981	24.4%	50.0%	0.6%	16.9%	2.0%	4.7%	1.4%	100.0%
1982	27.2%	46.8%	0.6%	17.8%	1.3%	4.8%	1.5%	100.0%
1983	33.3%	35.7%	0.5%	18.0%	6.3%	4.5%	1.7%	100.0%
1984	23.7%	38.1%	6.2%	15.1%	10.6%	4.4%	1.9%	100.0%
1985	20.4%	40.0%	10.3%	12.7%	10.4%	4.4%	1.8%	100.0%
1986	21.7%	35.2%	14.1%	11.3%	11.7%	4.1%	1.9%	100.0%
1987	21.2%	33.7%	16.0%	10.3%	12.3%	4.8%	1.7%	100.0%
1988	21.6%	30.6%	18.0%	10.3%	12.5%	4.9%	2.1%	100.0%
1989	18.4%	33.2%	18.0%	9.9%	9.8%	8.6%	2.1%	100.0%
1990	25.2%	24.7%	22.4%	7.1%	8.9%	9.6%	2.1%	100.0%
1991	24.8%	23.1%	23.4%	6.1%	8.6%	12.2%	1.8%	100.0%
1992	22.8%	23.6%	23.6%	6.4%	8.7%	13.3%	1.6%	100.0%
1993	21.6%	22.2%	23.8%	6.2%	8.2%	15.5%	2.5%	100.0%
1994	20.3%	24.5%	23.6%	5.6%	7.6%	16.0%	2.4%	100.0%
1995	18.0%	24.9%	22.4%	5.5%	8.6%	18.1%	2.5%	100.0%
1996	16.2%	25.7%	21.0%	4.7%	9.3%	20.4%	2.7%	100.0%
1997	15.0%	24.3%	19.9%	4.7%	5.4%	22.2%	8.5%	100.0%
1998	12.5%	27.4%	17.8%	4.6%	6.8%	22.2%	8.7%	100.0%
1999	13.9%	25.3%	17.1%	4.5%	8.3%	22.0%	8.9%	100.0%
2000	12.9%	23.7%	15.3%	4.4%	9.1%	26.1%	8.5%	100.0%
2001	10.2%	24.8%	14.2%	4.4%	11.2%	25.8%	9.8%	100.0%
2002	8.8%	25.6%	13.4%	4.0%	10.1%	28.2%	9.9%	100.0%

The Class 2b trucks were split into two truck types - pickups and van/SUV using shares from the report *Investigation of Class 2b Trucks*, ORNL/TM-2002/49, Table 11, which are shown here in Table A.25.

Table A.24 Shares of Class 2b Trucks by Truck Type

	<u> </u>
	Shares of class 2b truck
Truck types	population
Pickup	73.7%
Van/SUV	26.3%

Business fleet trucks – Bobit Publishing Company, Automotive Fleet Research Department, *Automotive Fleet Factbook 2003*, Redondo Beach, CA, 2003.

Personal trucks – Difference between total stock and business fleet trucks.

Sales – Domestic and import totals are from *Ward's Motor Vehicle Facts and Figures 2003*. Domestic-sponsored imports (captive imports) were included in the import figure only.

According to the *Investigation of Class 2b Trucks*, ORNL/TM-2002/49, 6.5% of all classes 1 and 2 truck sales were Class 2b trucks. Also, there were no class 2b trucks which were imported into the U.S. in 2000.

Domestic and import sales of trucks less than 8,500 lbs were distributed into size classes using the percentages in Table A.26 from the ORNL MPG and Market Shares Database, 2004.

Table A.25 Light Truck Sales Shares by Size Class, 2002 for Trucks less than 8,500 lbs

	101 1140115 1055 011411 0,000 105			
Size class	Domestic	Import		
Small pickup	10.0%	0.0%		
Large pickup	29.0%	0.0%		
Small van	14.7%	4.0%		
Large van	4.1%	3.7%		
Small SUV	6.8%	33.9%		
Medium SUV	24.4%	55.9%		
Large SUV	11.0%	2.5%		

The Class 2b truck sales were split into two truck types - pickups and van/SUV using shares from the report *Investigation of Class 2b Trucks*, ORNL/TM-2002/49, Table 6, which are shown here in Table A.27.

Table A.26 Shares of Class 2b Truck Sales by Truck Type, 2000

	31 /		
	Shares of class 2b truck		
Truck types	population		
Pickup	82.1%		
Van/SUV	17.9%		

APPENDIX B

CONVERSIONS

A Note About Heating Values

The heat content of a fuel is the quantity of energy released by burning a unit amount of that fuel. However, this value is not absolute and can vary according to several factors. For example, empirical formulae for determining the heating value of liquid fuels depend on the fuels' American Petroleum Institute (API) gravity. The API gravity varies depending on the percent by weight of the chemical constituents and impurities in the fuel, both of which are affected by the combination of raw materials used to produce the fuel and by the type of manufacturing process. Temperature and climatic conditions are also factors.

Because of these variations, the heating values in Table B.3 may differ from values in other publications. The figures in this report are representative or average values, not absolute ones. The gross heating values used here agree with those used by the Energy Information Administration (EIA).

Heating values fall into two categories, usually referred to as "higher" and "lower." If the products of fuel combustion are cooled back to the initial fuel-air or fuel-oxidizer mixture temperature and the water formed during combustion is condensed, the energy released by the process is the higher (gross) heating value. If the products of combustion are cooled to the initial fuel-air temperature, but the water is considered to remain as a vapor, the energy released by the process is lower (or net) heating value. Usually the difference between the gross and net heating values for fuels used in transportation is around 5 to 8 percent; however, it is important to be consistent in their use.

Table B.1 Hydrogen Heat Content

1 kilogram hydrogen =			
Higher heating value	Lower heating value		
134,200 Btu	113,400 Btu		
39.3 kWhr	33.2 kWhr		
141,600 kJ	119,600 kJ		
33,800 kCal	28,560 kCal		

Table B.2 Hydrogen Conversions

	Weight		Gas		Liquid	
	Pounds (lb)	Kilograms (kg)	Standard cubic feet (SCF)	Normal cubic meter (Nm³)	Gallons (gal)	Liters (L)
1 lb	1.0	0.4536	192.00	5.047	1.6928	6.408
1 kg	2.205	1.0	423.3	11.126	3.733	14.128
1 SCF gas	0.005209	0.002363	1.0	0.02628	0.008820	0.0339
1 Nm³ gas	0.19815	0.08988	38.04	1.0	0.3355	1.2699
1 gal liquid	0.5906	0.2679	113.41	2.981	1.0	3.785
1 L liquid	0.15604	0.07078	29.99	0.77881	0.2642	1.0

Table B.3 Pressure Conversions

	Bar	Atmosphere	lb/in² (or psi)
Bar	1.0	0.987	14.5
Atmoshpere	1.013	1.0	14.696
lb/in² (or psi)	0.0689	0.0680	1.0

Table B.4 Heat Content for Various Fuels

Automotive gasoline	125,000 Btu/gal(gross) = 115,400 Btu/gal(net)
Hydrogen	134,200 Btu/kg(gross) = 113,400 Btu/kg(net)
Diesel motor fuel	138,700 Btu/gal (gross) = 128,700 Btu/gal (net)
Biodiesel	126,206 Btu/gal (gross) = 117,093 Btu/gal (net)
Methanol	64,600 Btu/gal (gross) = 56,560 Btu/gal (net)
Ethanol	84,600 Btu/gal (gross) = 75,670 Btu/gal (net)
Gasohol	120,900 Btu/gal (gross) = 112,417 Btu/gal (net)
Aviation gasoline	120,200 Btu/gal (gross) = 112,000 Btu/gal (net)
Propane	91,300 Btu/gal (gross) = 83,500 Btu/gal (net)
Butane	103,000 Btu/gal (gross) = 93,000 Btu/gal (net)
Jet fuel (naphtha)	127,500 Btu/gal (gross) = 118,700 Btu/gal (net)
Jet fuel (kerosene)	135,000 Btu/gal (gross) = 128,100 Btu/gal (net)
Lubricants	144,400 Btu/gal (gross) = 130,900 Btu/gal (net)
Waxes	131,800 Btu/gal (gross) = 120,200 Btu/gal (net)
Asphalt and road oil	158,000 Btu/gal (gross) = 157,700 Btu/gal (net)
Petroleum coke	143,400 Btu/gal (gross) = 168,300 Btu/gal (net)
Natural gas Wet Dry Compressed Liquid	1,109 Btu/ft ³ 1,027 Btu/ft ³ 20,551 Btu/pound 960 Btu/cubic foot 90,800 Btu/gal (gross) = 87,600 Btu/gal (net)
Crude petroleum	138,100 Btu/gal (gross) = 131,800 Btu/gal (net)
Fuel Oils Residual Distillate	149,700 Btu/gal (gross) = 138,400 Btu/gal (net) 138,700 Btu/gal (gross) = 131,800 Btu/gal (net)
Coal Anthracite - Consumption Bituminous and lignite - Consumption Production average Consumption average	21.711×10^6 Btu/short ton 21.012×10^6 Btu/short ton 21.352×10^6 Btu/short ton 21.015×10^6 Btu/short ton

Table B.5 Fuel Equivalents

1 million bbl crude oil/day	= 0.365 billion bbl crude oil/year = 2.117 quadrillion Btu/year = 100.465 million short tons coal/year = 91.142 million metric tons coal/year = 2.065 trillion ft ³ natural gas/year = 2,233.435 petajoules/year
1 billion bbl crude oil/year	= 2.740 million bbl crude oil/day = 5.800 quadrillion Btu/year = 275.247 million short tons coal/year = 249.704 million metric tons coal/year = 5.659 trillion ft ³ natural gas/year = 6,119 petajoules/year
1 quadrillion Btu/year	= 0.472 million bbl crude oil/day = 172.414 million bbl crude oil/year = 47.456 million short tons coal/year = 43.052 million metric tons coal/year = 975.610 billion ft ³ natural gas/year = 1,055 petajoules/year
1 billion short tons coal/year	= 0.907 billion metric tons coal/year = 9.954 million bbl crude oil/day = 3.633 billion bbl crude oil/year = 21.072 quadrillion Btu/year = 20.558 trillion ft ³ natural gas/year = 22,230.960 petajoules/year
1 billion metric tons coal/year	= 1.102 billion short tons coal/year = 9.030 million bbl crude oi l/day = 3.296 billion bbl crude oil/year = 19.117 quadrillion btu/year = 18.650 trillion ft ³ natural gas/year = 20,167.927 petajoules/year
1 trillion ft ³ natural gas/year	= 0.484 million bbl crude oil/day = 0.177 billion bbl crude oil/year = 1.025 quadrillion Btu/year = 48.643 million short tons coal/year = 44.129 million metric tons coal/year = 1,081.375 petajoules/year
1 petajoule/year	= 447.741 bbl crude oil/day = 163.425 thousand bbl crude oil/year = 0.948 trillion Btu/year = 44.982 thousand short tons coal/year = 40.808 thousand metric tons coal/year = 0.925 billion ft ³ natural gas/year

Table B.6 Energy Unit Conversions

1 Btu	= 778.2 ft-lb	1 kWhr	= 3412 Btu ^a
	= 107.6 kg-m		$= 2.655 \times 10^6 \text{ ft-lb}$
	= 1055 J		$= 3.671 \times 10^5 \text{ kg-m}$
	$= 39.30 \times 10^{-5} \text{ hp-h}$		$= 3.600 \times 10^6 \text{ J}$
	$= 39.85 \times 10^{-5}$ metric hp-h		= 1.341 hp-h
	$= 29.31 \times 10^{-5} \text{ kWhr}$		= 1.360 metric hp-h
1 kg-m	= 92.95 x 10 ⁻⁴ Btu	1 Joule	$= 94.78 \times 10^{-5} $ Btu
	= 7.233 ft-lb		= 0.7376 ft-lb
	= 9.806 J		= 0.1020 kg-m
	$= 36.53 \times 10^{-7} \text{ hp-h}$		$= 37.25 \times 10^{-8} \text{ hp-h}$
	$= 37.04 \times 10^{-7}$ metric hp-h		$= 37.77 \times 10^{-8} \text{ metric hp-h}$
	$= 27.24 \times 10^{-7} \text{ kWhr}$		$= 27.78 \times 10^{-8} \text{ kWhr}$
1 hp-h	= 2544 Btu	1 metric hp-h	= 2510 Btu
	$= 1.98 \times 10^6 \text{ ft-lb}$		$= 1.953 \times 10^6 \text{ ft-lb}$
	$= 2.738 \times 10^6 \text{ kgm}$		$= 27.00 \times 10^4 \text{ kg-m}$
	$= 2.685 \times 10^6 \text{ J}$		$= 2.648 \times 10^6 \text{ J}$
	= 1.014 metric hp-h		= 0.9863 hp-h
	= 0.7475 kWhr		= 0.7355 kWhr

 a This figure does not take into account the fact that electricity generation and distribution efficiency is approximately 29%. If generation and distribution efficiency are taken into account, 1 kWhr = 11,765 Btu.

Table B.7
International Energy Conversions

То:	Terajoules	Giga- calories	Million tonnes of oil equivalent	Million Btu	Gigawatt- hours
From:	multiply by:				
Terajoules	1	238.8	2.388 x 10 ⁻⁵	947.8	0.2778
Gigacalories	4.1868 x 10 ⁻³	1	10 ⁻⁷	3.968	1.163 x 10 ⁻³
Million tonnes of oil equivalent	4.1868 x 10 ⁴	10^{7}	1	3.968 x 10 ⁷	11,630
Million Btu	1.0551 x 10 ⁻³	0.252	2.52 X 10 ⁻⁸	1	2.931 x 10 ⁻⁴
Gigawatthours	3.6	860	8.6 x 10 ⁻⁵	3412	1

Table B.8 Distance and Velocity Conversions

 $= 83.33 \times 10^{-3} \text{ ft}$ 1 in. 1 ft = 12.0 in. $= 27.78 \times 10^{-3} \text{ yd}$ = 0.33 yd $= 15.78 \times 10^{-6} \text{ mile}$ $= 189.4 \times 10^{-3} \text{ mile}$ $= 25.40 \times 10^{-3} \text{ m}$ = 0.3048 m $= 0.2540 \times 10^{-6} \text{ km}$ $= 0.3048 \times 10^{-3} \text{ km}$ 1 mile = 63360 in. = 39370 in.1 km = 5280 ft= 3281 ft= 1760 yd= 1093.6 yd= 1609 m= 0.6214 mile = 1.609 km= 1000 m1 ft/sec = 0.3048 m/s = 0.6818 mph = 1.0972 km/h1 m/sec = 3.281 ft/s = 2.237 mph = 3.600 km/h1 km/h = 0.9114 ft/s = 0.2778 m/s = 0.6214 mph1 mph = 1.467 ft/s = 0.4469 m/s = 1.609 km/h

Table B.9 Alternative Measures of Greenhouse Gases

1 pound methane, measured in carbon 1.333 pounds methane, measured at full units (CH₄) molecular weight (CH₄) 1 pound carbon dioxide, measured in 3.6667 pounds carbon dioxide, measured at carbon units (CO₂-C) full molecular weight (CO₂) 1 pound carbon monoxide, measured in 2.333 pounds carbon monoxide, measured at carbon units (CO-C) full molecular weight (CO) 1 pound nitrous oxide, measured in 1.571 pounds nitrous oxide, measured at full nitrogen units (N₂O-N) molecular weight (N₂O)

Table B.10 Volume and Flow Rate Conversions^a

1 U.S. gal $= 231 \text{ in.}^3$ 1 liter $= 61.02 \text{ in.}^3$ $= 0.1337 \text{ ft}^3$ $= 3.531 \text{ x } 10^{-2} \text{ ft}^3$ = 3.785 liters = 0.2624 U.S. gal = 0.8321 imperial gal = 0.2200 imperial gal = 0.0238 bbl $= 6.29 \text{ x } 10^{-3} \text{ bbl}$ $= 0.003785 \text{ m}^3$ $= 0.001 \text{ m}^3$

A U.S. gallon of gasoline weighs 6.2 pounds

1 imperial gal = 277.4 in.^3 1 bbl = 9702 in.^3 = 0.1606 ft^3 = 5.615 ft^3 = 158.97 liters = 1.201 U.S. gal = $1.201 \text{ U.S$

 $= 0.004546 \text{ m}^3$ $= 0.15897 \text{ m}^3$

1 U.S. gal/hr = $3.209 \text{ ft}^3/\text{day}$ = $1171 \text{ ft}^3/\text{year}$

= 90.84 liter/day = 33157 liter/year

= 19.97 imperial gal/day = 7289 imperial gal/year = 0.5712 bbl/day = 207.92 bbl/year

For Imperial gallons, multiply above values by 1.201

1 liter/hr = $0.8474 \text{ ft}^3/\text{day}$ = $309.3 \text{ ft}^3/\text{year}$

= 6.298 U.S. gal/day = 2299 U.S. gal/year = 5.28 imperial gal/day = 1927 imperial gal/year

= 0.1510 bbl/day = 55.10 bbl/year

1 bbl/hr = $137.8 \text{ ft}^3/\text{year}$ = $49187 \text{ ft}^3 \text{ year}$

= 1008 U.S. gal/day = 3.679×10^5 U.S. gal/year = 839.3 imperial gal/day = 3.063×10^5 imperial gal/year

= 3815 liter/day $= 1.393 \times 10^6 \text{ liter/day}$

^aThe conversions for flow rates are identical to those for volume measures, if the time units are identical.

Table B.11 Power Conversions

	ТО					
FROM	Horsepower	Kilowatts	Metric horsepower	Ft-lb per sec	Kilocalories per sec	Btu per sec
Horsepower	1	0.7457	1.014	550	0.1781	0.7068
Kilowatts	1.341	1	1.360	737.6	0.239	0.9478
Metric horsepower	0.9863	0.7355	1	542.5	0.1757	0.6971
Ft-lb per sec	1.36 x 10 ⁻³	1.356 x 10 ⁻³	1.84 x 10 ⁻³	1	0.3238 x 10 ⁻³	1.285 x 10 ⁻³
Kilocalories per sec	5.615	4.184	5.692	3088	1	3.968
Btu per sec	1.415	1.055	1.434	778.2	0.2520	1

Table B.12 Mass Conversions

		ТО			
FROM	Pound	Kilogram	Short ton	Long ton	Metric ton
Pound	1	0.4536	5.0 x 10 ⁻⁴	4.4643 x 10 ⁻⁴	4.5362 x 10 ⁻⁴
Kilogram	2.205	1	1.1023 x 10 ⁻³	9.8425 x 10 ⁻⁴	1.0 x 10 ⁻³
Short ton	2,000	907.2	1	0.8929	0.9072
Long ton	2,240	1,016	1.12	1	1.016
Metric ton	2,205	1,000	1.102	0.9842	1

Table B.13 Fuel Efficiency Conversions^a

MPG	Miles/liter	Kilometers/L	L/100 kilometers
10	2.64	4.25	23.52
15	3.96	6.38	15.68
20	5.28	8.50	11.76
25	6.60	10.63	9.41
30	7.92	12.75	7.84
35	9.25	14.88	6.72
40	10.57	17.00	5.88
45	11.89	19.13	5.23
50	13.21	21.25	4.70
55	14.53	23.38	4.28
60	15.85	25.51	3.92
65	17.17	27.63	3.62
70	18.49	29.76	3.36
75	19.81	31.88	3.14
80	21.13	34.01	2.94
85	22.45	36.13	2.77
90	23.77	38.26	2.61
95	25.09	40.38	2.48
100	26.42	42.51	2.35
105	27.74	44.64	2.24
110	29.06	46.76	2.14
115	30.38	48.89	2.05
120	31.70	51.01	1.96
125	33.02	53.14	1.88
130	34.34	55.26	1.81
135	35.66	57.39	1.74
140	36.98	59.51	1.68
145	38.30	61.64	1.62
150	39.62	63.76	1.57
Formula	MPG/3.785	MPG/[3.785/1.609]	235.24/MPG

Table B.14 SI Prefixes and Their Values

	Value	Prefix	Symbol	
One million million millionth	10-18	otto		
One million million millionth		atto	a	
One thousand million millionth	10^{-15}	femto	f	
One million millionth	10^{-12}	pico	p	
One thousand millionth	10^{-9}	nano	n	
One millionth	10^{-6}	micro	μ	
One thousandth	10^{-3}	milli	m	
One hundredth	10^{-2}	centi	c	
One tenth	10^{-1}	deci		
One	10^{0}			
Ten	10^{1}	deca		
One hundred	10^{2}	hecto		
One thousand	10^{3}	kilo	k	
One million	10^{6}	mega	M	
One billion ^a	10^{9}	giga	G	
One trillion ^a	10^{12}	tera	T	
One quadrillion ^a	10^{15}	peta	P	
One quintillion ^a	10^{18}	exa	E	

 $^{\mathrm{a}}$ Care should be exercised in the use of this nomenclature, especially in foreign correspondence, as it is either unknown or carries a different value in other countries. A "billion," for example, signifies a value of 10^{12} in most other countries.

Table B.15 Metric Units and Abbreviations

Quantity	Unit name	Symbol
<u> </u>	C 1110 1101110	zymeer
Energy	joule	J
Specific energy	joule/kilogram	J/kg
Specific energy consumption	joule/kilogram•kilometer	J/(kg•km)
Energy consumption	joule/kilometer	J/km
Energy economy	kilometer/kilojoule	km/kJ
Power	kilowatt	Kw
Specific power	watt/kilogram	W/kg
Power density	watt/meter ³	W/m^3
Speed	kilometer/hour	km/h
Acceleration	meter/second ²	m/s^2
Range (distance)	kilometer	km
Weight	kilogram	kg
Torque	newton•meter	N•m
Volume	meter ³	m^3
Mass; payload	kilogram	kg
Length; width	meter	m
Brake specific fuel consumption	kilogram/joule	kg/J
Fuel economy (heat engine)	liters/100 km	L/100 km

Table B.16 Carbon Coefficients, 2002 (Million metric tons carbon per quadrillion Btu)

Fuel Type	
Coal	
Coal (residential)	26.04
Coal (commercial)	26.04
Coal (industrial coking)	25.63
Coal (industrial other)	25.74
Coal (electric utility)	25.98
Natural gas	
Natural gas (pipeline)	14.47
Natural gas (flared)	14.92
Petroleum	
Asphalt and road oil	20.62
Aviation gasoline	18.87
Crude oil	20.30
Distillate fuel	19.95
Jet fuel	19.33
Kerosene	19.72
LPG	16.99
Lubricants	20.24
Motor gasoline	19.34
Petrochemical feed.	19.37
Petroleum coke	27.85
Residual fuel	21.49
Waxes	19.81

Note: All coefficients based on Higher Heating (Gross Calorific) Value and assume 100 percent combustion.

Conversion of Constant Dollar Values

Many types of information in this data book are expressed in dollars. Generally, constant dollars are used—that is, dollars of a fixed value for a specific year, such as 1990 dollars. Converting current dollars to constant dollars, or converting constant dollars for one year to constant dollars for another year, requires conversion factors (Table B.17 and B.18). Table B.17 shows conversion factors for the Consumer Price Index inflation factors. Table B.18 shows conversion factors using the Gross National Product inflation factors.

Table B.17 Consumer Price Inflation (CPI) Index

1,000 1,044 1,077 1,144 1,271 1,387 1,466 1,580 1,680 0,938 1,000 1,044 1,077 1,144 1,271 1,387 1,466 1,560 0,938 1,000 1,032 1,096 1,179 1,287 1,495 1,610 0,938 0,969 1,000 1,062 1,179 1,287 1,496 1,610 0,737 0,822 0,848 0,901 1,000 1,014 1,128 1,496 1,610 0,682 0,848 0,901 1,000 1,028 1,126 1,126 1,126 0,682 0,612 0,733 0,780 0,866 0,946 1,000 1,036 1,144 1,144 1,144 1,144 1,144 1,144 1,144 1,144 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,148 1,144	From:	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1981	1982	1983	1984	1985	1986
0.938 1.000 1.032 1.096 1.217 1.328 1.496 1.610 0.928 0.969 1.000 1.062 1.179 1.287 1.361 1.450 1.610 0.834 0.912 0.941 1.000 1.110 1.128 1.365 1.468 0.873 0.873 0.888 0.901 1.000 1.000 1.003 1.005 1.005 0.640 0.668 0.690 0.733 0.814 0.886 0.930 1.000 1.005 0.640 0.668 0.690 0.733 0.814 0.886 0.930 1.000 1.005 1.006 0.640 0.668 0.690 0.733 0.814 0.886 0.930 1.000 1.005 1.000 0.640 0.668 0.690 0.733 0.814 0.888 0.930 1.000 1.000 1.000 0.640 0.640 0.640 0.641 0.680 0.642 0.642 0.643 0.623 <th></th> <th>000.1</th> <th>1.044</th> <th>1.077</th> <th>1.144</th> <th>1.271</th> <th>1.387</th> <th>1.466</th> <th>1.562</th> <th>1.680</th> <th>1.871</th> <th>2.124</th> <th>2.343</th> <th>2.487</th> <th>2.567</th> <th>2.678</th> <th>2.773</th> <th>2.825</th>		000.1	1.044	1.077	1.144	1.271	1.387	1.466	1.562	1.680	1.871	2.124	2.343	2.487	2.567	2.678	2.773	2.825
0.924 0.969 1.000 1.062 1.179 1.287 1.361 1.450 1.560 0.874 0.912 0.941 1.000 1.110 1.212 1.282 1.365 1.468 0.787 0.822 0.848 0.901 1.000 1.110 1.154 1.295 1.468 0.640 0.643 0.649 0.733 0.736 0.876 1.000 1.005 1.110 0.640 0.640 0.733 0.739 0.878 0.999 1.000 1.110 0.640 0.641 0.641 0.681 0.780 0.878 0.999 1.000 1.110 0.640 0.641 0.641 0.641 0.679 0.741 0.784 0.899 1.000 0.647 0.640 0.640 0.679 0.741 0.784 0.899 1.000 0.441 0.440 0.649 0.640 0.640 0.444 0.649 0.640 0.741 0.784 0.899 0.793 <th></th> <th>3.958</th> <th>1.000</th> <th>1.032</th> <th>1.096</th> <th>1.217</th> <th>1.328</th> <th>1.405</th> <th>1.496</th> <th>1.610</th> <th>1.793</th> <th>2.035</th> <th>2.244</th> <th>2.383</th> <th>2.459</th> <th>2.565</th> <th>2.657</th> <th>2.706</th>		3.958	1.000	1.032	1.096	1.217	1.328	1.405	1.496	1.610	1.793	2.035	2.244	2.383	2.459	2.565	2.657	2.706
0.874 0.912 0.941 1.000 1.110 1.121 1.282 1.365 1.468 0.787 0.882 0.991 1.000 1.091 1.134 1.29 1.323 0.781 0.782 0.848 0.901 1.000 1.058 1.126 1.126 1.212 0.682 0.712 0.732 0.733 0.886 0.946 1.000 1.005 1.126 1.126 1.126 0.640 0.668 0.690 0.733 0.814 0.888 0.939 1.100 1.005 1.100 1.005 1.116 1.116 1.116 1.116 1.116 1.116 1.126		3.928	0.969	1.000	1.062	1.179	1.287	1.361	1.450	1.560	1.737	1.971	2.175	2.309	2.383	2.486	2.574	2.622
0.787 0.822 0.848 0.901 1,000 1,154 1,129 1,323 0.682 0.712 0.735 0.777 0.825 0.916 1,000 1,126 1,126 1,126 0.682 0.712 0.735 0.736 0.886 0.946 1,000 1,065 1,146 0.643 0.641 0.681 0.786 0.886 0.939 1,100 1,075 0.534 0.658 0.621 0.641 0.681 0.753 0.735 0.791 0.471 0.446 0.460 0.488 0.539 0.691 0.735 0.791 0.471 0.446 0.460 0.488 0.542 0.589 0.691 0.736 0.791 0.472 0.446 0.460 0.448 0.452 0.589 0.589 0.589 0.691 0.731 0.370 0.340 0.440 0.440 0.440 0.440 0.451 0.589 0.589 0.691 0.711		7.874	0.912	0.941	1.000	1.110	1.212	1.282	1.365	1.468	1.635	1.856	2.047	2.173	2.243	2.340	2.423	2.468
0.721 0.732 0.777 0.825 0.916 1.000 1.058 1.126 1.120 0.682 0.712 0.735 0.780 0.866 0.946 1.000 1.005 1.146 1.126 0.640 0.668 0.690 0.733 0.814 0.888 0.939 1.000 1.016 0.640 0.668 0.690 0.733 0.814 0.888 0.939 1.000 1.016 0.534 0.628 0.621 0.673 0.874 0.825 0.893 0.701 0.471 0.492 0.642 0.673 0.673 0.628 0.629 1.000 1.076 0.471 0.442 0.446 0.459 0.542 0.628 0.628 0.628 0.628 0.628 0.628 0.628 0.628 0.701 0.702 0.702 0.742 0.446 0.452 0.446 0.452 0.446 0.452 0.446 0.452 0.446 0.452 0.452 0.628		7.787	0.822	0.848	0.901	1.000	1.091	1.154	1.229	1.323	1.473	1.671	1.844	1.957	2.020	2.108	2.183	2.223
0.682 0.712 0.735 0.780 0.866 0.946 1.000 1.065 1.146 0.640 0.668 0.690 0.733 0.814 0.888 0.939 1.000 1.076 0.534 0.621 0.641 0.681 0.756 0.825 0.873 0.929 1.000 1.076 0.534 0.528 0.576 0.623 0.691 0.734 0.883 0.898 0.471 0.492 0.530 0.539 0.562 0.629 0.711 0.472 0.440 0.448 0.542 0.599 0.791 0.793 0.791 0.492 0.440 0.440 0.442 0.442 0.442 0.458 0.691 0.791 0.791 0.793 0.792 0.793		7.721	0.753	0.777	0.825	0.916	1.000	1.058	1.126	1.212	1.349	1.532	1.690	1.794	1.851	1.931	2.000	2.037
0.640 0.668 0.690 0.733 0.814 0.888 0.939 1.000 1.076 0.535 0.621 0.641 0.681 0.756 0.825 0.873 0.929 1.000 0.534 0.528 0.576 0.612 0.679 0.741 0.784 0.835 0.898 0.471 0.482 0.529 0.529 0.529 0.629 0.791 0.791 0.427 0.446 0.460 0.488 0.542 0.592 0.629 0.791 0.427 0.446 0.460 0.488 0.542 0.592 0.601 0.717 0.427 0.446 0.469 0.471 0.571 0.628 0.601 0.717 0.330 0.402 0.444 0.451 0.452 0.542 0.543 0.608 0.344 0.347 0.444 0.51 0.543 0.444 0.51 0.543 0.348 0.349 0.349 0.443 0.444 0.543).682	0.712	0.735	0.780	998.0	0.946	1.000	1.065	1.146	1.276	1.448	1.598	1.696	1.750	1.826	1.891	1.926
0.534 0.621 0.641 0.681 0.756 0.825 0.873 0.929 1.000 0.534 0.538 0.576 0.612 0.679 0.741 0.784 0.835 0.898 0.471 0.492 0.570 0.539 0.598 0.653 0.691 0.735 0.898 0.427 0.446 0.468 0.542 0.592 0.626 0.667 0.717 0.402 0.446 0.488 0.542 0.592 0.628 0.691 0.717 0.402 0.446 0.488 0.542 0.592 0.667 0.717 0.402 0.440 0.492 0.659 0.667 0.717 0.373 0.440 0.491 0.571 0.492 0.583 0.668 0.344 0.347 0.441 0.519 0.542 0.549 0.549 0.345 0.342 0.441 0.511 0.543 0.469 0.541 0.348 0.349 0.445		0.640	899.0	0.690	0.733	0.814	0.888	0.939	1.000	1.076	1.198	1.360	1.500	1.592	1.644	1.715	1.776	1.809
0.534 0.558 0.576 0.612 0.679 0.741 0.784 0.835 0.898 0.471 0.492 0.507 0.539 0.598 0.653 0.691 0.735 0.898 0.427 0.446 0.460 0.488 0.542 0.592 0.626 0.667 0.711 0.402 0.420 0.446 0.495 0.549 0.629 0.628 0.679 0.717 0.390 0.407 0.446 0.495 0.549 0.571 0.668 0.676 0.373 0.390 0.402 0.474 0.518 0.548 0.563 0.608 0.341 0.376 0.437 0.491 0.519 0.549 0.563 0.563 0.563 0.569 0.342 0.357 0.434 0.474 0.519 0.449 0.579 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.569 0.57		365.0	0.621	0.641	0.681	0.756	0.825	0.873	0.929	1.000	1.113	1.264	1.394	1.480	1.528	1.594	1.650	1.681
0.471 0.492 0.507 0.539 0.598 0.653 0.691 0.735 0.791 0.427 0.446 0.460 0.488 0.542 0.592 0.626 0.667 0.717 0.402 0.446 0.488 0.542 0.592 0.626 0.667 0.717 0.402 0.420 0.446 0.495 0.540 0.571 0.608 0.675 0.390 0.407 0.420 0.446 0.495 0.540 0.571 0.608 0.655 0.391 0.402 0.447 0.478 0.590 0.628 0.678 0.341 0.402 0.447 0.478 0.500 0.583 0.608 0.583 0.342 0.340 0.437 0.444 0.519 0.533 0.547 0.444 0.519 0.533 0.547 0.342 0.340 0.340 0.444 0.444 0.519 0.543 0.444 0.313 0.324 0.344 0.444).534	0.558	0.576	0.612	0.679	0.741	0.784	0.835	0.898	1.000	1.135	1.252	1.329	1.372	1.431	1.482	1.510
0.445 0.466 0.488 0.542 0.592 0.626 0.667 0.717 0.402 0.440 0.483 0.542 0.539 0.628 0.676 0.711 0.402 0.443 0.460 0.511 0.558 0.590 0.628 0.676 0.390 0.407 0.420 0.446 0.495 0.540 0.571 0.608 0.652 0.341 0.361 0.420 0.447 0.418 0.498 0.509 0.628 0.658 0.351 0.376 0.438 0.449 0.518 0.529 0.528 0.509 0.528 0.508 0.508 0.658		0.471	0.492	0.507	0.539	0.598	0.653	0.691	0.735	0.791	0.881	1.000	1.103	1.171	1.209	1.261	1.306	1.330
0.402 0.420 0.433 0.460 0.511 0.558 0.590 0.628 0.676 0.390 0.407 0.420 0.446 0.495 0.540 0.571 0.608 0.655 0.376 0.420 0.446 0.495 0.540 0.543 0.608 0.655 0.361 0.376 0.438 0.413 0.458 0.500 0.529 0.563 0.608 0.354 0.376 0.381 0.405 0.491 0.519 0.503 0.608 0.342 0.357 0.388 0.413 0.434 0.491 0.519 0.508 0.508 0.342 0.357 0.368 0.394 0.441 0.511 0.512 0.508 0.313 0.328 0.341 0.445 0.448 0.449 0.548 0.568 0.558 0.213 0.329 0.340 0.344 0.441 0.511 0.489 0.548 0.228 0.239 0.328 0.342).427	0.446	0.460	0.488	0.542	0.592	0.626	0.667	0.717	0.799	906.0	1.000	1.062	1.096	1.143	1.184	1.206
0.390 0.407 0.420 0.446 0.495 0.540 0.571 0.608 0.655 0.373 0.390 0.402 0.427 0.474 0.518 0.583 0.628 0.361 0.376 0.388 0.413 0.486 0.500 0.529 0.563 0.608 0.354 0.376 0.381 0.405 0.450 0.491 0.519 0.553 0.608 0.342 0.357 0.368 0.391 0.434 0.474 0.519 0.553 0.508 0.342 0.357 0.375 0.417 0.455 0.481 0.509 0.553 0.554 0.282 0.337 0.342 0.434 0.445 0.489 0.556 0.283 0.297 0.340 0.342 0.435 0.448 0.495 0.446 0.284 0.298 0.340 0.342 0.342 0.432 0.486 0.446 0.496 0.289 0.289 0.341 0.342).402	0.420	0.433	0.460	0.511	0.558	0.590	0.628	9.676	0.752	0.854	0.942	1.000	1.032	1.077	1.115	1.136
0.373 0.390 0.402 0.474 0.518 0.548 0.583 0.628 0.361 0.376 0.388 0.413 0.488 0.490 0.599 0.563 0.606 0.354 0.376 0.381 0.450 0.491 0.519 0.553 0.606 0.342 0.357 0.368 0.391 0.434 0.474 0.501 0.533 0.574 0.328 0.342 0.353 0.375 0.417 0.455 0.481 0.519 0.574 0.238 0.342 0.349 0.434 0.449 0.501 0.553 0.554 0.238 0.340 0.349 0.445 0.489 0.564 0.499 0.551 0.289 0.340 0.341 0.445 0.445 0.449 0.449 0.260 0.289 0.341 0.342 0.489 0.446 0.499 0.270 0.289 0.341 0.342 0.489 0.446 0.499		0.390	0.407	0.420	0.446	0.495	0.540	0.571	0.608	0.655	0.729	0.827	0.913	696.0	1.000	1.043	1.080	1.100
0.361 0.376 0.388 0.413 0.458 0.500 0.529 0.563 0.606 0.354 0.370 0.381 0.405 0.491 0.519 0.553 0.505 0.342 0.357 0.388 0.391 0.434 0.474 0.501 0.533 0.574 0.328 0.342 0.358 0.398 0.447 0.459 0.481 0.573 0.574 0.313 0.328 0.349 0.447 0.459 0.489 0.574 0.297 0.320 0.340 0.377 0.412 0.435 0.464 0.499 0.285 0.297 0.326 0.362 0.395 0.418 0.445 0.499 0.286 0.298 0.316 0.351 0.341 0.345 0.464 0.499 0.287 0.299 0.341 0.343 0.466 0.441 0.449 0.289 0.289 0.341 0.343 0.449 0.449 0.289).373	0.390	0.402	0.427	0.474	0.518	0.548	0.583	0.628	0.699	0.793	0.875	0.929	0.959	1.000	1.036	1.055
0.354 0.370 0.381 0.405 0.450 0.491 0.519 0.553 0.595 0.342 0.357 0.368 0.391 0.434 0.474 0.501 0.533 0.574 0.328 0.342 0.353 0.375 0.417 0.455 0.481 0.512 0.574 0.313 0.327 0.336 0.340 0.436 0.481 0.512 0.574 0.287 0.310 0.320 0.340 0.377 0.412 0.489 0.556 0.285 0.297 0.307 0.352 0.395 0.448 0.499 0.556 0.280 0.289 0.307 0.351 0.383 0.406 0.445 0.499 0.260 0.280 0.307 0.313 0.363 0.384 0.409 0.446 0.261 0.281 0.307 0.314 0.353 0.384 0.419 0.446 0.242 0.266 0.283 0.342 0.363 0.342		1.361	0.376	0.388	0.413	0.458	0.500	0.529	0.563	909.0	0.675	0.766	0.845	0.897	0.926	996.0	1.000	1.019
0.342 0.357 0.368 0.391 0.434 0.474 0.501 0.533 0.574 0.328 0.342 0.353 0.375 0.417 0.455 0.481 0.512 0.551 0.313 0.324 0.358 0.398 0.434 0.459 0.489 0.551 0.297 0.310 0.320 0.340 0.377 0.412 0.459 0.489 0.556 0.285 0.209 0.307 0.312 0.435 0.409 0.409 0.479 0.286 0.299 0.307 0.362 0.395 0.418 0.495 0.459 0.277 0.289 0.316 0.351 0.383 0.406 0.435 0.406 0.269 0.289 0.307 0.312 0.333 0.363 0.419 0.416 0.247 0.280 0.271 0.302 0.353 0.353 0.349 0.416 0.242 0.256 0.272 0.302 0.332 0.342).354	0.370	0.381	0.405	0.450	0.491	0.519	0.553	0.595	0.662	0.752	0.829	0.880	0.909	0.948	0.982	1.000
0.328 0.342 0.353 0.375 0.417 0.455 0.481 0.512 0.551 0.313 0.327 0.338 0.388 0.434 0.459 0.489 0.526 0.297 0.310 0.320 0.340 0.377 0.412 0.459 0.499 0.285 0.297 0.307 0.362 0.395 0.418 0.445 0.499 0.287 0.289 0.316 0.351 0.383 0.418 0.445 0.499 0.269 0.280 0.289 0.307 0.341 0.383 0.406 0.445 0.495 0.260 0.280 0.307 0.341 0.372 0.394 0.419 0.440 0.262 0.280 0.300 0.333 0.363 0.349 0.426 0.428 0.247 0.291 0.323 0.353 0.363 0.348 0.416 0.242 0.252 0.260 0.272 0.362 0.343 0.346 0.316		1.342	0.357	0.368	0.391	0.434	0.474	0.501	0.533	0.574	0.639	0.725	0.800	0.849	0.877	0.915	0.947	0.965
0.313 0.327 0.338 0.398 0.434 0.459 0.489 0.526 0.297 0.310 0.320 0.340 0.377 0.412 0.435 0.464 0.499 0.285 0.297 0.307 0.362 0.395 0.418 0.445 0.499 0.285 0.297 0.307 0.351 0.383 0.406 0.445 0.499 0.269 0.289 0.307 0.341 0.383 0.406 0.432 0.449 0.262 0.289 0.307 0.341 0.372 0.394 0.409 0.446 0.262 0.289 0.300 0.333 0.363 0.384 0.409 0.446 0.274 0.282 0.300 0.333 0.363 0.384 0.409 0.416 0.247 0.283 0.314 0.343 0.363 0.386 0.416 0.242 0.256 0.272 0.302 0.336 0.342 0.364 0.301		1.328	0.342	0.353	0.375	0.417	0.455	0.481	0.512	0.551	0.614	0.697	0.768	0.816	0.842	0.878	0.910	0.926
0.297 0.310 0.320 0.340 0.377 0.412 0.435 0.464 0.499 0.285 0.297 0.307 0.326 0.395 0.418 0.445 0.499 0.286 0.289 0.307 0.351 0.383 0.406 0.435 0.445 0.269 0.289 0.307 0.341 0.383 0.406 0.439 0.465 0.262 0.273 0.282 0.307 0.341 0.394 0.419 0.451 0.255 0.266 0.274 0.291 0.323 0.353 0.373 0.409 0.440 0.247 0.256 0.274 0.291 0.314 0.343 0.363 0.384 0.409 0.416 0.247 0.256 0.277 0.307 0.343 0.363 0.386 0.416 0.238 0.248 0.267 0.302 0.330 0.342 0.308 0.416 0.239 0.235 0.236 0.326 0.312		1.313	0.327	0.337	0.358	0.398	0.434	0.459	0.489	0.526	0.585	0.665	0.733	0.778	0.803	0.838	0.868	0.884
0.285 0.297 0.307 0.326 0.362 0.395 0.418 0.445 0.479 0.277 0.289 0.316 0.351 0.383 0.406 0.432 0.465 0.269 0.289 0.316 0.351 0.383 0.406 0.432 0.465 0.269 0.280 0.307 0.341 0.372 0.394 0.419 0.465 0.252 0.273 0.302 0.333 0.363 0.384 0.409 0.440 0.247 0.291 0.323 0.353 0.373 0.398 0.416 0.247 0.256 0.283 0.314 0.343 0.363 0.346 0.416 0.242 0.256 0.277 0.307 0.335 0.356 0.316 0.238 0.248 0.267 0.296 0.323 0.342 0.364 0.304 0.239 0.235 0.243 0.256 0.312 0.326 0.312 0.342 0.364		1.297	0.310	0.320	0.340	0.377	0.412	0.435	0.464	0.499	0.555	0.630	0.695	0.738	0.762	0.795	0.823	0.839
0.277 0.289 0.316 0.351 0.383 0.406 0.432 0.465 0.269 0.280 0.289 0.307 0.341 0.372 0.394 0.419 0.451 0.262 0.280 0.307 0.341 0.372 0.384 0.409 0.440 0.252 0.266 0.274 0.291 0.323 0.353 0.373 0.398 0.416 0.247 0.266 0.283 0.314 0.343 0.363 0.378 0.406 0.242 0.256 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.256 0.277 0.307 0.335 0.349 0.372 0.406 0.238 0.243 0.251 0.266 0.326 0.336 0.342 0.364 0.301 0.239 0.238 0.243 0.256 0.256 0.326 0.312 0.342 0.364 0.364 0.216 0.236 0.247		1.285	0.297	0.307	0.326	0.362	0.395	0.418	0.445	0.479	0.533	0.605	0.667	0.70	0.731	0.763	0.790	0.805
0.269 0.280 0.289 0.307 0.341 0.372 0.394 0.419 0.451 0.262 0.273 0.282 0.300 0.333 0.363 0.384 0.409 0.440 0.255 0.266 0.274 0.291 0.323 0.353 0.373 0.398 0.440 0.247 0.258 0.266 0.283 0.314 0.343 0.363 0.386 0.416 0.242 0.252 0.260 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.256 0.277 0.307 0.330 0.349 0.372 0.406 0.233 0.243 0.251 0.266 0.236 0.326 0.312 0.342 0.364 0.301 0.219 0.225 0.251 0.256 0.256 0.312 0.312 0.342 0.364 0.368 0.216 0.225 0.251 0.278 0.278 0.304 0.316 0.342 <th></th> <th>772.0</th> <th>0.289</th> <th>0.298</th> <th>0.316</th> <th>0.351</th> <th>0.383</th> <th>0.406</th> <th>0.432</th> <th>0.465</th> <th>0.517</th> <th>0.587</th> <th>0.648</th> <th>0.688</th> <th>0.710</th> <th>0.741</th> <th>0.767</th> <th>0.781</th>		772.0	0.289	0.298	0.316	0.351	0.383	0.406	0.432	0.465	0.517	0.587	0.648	0.688	0.710	0.741	0.767	0.781
0.262 0.273 0.282 0.300 0.333 0.363 0.384 0.409 0.440 0.255 0.266 0.274 0.291 0.323 0.353 0.373 0.398 0.428 0.247 0.258 0.266 0.283 0.314 0.343 0.363 0.386 0.416 0.242 0.258 0.260 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.272 0.302 0.330 0.349 0.372 0.406 0.233 0.243 0.267 0.296 0.323 0.342 0.364 0.391 0.215 0.235 0.248 0.286 0.312 0.342 0.372 0.379 0.219 0.225 0.236 0.278 0.278 0.304 0.311 0.342 0.368 0.216 0.225 0.231 0.247 0.274 0.299 0.316 0.316 0.362		1.269	0.280	0.289	0.307	0.341	0.372	0.394	0.419	0.451	0.502	0.570	0.629	899.0	0.689	0.719	0.745	0.758
0.255 0.266 0.274 0.291 0.323 0.353 0.373 0.398 0.428 0.247 0.258 0.266 0.283 0.314 0.343 0.363 0.386 0.416 0.242 0.258 0.260 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.256 0.272 0.302 0.330 0.349 0.372 0.400 0.233 0.243 0.267 0.296 0.323 0.342 0.364 0.391 0.219 0.225 0.236 0.258 0.312 0.342 0.372 0.372 0.219 0.225 0.236 0.278 0.286 0.312 0.342 0.372 0.379 0.216 0.225 0.236 0.278 0.278 0.304 0.31 0.342 0.368 0.216 0.225 0.237 0.247 0.299 0.316 0.337 0.368		1.262	0.273	0.282	0.300	0.333	0.363	0.384	0.409	0.440	0.490	0.556	0.613	0.651	0.672	0.701	0.726	0.740
0.247 0.258 0.266 0.283 0.314 0.343 0.363 0.363 0.416 0.242 0.252 0.260 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.256 0.272 0.302 0.330 0.349 0.372 0.406 0.233 0.243 0.251 0.266 0.323 0.342 0.364 0.391 0.219 0.235 0.243 0.258 0.286 0.312 0.330 0.352 0.379 0.219 0.229 0.236 0.278 0.278 0.304 0.321 0.342 0.368 0.216 0.225 0.247 0.274 0.299 0.316 0.337 0.368		1.255	0.266	0.274	0.291	0.323	0.353	0.373	0.398	0.428	0.476	0.541	0.596	0.633	0.654	0.682	0.706	0.719
0.242 0.252 0.260 0.277 0.307 0.335 0.355 0.378 0.406 0.238 0.248 0.256 0.272 0.302 0.330 0.349 0.372 0.400 0.233 0.243 0.251 0.267 0.296 0.323 0.342 0.364 0.391 0.225 0.235 0.243 0.258 0.286 0.312 0.330 0.352 0.379 0.219 0.229 0.231 0.278 0.278 0.304 0.342 0.368 0.216 0.225 0.247 0.274 0.299 0.316 0.337 0.368		1.247	0.258	0.266	0.283	0.314	0.343	0.363	0.386	0.416	0.463	0.525	0.579	0.615	0.635	0.662	989.0	0.699
0.238 0.248 0.256 0.272 0.302 0.330 0.349 0.372 0.400 0.233 0.243 0.251 0.267 0.296 0.323 0.342 0.364 0.391 0.225 0.235 0.243 0.286 0.312 0.330 0.352 0.379 0.219 0.229 0.236 0.251 0.278 0.304 0.321 0.342 0.368 0.216 0.225 0.232 0.247 0.274 0.299 0.316 0.337 0.362		1.242	0.252	0.260	0.277	0.307	0.335	0.355	0.378	0.406	0.452	0.513	0.566	0.601	0.621	0.647	0.670	0.683
0.233 0.243 0.251 0.267 0.296 0.323 0.342 0.364 0.391 0.225 0.235 0.243 0.258 0.286 0.312 0.330 0.352 0.379 0.219 0.229 0.236 0.251 0.278 0.304 0.321 0.342 0.368 0.216 0.225 0.232 0.247 0.274 0.299 0.316 0.337 0.362		.238	0.248	0.256	0.272	0.302	0.330	0.349	0.372	0.400	0.445	0.506	0.558	0.592	0.611	0.637	0.660	0.672
0.225 0.235 0.243 0.258 0.286 0.312 0.330 0.352 0.379 0.219 0.229 0.236 0.251 0.278 0.304 0.321 0.342 0.368 0.216 0.225 0.247 0.274 0.299 0.316 0.337 0.362		1.233	0.243	0.251	0.267	0.296	0.323	0.342	0.364	0.391	0.436	0.495	0.546	0.579	0.598	0.624	0.646	0.658
0.219 0.229 0.236 0.251 0.278 0.304 0.321 0.342 0.368 0.216 0.225 0.232 0.247 0.274 0.299 0.316 0.337 0.362		1.225	0.235	0.243	0.258	0.286	0.312	0.330	0.352	0.379	0.422	0.479	0.528	0.560	0.578	0.603	0.625	0.636
0.216 0.225 0.232 0.247 0.274 0.299 0.316 0.337 0.362		1.219	0.229	0.236	0.251	0.278	0.304	0.321	0.342	0.368	0.410	0.465	0.513	0.545	0.562	0.587	0.608	0.619
		.216	0.225	0.232	0.247	0.274	0.299	0.316	0.337	0.362	0.404	0.458	0.505	0.536	0.554	0.578	0.598	609.0
0.220 0.227 0.241 0.268 0.292 0.309 0.329 0.354		0.211	0.220	0.227	0.241	0.268	0.292	0.309	0.329	0.354	0.395	0.448	0.494	0.524	0.541	0.565	0.585	0.596

Table B.17 Consumer Price Inflation (CPI) Index (Continued)

From:	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
1970	2.928	3.049	3.196	3.369	3.510	3.616	3.724	3.820	3.928	4.044	4.137	4.201	4.294	4.438	4.564	4.637	4.742
1971	2.805	2.921	3.062	3.227	3.363	3.464	3.568	3.659	3.763	3.874	3.963	4.025	4.114	4.252	4.373	4.442	4.543
1972	2.718	2.830	2.967	3.127	3.258	3.356	3.457	3.545	3.646	3.754	3.840	3.900	3.986	4.120	4.237	4.304	4.402
1973	2.559	2.664	2.793	2.944	3.068	3.160	3.255	3.338	3.432	3.534	3.615	3.671	3.752	3.878	3.989	4.052	4.144
1974	2.304	2.400	2.515	2.651	2.763	2.846	2.931	3.006	3.091	3.183	3.256	3.306	3.379	3.493	3.592	3.649	3.732
1975	2.112	2.199	2.305	2.429	2.532	2.608	2.686	2.755	2.833	2.916	2.983	3.030	3.097	3.201	3.292	3.344	3.420
1976	1.996	2.079	2.179	2.297	2.394	2.466	2.540	2.605	2.678	2.757	2.821	2.865	2.928	3.026	3.112	3.162	3.234
1977	1.875	1.952	2.046	2.157	2.248	2.315	2.384	2.446	2.515	2.589	2.649	2.690	2.749	2.842	2.922	2.969	3.036
1978	1.742	1.814	1.902	2.005	2.089	2.152	2.216	2.273	2.337	2.406	2.462	2.500	2.555	2.641	2.716	2.759	2.822
1979	1.565	1.629	1.708	1.800	1.876	1.933	1.990	2.041	2.099	2.161	2.211	2.245	2.295	2.372	2.439	2.478	2.534
1980	1.379	1.436	1.505	1.586	1.653	1.703	1.754	1.799	1.850	1.904	1.948	1.978	2.022	2.090	2.149	2.183	2.233
1981	1.250	1.301	1.364	1.438	1.498	1.543	1.590	1.630	1.677	1.726	1.766	1.793	1.833	1.894	1.948	1.979	2.024
1982	1.177	1.226	1.285	1.354	1.411	1.454	1.497	1.536	1.579	1.626	1.663	1.689	1.726	1.784	1.835	1.864	1.907
1983	1.141	1.188	1.245	1.312	1.367	1.409	1.451	1.488	1.530	1.575	1.611	1.637	1.673	1.729	1.778	1.806	1.847
1984	1.093	1.139	1.193	1.258	1.311	1.350	1.391	1.426	1.467	1.510	1.545	1.569	1.603	1.657	1.705	1.731	1.771
1985	1.056	1.099	1.152	1.215	1.266	1.304	1.343	1.377	1.416	1.458	1.492	1.515	1.548	1.600	1.646	1.672	1.710
1986	1.036	1.079	1.131	1.193	1.243	1.280	1.318	1.352	1.391	1.432	1.464	1.487	1.520	1.571	1.616	1.641	1.679
1987	1.000	1.041	1.092	1.151	1.199	1.235	1.272	1.305	1.342	1.381	1.413	1.435	1.467	1.516	1.559	1.584	1.620
1988	096.0	1.000	1.048	1.105	1.151	1.186	1.221	1.253	1.288	1.326	1.357	1.378	1.408	1.456	1.497	1.521	1.555
1989	0.916	0.954	1.000	1.054	1.098	1.131	1.165	1.195	1.229	1.265	1.294	1.315	1.344	1.389	1.428	1.451	1.484
1990	0.869	0.905	0.949	1.000	1.042	1.073	1.106	1.134	1.166	1.200	1.228	1.247	1.275	1.318	1.355	1.376	1.408
1991	0.834	0.869	0.910	0.960	1.000	1.030	1.061	1.088	1.119	1.152	1.178	1.197	1.223	1.264	1.300	1.321	1.351
1992	0.810	0.843	0.884	0.932	0.971	1.000	1.030	1.056	1.086	1.118	1.144	1.162	1.187	1.227	1.262	1.282	1.311
1993	0.786	0.819	0.858	0.904	0.943	0.971	1.000	1.026	1.055	1.086	1.111	1.128	1.153	1.192	1.226	1.245	1.273
1994	0.767	0.798	0.837	0.882	0.919	0.947	0.975	1.000	1.028	1.059	1.083	1.100	1.124	1.162	1.195	1.214	1.242
1995	0.745	0.776	0.814	0.858	0.894	0.921	0.948	0.972	1.000	1.030	1.053	1.070	1.093	1.130	1.162	1.180	1.207
9661	0.724	0.754	0.790	0.833	0.868	0.894	0.921	0.945	0.971	1.000	1.023	1.039	1.062	1.098	1.129	1.147	1.173
1997	0.708	0.737	0.773	0.814	0.849	0.874	0.900	0.923	0.950	0.978	1.000	1.016	1.038	1.073	1.103	1.121	1.146
1998	0.697	0.726	0.761	0.802	0.836	0.861	0.887	0.909	0.935	0.963	0.985	1.000	1.022	1.056	1.087	1.104	1.129
1999	0.682	0.710	0.744	0.785	0.818	0.842	0.867	0.890	0.915	0.942	0.963	0.978	1.000	1.034	1.063	1.080	1.104
2000	0.660	0.687	0.720	0.759	0.791	0.815	0.839	0.861	0.885	0.911	0.932	0.947	0.967	1.000	1.028	1.045	1.069
2001	0.641	0.668	0.700	0.738	0.769	0.792	0.816	0.837	0.861	0.886	906.0	0.920	0.941	0.972	1.000	1.016	1.039
2002	0.631	0.658	0.689	0.727	0.757	0.780	0.803	0.824	0.847	0.872	0.892	906.0	0.926	0.957	0.984	1.000	1.023
2003	0.617	0.643	0.674	0.710	0.740	0.763	0.785	0.805	0.828	0.853	0.872	988.0	0.905	0.936	0.963	0.978	1.000

Source: U.S. Bureau of Labor Statistics.

Transportation Energy Data Book: Edition 24—2004

Table B.18 Gross National Product Implicit Price Deflator

From:	1970	1971	1972	1973	1974	1975	1976	1977	1978	1979	1980	1861	1982	1983	1984	1985	1986
1970	1.000	1.050	1.096	1.157	1.261	1.380	1.460	1.553	1.662	1.800	1.963	2.148	2.279	2.369	2.458	2.533	2.589
1971	0.952	1.000	1.043	1.102	1.201	1.315	1.391	1.479	1.583	1.714	1.870	2.046	2.170	2.256	2.341	2.413	2.466
1972	0.913	0.958	1.000	1.056	1.151	1.260	1.333	1.418	1.517	1.643	1.792	1.960	2.080	2.162	2.244	2.312	2.363
1973	0.864	806.0	0.947	1.000	1.090	1.193	1.262	1.342	1.437	1.556	1.697	1.857	1.970	2.048	2.125	2.190	2.238
1974	0.793	0.833	0.869	0.917	1.000	1.094	1.158	1.231	1.318	1.427	1.557	1.703	1.807	1.879	1.949	2.009	2.053
1975	0.724	0.761	0.794	0.838	0.914	1.000	1.058	1.125	1.204	1.304	1.422	1.556	1.651	1.716	1.781	1.835	1.876
9261	0.685	0.719	0.750	0.792	0.864	0.945	1.000	1.064	1.138	1.233	1.344	1.471	1.561	1.623	1.683	1.735	1.773
1977	0.644	929.0	0.705	0.745	0.812	0.889	0.940	1.000	1.070	1.159	1.264	1.383	1.467	1.525	1.583	1.631	1.667
1978	0.602	0.632	0.659	969.0	0.759	0.830	0.878	0.934	1.000	1.083	1.181	1.292	1.371	1.425	1.479	1.524	1.557
1979	0.555	0.583	0.609	0.643	0.701	0.767	0.811	0.863	0.923	1.000	1.091	, 1.193	1.266	1.316	1.366	1.407	1.438
1980	0.509	0.535	0.558	0.589	0.642	0.703	0.744	0.791	0.847	0.917	1.000	1.094	1.161	1.207	1.252	1.290	1.319
1981	0.466	0.489	0.510	0.539	0.587	0.643	0.680	0.723	0.774	0.838	0.914	1.000	1.061	1.103	1.144	1.179	1.205
1982	0.439	0.461	0.481	0.508	0.553	909.0	0.641	0.682	0.729	0.790	0.861	0.943	1.000	1.040	1.079	1.112	1.136
1983	0.422	0.443	0.462	0.488	0.532	0.583	0.616	0.656	0.702	0.760	0.829	0.907	0.962	1.000	1.038	1.069	1.093
1984	0.407	0.427	0.446	0.471	0.513	0.562	0.594	0.632	929.0	0.732	0.799	0.874	0.927	0.964	1.000	1.031	1.053
1985	0.395	0.415	0.433	0.457	0.498	0.545	0.576	0.613	0.656	0.711	0.775	0.848	0.900	0.935	0.970	1.000	1.022
1986	0.386	0.406	0.423	0.447	0.487	0.533	0.564	0.600	0.642	0.695	0.758	0.830	0.880	0.915	0.950	0.978	1.000
1987	0.376	0.395	0.412	0.435	0.747	0.519	0.549	0.584	0.625	0.677	0.738	0.808	0.857	0.891	0.924	0.952	0.973
1988	0.364	0.382	0.398	0.421	0.459	0.502	0.531	0.565	0.604	0.654	0.714	0.781	0.828	0.861	0.894	0.921	0.941
1989	0.350	0.368	0.384	0.405	0.442	0.483	0.511	0.544	0.582	0.631	0.688	0.752	0.798	0.830	0.861	0.887	0.907
1990	0.337	0.354	0.369	0.390	0.425	0.465	0.492	0.524	0.561	0.607	0.662	0.724	0.768	0.799	0.829	0.854	0.873
1661	0.326	0.342	0.357	0.377	0.411	0.450	0.476	0.506	0.542	0.587	0.640	0.700	0.743	0.772	0.801	0.825	0.844
1992	0.319	0.334	0.349	0.369	0.402	0.440	0.465	0.495	0.530	0.573	0.625	0.684	0.726	0.755	0.783	0.807	0.825
1993	0.311	0.327	0.341	0.360	0.393	0.430	0.455	0.483	0.517	0.560	0.611	699.0	0.709	0.738	0.765	0.789	908.0
1994	0.305	0.320	0.334	0.353	0.384	0.421	0.445	0.473	0.507	0.549	0.598	0.655	0.695	0.722	0.749	0.772	0.789
1995	0.299	0.314	0.327	0.346	0.377	0.412	0.436	0.464	0.497	0.538	0.586	0.642	0.681	0.708	0.734	0.757	0.773
9661	0.293	0.308	0.321	0.339	0.370	0.405	0.428	0.455	0.487	0.528	0.575	0.630	0.668	0.694	0.721	0.743	0.759
1997	0.288	0.303	0.316	0.334	0.364	0.398	0.421	0.448	0.479	0.519	0.566	0.619	0.657	0.683	0.709	0.730	0.746
1998	0.285	0.299	0.312	0.330	0.360	0.394	0.416	0.443	0.474	0.513	0.560	0.613	0.650	929.0	0.701	0.722	0.738
1999	0.281	0.295	0.308	0.325	0.355	0.388	0.410	0.437	0.467	0.506	0.552	0.604	0.641	999.0	0.691	0.712	0.728
2000	0.275	0.289	0.301	0.318	0.347	0.380	0.402	0.427	0.457	0.495	0.540	0.591	0.627	0.652	929.0	0.697	0.712
2001	0.269	0.282	0.294	0.311	0.339	0.371	0.392	0.417	0.447	0.484	0.528	0.577	0.612	0.637	0.661	0.681	969.0
2002	0.265	0.278	0.290	0.306	0.334	0.365	0.387	0.411	0.440	0.477	0.520	0.569	0.603	0.627	0.651	0.671	0.685
2003	0360	0.77	2000	1000	000	0											

Gross National Product Implicit Price Deflator (Continued) Table B.18

From:	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003
1970	2.660	2.751	2.855	2.966	3.069	3.140	3.212	3.281	3.348	3.412	3.468	3.507	3.557	3.635	3.721	3.778	3.841
1971	2.533	2.620	2.719	2.824	2.923	2.990	3.059	3.124	3.189	3.249	3.303	3.340	3.388	3.462	3.543	3.598	3.658
1972	2.428	2.510	2.606	2.707	2.801	2.865	2.932	2.994	3.056	3.114	3.165	3.200	3.247	3.317	3.396	3.448	3.505
1973	2.299	2.378	2.468	2.563	2.653	2.714	2.777	2.836	2.894	2.949	2.998	3.031	3.075	3.142	3.216	3.265	3.320
1974	2.109	2.181	2.264	2.351	2.433	2.489	2.547	2.601	2.655	2.705	2.750	2.780	2.821	2.882	2.950	2.995	3.045
1975	1.927	1.993	2.068	2.148	2.224	2.274	2.327	2.377	2.426	2.472	2.513	2.540	2.577	2.633	2.696	2.737	2.783
1976	1.822	1.884	1.955	2.031	2.102	2.150	2.200	2.247	2.293	2.336	2.375	2.401	2.436	2.489	2.548	2.587	2.630
1977	1.713	1.771	1.838	1.909	1.976	2.021	2.068	2.112	2.156	2.197	2.233	2.258	2.290	2.340	2.396	2.432	2.473
1978	1.600	1.655	1.717	1.784	1.846	1.889	1.932	1.974	2.014	2.052	2.086	2.109	2.140	2.186	2.238	2.272	2.310
1979	1.478	1.528	1.586	1.647	1.705	1.744	1.785	1.822	1.860	1.895	1.927	1.948	1.976	2.019	2.067	2.098	2.134
1980	1.355	1.401	1.454	1.510	1.563	1.599	1.636	1.671	1.705	1.738	1.767	1.786	1.812	1.851	1.895	1.924	1.956
1981	1.238	1.281	1.329	1.381	1.429	1.462	1.496	1.527	1.559	1.588	1.615	1.633	1.656	1.692	1.732	1.759	1.788
1982	1.167	1.207	1.253	1.301	1.347	1.378	1.410	1.440	1.469	1.497	1.522	1.539	1.561	1.595	1.633	1.658	1.685
1983	1.123	1.161	1.205	1.252	1.295	1.325	1.356	1.385	1.413	1.440	1.464	1.480	1.501	1.534	1.570	1.594	1.621
1984	1.082	1.119	1.161	1.206	1.249	1.277	1.307	1.335	1.362	1.388	1.411	1.426	1.447	1.479	1.514	1.537	1.562
1985	1.050	1.086	1.127	1.171	1.212	1.239	1.268	1.295	1.322	1.347	1.369	1.384	1.404	1.435	1.469	1.491	1.516
1986	1.027	1.063	1.103	1.145	1.186	1.213	1.241	1.267	1.293	1.318	1.340	1.354	1.374	1.404	1.437	1.459	1.484
1987	1.000	1.034	1.073	1.115	1.154	1.180	1.208	1.233	1.259	1.283	1.304	1.318	1.337	1.366	1.399	1.420	1.444
1988	0.967	1.000	1.038	1.078	1.116	1.141	1.168	1.193	1.217	1.240	1.261	1.275	1.293	1.321	1.353	1.373	1.396
1989	0.932	0.963	1.000	1.039	1.075	1.100	1.125	1.149	1.173	1.195	1.215	1.228	1.246	1.273	1.303	1.323	1.345
1990	0.897	0.928	0.963	1.000	1.035	1.059	1.083	1.106	1.129	1.150	1.170	1.182	1.200	1.226	1.255	1.274	1.295
1991	0.867	968.0	0.930	996.0	1.000	1.023	1.047	1.069	1.091	1.112	1.130	1.143	1.159	1.184	1.212	1.231	1.251
1992	0.847	0.876	0.909	0.945	0.978	1.000	1.023	1.045	1.066	1.087	1.105	1.117	1.133	1.158	1.185	1.203	1.223
1993	0.828	0.856	0.889	0.923	0.955	0.977	1.000	1.021	1.042	1.062	1.080	1.092	1.107	1.131	1.158	1.176	1.196
1994	0.811	0.838	0.870	0.904	0.935	0.957	0.979	1.000	1.021	1.040	1.057	1.069	1.084	1.108	1.134	1.151	1.171
1995	0.794	0.822	0.853	988.0	0.917	0.938	0.959	0.980	1.000	1.019	1.036	1.047	1.062	1.086	1.111	1.128	1.147
1996	0.780	0.806	0.837	698.0	0.900	0.920	0.942	0.962	0.981	1.000	1.017	1.028	1.043	1.065	1.091	1.107	1.126
1997	0.767	0.793	0.823	0.855	0.885	0.905	0.926	0.946	0.965	0.984	1.000	1.011	1.026	1.048	1.073	1.089	1.107
1998	0.759	0.784	0.814	0.846	0.875	0.895	0.916	0.936	0.955	0.973	686.0	1.000	1.014	1.037	1.061	1.077	1.095
1999	0.748	0.773	0.803	0.834	0.863	0.883	0.903	0.922	0.941	0.959	0.975	986.0	1.000	1.022	1.046	1.062	1.080
2000	0.732	0.757	0.785	0.816	0.844	0.864	0.884	0.903	0.921	0.939	0.954	0.965	0.979	1.000	1.024	1.039	1.057
2001	0.715	0.739	0.767	0.797	0.825	0.844	0.863	0.882	0.900	0.917	0.932	0.942	0.956	0.977	1.000	1.015	1.032
2002	0.704	0.728	0.756	0.785	0.812	0.831	0.850	898.0	0.886	0.903	0.918	0.928	0.942	0.962	0.985	1.00	1.017
2003	0.693	0.716	0.743	0.772	0.799	0.817	0.836	0.854	0.872	0.888	0.903	0.913	0.926	0.946	696.0	0.984	1.000

Source: U.S. Department of Commerce, Bureau of Economic Analysis, Survey of Current Business, Washington, DC, monthly.

APPENDIX C

MAPS

Table C.1 Census Regions and Divisions

	Northea	st Region	
Mid-Atlan	tic division	New Ei	ngland division
New Jersey New York	Pennsylvania	Connecticut Maine Massachusetts	New Hampshire Rhode Island Vermont
	South	Region	
West South Central division	East South Central division		nth Atlantic division
Arkansas Louisiana Oklahoma Texas	Alabama Kentucky Mississippi Tennessee	Delaware Florida Georgia Maryland North Carolina	South Carolina Virginia Washington, DC West Virginia
	West	Region	
Pacific	division	Mour	ntain division
Alaska California Hawaii	Oregon Washington	Arizona Colorado Idaho Montana	Nevada New Mexico Utah Wyoming
	Midwes	st Region	
West North C	entral division	East North	h Central division
Iowa Kansas Minnesota Missouri	Nebraska North Dakota South Dakota	Illinois Indiana Michigan	Ohio Wisconsin

Source:

U.S. Census Bureau.




Figure C1. Census Regions and Divisions

Source: See Table C.1.

Table C.2
Petroleum Administration for Defense Districts (PADD)

District	Subdistrict	States
PAD District 1 East Coast	Subdistrict 1X New England	Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont
	Subdistrict 1Y Central Atlantic	Delaware, District of Columbia, Maryland, New Jersey, New York, Pennsylvania
	Subdistrict 1Z Lower Atlantic	Florida, Georgia, North Carolina, South Carolina, Virginia, West Virginia
PAD District 2 Midwest		Illinois, Indiana, Iowa, Kansas, Kentucky, Michigan, Minnesota, Missouri, Nebraska, North Dakota, South Dakota, Ohio, Oklahoma, Tennessee, Wisconsin
PAD District 3 Gulf Coast		Alabama, Arkansas, Louisiana, Mississippi, New Mexico, Texas
PAD District 4 Rocky Mountains		Colorado Idaho, Montana, Utah, Wyoming
PAD District 5 West Coast		Alaska, Arizona, California, Hawaii, Nevada, Oregon, Washington

Source:

Energy Information Administration web site: http://tonto.eia.doe.gov/oog/info/twip/padddef.html




Figure C.2. Petroleum Administration for Defense Districts

Source: See Table C.2.

Reformulated Gasoline A WA ND MT MN OR SD ID WY IA NE. ОН UT CO NV KS MO. TN ΟK AR NM SC GA MS AL TX Legend Conventional Area Reformulated Area

Figure C.3. Map of Places where Reformulated Gasoline is Sold

Source:

U.S. Department of Energy, Energy Information Administration, http://www.eia.doe.gov/oil_gas/petroleum/data_publications/wrgp/reformulated_map.html, June 2004.

Note:

Reformulated gasoline is a motor gasoline specially formulated to achieve significant reductions in vehicle emissions of ozone-forming and toxic air pollutants. The Clean Air Act of 1990 mandates reformulated gasoline use in areas with ozone-air pollution problems.

GLOSSARY

Acceleration power - Measured in kilowatts. Pulse power obtainable from a battery used to accelerate a vehicle. This is based on a constant current pulse for 30 seconds at no less than 2/3 of the maximum open-circuit-voltage, at 80% depth-of-discharge relative to the battery's rated capacity and at 20° C ambient temperature.

Air Carrier - The commercial system of air transportation consisting of certificated air carriers, air taxis (including commuters), supplemental air carriers, commercial operators of large aircraft, and air travel clubs.

Certificated route air carrier: An air carrier holding a Certificate of Public Convenience and Necessity issued by the Department of Transportation to conduct scheduled interstate services. Nonscheduled or charter operations may also be conducted by these carriers. These carriers operate large aircraft (30 seats or more, or a maximum payload capacity of 7,500 pounds or more) in accordance with Federal Aviation Regulation part 121.

Domestic air operator: Commercial air transportation within and between the 50 States and the District of Columbia. Includes operations of certificated route air carriers, Pan American, local service, helicopter, intra-Alaska, intra-Hawaii, all-cargo carriers and other carriers. Also included are transborder operations conducted on the domestic route segments of U.S. air carriers. Domestic operators are classified based on their operating revenue as follows:

Majors - over \$1 billion Nationals - \$100-1,000 million Large Regionals - \$10-99.9 million Medium Regionals - \$0-9.99 million

International air operator: Commercial air transportation outside the territory of the United States, including operations between the U.S. and foreign countries and between the U.S. and its territories and possessions.

Supplemental air carrier: A class of air carriers which hold certificates authorizing them to perform passenger and cargo charter services supplementing the scheduled service of the certificated route air carriers. Supplemental air carriers are often referred to as nonscheduled air carriers or "nonskeds."

Alcohol - The family name of a group of organic chemical compounds composed of carbon, hydrogen, and oxygen. The molecules in the series vary in chain length and are composed of a hydrocarbon plus a hydroxyl group. Alcohol includes methanol and ethanol.

Amtrak - See Rail.

Anthropogenic - Human made. Usually used in the context of emissions that are produced as the result of human activities.

Automobile size classifications - Size classifications of automobiles are established by the Environmental Protection Agency (EPA) as follows:

Minicompact - less than 85 cubic feet of passenger and luggage volume.

Subcompact - between 85 to 100 cubic feet of passenger and luggage volume.

Compact - between 100 to 110 cubic feet of passenger and luggage volume.

Midsize - between 110 to 120 cubic feet of passenger and luggage volume.

Large - more than 120 cubic feet of passenger and luggage volume.

Two seater - automobiles designed primarily to seat only two adults.

Station wagons are included with the size class for the sedan of the same name.

Aviation - See *General aviation*.

Aviation gasoline - All special grades of gasoline for use in aviation reciprocating engines, as given in the American Society for Testing and Materials (ASTM) Specification D 910. Includes all refinery products within the gasoline range that are to be marketed straight or in blends as aviation gasoline without further processing (any refinery operation except mechanical blending). Also included are finished components in the gasoline range which will be used for blending or compounding into aviation gasoline.

Barges - Shallow, nonself-propelled vessels used to carry bulk commodities on the rivers and the Great Lakes.

Battery efficiency - Measured in percentage. Net DC energy delivered on discharge, as a percentage of the total DC energy required to restore the initial state-of-charge. The efficiency value must include energy losses resulting from self-discharge, cell equalization, thermal loss compensation, and all battery-specific auxiliary equipment.

Btu - British thermal unit. The amount of energy required to raise the temperature of 1 pound of water 1 degree Fahrenheit at or near 39.2 degrees Fahrenheit. An average Btu content of fuel is the heat value per quantity of fuel as determined from tests of fuel samples.

Bunker - A storage tank.

Bunkering fuels - Fuels stored in ship bunkers.

Bus -

Intercity bus: A standard size bus equipped with front doors only, high backed seats, luggage compartments separate from the passenger compartment and usually with restroom facilities, for high-speed long distance service.

Motor bus: Rubber-tired, self-propelled, manually-steered bus with fuel supply on board the vehicle. Motor bus types include intercity, school, and transit.

School and other nonrevenue bus: Bus services for which passengers are not directly charged for transportation, either on a per passenger or per vehicle basis.

Transit bus: A bus designed for frequent stop service with front and center doors, normally with a rear-mounted diesel engine, low-back seating, and without luggage storage compartments or restroom facilities.

Trolley coach: Rubber-tired electric transit vehicle, manually-steered, propelled by a motor drawing current, normally through overhead wires, from a central power source not on board the vehicle.

Calendar year - The period of time between January 1 and December 31 of any given year.

Captive imports - Products produced overseas specifically for domestic manufacturers.

Carbon dioxide (CO₂) - A colorless, odorless, non-poisonous gas that is a normal part of the ambient air. Carbon dioxide is a product of fossil fuel combustion.

Carbon monoxide (**CO**) - A colorless, odorless, highly toxic gas that is a by-product of incomplete fossil fuel combustion. Carbon monoxide, one of the major air pollutants, can be harmful in small amounts if breathed over a certain period of time.

Car-mile (railroad) - A single railroad car moved a distance of one mile.

Cargo ton-mile - See *Ton-mile*.

Certificated route air carriers - See *Air carriers*.

Class I freight railroad - See Rail.

Coal slurry - Finely crushed coal mixed with sufficient water to form a fluid.

- **Combination trucks** Consist of a power unit (a truck tractor) and one or more trailing units (a semi-trailer or trailer). The most frequently used combination is popularly referred to as a "tractor-semitrailer" or "tractor trailer".
- **Commercial sector** An energy-consuming sector that consists of service-providing facilities of: businesses; Federal, State, and local governments; and other private and public organizations, such as religious, social or fraternal groups. Includes institutional living quarters.

Commuter railroad - See *Rail*.

Compact car - See *Automobile size classifications*.

- Constant dollars A time series of monetary figures is expressed in constant dollars when the effect of change over time in the purchasing power of the dollar has been removed. Usually the data are expressed in terms of dollars of a selected year or the average of a set of years.
- Consumer Price Index (CPI) An index issued by the U.S. Department of Labor, Bureau of Labor Statistics. The CPI is designed to measure changes in the prices of goods and services bought by wage earners and clerical workers in urban areas. It represents the cost of a typical consumption bundle at current prices as a ratio to its cost at a base year.
- **Continuous discharge capacity** Measured as percent of rated energy capacity. Energy delivered in a constant power discharge required by an electric vehicle for hill climbing and/or high-speed cruise, specified as the percent of its rated energy capacity delivered in a one hour constant-power discharge.
- Corporate Average Fuel Economy (CAFE) standards CAFE standards were originally established by Congress for new automobiles, and later for light trucks, in Title V of the Motor Vehicle Information and Cost Savings Act (15 U.S.C.1901, et seq.) with subsequent amendments. Under CAFE, automobile manufacturers are required by law to produce vehicle fleets with a composite sales-weighted fuel economy which cannot be lower than the CAFE standards in a given year, or for every vehicle which does not meet the standard, a fine of \$5.00 is paid for every one-tenth of a mpg below the standard.
- **Crude oil** A mixture of hydrocarbons that exists in the liquid phase in natural underground reservoirs and remains liquid at atmospheric pressure after passing through surface separating facilities. Crude oil production is measured at the wellhead and includes lease condensate.

Crude oil imports - The volume of crude oil imported into the 50 States and the District of Columbia, including imports from U.S. territories, but excluding imports of crude oil into the Hawaiian Foreign Trade Zone.

Curb weight - The weight of a vehicle including all standard equipment, spare tire and wheel, all fluids and lubricants to capacity, full tank of fuel, and the weight of major optional accessories normally found on the vehicle.

Current dollars - Represents dollars current at the time designated or at the time of the transaction. In most contexts, the same meaning would be conveyed by the use of the term "dollars." See also constant dollars.

Demand Response - A transit mode that includes passenger cars, vans, and small buses operating in response to calls from passengers to the transit operator who dispatches the vehicles. The vehicles do not operate over a fixed route on a fixed schedule. Can also be known as paratransit or dial-a-ride.

Diesel fuel - See distillate fuel oil.

Disposable personal income - See Income.

Distillate fuel oil - The lighter fuel oils distilled off during the refining process. Included are products known as ASTM grades numbers 1 and 2 heating oils, diesel fuels, and number 4 fuel oil. The major uses of distillate fuel oils include heating, fuel for on-and off-highway diesel engines, and railroad diesel fuel.

Domestic air operator - See *Air carrier*.

E85 - 85% ethanol and 15% gasoline.

E95 - 95% ethanol and 5% gasoline.

Domestic water transportation - See *Internal water transportation*.

Electric utilities sector - Consists of privately and publicly owned establishments which generate electricity primarily for resale.

Emission standards - Standards for the levels of pollutants emitted from automobiles and trucks. Congress established the first standards in the Clean Air Act of 1963. Currently, standards are set for four vehicle classes - automobiles, light trucks, heavy-duty gasoline trucks, and heavy-duty diesel trucks.

- **Energy capacity** Measured in kilowatt hours. The energy delivered by the battery, when tested at C/3 discharge rate, up to termination of discharge specified by the battery manufacturer. The required acceleration power must be delivered by the battery at any point up to 80% of the battery's energy capacity rating.
- **Energy efficiency** In reference to transportation, the inverse of energy intensiveness: the ratio of outputs from a process to the energy inputs; for example, miles traveled per gallon of fuel (mpg).
- **Energy intensity** In reference to transportation, the ratio of energy inputs to a process to the useful outputs from that process; for example, gallons of fuel per passenger-mile or Btu per ton-mile.
- **Ethanol** (C_2H_5OH) Otherwise known as ethyl alcohol, alcohol, or grain-spirit. A clear, colorless, flammable oxygenated hydrocarbon with a boiling point of 78.5 degrees Celsius in the anhydrous state. In transportation, ethanol is used as a vehicle fuel by itself (E100 100% ethanol by volume), blended with gasoline (E85 85% ethanol by volume), or as a gasoline octane enhancer and oxygenate (10% by volume).

Fixed operating cost - See *Operating cost*.

Fleet vehicles -

Private fleet vehicles: Ideally, a vehicle could be classified as a member of a fleet if it is:

- a) operated in mass by a corporation or institution,
- b) operated under unified control, or
- c) used for non-personal activities.

However, the definition of a fleet is not consistent throughout the fleet industry. Some companies make a distinction between cars that were bought in bulk rather than singularly, or whether they are operated in bulk, as well as the minimum number of vehicles that constitute a fleet (i.e. 4 or 10).

Government fleet vehicles: Includes vehicles owned by all Federal, state, county, city, and metro units of government, including toll road operations.

Foreign freight - Movements between the United States and foreign countries and between Puerto Rico, the Virgin Islands, and foreign countries. Trade between U.S. territories and possessions (e.g. Guam, Wake, American Samoa) and foreign countries is excluded. Traffic to or from the Panama Canal Zone is included.

- **Gas Guzzler Tax** Originates from the 1978 Energy Tax Act (Public Law 95-618). A new car purchaser is required to pay the tax if the car purchased has a combined city/highway fuel economy rating that is below the standard for that year. For model years 1986 and later, the standard is 22.5 mpg.
- **Gasohol** A mixture of 10% anhydrous ethanol and 90% gasoline by volume; 7.5% anhydrous ethanol and 92.5% gasoline by volume; or 5.5% anhydrous ethanol and 94.5% gasoline by volume. There are other fuels that contain methanol and gasoline, but these fuels are not referred to as gasohol.

Gasoline - See *Motor gasoline*.

- **General aviation** That portion of civil aviation which encompasses all facets of aviation except air carriers. It includes any air taxis, commuter air carriers, and air travel clubs which do not hold Certificates of Public Convenience and Necessity.
- **Gross National Product** A measure of monetary value of the goods and services becoming available to the nation from economic activity. Total value at market prices of all goods and services produced by the nation's economy. Calculated quarterly by the Department of Commerce, the Gross National Product is the broadest available measure of the level of economic activity.
- **Gross vehicle weight (gvw)** The weight of the empty truck plus the maximum anticipated load weight.
- **Gross vehicle weight rating (gvwr)** The gross vehicle weight which is assigned to each new truck by the manufacturer. This rating may be different for trucks of the same model because of certain features, such as heavy-duty suspension. Passenger cars do not have gross vehicle weight ratings.

Heavy-heavy truck - See *Truck size classifications*.

- **Household** Consists of all persons who occupy a housing unit, including the related family members and all unrelated persons, if any, who share the housing unit.
- **Housing unit** A house, apartment, a group of rooms, or a single room occupied or intended for occupancy as separate living quarters. Separate living quarters are those in which the occupants do not live and eat with any other persons in the structure and which have either (1) direct access from the outside of the building or through a common hallway intended to be used by the occupants of another unit or by the general public, or (2) complete kitchen facilities for the exclusive use of the occupants. The occupants may be a single family, one

person living alone, two or more families living together, or any other group of related or unrelated persons who share living arrangements.

Hydrocarbon (**HC**) - A compound that contains only hydrogen and carbon. The simplest and lightest forms of hydrocarbon are gaseous. With greater molecular weights they are liquid, while the heaviest are solids.

Income -

Disposable personal income: Personal income less personal tax and non-tax payments.

National income: The aggregate earnings of labor and property which arise in the current production of goods and services by the nation's economy.

Personal income: The current income received by persons from all sources, net of contributions for social insurance.

Industrial sector - Construction, manufacturing, agricultural and mining establishments.

Inertia weight - The curb weight of a vehicle plus 300 pounds.

Intercity bus - See *Bus*.

Internal water transportation - Includes all local (intraport) traffic and traffic between ports or landings wherein the entire movement takes place on inland waterways. Also termed internal are movements involving carriage on both inland waterways and the water of the Great Lakes, and inland movements that cross short stretches of open water that link inland systems.

International air operator - See Air carrier.

International freight - See *Foreign freight*.

Jet fuel - Includes both naphtha-type and kerosene-type fuels meeting standards for use in aircraft turbine engines. Although most jet fuel is used in aircraft, some is used for other purposes such as generating electricity in gas turbines.

Kerosene-type jet fuel: A quality kerosene product with an average gravity of 40.7 degrees API and 10% to 90% distillation temperatures of 217 to 261 degrees centigrade. Used primarily as fuel for commercial turbojet and turboprop aircraft engines. It is a relatively low freezing point distillate of the kerosene type.

Naphtha-type jet fuel: A fuel in the heavy naphtha boiling range with an average gravity of 52.8 degrees API and 10% to 90% distillation temperatures of 117 to 233 degrees centigrade used for turbojet and turboprop aircraft engines, primarily by the military. Excludes ramjet and petroleum.

Kerosene - A petroleum distillate in the 300 to 500 degrees Fahrenheit boiling range and generally having a flash point higher than 100 degrees Fahrenheit by the American Society of Testing and Material (ASTM) Method D56, a gravity range from 40 to 46 degrees API, and a burning point in the range of 150 to 175 degrees Fahrenheit. It is a clean-burning product suitable for use as an illuminant when burned in wick lamps. Includes grades of kerosene called range oil having properties similar to Number 1 fuel oil, but with a gravity of about 43 degrees API and an end point of 625 degrees Fahrenheit. Used in space heaters, cooking stoves, and water heaters.

Kerosene-type jet fuel - See *Jet fuel*.

Large car - See *Automobile size classifications*.

Lease Condensate - A liquid recovered from natural gas at the well or at small gas/oil separators in the field. Consists primarily of pentanes and heavier hydrocarbons (also called field condensate).

Light duty vehicles - Automobiles and light trucks combined.

Light truck - Unless otherwise noted, light trucks are defined in this publication as two-axle, four-tire trucks. The U.S. Bureau of Census classifies all trucks with a gross vehicle weight less than 10,000 pounds as light trucks (See *Truck size classifications*).

Light-heavy truck - See *Truck size classifications*.

Liquified petroleum gas (lpg) - Consists of propane and butane and is usually derived from natural gas. In locations where there is no natural gas and the gasoline consumption is low, naphtha is converted to lpg by catalytic reforming.

Load factor - Total passenger miles divided by total vehicle miles.

Low emission vehicle - Any vehicle certified to the low emission standards which are set by the Federal government and/or the state of California.

M85 - 85% methanol and 15% gasoline.

M100 - 100% methanol.

Medium truck - See *Truck size classifications*.

Methanol (CH₃OH) - A colorless highly toxic liquid with essentially no odor and very little taste. It is the simplest alcohol and boils at 64.7 degrees Celsius. In transportation, methanol is used as a vehicle fuel by itself (M100), or blended with gasoline (M85).

Midsize car - See *Automobile size classifications*.

Minicompact car - See *Automobile size classifications*.

Model year - In this publication, model year is referring to the "sales" model year, the period from October 1 to the next September 31.

Motor bus - See *Bus*.

Motor gasoline - A mixture of volatile hydrocarbons suitable for operation of an internal combustion engine whose major components are hydrocarbons with boiling points ranging from 78 to 217 degrees centigrade and whose source is distillation of petroleum and cracking, polymerization, and other chemical reactions by which the naturally occurring petroleum hydrocarbons are converted into those that have superior fuel properties.

Regular gasoline: Gasoline having an antiknock index, i.e., octane rating, greater than or equal to 85 and less than 88. *Note:* Octane requirements may vary by altitude.

Midgrade gasoline: Gasoline having an antiknock index, i.e., octane rating, greater than or equal to 88 and less than or equal to 90. *Note:* Octane requirements may vary by altitude.

Premium gasoline: Gasoline having an antiknock index, i.e., octane rating, greater than 90. *Note:* Octane requirements may vary by altitude.

Reformulated gasoline: Finished motor gasoline formulated for use in motor vehicles, the composition and properties of which meet the requirements of the reformulated gasoline regulations promulgated by the U.S. Environmental Protection Agency under Section 211(k) of the Clean Air Act. For details on this clean fuel program see http://www.epa.gov/otaq/rfg.htm. Note: This category includes oxygenated fuels program reformulated gasoline (OPRG) but excludes reformulated gasoline blendstock for oxygenate blending (RBOB).

MTBE - Methyl Tertiary Butyl Ether - a colorless, flammable, liquid oxygenated hydrocarbon containing 18.15 percent oxygen.

Naphtha-type jet fuel - See Jet fuel.

National income - See *Income*.

Nationwide Personal Transportation Survey (NPTS) - A nationwide survey of households that provides information on the characteristics and personal travel patterns of the U.S. population. Surveys were conducted in 1969, 1977, 1983, 1990, and 1995 by the U.S. Bureau of Census for the U.S. Department of Transportation.

Natural gas - A mixture of hydrocarbon compounds and small quantities of various non-hydrocarbons existing in the gaseous phase or in solution with crude oil in natural underground reservoirs at reservoir conditions.

Natural gas, dry: Natural gas which remains after: 1) the liquefiable hydrocarbon portion has been removed from the gas stream; and 2) any volumes of nonhydrocarbon gases have been removed where they occur in sufficient quantity to render the gas unmarketable. Dry natural gas is also known as consumer-grade natural gas. The parameters for measurement are cubic feet at 60 degrees Fahrenheit and 14.73 pounds per square inch absolute.

Natural gas, wet: The volume of natural gas remaining after removal of lease condensate in lease and/or field separation facilities, if any, and after exclusion of nonhydrocarbon gases where they occur in sufficient quantity to render the gas unmarketable. Natural gas liquids may be recovered from volumes of natural gas, wet after lease separation, at natural gas processing plants.

Natural gas plant liquids: Natural gas liquids recovered from natural gas in processing plants and from natural gas field facilities and fractionators. Products obtained include ethane, propane, normal butane, isobutane, pentanes plus, and other products from natural gas processing plants.

- **Nitrogen oxides** (NO_x) A product of combustion of fossil fuels whose production increases with the temperature of the process. It can become an air pollutant if concentrations are excessive.
- **Nonattainment area -** Any area that does not meet the national primary or secondary ambient air quality standard established by the Environmental Protection Agency for designated pollutants, such as carbon monoxide and ozone.
- **Oil Stocks** Oil stocks include crude oil (including strategic reserves), unfinished oils, natural gas plant liquids, and refined petroleum products.

Operating cost -

Fixed operating cost: In reference to passenger car operating cost, refers to those expenditures that are independent of the amount of use of the car, such as insurance costs, fees for license and registration, depreciation and finance charges.

Variable operating cost: In reference to passenger car operating cost, expenditures which are dependent on the amount of use of the car, such as the cost of gas and oil, tires, and other maintenance.

Organization for Economic Cooperation and Development (OECD) - Consists of Australia, Austria, Belgium, Canada, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Japan, Luxembourg, Mexico, Netherlands, New Zealand, Norway, Poland, Portugal, South Korea, Spain, Sweden, Switzerland, Turkey, United Kingdom, and United States. Total OECD includes the United States Territories (Guam, Puerto Rico, and the U.S. Virgin Islands). Total OECD excludes data for Czech Republic, Hungary, Mexico, Poland, and South Korea which are not yet available.

OECD Europe: Consists of Austria, Belgium, Czech Republic, Denmark, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Luxembourg, Netherlands, Norway, Poland, Portugal, Spain, Sweden, Switzerland, Turkey, and United Kingdom. OECD Europe excludes data for Czech Republic, Hungary, and Poland which are not yet available.

OECD Pacific: Consists of Australia, Japan, and New Zealand.

Organization for Petroleum Exporting Countries (OPEC) - Includes Saudi Arabia, Iran, Venezuela, Libya, Indonesia, United Arab Emirates, Algeria, Nigeria, Ecuador, Gabon, Iraq, Kuwait, and Qatar. Data for Saudi Arabia and Kuwait include their shares from the Partitioned Zone (formerly the Neutral Zone).

Arab OPEC - Consists of Algeria, Iraq, Kuwait, Libya, Qatar, Saudi Arabia and the United Arab Emirates.

Other single-unit truck - See Single-unit truck.

Oxygenate - A substance which, when added to gasoline, increases the amount of oxygen in that gasoline blend. Includes fuel ethanol, methanol, and methyl tertiary butyl ether (MTBE).

Particulates - Carbon particles formed by partial oxidation and reduction of the hydrocarbon fuel. Also included are trace quantities of metal oxides and nitrides, originating from engine wear, component degradation, and inorganic fuel additives. In the transportation sector, particulates are emitted mainly from diesel engines.

Passenger-miles traveled (PMT) - One person traveling the distance of one mile. Total passenger-miles traveled, thus, give the total mileage traveled by all persons.

Passenger rail - See Rail, "Amtrak" and "Transit Railroad".

Persian Gulf countries - Consists of Bahrain, Iran, Iraq, Kuwait, Qatar, Saudi Arabia, and the United Emirates.

Personal Consumption Expenditures (PCE) - As used in the national accounts, the market value of purchases of goods and services by individuals and nonprofit institutions and the value of food, clothing, housing, and financial services received by them as income in kind. It includes the rental value of owner-occupied houses but excludes purchases of dwellings, which are classified as capital goods (investment).

Personal income - See *Income*.

Petroleum - A generic term applied to oil and oil products in all forms, such as crude oil, lease condensate, unfinished oil, refined petroleum products, natural gas plant liquids, and nonhydrocarbon compounds blended into finished petroleum products.

Petroleum consumption: A calculated demand for petroleum products obtained by summing domestic production, imports of crude petroleum and natural gas liquids, imports of petroleum products, and the primary stocks at the beginning of the period and then subtracting the exports and the primary stocks at the end of the period.

Petroleum exports: Shipments of petroleum products from the 50 States and the District of Columbia to foreign countries, Puerto Rico, the Virgin Islands, and other U.S. possessions and territories.

Petroleum imports: All imports of crude petroleum, natural gas liquids, and petroleum products from foreign countries and receipts from Guam, Puerto Rico, the Virgin Islands, and the Hawaiian Trade Zone. The commodities included are crude oil, unfinished oils, plant condensate, and refined petroleum products.

Petroleum inventories: The amounts of crude oil, unfinished oil, petroleum products, and natural gas liquids held at refineries, at natural gas processing plants, in pipelines, at bulk terminals operated by refining and pipeline companies, and at independent bulk terminals. Crude oil held in storage on leases is also included; these stocks are know as primary stocks. Secondary stocks - those held by jobbers dealers, service station operators, and consumers -are excluded. Prior to 1975, stock held at independent bulk terminals were classified as secondary stocks.

Petroleum products supplied: For each petroleum product, the amount supplied is calculated by summing production, crude oil burned directly, imports, and net withdrawals from primary stocks and subtracting exports.

Processing Gain - The amount by which the total volume of refinery output is greater than the volume of input for given period of time. The processing gain arises when crude oil and other hydrocarbons are processed into products that are, on average, less dense than the input.

Processing Loss - The amount by which the total volume of refinery output is less than the volume of input for given period of time. The processing loss arises when crude oil and other hydrocarbons are processed into products that are, on average, more dense than the input.

Proved Reserves of Crude Oil - The estimated quantities of all liquids defined as crude oil, which geological and engineering data demonstrate with reasonable certainty to be recoverable in future years from known reservoirs under existing economic and operating conditions.

Quad - Quadrillion, 10¹⁵. In this publication, a Quad refers to Quadrillion Btu.

Rail -

Amtrak (American Railroad Tracks): Operated by the National Railroad Passenger Corporation of Washington, DC. This rail system was created by President Nixon in 1970, and was given the responsibility for the operation of intercity, as distinct from suburban, passenger trains between points designated by the Secretary of Transportation.

Class I freight railroad: Defined by the Interstate Commerce Commission each year based on annual operating revenue. A railroad is dropped from the Class I list if it fails to meet the annual earnings threshold for three consecutive years.

Commuter railroad: Those portions of mainline railroad (not electric railway) transportation operations which encompass urban passenger train service for local travel between a central city and adjacent suburbs. Commuter railroad service - using both locomotive-hauled and self-propelled railroad passenger cars - is characterized by multi-trip tickets, specific station-to-station fares, and usually only one or two stations in the central business district. Also known as suburban railroad.

Transit railroad: Includes "heavy" and "light" transit rail. **Heavy transit rail** is characterized by exclusive rights-of-way, multi-car trains, high speed rapid acceleration, sophisticated signaling, and high platform loading. Also known as subway, elevated railway, or metropolitan railway (metro). **Light transit rail** may be on exclusive or shared rights-of-way, high or low platform loading, multi-car trains or single cars, automated or manually operated. In generic usage, light rail includes streetcars, trolley cars, and tramways.

Reformulated gasoline (**RFG**) - See *Motor gasoline*.

RFG area - An ozone nonattainment area designated by the Environmental Protection Agency which requires the use of reformulated gasoline.

Residential sector - An energy consuming sector that consists of living quarters for private households. Excludes institutional living quarters.

Residential Transportation Energy Consumption Survey (RTECS) - This survey was designed by the Energy Information Administration of the Department of Energy to provide information on how energy is used by households for personal vehicles. It has been conducted five times since 1979, the most recent being 1991.

Residual fuel oil - The heavier oils that remain after the distillate fuel oils and lighter hydrocarbons are boiled off in refinery operations. Included are products know as ASTM grade numbers 5 and 6 oil, heavy diesel oil, Navy Special Fuel Oil, Bunker C oil, and acid sludge and pitch used as refinery fuels. Residual fuel oil is used for the production of electric power, for heating, and for various industrial purposes.

Rural - Usually refers to areas with population less than 5,000.

Sales period - October 1 of the previous year to September 30 of the given year. Approximately the same as a model year.

Sales-weighted miles per gallon (mpg) - Calculation of a composite vehicle fuel economy based on the distribution of vehicle sales.

Scrappage rate - As applied to motor vehicles, it is usually expressed as the percentage of vehicles of a certain type in a given age class that are retired from use (lacking registration) in a given year.

School and other nonrevenue bus - See Bus.

Single-unit truck - Includes two-axle, four-tire trucks and other single-unit trucks.

Two-axle, four-tire truck: A motor vehicle consisting primarily of a single motorized device with two axles and four tires.

Other single-unit truck: A motor vehicle consisting primarily of a single motorized device with more than two axles or more than four tires.

Special fuels - Consist primarily of diesel fuel with small amount of liquified petroleum gas, as defined by the Federal Highway Administration.

Specific acceleration power - Measured in watts per kilogram. Acceleration power divided by the battery system weight. Weight must include the total battery system.

Specific energy - Measured in watt hours per kilogram. The rated energy capacity of the battery divided by the total battery system weight.

Subcompact car - See *Automobile size classifications*.

Supplemental air carrier - See Air carrier.

Test weight - The weight setting at which a vehicle is tested on a dynomometer by the U.S. Environmental Protection Agency (EPA). This weight is determined by the EPA using the inertia weight of the vehicle.

Ton-mile - The movement of one ton of freight the distance of one mile. Ton-miles are computed by multiplying the weight in tons of each shipment transported by the distance hauled.

Transmission types -

A3 - Automatic three speed

A4 - Automatic four speed

A5 - Automatic five speed

L4 - Automatic lockup four speed

M5 - Manual five speed

Transit bus - See Bus.

Transit railroad - See *Rail*.

Transportation sector - Consists of both private and public passenger and freight transportation, as well as government transportation, including military operations.

Truck Inventory and Use Survey (TIUS) - Survey designed to collect data on the characteristics and operational use of the nation's truck population. It is conducted every five years by the U.S. Bureau of the Census. Surveys were conducted in 1963, 1967, 1972, 1977, 1982, 1987, and 1992. For the 1997 survey, it was renamed the Vehicle Inventory and Use Survey in anticipation of including additional vehicle types. However, no additional vehicle types were added to the 1997 survey.

Trolley coach - See *Bus*.

Truck size classifications - U.S. Bureau of the Census has categorized trucks by gross vehicle weight (gvw) as follows:

Light - Less than 10,000 pounds gvw (Also see *Light Truck*.)
Medium - 10,001 to 20,000 pounds gvw
Light-heavy - 20,001 to 26,000 pounds gvw
Heavy-heavy - 26,001 pounds gvw or more.

Two-axle, four-tire truck - See Single-unit truck.

Two seater car - See *Automobile size classifications*.

Ultra-low emission vehicle - Any vehicle certified to the ultra-low emission standards which are set by the Federal government and/or the state of California.

Urban - Usually refers to areas with population of 5,000 or greater.

Vanpool - A transit mode made up of vans and sometimes small buses operating as a ridesharing arrangement to provide transportation to a group of individuals traveling directly between their homes and a regular destination within the same geographical area. Most vanpools are privately-operated, are not available to the public, and are not considered public transportation. Vanpool data in this report are for vanpools that are owned, purchased or leased by a public entity and are publicly available.

Variable operating cost - See *Operating cost*.

Vehicle Inventory and Use Survey - See Truck Inventory and Use Survey.

Vehicle-miles traveled (vmt) - One vehicle traveling the distance of one mile. Total vehicle miles, thus, is the total mileage traveled by all vehicles.

Zero-emission vehicle - Any vehicle certified to the zero emission standards which are set by the Federal government and/or the state of California. These standards apply to the vehicle emissions only.

TITLE INDEX

Acquisitions	
Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998– 2002	7-7
Act	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	7-8
Advanced	
Sales and Specifications of Available Advanced Technology Vehicles	6–8
Age	
Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001	3-9
Trucks in Operation and Vehicle Travel by Age, 1970 and 2001	
Average Age of Automobiles and Trucks in Use, 1970–2002	
Median Age and Registrations of Automobiles and Trucks, 1970–2002	
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	
Average Annual Miles per Household Vehicle by Vehicle Age	
Agency	
Federal Government Vehicles by Agency, Fiscal Year 2002	7-6
Air	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	9-3
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	
Alternative	
Alternative Fuel and Oxygenate Consumption, 1992–2004	2-5
Conventional and Alternative Fuel Refueling Stations	
Estimates of Alternative Fuel Vehicles in Use, 1992–2004	
Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003	
Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	
Number of Alternative Refuel Sites by State and Fuel Type, 2003	
Properties of Conventional and Alternative Fuels	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
Amtrak	, 0
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	9-13
Annual	, 10
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	7-4
Average Annual Expenditures of Households by Income, 2002	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected Trip	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Annual Miles per Household Vehicle by Vehicle Age	
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	8-15
Automobile	
Automobile Registrations for Selected Countries, 1950-2001	3-2
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	
New Retail Automobile Sales in the United States, 1970-2002	
Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted	
Fuel Economy Estimates, 1978-2003	4-19
Automobile Operating Cost per Mile, 1985-2002	
Fixed Automobile Operating Costs per Year, 1975-2002	
Automobiles	. 10 1 .
Automobiles and Trucks in Use, 1970–2002	3-5
Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001	
Average Age of Automobiles and Trucks in Use, 1970–2002	
Median Age and Registrations of Automobiles and Trucks, 1970–2002	3-12
Import Automobiles, Selected Sales Periods 1976-2002	

Automobiles (continued)	
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003	4-11
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003	
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Available	
Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	
•	0-8
Average Average Age of Automobiles and Trucks in Use, 1970–2002	2 11
Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted	4-10
Fuel Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted	
Fuel Economy Estimates, 1978–2004	
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	
Average Length of Time Business Fleet Vehicles are In Service, 2002	
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977,	
1983, 1990, 1995 NPTS and 2001 NHTS	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
2001 NHTS	8-9
Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS	8-11
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	8-13
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	8-13
Average Annual Miles per Household Vehicle by Vehicle Age	8-14
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	
Average Price of a New Car, 1970–2002	. 10-12
Aviation	
Summary Statistics for General Aviation, 1970–2002	
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	10-9
Axle	
Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002	4-3
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	
Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	10-6
Bicycle	
Bicycle Sales, 1981–2002	
Specialty Bicycle Sales by Year, 2000–2002	8-19
Bike	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	8-20
Recreational Boating Statistics, 1977–2001	9-8
Breakdown	
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	9-7
Bus	
Truck and Bus Registrations for Selected Countries, 1950–2002	3-3

Buses	
Summary Statistics on Transit Buses and Trolleybuses, 1984–2002	5-14
Summary Statistics on Intercity and School Buses, 1970–2002	5-15
Business	
Average Length of Time Business Fleet Vehicles are In Service, 2002	7-4
CAFE	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	4-21
Calendar	
Vehicle Stock and New Sales in the United States, 2002 Calendar Year	3-7
California	
California Passenger Cars and Light Trucks Emission Certification Standards for Model	
Years 2001–206	
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	12-24
Car	
Average Price of a New Car, 1970–2002	10-12
Carbon	
World Carbon Emissions from Energy Consumption, 1990 and 2001	
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	
$U.S.\ Carbon\ Dioxide\ Emissions\ from\ Fossil\ Energy\ Consumption\ by\ End-Use\ Sector,\ 1990-2002\ \ .\ .$	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector, 1990–2002	
Total National Emissions of Carbon Monoxide, 1980–2001	
Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001	12-4
Cargo	
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	9-7
Carloads	
Railroad Revenue Carloads by Commodity Group, 1974 and 2002	9-11
Carriers	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	9-3
Cars	
Summary Statistics for Passenger Cars, 1970–2002	
The Gas Guzzler Tax on New Cars	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004-2009 Model Years	12-14
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years	
2001–2006	
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	12-24
Category	
U.S. and World Hydrogen Consumption by End-Use Category, 1999	6-12
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Cell	
Fuel Cell Type Comparison	6-16
Census	
Household Vehicle Ownership, 1960-2000 Census	
Means of Transportation to Work 1980, 1990 and 2000 Census	8-16

Census (continued)	
Workers by Commute Time, 1990 and 2000 Census	8-17
Certificated	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined Totals), 1970–2002	9-3
Certification	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT2)	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT3)	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks (Category LDT4)	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Heavy Trucks	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy Heavy Trucks	
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years 2001–2006	
Characteristics	0.20
Long-Distance Trip Characteristics, 2001 NHTS	8-22
Cities Clean Cities Coalitions	6.
City	0-7
New York City Driving Cycle	4-30
Class	50
Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks	4-4
Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999	
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods 1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-13
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	
Truck Statistics by Gross Vehicle Weight Class, 1997	
Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton Miles, 2001	
Summary Statistics for Class I Freight Railroads, 1970–2002	9-10
Clean	
Clean Cities Coalitions	6-7
Coalitions Clean Cities Coalitions	<i>.</i> -
Collected	0-7
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	4.21
Commerce	4-21
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	9_4
Summary Statistics for Domestic Waterborne Commerce, 1970–2002	
Commodity Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	5_10
	12

Commodity (continued)	
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	
Flow Surveys	5-13
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	9-7
Railroad Revenue Carloads by Commodity Group, 1974 and 2002	9-11
Commute	
Workers by Commute Time, 1990 and 2000 Census	8-17
Commuter	
Summary Statistics for Commuter Rail Operations, 1984–2002	9-14
Comparison	
Fuel Cell Type Comparison	6-16
Compounds	
Total National Emissions of Volatile Organic Compounds, 1980–2001	
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	12-8
Constant	
Crude Oil Prices in Current and Constant Terms, 1870–002	1-8
Consumed	
Fuel Consumed by Federal Government Fleets, FY 1998–2002	7-7
Consumer	
Consumer Price Indices, 1970–2003	10-17
Consumption	
World Petroleum Consumption, 1960–2003	
World Oil Reserves, Production and Consumption, 2003	
World Natural Gas Reserves, Production, and Consumption, 2002	
Petroleum Production and Consumption Ratios, 1950–2003	
United States Petroleum Production and Consumption, 1970–2025	
Consumption of Petroleum by End-Use Sector, 1973–2003	
World Consumption of Primary Energy, 2002	
U. S. Consumption of Total Energy by End-Use Sector, 1973–2003	
Distribution of Energy Consumption by Source, 1973 and 2003	
Alternative Fuel and Oxygenate Consumption, 1992–2004	
Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	
Nonhighway Transportation Energy Consumption by Mode, 1970–2002	
Off-Highway Transportation-related Fuel Consumption, 1997 and 2001	
Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003	
U.S. and World Hydrogen Consumption by End-Use Category, 1999	
Personal Consumption Expenditures, 1950–2003	
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
Conventional	11 3
Conventional and Alternative Fuel Refueling Stations	4-18
Properties of Conventional and Alternative Fuels	
Corporate	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-20
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	4-21
Corporation	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	9-13
Cost	
Automobile Operating Cost per Mile, 1985–2003	10-13
Costs	
Fixed Automobile Operating Costs per Year, 1975–2003	10-14

Countries	
Petroleum Stocks of OECD Countries by Ownership, 1995–2002	
Automobile Registrations for Selected Countries, 1950–2002	
Truck and Bus Registrations for Selected Countries, 1950–2002	
Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)	
Gasoline Prices for Selected Countries, 1978–2003	
Diesel Fuel Prices for Selected Countries, 1978–2003	10-4
Crashes	
Crashes by Crash Severity, Crash Type, and Vehicle Type, 2002	
Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002	4-37
Criteria	
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	12-2
Crude	
World Crude Oil Production, 1960–2002	1-3
Crude Oil Prices in Current and Constant Terms, 1870–2003	1-8
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	1-13
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	1-14
Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	10-6
Curb	
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-13
Current	
Crude Oil Prices in Current and Constant Terms, 1870–2003	1-8
Cycles	
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	4-32
Comparison of U.S., European, and Japanese Driving Cycles	
Dealerships	
New Light Vehicle Dealerships and Sales, 1970–2002	4-17
Defending	
Summary Military Expenditures for Defending Oil Supplies from the Middle East	1-11
Demographic	1 11
Demographic Statistics, 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	8-6
Diesel	0
Diesel Fuel Prices for Selected Countries, 1978–2003	10-4
Refiner Sales Prices for Propane and No. 2 Diesel, 1978-2002	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles .	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	12 10
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	12 17
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	12-10
(Category LDT3)	12_10
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	12-17
(Category LDT4)	12.20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	12-20
Heavy Trucks	12 21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	12-21
·	10.00
Heavy Trucks	12-22
Dioxide Numerical Estimates of Clabal Warming Patentials Company desirth Carbon Dioxide	11.2
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector, 1990–2002	11-6
Distance 1005	0.55
Shares of Long-Distance Person Trips by Mode and Household Income 1995	8-22

Distribution	
Distribution of Energy Consumption by Source, 1973 and 2003	2-4
Domestic	
Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	2-6
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Automobiles, Selected Sales Periods 1976–2003	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Lig	ht
Trucks, Selected Sales Periods 1976–2003	4-8
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales	
Periods 1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-13
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales	
Periods 1976–2003	4-14
Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003	
Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	, 3
Totals), 1970–2002	9_3
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	
Summary Statistics for Domestic Waterborne Commerce, 1970–2002	
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	
Driving	
Urban Driving Cycle	1-2C
Highway Driving Cycle	
New York City Driving Cycle	
Representative Number Five Driving Cycle	
US06 Driving Cycle	
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	
Comparison of U.S., European, and Japanese Driving Cycles	4-33
Summary Military Expenditures for Defending Oil Supplies from the Middle East	1 11
Economic Summary Expenditures for Defending On Supplies from the Middle East	1-11
Oil Price and Economic Growth, 1970–2003	1 10
Economies	1-10
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	4.5
Automobiles, Selected Sales Periods 1976–2003	4-/
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	4.6
Light Trucks, Selected Sales Periods 1976–2003	
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	4-32
Economy (CAPE) Standard William William F. L.	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	4 10
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	4.00
Economy Estimates, 1978–2004	
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	
Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	
Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	5-6
Effective	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	12-14
Emission	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	12-14

Emission (continued)	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	12-15
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	12 21
Heavy Trucks	12-22
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years	12 22
2001–2006	12-23
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	
Emissions	12 24
World Carbon Emissions from Energy Consumption, 1990 and 2001	11.2
Estimated U.S. Emissions of Greenhouse Gases, 1990–2002	
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector, 1990–2002	
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	
Total National Emissions of Carbon Monoxide, 1980–2001	
Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001	
Total National Emissions of Nitrogen Oxides, 1980–2001	
Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001	
Total National Emissions of Volatile Organic Compounds, 1980–2001	
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	
Total National Emissions of Particulate Matter (PM 10), 1980–2001	
Emissions of Particulate Matter (PM 10), 1980–2001	
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001	
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	
	12-12
Employment Transportation-related Employment, 1993 and 2003	10 19
	10–18
Energy World Consumption of Primary Energy, 2002	2.2
U. S. Consumption of Total Energy by End-Use Sector, 1973–2003	
Distribution of Energy Consumption by Source, 1973 and 2003	
Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	
Transportation Energy Use by Mode, 2001–2002	
Highway Transportation Energy Consumption by Mode, 1970–2002	
Nonhighway Transportation Energy Consumption by Mode, 1970–2002	
Passenger Travel and Energy Use, 2002	2.14
Energy Intensities of Highway Passenger Modes, 1970–2002	
Energy Intensities of Nonhighway Passenger Modes, 1970–2002	
Energy Intensities for Selected Transit Systems, 2002	
Intercity Freight Movement and Energy Use in the United States, 2002	
Energy Intensities of Freight Modes, 1970–2002	
Nonhighway Energy Use Shares, 1970–2002	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector, 1990–2002	11-6

Engine	
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003	4 1 1
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods	4-11
1976–2003	4-12
Estimated	
Estimated U.S. Emissions of Greenhouse Gases, 1990–2002	11-4
Estimates	
Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999	4-4
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	
Estimates of Alternative Fuel Vehicles in Use, 1992–2004	
Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003	
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	11-3
U.S. Production and Imports of MTBE and Fuel Ethanol, 1985–2003	2 12
State Ethanol Incentives, 2003	
European	. 10-11
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	4-30
Comparison of U.S., European, and Japanese Driving Cycles	
Excise	
Federal Excise Taxes on Motor Fuels	. 10-10
Exemptions	
State Tax Exemptions for Gasohol, 2001	. 10-10
Exhaust	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	. 12-16
(Category LDT1)	
(Category LDT2)	. 12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	10.10
(Category LDT3)	. 12-19
(Category LDT4)	12.20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	. 12-20
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	. 12 2
Heavy Trucks	. 12-22
Expenditures	
Summary Military Expenditures for Defending Oil Supplies from the Middle East	1-13
Average Annual Expenditures of Households by Income, 2002	8-4
Personal Consumption Expenditures, 1950–2003	. 10-15
Exports	
United States Petroleum Production, Imports and Exports, 1950–2003	1-15
Facility	
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	
Percentage of Trucks by Major Use and Primary Fueling Facility, 1997	5-10
Fatal	4 0-
Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002	4-37
Fatalities Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities 1975–2002	4-34
OCCIDAD ENGINES DV VEDICIE I VDE ADO NODOCCIDAD PARADOS 1973—7007	4-14

February	
Fleet Vehicles in Service as of February 1, 2003	7-2
Federal	
Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002	
Federal Government Vehicles by Agency, Fiscal Year 2002	
Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002	
Fuel Consumed by Federal Government Fleets, FY 1998–2002	
Federal Excise Taxes on Motor Fuels	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	12-22
Final	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	12-15
Fines CAPENE CAPENE	4.0
Corporate Average Fuel Economy (CAFE) Fines Collected, 1983–2002	4-2
Fiscal	_
Federal Government Vehicles by Agency, Fiscal Year 2002	′/-6
Fixed	10.1
Fixed Automobile Operating Costs per Year, 1975–2003	10-14
Fleet	
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	5-9
Fleet Vehicles in Service as of February 1, 2003	
New Light Fleet Vehicle Purchases by Vehicle Type, 2000	
Average Length of Time Business Fleet Vehicles are In Service, 2002	
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002	/-/
Fleets Light Vehicles in Fleets of 15 or More, 2003	7 ′
Fuel Consumed by Federal Government Fleets, FY 1998–2002	/-/
Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	5 10
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	J-12
Flow Surveys	5 13
Fossil	5-1.
World Fossil Fuel Potential	1 1
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
Freight	11
Intercity Freight Movement and Energy Use in the United States, 2002	2 17
Energy Intensities of Freight Modes, 1970–2002	
Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	J-12
Flow Surveys	5 10
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton Miles, 2001	
Summary Statistics for Class I Freight Railroads, 1970–2002	
Summer, Sectioned for Ciabo 1 1 reignt rain oads, 1//U 2002	10

⁻ue		
	World Fossil Fuel Potential	
	U.S. Production and Imports of MTBE and Fuel Ethanol, 1985–2003	2-1
	Alternative Fuel and Oxygenate Consumption, 1992–2004	2-5
	Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	2-6
	Off-Highway Transportation-related Fuel Consumption, 1997 and 2001	2-10
	Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
	Automobiles, Selected Sales Periods 1976–2003	4-7
	Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light	
	Trucks, Selected Sales Periods 1976–2003	4-8
	Conventional and Alternative Fuel Refueling Stations	
	Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
	Economy Estimates, 1978–2004	4-19
	Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
	Economy Estimates, 1978–2004	4-20
	Corporate Average Fuel Economy (CAFE) Fines Collected, 1983-2001	
	Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
	Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
	Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	
	Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	
	Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	
	Estimates of Alternative Fuel Vehicles in Use, 1992–2004	
	Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003	
	Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	
	Number of Alternative Refuel Sites by State and Fuel Type, 2003	
	Fuel Cell Type Comparison	
	Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002	
	Fuel Consumed by Federal Government Fleets, FY 1998–2002	
	Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
	Diesel Fuel Prices for Selected Countries, 1978–2003	
	Retail Prices for Motor Fuel, 1978–2003	
	Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	
7116	ling	10 /
· uc	Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	5_0
	Percentage of Trucks by Major Use and Primary Fueling Facility, 1997	
	Hydrogen Fueling Stations	
∃ue		0 12
uc	Highway Usage of Gasoline and Special Fuels, 1973–2002	2-11
	Properties of Conventional and Alternative Fuels	
	Federal Excise Taxes on Motor Fuels	
ΞY	1 define Livers on Protot I dels	. 10 10
•	Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002	7-7
	Fuel Consumed by Federal Government Fleets, FY 1998–2002	
Gal	lon	, ,
Jui	Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	10-6
Gas		10 (
Jas	World Natural Gas Reserves, Production, and Consumption, 2002	1-7
	The Gas Guzzler Tax on New Cars	
	Tax Receipts from the Sale of Gas Guzzlers, 1980–2002	
Gas		+-23
Jas	Estimated U.S. Emissions of Greenhouse Gases, 1990–2002	11./
799	sohol	11
Jas	State Tax Exemptions for Gasohol. 2001	10-10

Gasoline	
Highway Usage of Gasoline and Special Fuels, 1973–2002	2-11
Gasoline Prices for Selected Countries, 1978–2003	
Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	10-6
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	12-22
Global	
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	11-3
Government	
Federal Government Vehicles by Agency, Fiscal Year 2002	7-6
Fuel Consumed by Federal Government Fleets, FY 1998–2002	7-7
Greenhouse	
Estimated U.S. Emissions of Greenhouse Gases, 1990–2002	11-4
Gross	
Refinery Gross Output by World Region, 2003	1-12
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	5-4
Truck Statistics by Gross Vehicle Weight Class, 1997	5-6
Growth	
Oil Price and Economic Growth, 1970–2003	1-10
Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	5-12
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	
Flow Surveys	5-13
Guzzler(s)	
The Gas Guzzler Tax on New Cars	
Tax Receipts from the Sale of Gas Guzzlers, 1980–2002	4-23
GVW	
New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003	4-6
Harmonic	
Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	5-6
Heavy	
Heavy Truck Scrappage and Survival Rates	3-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	12-22
Highway	
Highway Transportation Energy Consumption by Mode, 1970–2002	
Highway Usage of Gasoline and Special Fuels, 1973–2002	
Energy Intensities of Highway Passenger Modes, 1970–2002	
Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970-2002	
Highway Driving Cycle	
Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001	
Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001	12-6

Highway (continued)	
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	12-8
Emissions of Particulate Matter (PM 10) from Highway Vehicles, 1980–2001	12-10
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	12-12
Household	
Household Vehicle Ownership, 1960-2000 Census	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990	
1995 NPTS and 2001 NHTS	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	
Average Annual Miles per Household Vehicle by Vehicle Age	
Shares of Long-Distance Person Trips by Mode and Household Income, 1995	
Households	22
Average Annual Expenditures of Households by Income, 2002	8-4
Hydrogen	
Hydrogen Production Methods	6-10
U.S. Hydrogen Plants and Storage Terminals	
U.S. and World Hydrogen Consumption by End-Use Category, 1999	
Hydrogen Fueling Stations	
Hydrogen Storage Systems for On-Board Light Vehicles	
Import	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Automobiles, Selected Sales Periods 1976–2003	4-7
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Light Trucks, Selected Sales Periods 1976–2003	4-8
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003	4-11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods 1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods 1976–2003	
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-14
Imports U.S. Patralaum Lungarta has World Practice of Origin 1000, 2002	1.0
U.S. Petroleum Imports by World Region of Origin, 1960–2003	
United States Petroleum Production, Imports and Exports, 1950–2003	
Incentives	2-12
State Ethanol Incentives, 2003	10-11
Income	10-11
Average Annual Expenditures of Households by Income, 2002	8-4
Shares of Long-Distance Person Trips by Mode and Household Income, 1995	8-22
Indices	0
Consumer Price Indices, 1970–2003	10-17
Input	
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	1-13
Intensities	-
Energy Intensities of Highway Passenger Modes, 1970–2002	2-14
Energy Intensities of Nonhighway Passenger Modes, 1970–2002	
Energy Intensities for Selected Transit Systems, 2002	
Energy Intensities of Freight Modes 1970–2002	2-18

Intercity	
Intercity Freight Movement and Energy Use in the United States, 2002	2-17
Summary Statistics on Intercity and School Buses, 1970–2002	
Interior	
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	1 11
	4-14
Intermodal	0.10
Intermodal Rail Traffic, 1965–2002	9-12
International	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	9-5
Japanese	
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	4-32
Comparison of U.S., European, and Japanese Driving Cycles	4-33
Jet	
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	10-9
Length	
Average Length of Time Business Fleet Vehicles are In Service, 2002	7-4
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	, .
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected Trip	0-7
	0.0
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Light	
Light Truck Scrappage and Survival Rates	
Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks	
Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999	4-4
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light	
Trucks, Selected Sales Periods 1976–2003	4-8
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	4-9
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods	
1976–2003	4-12
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	
New Light Vehicle Dealerships and Sales, 1970–2002	
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-20
Light Vehicle Occupant Safety Data, 1975–2002	
Summary Statistics on Light Transit Vehicles, 1994–2002	
Hydrogen Storage Systems for On-Board Light Vehicles	
Light Vehicles in Fleets of 15 or More, 2003	0-14 7 2
Name I light Flood Webiele Describered by Webiele Terre 2000	1-3
New Light Fleet Vehicle Purchases by Vehicle Type, 2000	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	. 12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	. 12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	. 12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	. 12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	. 12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
110W 7 11WOLD	

Light (continued)	
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years 2001–2006	12-23
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	
Long-Distance	122.
Long-Distance Trip Characteristics, 2001 NHTS	8-22
Manufacturer	. 0 22
Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	6-5
Marine	
Breakdown of Domestic Marine Cargo by Commodity Class, 2002	9-7
Market	,,
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Automobiles, Selected Sales Periods 1976–2003	4-7
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light	,
Trucks, Selected Sales Periods 1976–2003	4-8
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	
Material	,
Average Material Consumption for a Domestic Automobile, 1977, 1987, and 2003	. 4-16
Matter	10
Total National Emissions of Particulate Matter (PM 10), 1980–2001	12-9
Emissions of Particulate Matter (PM 10) from Highway Vehicles, 1980–2001	
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001	
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	
Mean	12 12
Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	5-6
Median	
Median Age and Registrations of Automobiles and Trucks, 1970–2002	3-12
Middle	. 5 12
Summary of Military Expenditures for Defending Oil Supplies from the Middle East	1-11
Mile	
Automobile Operating Cost per Mile, 1985–2003	10-13
Miles	
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2003	. 1-19
Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970-2002	
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	
Flow Surveys	. 5-13
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002	
Vehicles and Vehicle-Miles per Capita, 1950–2002	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected Trip	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Annual Miles per Household Vehicle by Vehicle Age	
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	
Military	
Summary of Military Expenditures for Defending Oil Supplies from the Middle East	. 1-11
Mode	
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2003	. 1-19
Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	
Transportation Energy Use by Mode, 2001–2002	
Highway Transportation Energy Consumption by Mode, 1970–2002	
Nonhighway Transportation Energy Consumption by Mode. 1970–2002	

Mode (continued)	
Shares of Long-Distance Person Trips by Mode and Household Income, 1995	8-22
Model	
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	3-13
Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	. 12-14
Modes	
Energy Intensities of Highway Passenger Modes, 1970–2002	2-14
Energy Intensities of Nonhighway Passenger Modes, 1970–2002	2-15
Energy Intensities of Freight Modes, 1970–2002	2-18
Monoxide	
Total National Emissions of Carbon Monoxide, 1980–2001	12-3
Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001	12-4
Motor	
Retail Prices for Motor Fuel, 1978–2003	10-7
Federal Excise Taxes on Motor Fuels	. 10-10
Movement	
Intercity Freight Movement and Energy Use in the United States, 2002	2-17
MTBE	
U.S. Production and Imports of MTBE and Fuel Ethanol, 1985–2003	2-12
National	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	
Total National Emissions of Carbon Monoxide, 1980–2001	
Total National Emissions of Nitrogen Oxides, 1980–2001	
Total National Emissions of Volatile Organic Compounds, 1980–2001	
Total National Emissions of Particulate Matter (PM 10), 1980–2001	
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001	. 12-11
Natural	
World Natural Gas Reserves, Production, and Consumption, 2002	1-7
NHTS	
Demographic Statistics, 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	8-6
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected Trip	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	
Trip Statistics by Trip Purpose, 2001 NHTS	
Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS	
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	
Long-Distance Trip Characteristics, 2001 NHTS	8-22
Nitrogen CNI 1000 2001	10.5
Total National Emissions of Nitrogen Oxides, 1980–2001	
Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001	12-6
Nonhighway	2.0
Nonhighway Transportation Energy Consumption by Mode, 1970–2002	
Energy Intensities of Nonhighway Passenger Modes, 1970–2002	
Nonhighway Energy Use Shares, 1970–2002	9-2
Nonoccupant Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities, 1975–2002	1 21
Occupant ratanties by venicle type and nonoccupant ratanties, 17/J-2002	4-34

NPTS	
Demographic Statistics, 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	8-6
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected Trip	
Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	8-9
Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS	8-11
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	8-12
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	8-15
Numerical	
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	11-3
Occupancy	
Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS	8-11
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Occupant	
Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities, 1975–2002	4-34
Light Vehicle Occupant Safety Data, 1975–2002	
Odometer	
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	8-15
OECD	
Petroleum Stocks of OECD Countries by Ownership, 1995–2002	1-8
Off-Highway	
Off-Highway Transportation-related Fuel Consumption, 1997 and 2001	2-10
Oil	
World Crude Oil Production, 1960–2002	1-3
World Oil Reserves, Production and Consumption, 2003	
Crude Oil Prices in Current and Constant Terms, 1870–2003	
Oil Price and Economic Growth, 1970–2003	
Summary of Military Expenditures for Defending Oil Supplies from the Middle East	
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	
Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	
Operating	10 0
Automobile Operating Cost per Mile, 1985–2003	10-13
Fixed Automobile Operating Costs per Year, 1975–2003	
Operation	. 10 1 1
Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001	3-9
Trucks in Operation and Vehicle Travel by Age, 1970 and 2001	
Operations	5 10
Summary Statistics for Commuter Rail Operations, 1984–2002	9-14
Summary Statistics for Rail Transit Operations, 1970–2002	
Organic) 13
Total National Emissions of Volatile Organic Compounds, 1980–2001	12-7
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	
Origin	12 0
U.S. Petroleum Imports by World Region of Origin, 1960–2003	1_C
Output	1-)
Refinery Gross Output by World Region, 2003	1 12
Ownership	1-12
Petroleum Stocks of OECD Countries by Ownership, 1995–2002	1 0
Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003	
Household Vehicle Ownership, 1960–2000 Census	
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	
73 YOUGEO 73EO VI. YOUROLO DY TIQUSOROIG YOUROLO CHURIO CHURIO AUUT INTERNA	0-1.

Oxides	
Total National Emissions of Nitrogen Oxides, 1980–2001	12-5
Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001	
Oxygenate	
Alternative Fuel and Oxygenate Consumption, 1992–2004	2-5
Particulate	
Total National Emissions of Particulate Matter (PM 10), 1980–2001	12-9
Emissions of Particulate Matter (PM 10) from Highway Vehicles, 1980–2001	. 12-10
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001	. 12-11
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	. 12-12
Passenger	
Passenger Travel and Energy Use, 2002	
Energy Intensities of Highway Passenger Modes, 1970–2002	
Energy Intensities of Nonhighway Passenger Modes, 1970–2002	
Summary Statistics for Passenger Cars, 1970–2002	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	9-13
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years	
2001–2006	
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	. 12-24
People	
Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)	3-6
Percentage	
Percentage of Trucks by Size Ranked by Major Use, 1997	
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	
Percentage of Trucks by Major Use and Primary Fueling Facility, 1997	5-10
Periods Period Periods Period Perio	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	4.7
Automobiles, Selected Sales Periods 1976–2003	4-/
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light	4.0
Trucks, Selected Sales Periods 1976–2003	
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	4-9
1976–2003	1 11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods	4-11
1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods	+ 12
1976–2003	4-13
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	13
1976–2003	4-14
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	
Person	
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Shares of Long-Distance Person Trips by Mode and Household Income, 1995	8-22
Personal	
Personal Consumption Expenditures, 1950–2003	. 10-15
Petroleum	
World Petroleum Production, 1973–2003	
World Petroleum Consumption, 1960–2003	
Petroleum Stocks of OECD Countries by Ownership, 1995–2002	
U.S. Petroleum Imports by World Region of Origin, 1960–2003	
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	
United States Petroleum Production, Imports and Exports, 1950–2003	
Petroleum Production and Consumption Ratios, 1950–2003	1-16

Petroleum (continued)	
United States Petroleum Production and Consumption, 1970–2025	1-17
Consumption of Petroleum by End-Use Sector, 1973–2003	
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2003	1-19
PM	
Total National Emissions of Particulate Matter (PM 10), 1980–2001	12-9
Emissions of Particulate Matter (PM 10) from Highway Vehicles, 1980–2001	
Total National Emissions of Particulate Matter (PM-2.5), 1990–2001	
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
Pollutants	, 0
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	12-2
Population	12 2
Population and Vehicle Profile, 1950–2002	8_2
Vehicles and Vehicle-Miles per Capita, 1950–2002	
Potential	6-3
World Fossil Fuel Potential	1.2
Potentials	1-2
	11.2
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	11-3
Pounds No. De c'il Color of Total a 10 000 Provide CVVV and Louis de la Veira i State a 1070, 2002	1.0
New Retail Sales of Trucks 10,000 Pounds GVW and Less in the United States, 1970–2003	4-6
Powered Powered Power of the Control	10.16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles .	12-16
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	10 15
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	10.10
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	12-22
Price	
Oil Price and Economic Growth, 1970–2003	
Average Price of a New Car, 1970–2002	
Consumer Price Indices, 1970–2003	10-17
Prices	
Crude Oil Prices in Current and Constant Terms, 1870–2003	1-8
Gasoline Prices for Selected Countries, 1978–2003	10-2
Diesel Fuel Prices for Selected Countries, 1978–2003	
Prices for a Barrel of Crude Oil and a Gallon of Gasoline, 1978–2003	10-6
Retail Prices for Motor Fuel, 1978–2003	
Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003	10-8
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	10-9
Primary	
World Consumption of Primary Energy, 2002	2-2
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	
Percentage of Trucks by Major Use and Primary Fueling Facility, 1997	
Production	
World Crude Oil Production, 1960–2003	1-3
World Petroleum Production, 1973–2002	
World Oil Reserves, Production and Consumption	

Production (continued)	
World Natural Gas Reserves, Production and Consumption	
United States Petroleum Production and Consumption, 1970–2025	
U.S. Production and Imports of MTBE and Fuel Ethanol	
Hydrogen Production Methods	
U.S. Hydrogen Production Plants and Storage Terminals	6-11
Products	
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	1-13
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	1-14
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2003	1-19
Profile	
Population and Vehicle Profile, 1950–2002	8-2
Projected	
Projected Fuel Economies from U.S., European, and Japanese Driving Cycles	4-32
Propane	
Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003	10-8
Properties	
Properties of Conventional and Alternative Fuels	6-15
Purchase	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	7-8
Purchases	
New Light Fleet Vehicle Purchases by Vehicle Type, 2000	7-3
Purpose	
Trip Statistics by Trip Purpose, 2001 NHTS	
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	8-20
Purposes	
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Rail	
Intermodal Rail Traffic, 1965–2002	
Summary Statistics for Commuter Rail Operations, 1984–2002	
Summary Statistics for Rail Transit Operations, 1970–2002	9-15
Railroad	0.0
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	
Railroad Revenue Carloads by Commodity Group, 1974 and 2002	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	9-13
Railroads	0.10
Summary Statistics for Class I Freight Railroads, 1970–2002	9-10
Ranked	5 0
Percentage of Trucks by Size Ranked by Major Use, 1997	
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	9-9
Rates	2 12
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	
Heavy Truck Scrappage and Survival Rates	3-17
Ratios Patroloum Production and Consumation Potics 1050, 2002	1 16
Petroleum Production and Consumption Ratios, 1950–2003	1-10
Receipts Tax Receipts from the Sale of Gas Guzzlers, 1980–2002	4 22
Recreational	4-23
Recreational Boating Statistics, 1977–2001	0.0
Reduction	9-8
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	12-24
Considering Control Dimpolon Recovered for a gooding Count and Digit Hacks	12 27

Refiner	
Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003	10-8
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	
Refinery	
Refinery Gross Output by World Region, 2003	1-12
U.S. Refinery Input of Crude Oil and Petroleum Products, 1987–2003	1-13
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	1-14
Refuel	
Number of Alternative Refuel Sites by State and Fuel Type, 2003	6-6
Refueling	
Conventional and Alternative Fuel Refueling Stations	4-18
Region	
U.S. Petroleum Imports by World Region of Origin, 1960–2003	
Refinery Gross Output by World Region, 2003	1-12
Registrations	
Automobile Registrations for Selected Countries, 1950–2002	
Truck and Bus Registrations for Selected Countries, 1950–2002	
Median Age and Registrations of Automobiles and Trucks, 1970–2002	3-12
Reported	
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	8-15
Representative	
Representative Number Five Driving Cycle	4-30
Reserves	
World Oil Reserves, Production and Consumption, 2003	
World Natural Gas Reserves, Production, and Consumption, 2002	1-/
Retail	1.5
New Retail Automobile Sales in the United States, 1970–2003	
New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003	
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	
Retail Prices for Motor Fuel, 1978–2003	10-7
Revenue Class I Pailmond Emight Systems in the United States Panked by Payanya Ton Miles 2002	0.0
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	
Rollover	9-11
Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002	1 37
Route	4-37
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	0_3
Safety) 3
Light Vehicle Occupant Safety Data, 1975–2002	4-35
Sale	+ 33
Tax Receipts from the Sale of Gas Guzzlers, 1980–2002	4-23
Sales	
Vehicle Stock and New Sales in the United States, 2002 Calendar Year	3-7
Sales Estimates of Class 1, Class 2a, and Class 2b Light Trucks, 1989–1999	
New Retail Automobile Sales in the United States, 1970–2003	
New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Automobiles, Selected Sales Periods 1976–2003	4-7
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Light Trucks, Selected Sales Periods 1976–2003	4-8
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-11

Sales (continued)	
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods 1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-13
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	+ 13
1976–2003	4-14
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	
New Light Vehicle Dealerships and Sales, 1970–2002	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-20
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	
Sales and Specifications of Available Advanced Technology Vehicles	
Bicycle Sales, 1981–2002	
Specialty Bicycle Sales by Year, 2000–2002	
Refiner Sales Prices for Propane and No. 2 Diesel, 1978–2003	10-8
Refiner Sales Prices for Aviation Gasoline and Jet Fuel, 1978–2003	10-9
School	
Summary Statistics on Intercity and School Buses, 1970–2002	5-15
Scrappage	
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	
Light Truck Scrappage and Survival Rates	
Heavy Truck Scrappage and Survival Rates	3-17
Sector	
Consumption of Petroleum by End-Use Sector, 1973–2003	
U. S. Consumption of Total Energy by End-Use Sector, 1973–2003	
U.S. Carbon Dioxide Emissions from Fossil Energy Consumption by End-Use Sector, 1990–2002	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector, 1990–2002	
Total National Emissions of the Criteria Air Pollutants by Sector, 2001	12-2
Selected	
Energy Intensities for Selected Transit Systems, 2002	
Automobile Registrations for Selected Countries, 1950–2002	
Truck and Bus Registrations for Selected Countries, 1950–2002	3-3
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Automobiles, Selected Sales Periods 1976–2003	4.7
	4-/
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import Light Trucks, Selected Sales Periods 1976–2003	4-8
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	4-0
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	0 0
Gasoline Prices for Selected Countries, 1978–2003	
Diesel Fuel Prices for Selected Countries, 1978–2003	
Self	10-4
Self-Reported vs. Odometer Average Annual Miles, 1995 NPTS	8-15
Service	0 13
Fleet Vehicles in Service as of February 1, 2003	7-2
Average Length of Time Business Fleet Vehicles are In Service, 2002	
Severity	,
Crashes by Crash Severity, Crash Type, and Vehicle Type, 2002	4-36
Shares	50
Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970-2002	3-8
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Automobiles, Selected Sales Periods 1976–2003	4-7

Shares (continuted)	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Light Trucks, Selected Sales Periods 1976–2003	4-8
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	
Nonhighway Energy Use Shares, 1970–2002	9-2
Single	
Summary Statistics for Other Single-Unit Trucks, 1970–2002	5-2
Sites	
Number of Alternative Refuel Sites by State and Fuel Type, 2003	6-6
Source	
Distribution of Energy Consumption by Source, 1973 and 2003	2-4
Space	
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-14
Specialty	
Specialty Bicycle Sales by Year, 2000–2002	8-19
Specifications Specifications Specifications	
Vehicle Specifications for Vehicles Tested in the 1997 Study	
Sales and Specifications of Available Advanced Technology Vehicles	6-8
Speed	4.04
Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
Fuel Economy by Speed, 1973, 1984 and 1997 Studies	
Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	4-28
Standards Automobile Commercia Avenuese Final Fearners (CAFF) Standards versus Sales Weighted Final	
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel Economy Estimates, 1978–2004	4 10
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	4-19
Economy Estimates, 1978–2004	4.20
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	. 12-10
(Category LDT1)	12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	. 12 17
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	. 12 10
(Category LDT3)	. 12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	,
(Category LDT4)	. 12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	. 12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	. 12-22
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years	
2001–2006	. 12-23
Stations	
Conventional and Alternative Fuel Refueling Stations	4-18
Hydrogen Fueling Stations	6-13
Statistics	
Summary Statistics for Passenger Cars, 1970–2002	
Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002	
Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks	
Summary Statistics on Light Transit Vehicles, 1994–2002	
Summary Statistics for Other Single-Unit Trucks, 1970–2002	
Summary Statistics for Combination Trucks 1970–2002	5_3

Statistics (continued)	
Truck Statistics by Gross Vehicle Weight Class, 1997	5-6
Truck Statistics by Size, 1997	
Summary Statistics on Transit Buses and Trolleybuses, 1984–2002	5-14
Summary Statistics on Intercity and School Buses, 1970–2002	5-15
Demographic Statistics, 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	
Trip Statistics by Trip Purpose, 2001 NHTS	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	9-3
Summary Statistics for General Aviation, 1970–2002	9-4
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	
Summary Statistics for Domestic Waterborne Commerce, 1970–2002	
Recreational Boating Statistics, 1977–2001	
Summary Statistics for Class I Freight Railroads, 1970–2002	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	
Summary Statistics for Commuter Rail Operations, 1984–2002	
Summary Statistics for Rail Transit Operations, 1970–2002	
Steady	, 10
Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	4-28
Stock	+ 20
Vehicle Stock and New Sales in the United States, 2002 Calendar Year	3_7
Stocks	3-1
Petroleum Stocks of OECD Countries by Ownership, 1995–2002	1 8
Storage	1-0
U.S. Hydrogen Production Plants and Storage Terminals	6 11
Hydrogen Storage Systems for On-Board Light Vehicles	
Summary	0-14
	1 11
Summary of Military Expenditures for Defending Oil Supplies from the Middle East	
Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002	
Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks	
Summary Statistics on Light Transit Vehicles, 1994–2002	
Summary Statistics for Other Single-Unit Trucks, 1970–2002	
Summary Statistics for Combination Trucks, 1970–2002	
Summary Statistics on Transit Buses and Trolleybuses, 1984–2002	
Summary Statistics on Intercity and School Buses, 1970–2002	5-15
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	0.0
Totals), 1970–2002	
Summary Statistics for General Aviation, 1970–2002	
Summary Statistics for Domestic Waterborne Commerce, 1970–2002	
Summary Statistics for Class I Freight Railroads, 1970–2002	
Summary Statistics for the National Railroad Passenger Corporation (Amtrak), 1971-2002	
Summary Statistics for Commuter Rail Operations, 1984–2002	
Summary Statistics for Rail Transit Operations, 1970–2002	9-15
Supplies	
Summary of Military Expenditures for Defending Oil Supplies from the Middle East	1-11
Surveys	
Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	5-12
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	
Flow Surveys	5-13
Survival	
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	
Light Truck Scrappage and Survival Rates	
Heavy Truck Scrappage and Survival Rates	3-17

Systems	
Energy Intensities for Selected Transit Systems, 2002	
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	9-9
Hydrogen Storage Systems for On-Board Light Vehicles	6-14
Tax	
The Gas Guzzler Tax on New Cars	4-22
Tax Receipts from the Sale of Gas Guzzlers, 1980–2002	4-23
State Tax Exemptions for Gasohol, 2001	
Taxes	
Federal Excise Taxes on Motor Fuels	10-10
Technology	
Sales and Specifications of Available Advanced Technology Vehicles	6-8
Terminals	0 0
U.S. Hydrogen Production Plants and Storage Terminals	6-11
Terms	0-11
Crude Oil Prices in Current and Constant Terms, 1870–2003	1 Q
Tested	1-0
Vehicle Specifications for Vehicles Tested in the 1997 Study	4 25
Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	4-28
Thousand	2.6
Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)	3-6
Tier	10.11
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	12-15
Time	
Average Length of Time Business Fleet Vehicles are In Service, 2002	
Workers by Commute Time, 1990 and 2000 Census	8-17
Tire	
Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002	4-3
Ton	
Ton-Miles of Petroleum and Petroleum Products in the U.S. by Mode, 1975–2003	
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	9-9
Tonnage	
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	9-5
Totals	
Summary Statistics for U.S. Domestic and International Certificated Route Air Carriers (Combined	
Totals), 1970–2002	9-3
Traffic	
Intermodal Rail Traffic, 1965–2002	9-12
Transit	
Energy Intensities for Selected Transit Systems, 2002	2-16
Summary Statistics on Light Transit Vehicles, 1994–2002	
Summary Statistics on Transit Buses and Trolleybuses, 1984–2002	
Summary Statistics for Rail Transit Operations, 1970–2002	
Transportation	
Domestic Consumption of Transportation Energy by Mode and Fuel Type, 2002	2-6
Transportation Energy Use by Mode, 2001–2002	
Highway Transportation Energy Consumption by Mode, 1970–2002	2-8
Nonhighway Transportation Energy Consumption by Mode, 1970–2002	
Off-Highway Transportation-related Fuel Consumption, 1997 and 2001	
Means of Transportation to Work, 1980, 1990 and 2000 Census	
Transportation-related Employment, 1993 and 2003	
U.S. Carbon Dioxide Emissions from Energy Use in Transportation Sector. 1990–2002	
C.O. CALDON DIONIUC EMBONDIO HOM EMCIEV ONE III HAMODHAUDH MECIDI. 1770-2007	

Travel	
Passenger Travel and Energy Use, 2002	
Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001	3-9
Trucks in Operation and Vehicle Travel by Age, 1970 and 2001	
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	8-9
Traveled	
Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970-2002	3-8
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	8-8
Trip	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	
Trip Statistics by Trip Purpose, 2001 NHTS	
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	
Long-Distance Trip Characteristics, 2001 NHTS	8-22
Trips	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990,	
1995 NPTS and 2001 NHTS	8-7
Average Annual Person-Miles Traveled, Person Trips and Trip Length per Household by Selected	
Trip Purposes, 1983, 1990, 1995 NPTS and 2001 NHTS	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	
Shares of Long-Distance Person Trips by Mode and Household Income, 1995	8-22
Truck	
Truck and Bus Registrations for Selected Countries, 1950–2002	3-3
Light Truck Scrappage and Survival Rates	
Heavy Truck Scrappage and Survival Rates	3-17
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	
Truck Statistics by Gross Vehicle Weight Class, 1997	
Truck Harmonic Mean Fuel Economy by Size Class, 1992 and 1997	
Truck Statistics by Size, 1997	5-7
Trucks	2 /
Automobiles and Trucks in Use, 1970–2002	
Trucks in Operation and Vehicle Travel by Age, 1970 and 2001	
Average Age of Automobiles and Trucks in Use, 1970–2002	
Median Age and Registrations of Automobiles and Trucks, 1970–2002	
Summary Statistics for Two-Axle, Four-Tire Trucks, 1970–2002	
Summary Statistics on Class 1, Class 2a, and Class 2b Light Trucks	
New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003	
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods	4-0
1976–2003	4 17
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	4-1.
Light Trucks, Selected Sales Periods 1976–2003	4.5
Summary Statistics for Other Single-Unit Trucks, 1970–2002	
Summary Statistics for Combination Trucks, 1970–2002	
Percentage of Trucks by Size Ranked by Major Use, 1997	
Percentage of Trucks by Fleet Size and Primary Fueling Facility, 1997	
Percentage of Trucks by Major Use and Primary Fueling Facility, 1997	
i electronge of fraction of trajet obe undifficiently facility, 1777	10

Trucks (continued)	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years	12-14
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT1)	. 12-17
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT2)	12-18
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT3)	12-19
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Trucks	
(Category LDT4)	12-20
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light	
Heavy Trucks	12-21
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Heavy	
Heavy Trucks	12-22
California Passenger Cars and Light Trucks Emission Certification Standards for Model Years	
2001–2006	12-23
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	
Туре	
Fuel Cell Type Comparison	6-16
Unit	
Summary Statistics for Other Single-Unit Trucks, 1970–2002	5-2
United	
United States Petroleum Production, Imports and Exports, 1950–2003	1-15
United States Petroleum Production and Consumption, 1970–2025	1-17
Intercity Freight Movement and Energy Use in the United States, 2002	
Vehicle Stock and New Sales in the United States, 2002 Calendar Year	3-7
New Retail Automobile Sales in the United States, 1970–2003	
New Retail Sales of Trucks 10,000 pounds GVW and Less in the United States, 1970–2003	4-6
Growth of Freight in the United States: Comparison of the 1997 and 1993 Commodity Flow Surveys	
Growth of Freight Miles in the United States: Comparison of the 1997 and 1993 Commodity	
Flow Surveys	5-13
Class I Railroad Freight Systems in the United States Ranked by Revenue Ton-Miles, 2002	9-9
Urban	
Urban Driving Cycle	4-29
US06	
US06 Driving Cycle	4-31
Vehicle	
Vehicle Stock and New Sales in the United States, 2002 Calendar Year	3-7
Shares of Highway Vehicle-Miles Traveled by Vehicle Type, 1970-2002	3-8
Automobiles in Operation and Vehicle Travel by Age, 1970 and 2001	
Trucks in Operation and Vehicle Travel by Age, 1970 and 2001	
Light Vehicle Market Shares by Size Class, Sales Periods 1976–2003	4-9
New Light Vehicle Dealerships and Sales, 1970–2002	4-17
Vehicle Specifications for Vehicles Tested in the 1997 Study	
Occupant Fatalities by Vehicle Type and Nonoccupant Fatalities, 1975–2002	4-34
Light Vehicle Occupant Safety Data, 1975–2002	
Crashes by Crash Severity, Crash Type, and Vehicle Type, 2002	4-36
Percent Rollover Occurrence in Fatal Crashes by Vehicle Type, 2002	
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	5-4
Truck Statistics by Gross Vehicle Weight Class, 1997	5-6
New Light Fleet Vehicle Purchases by Vehicle Type, 2000	
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Average Miles per Domestic Federal Vehicle by Vehicle Type, 2002	
Federal Fleet Vehicle Acquisitions by Fuel Type, FY 1998–2002	
Population and Vehicle Profile, 1950–2002	8-2

Vehicle (continued)	
Vehicles and Vehicle-Miles per Capita, 1950–2002	8-3
Household Vehicle Ownership, 1960–2000 Census	
Average Annual Vehicle-Miles, Vehicle Trips and Trip Length per Household 1969, 1977, 1983, 1990, 1995 NPTS and 2001 NHTS	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	
Average Vehicle Occupancy by Vehicle Type, 1995 NPTS and 2001 NHTS	
Average Vehicle Occupancy by Trip Purpose, 1977 NPTS and 2001 NHTS	
Average Annual Miles per Vehicle by Household Vehicle Ownership, 2001 NHTS	
Average Age of Vehicles by Household Vehicle Ownership, 2001 NHTS	
Average Annual Miles per Household Vehicle by Vehicle Age	
Light Vehicle Exhaust Emission Standards in Effect in 2009 when U.S. Tier 2 Standards are Final	
California Vehicle Emission Reduction for Passenger Cars and Light Trucks	
Vehicles	
Vehicles per Thousand People: U.S. (Over Time) Compared to Other Countries (in 2002)	3-6
Vehicle Specifications for Vehicles Tested in the 1997 Study	
Steady Speed Fuel Economy for Vehicles Tested in the 1997 Study	
Summary Statistics on Light Transit Vehicles, 1994–2002	
Estimates of Alternative Fuel Vehicles in Use, 1992–2004	
Estimates of Alternative Fuel Vehicles by Ownership, 2001 and 2003	
Alternative Fuel Vehicles Available by Manufacturer, Model Year 2005	
Sales and Specifications of Available Advanced Technology Vehicles	
Hydrogen Storage Systems for On-Board Light Vehicles	
Fleet Vehicles in Service as of February 1, 2003	
Light Vehicles in Fleets of 15 or More, 2003, 2000	
Average Length of Time Business Fleet Vehicles are In Service, 2002	
Average Annual Vehicle-Miles of Travel for Business Fleet Vehicles, 2002	
Federal Government Vehicles by Agency, Fiscal Year 2002	
Energy Policy Act Purchase Requirements of Light Alternative Fuel Vehicles	
Vehicles and Vehicle-Miles per Capita, 1950–2002	
Average Number of Vehicles and Vehicle Travel per Household, 1990 NPTS and 2001 NHTS	
Average Age of Vehicles by Household Vehicle Ownership, 2001NHTS	8-13
Emissions of Carbon Monoxide from Highway Vehicles, 1980–2001	12-4
Emissions of Nitrogen Oxides from Highway Vehicles, 1980–2001	
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	
Emissions of Particulate Matter (PM 10) from Highway Vehicles, 1980–2001	
Emissions of Particulate Matter (PM-2.5) from Highway Vehicles, 1990–2001	
Federal Exhaust Emission Certification Standards for Gasoline- and Diesel-Powered Light Vehicles	
Volatile	
Total National Emissions of Volatile Organic Compounds, 1980–2001	12-7
Emissions of Volatile Organic Compounds from Highway Vehicles, 1980–2001	
Walk	
Walk and Bike Trips by Trip Purpose, 2001 NHTS	8-20
Warming	
Numerical Estimates of Global Warming Potentials Compared with Carbon Dioxide	11-3
Waterborne	
Tonnage Statistics for Domestic and International Waterborne Commerce, 1970–2002	9-5
Summary Statistics for Domestic Waterborne Commerce, 1970–2002	
Weight	
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-13
New Retail Truck Sales by Gross Vehicle Weight, 1970–2002	5-4
Truck Statistics by Gross Vehicle Weight Class, 1997	

Weighted	
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Automobiles, Selected Sales Periods 1976–2003	4-7
Period Sales, Market Shares, and Sales-Weighted Fuel Economies of New Domestic and Import	
Light Trucks, Selected Sales Periods 1976–2003	4-8
Sales-Weighted Engine Size of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-11
Sales-Weighted Engine Size of New Domestic and Import Light Trucks by Size Class, Sales Periods	
1976–2003	4-12
Sales-Weighted Curb Weight of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	4-13
Sales-Weighted Interior Space of New Domestic and Import Automobiles by Size Class, Sales Periods	
1976–2003	
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	4-15
Automobile Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-19
Light Truck Corporate Average Fuel Economy (CAFE) Standards versus Sales-Weighted Fuel	
Economy Estimates, 1978–2004	4-20
Wheelbase	
Sales-Weighted Wheelbase of New Automobiles and Light Trucks, Sales Periods 1976–2003	4-15
Work	
Means of Transportation to Work, 1980, 1990 and 2000 Census	8-16
Workers	
Workers by Commute Time, 1990 and 2000 Census	8-17
World	1.0
World Fossil Fuel Potential	
World Crude Oil Production, 1960–2002	
World Petroleum Production, 1973–2003	
World Petroleum Consumption, 1960–2003	
World Oil Reserves, Production and Consumption, 2003	
World Natural Gas Reserves, Production, and Consumption, 2002	
U.S. Petroleum Imports by World Region of Origin, 1960–2003	
Refinery Gross Output by World Region, 2003	
World Consumption of Primary Energy, 2002	2-2
U.S. and World Hydrogen Consumption by End-Use Category, 1999	
World Carbon Emissions from Energy Consumption, 1990 and 2001	11-2
Years Automobile Common and Commissel Protes 1070, 1080, and 1000 Model Visions	2 12
Automobile Scrappage and Survival Rates 1970, 1980 and 1990 Model Years	
Tier 2 Emission Standards for Cars and Light Trucks Effective for 2004–2009 Model Years Yield	. 12-14
Refinery Yield of Petroleum Products from a Barrel of Crude Oil, 1978–2003	1 11
Refinery There of Ferroleum Frouncis from a Darrel of Clude Off, 17/0-2003	1-14