

Air Exchange Rate Impact on Actinon, Thoron, and Radon Activity Equilibrium Factor and Inhalation Fractional Equilibrium Factor Determination in Vapor Intrusion Risk and Dose Models



**APPROVED FOR PUBLIC RELEASE.
DISTRIBUTION IS UNLIMITED.**

Ethan A. Asano
Fredrick G. Dolislager
Karessa L. Manning
Debra J. Stewart
Katie A. Noto
Hayden J. Ringer
Caleigh E. Samuels
Leslie D. Galloway
Anthony Q. Armstrong
Michael B. Bellamy

September 2020

DOCUMENT AVAILABILITY

Reports produced after January 1, 1996, are generally available free via US Department of Energy (DOE) SciTech Connect.

Website <http://www.osti.gov/scitech/>

Reports produced before January 1, 1996, may be purchased by members of the public from the following source:

National Technical Information Service
5285 Port Royal Road
Springfield, VA 22161
Telephone 703-605-6000 (1-800-553-6847)
TDD 703-487-4639
Fax 703-605-6900
E-mail info@ntis.gov
Website <http://www.ntis.gov/help/ordermethods.aspx>

Reports are available to DOE employees, DOE contractors, Energy Technology Data Exchange representatives, and International Nuclear Information System representatives from the following source:

Office of Scientific and Technical Information
PO Box 62
Oak Ridge, TN 37831
Telephone 865-576-8401
Fax 865-576-5728
E-mail reports@osti.gov
Website <http://www.osti.gov/contact.html>

This report was prepared as an account of work sponsored by an agency of the United States Government. Neither the United States Government nor any agency thereof, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favoring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or reflect those of the United States Government or any agency thereof.

Environmental Sciences Division
Center for Radiation Protection Knowledge

Air Exchange Rate Impact on Actinon, Thoron, and Radon Activity Equilibrium Factor and Inhalation Fractional Equilibrium Factor Determination in Vapor Intrusion Risk and Dose Models

Ethan A. Asano, Fredrick G. Dolislager, Karessa L. Manning, Debra J. Stewart, Katie A. Noto, Hayden J. Ringer, Caleigh E. Samuels, Leslie D. Galloway, Anthony Q. Armstrong, Michael B. Bellamy

Date Published: September 2020

Prepared by
OAK RIDGE NATIONAL LABORATORY
Oak Ridge, TN 37831-6283
managed by
UT-BATTELLE, LLC
for the
US DEPARTMENT OF ENERGY
under contract DE-AC05-00OR22725

ERRATA

Summary of changes:

Page	Section	Description of Change
3	Chapter 2, Last paragraph	Text about the Feq not being used in calculations was updated to reflect that Feq is used in conversions of activity to working levels.
A-3	Appendix A, Table A-2	The missing air exchange rate (ACH) of "8" was added, and duplicate air exchange rates of 800 and 900 were removed.
B-3	Appendix B, Table B-2	The missing air exchange rate (ACH) of "8" was added, and duplicate air exchange rates of 800 and 900 were removed.

CONTENTS

LIST OF FIGURES	iii
LIST OF TABLES	iii
ABSTRACT	v
1. INTRODUCTION	1
2. CALCULATION OF ACTINON, THORON, AND RADON INHALATION FRACTIONAL EQUILIBRIUM FACTORS	1
3. CALCULATION OF RADON, THORON, AND ACTINON ACTIVITY EQUILIBRIUM FACTORS	4
4. USE OF RADON, THORON, AND ACTINON ACTIVITY EQUILIBRIUM FACTORS IN VAPOR INTRUSTION MODELS	5
4.1 Calculation of Screening Levels	6
4.2 Calculation of Excess Lifetime Cancer Risk and Annual Dose.....	6
5. CONCLUSION.....	7
6. REFERENCES	8
APPENDIX A. ACTIVITY EQUILIBRIUM FACTORS BASED ON AIR EXCHANGE RATE	A-1
APPENDIX B. INHALATION FRACTIONAL EQUILIBRIUM FACTORS BASED ON AIR EXCHANGE RATE	B-1
APPENDIX C. ACTINON, THORON, AND RADON DECAY SERIES DATA	C-1
APPENDIX D. SUPPORTING MATLAB CODE	D-1
APPENDIX E. ACTIVITY EQUILIBRIUM FACTOR CALCULATION SUPPLEMENTAL GUIDE	E-1

LIST OF FIGURES

Figure 1. F_{eq} vs. ACH for the actinon, thoron, and radon decay series.....	3
Figure 2. A_{eq} vs. ACH for the radon decay series.....	5

LIST OF TABLES

Table A-1. Actinon Activity Equilibrium Factors Based on Air Changes Per Hour.....	A-1
Table A-2: Thoron Activity Equilibrium Factors Based on Air Changes Per Hour.....	A-3
Table A-3: Radon Activity Equilibrium Factors Based on Air Changes Per Hour.....	A-5
Table B-1: Actinon Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour.....	B-1
Table B-2: Thoron Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour.....	B-3
Table B-3: Radon Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour	B-5
Table C-1: Actinon Decay Series.....	C-1
Table C-2: Actinon Alpha Energies Released Per Decay	C-1
Table C-3: Thoron Decay Series.....	C-1
Table C-4: Thoron Alpha Energies Released Per Decay	C-1
Table C-5: Radon Decay Series	C-2
Table C-6: Radon Alpha Energies Released Per Decay	C-2

ABSTRACT

Exposure to the radioactive isotopes of radon are of high concern and, when present in vapor form, may pose a significant risk to humans in an indoor air environment. Understanding the radiometric and physical properties of radon radioisotopes are important for risk assessment. Little is known of the chemical properties of radon because of the short half-lives of all of its isotopes (NCRP, 1988). Indoor air screening levels (SL) based on an annual target risk or dose limit were determined for the actinon (Rn-219), thoron (Rn-220), and radon (Rn-222) decay series. The SLs are based on inhalation and submersion in gas cloud exposure routes for residential and commercial settings. The SLs are analogous to preliminary remediation goals (PRGs) and dose compliance concentrations (DCCs), where the isotope-specific values are in units of activity concentration (activity per unit volume). If the concentration of a parent isotope of radon or its progeny is found to exceed the SL, then further action to ensure cleanup of the contaminant may be necessary. In residential and commercial settings, the SLs will vary based on the air exchange rate present. In this study, a computational method in MATLAB was developed to determine the impact of the air exchange rate on the activity equilibrium factor (A_{eq}) and the inhalation fractional equilibrium factor (F_{eq}). Both factors are values that reflect the equilibrium concentrations of progeny to parent in the air. These factors have a direct impact on PRGs, DCCs, excess lifetime cancer risk, and annual dose; they are analyzed in subsequent sections along with applications in vapor intrusion risk and dose models.

1. INTRODUCTION

Radon is a naturally occurring inert gas produced from the decay of uranium found in rocks and soil. Outdoor exposure to radon is usually of little concern for public health, since it is present in trace amounts in the Earth's atmosphere. When radon escapes natural media such as groundwater, rocks, and soil, however, it can easily concentrate in indoor environments in vapor form. Thus, radon vapor intrusion screening levels (RVISLs) were developed to assess the contamination level from the actinon, thoron, and radon decay series in indoor air residential and commercial environments.

Known radiometric properties, such as half-life and decay energy emission data for the actinon, thoron, and radon decay series, were used to determine the activity equilibrium factors (A_{eq}) and inhalation fractional equilibrium factors (F_{eq}) for vapor intrusion risk and dose models. Decay series data, along with corresponding alpha energy emissions for actinon, thoron, and radon, are provided in Appendix C (ICRP, 2008). The concentration ratios between radon and its progeny indoors (i.e., the indoor F_{eq}) is very much influenced by ventilation, exhalation, solid-particle concentration, and surface deposition of radon progeny (Chen & Harley, 2018). Exhalation, solid-particle concentration, and surface deposition were neglected in this study, for simplification. Air quality was also neglected, and it was assumed that actinon, thoron, radon, and subsequent progeny were uniformly distributed over the air volume.

The methods for determining A_{eq} and F_{eq} in this study are based upon theoretical calculations rather than experimental. Known experimental methods for calculating the individual activity concentrations of thoron and radon progeny in air, such as the Tzivoglou and Cliff methods (NCRP, 1988), are inapplicable for comparison in this study, since they include the surface deposition of individual progeny by using filtered air samples to obtain activity concentrations.

2. CALCULATION OF ACTINON, THORON, AND RADON INHALATION FRACTIONAL EQUILIBRIUM FACTORS

The indoor air concentration is dependent upon the air exchange rate within a given volume. The air exchange rate, otherwise known as air changes per hour (ACH), is defined as the ratio of airflow and the total volume of air given by the following equation:

$$ACH (hr^{-1}) = \frac{\text{Volume of Air Exchanged per Hour (L/hr)}}{\text{Total Volume of Air (L)}} [1]$$

The ACH can be a building-specific measurement, to provide a more accurate air contamination exposure assessment. The ACH is the exchange rate of indoor air with outdoor air, an important determinant for entry of outdoor air contaminants, and for removal of indoor-emitted air contaminants. There is no EPA guidance on recommended methods for determining ACH. Breen (2014) presents an overview and critical analysis of the scientific literature on empirical and physical air exchange rate models for residential and commercial buildings, which are feasible for exposure assessments. Models are included for the three types of airflows that can occur across building envelopes: leakage, natural ventilation, and mechanical ventilation. The paper

provides guidance for selecting the preferable air exchange rate model based on available data, desired temporal resolution, types of airflows, and types of buildings included in the exposure assessment. The US EPA Indoor Air Quality website (EPA, 2019a) also provides information on HVAC use in buildings. There are also more detailed papers on particular air exchange measurement approaches (i.e., by placing tubes that emit and collect perfluorocarbon tracers throughout a building). The measurement of air exchange rates can be done by placing tubes that emit and collect perfluorocarbon tracers throughout a building. Guidance on placement of the tubes can be found in Thornburg (2005). As an example, an air exchange rate of 0.18 would mean that eighteen percent of a given volume of air is exchanged per hour. The ACH and F_{eq} are both used for estimating the level of detriment from radon inhalation. F_{eq} is a unitless measurement of the disequilibrium associated with the decay of radon and its subsequent progeny. In addition, F_{eq} is useful for calculating the internal dose, because most of the dose received is not from the parent itself but rather the alpha energies emitted from its progeny. Therefore, the dose per unit radon gas activity is greatly dependent on the state of equilibrium of the decay products (CDC, 2018). The equation for F_{eq} is shown below:

$$(F_{eq})_i = \frac{\text{Total Progeny Alpha Energy Emitted (MeV)}}{\text{Total Progeny Alpha Energy Emitted at Equilibrium (MeV)}} , [2]$$

where i represents an arbitrary air exchange rate. The total progeny alpha energy emitted in the numerator of equation [2] may be calculated at any air exchange rate. The total progeny alpha energy emitted in the denominator of equation [2] is at a state of equilibrium, where no air exchanges are taking place. When there is no air exchange, the numerator and denominator of equation [2] are equal, and F_{eq} is a value of one. As the air exchange rate in a given volume increases, F_{eq} decreases and vice-versa. Figure 1 below displays the trends in F_{eq} vs. ACH for the actinon, thoron, and radon decay series.




Figure 1. F_{eq} vs. ACH for the actinon, thoron, and radon decay series. (As the air exchange rate increases, the inhalation fractional equilibrium factor (F_{eq}) decreases. This decrease results in less carcinogenic risk.)

F_{eq} is related to the potential alpha energy concentration (PAEC), which is the kinetic energy potentially released in a unit volume of air from alpha particles emitted by the short-lived radioactive progeny of Rn-222 or Rn-220 (DOE, 2008). In this study, the PAEC definition is applied to the actinon progeny in order to calculate its F_{eq} . The method used to calculate F_{eq} is the ratio of the PAEC in the existing mixture to that which would exist if all short-lived daughters were in equilibrium with the radon present (NCRP, 1988), which is reflected in equation [2] above.

The alpha energies released per decay for each isotope of the actinon, thoron, and radon decay series were multiplied by their respective A_{eq} to obtain the PAECs used in equation [2]. The alpha energies, obtained from ICRP 107, are shown in Appendix C. All alpha energies were included in the analysis, regardless of fractional contribution. The only exception is for radon, where Pb-210 and subsequent progeny are not included. The assumption is that the relatively long half-life of Pb-210 will allow it to settle out of the air.

F_{eq} is only used in the conversions of activity to working levels and is presented in the calculator output (EPA, 2019b) for informational purposes. Historically, F_{eq} was used to describe the disequilibrium of the progeny in air and was significant in evaluating the risk and dose. F_{eq} has been researched for radon and thoron in various dwellings for many years (Chen & Harley, 2018). The analysis in this report presents F_{eq} for actinon, which is not currently available in literature.

3. CALCULATION OF RADON, THORON, AND ACTINON ACTIVITY EQUILIBRIUM FACTORS

The A_{eq} is defined as the concentration ratio of progeny and parent activity at a given air exchange rate by the following equation:

$$(A_{eq})_i = \frac{\text{Activity Concentration of Progeny (pCi/L)}}{\text{Activity Concentration of Parent (pCi/L)}} , \quad [3]$$

where i represents an arbitrary air exchange rate. The numerator of equation [3] includes the activity concentrations of progeny within a specific radon decay chain. The denominator of equation [3] includes the activity concentration of the parent and is always equal to one picocurie per liter of air. At zero air exchanges, A_{eq} values for all radon progeny are equal to one; they decrease as the air exchange rate increases.

A_{eq} is utilized in the RVISL air equations to calculate risk and dose for inhalation and submersion in gas cloud exposure routes. The inhalation exposure route is based on internal dose resulting from breathing contaminated air. The submersion in gas cloud exposure routes is based on exposure to radiation emitted from contaminants in the air. The initial risks and doses (analogous to PRGs) assume that the radon decay chain members are in equilibrium with each other without any air exchanges present. Therefore, A_{eq} modifies the initial risks and doses for inhalation and submersion by accounting for the disequilibrium between radon and its progeny due to decay and air exchanges that are present. A_{eq} factors for both inhalation and submersion are equivalent at any given air exchange rate and involve only the decay of each radionuclide in air. A_{eq} does not account for the radiation type (i.e., alpha, beta) since that is already accounted for in the derivation of slope factors and dose conversion factors in the RVISL tool (Bellamy et al., 2014; Leggett & Bellamy, 2017). Appendix A provides A_{eq} values for actinon, thoron, and radon for several air exchange rates. Default values of 0.18 and 0.6 air exchanges per hour were selected for the resident and industrial worker land uses, respectively, from Table 19-25 (resident) and Table 19-30 (commercial) of the “Update for Chapter 19 of the Exposure Factors Handbook” (EPA, 2018) using the tenth percent values. Figure 2 displays the trends in A_{eq} vs. ACH at 0, .18, and 0.6 air changes per hour for the radon decay series.




Figure 2. A_{eq} vs. ACH for the radon decay series. (A_{eq} at 0, 0.18 (default residential land use), and 0.6 (default industrial worker) ACH are shown above with progeny decreasing as the ACH increases.)

A_{eq} values for the actinon, thoron, and radon decay series were calculated using MATLAB, as shown in Appendix D, for air exchange rates ranging from zero to nine hundred per hour over a period of two hundred hours at each air exchange rate. An ordinary differential equation (ODE) solver was ultimately utilized to calculate A_{eq} for each radioisotope of the actinon, thoron, and radon decay series. A supplemental guide is provided in Appendix E, which includes a detailed explanation of the methodology used to calculate A_{eq} values in MATLAB.

4. USE OF RADON, THORON, AND ACTINON ACTIVITY EQUILIBRIUM FACTORS IN VAPOR INTRUSION MODELS

The A_{eq} values generated from this study are used in risk and dose assessment models for intrusion of radon into buildings. They can be applied to evaluate risk or dose due to inhalation and external exposure to ionizing radiation in RVISL equations. For each radon radioisotope, the calculator identifies all the progeny in the chain. For thoron and actinon, the full chain is used; for radon, the chain is stopped at Pb-210 due to its long half-life. The individual RVISLs for each progeny are combined with the parent on a fractional basis, as influenced by the air exchange rate and the resulting A_{eq} . The fractional basis is determined by branching fractions where a progeny may decay into more than one isotope, and the A_{eq} is determined based on the air exchange rate. The resulting RVISL is now based on the air exchange rate influenced equilibrium of the full chain. It is assumed that the parent is continually being introduced into the structure. The equations found in 4.1 and 4.2 depict the use of A_{eq} in residential air RVISL equations. Inhalation risk and dose coefficients

have not been calculated for actinon because the half-life is too short to derive such coefficients. Therefore, risk and dose due to inhalation are only evaluated for thoron and radon.

4.1 CALCULATION OF SCREENING LEVELS

A_{eq} is used in the inverse sum of reciprocals, as shown below in equations [5] and [6], to account for the air exchange rate and the decay of actinon, thoron, and radon. The RVISLs for inhalation and submersion may be based on either a target risk or an annual dose limit for a receptor. The RVISLs, $C_{res-ia-inh}$ and $C_{res-ia-sub}$, assume that no air exchange rate is present. The RVISLs for inhalation and submersion neglect the risk and dose contribution from progeny before intake. After intake of the parent radionuclide, however, the risk and dose from progeny in the body is included (Leggett & Bellamy, 2017). The total risk and dose-based RVISL for inhalation and submersion, $C_{res-ia-tot}$, is calculated using equation [4], with an inverse sum of reciprocals that utilizes the outputs from equations [5] and [6] for actinon, thoron, and radon.

Resident Air Risk Equations

$$C_{res-ia-tot} \left(\frac{pCi}{m^3} \right) = \frac{1}{\frac{1}{C_{inh}(pCi/m^3)} + \frac{1}{C_{sub}(pCi/m^3)}} \quad [4]$$

$$C_{inh} \left(\frac{pCi}{m^3} \right) = \frac{1}{\left(\sum_{i=1}^n \frac{1}{\left(\frac{C_{res-ia-inh}(pCi/m^3)}{A_{eq}} \right)} \right)} \quad [5]$$

$$C_{sub} \left(\frac{pCi}{m^3} \right) = \frac{1}{\left(\sum_{i=1}^n \frac{1}{\left(\frac{C_{res-ia-sub}(pCi/m^3)}{A_{eq}} \right)} \right)} \quad [6]$$

4.2 CALCULATION OF EXCESS LIFETIME CANCER RISK AND ANNUAL DOSE

The inhalation and submersion excess lifetime cancer risk (ELCR) and dose apply A_{eq} to the chronic daily intakes (CDI), as shown below in equations [7] and [8], to account for the air exchange rate and the decay of actinon, thoron, and radon. The CDIs for inhalation and submersion vary based on duration of exposure. The ELCR and dose for inhalation and submersion neglect the risk and dose contribution from progeny before intake. After intake of the parent radionuclide, however, the risk and dose from progeny in the body is included (Leggett & Bellamy, 2017). The

total ELCR and dose, $ELCR_{tot}$ and $Dose_{tot}$, are calculated using the sum of inhalation and submersion ELCR or dose for actinon, thoron, and radon.

Excess Lifetime Cancer Risk

$$ELCR_{tot} = ELCR_{inh} + ELCR_{sub}, [7]$$

where:

$$ELCR_{inh} = \sum_{i=1}^n \left(CDI(pCi) \times SF_i \left(\frac{risk}{pCi} \right) \times A_{eq} \right)_i$$

and:

$$ELCR_{sub} = \sum_{i=1}^n \left(CDI(pCi - year/m^3) \times SF_{sub} \left(\frac{risk/year}{pCi/m^3} \right) \times A_{eq} \right)_i$$

where i = the number of progeny in the decay series.

Annual Dose

$$Dose_{tot} \left(\frac{mrem}{year} \right) = Dose_{inh} \left(\frac{mrem}{year} \right) + Dose_{sub} \left(\frac{mrem}{year} \right), [8]$$

where:

$$Dose_{inh} \left(\frac{mrem}{year} \right) = \sum_{i=1}^n \left(CDI \left(\frac{pCi}{year} \right) \times DCF_i \left(\frac{mrem}{year} \right) \times A_{eq} \right)_i$$

and:

$$Dose_{sub} \left(\frac{mrem}{year} \right) = \sum_{i=1}^n \left(CDI \left(\frac{pCi}{m^3} \right) \times DCF_{sub} \left(\frac{mrem/year}{pCi/m^3} \right) \times A_{eq} \right)_i$$

where i = the number of progeny in the decay series.

5. CONCLUSION

Screening levels for the actinon, thoron, and radon decay series were calculated for an annual target risk and dose limit to a receptor. In an indoor air setting, the screening levels depend on the values of the air exchange rate and the resulting A_{eq} . A computational method in MATLAB was developed to determine the impact of the air exchange rate on A_{eq} and F_{eq} for indoor air residential and commercial settings. As the air exchange rate increases, A_{eq} , inhalation F_{eq} , and risk to receptors decrease. The A_{eq} is applicable in vapor intrusion risk and dose models for inhalation and submersion, while the F_{eq} is only applicable for calculating the dose from inhalation.

6. REFERENCES

- Bellamy, M.; Finklea, L.; Dolislager, F.; Eckerman, K. 2014. Calculation of Slope Factors and Dose Coefficients. ORNL/TM-2013/00. Oak Ridge National Laboratory, Oak Ridge, TN. <https://epa-prgs.ornl.gov/radionuclides/SlopesandDosesFinal.pdf>.
- Breen, MS et al. 2014. A review of air exchange rate models for air pollution exposure assessments. *J Expo Sci Environ Epidemiol*, 24(6):555-63. <https://epa-visl.ornl.gov/radionuclides/download/Breen.pdf>.
- CDC. 2018. Dose Conversion Factors for Radon WLM, Revision 05. Centers for Disease Control and Prevention. <https://www.cdc.gov/niosh/ocas/pdfs/tibs/dc-t11-r5-508.pdf>.
- Chen, J; Harley, N. 2018. A Review of Indoor and Outdoor Radon Equilibrium Factors-Part 1: Rn-222. *Health Physics Journal*, 115(4):490-499.
- DOE. 2008. Internal Dosimetry. DOE-STD-1121. U.S. Department of Energy, Washington, D.C.
- EPA. 2018. Update for Chapter 19 of the Exposure Factors Handbook. Environmental Protection Agency, Washington, D.C.
- EPA. 2019a. Heating, Ventilation and Air-conditioning Text Modules for the Indoor Air Quality Building Education and Assessment Model. *Indoor Air Quality*. <https://www.epa.gov/indoor-air-quality-iaq/heating-ventilation-and-air-conditioning-text-modules-indoor-air-quality>.
- EPA. 2019b. Radon Vapor Intrusion Screening Level Calculator. <https://epa-visl.ornl.gov/radionuclides/>.
- ICRP. 2008. Nuclear Decay Data for Dosimetric Calculations. ICRP Publication 107. *Ann. ICRP*, 38(3).
- Legget, Richard W. and Bellamy, Michael B. 2017. Radon Cancer Risk Coefficients & Age-Specific Effective Dose Coefficients. ORNL-/TM-2017/47. Oak Ridge National Laboratory, Oak ridge, TN.
- NCRP. 1988. Measurement of Radon Daughters in Air. Report No. 97. National Council on Radiation Protection and Measurements, Bethesda, MD.
- Thornburg, Jonathan W. 2005. Research Operating Procedure 10 for Placement of PFT Emitter and Collection Tubes in DEARS. Rev. #04. RTI International, Research Triangle Park, NC. <https://epa-visl.ornl.gov/radionuclides/download/ROP10.pdf>.

**APPENDIX A. ACTIVITY EQUILIBRIUM FACTORS BASED ON AIR
EXCHANGE RATE**

Table A-1. Actinon Activity Equilibrium Factors Based on Air Changes Per Hour

ACH ^a (hr ⁻¹)	Activity Equilibrium Factor					
	Rn-219	Po-215	Pb-211	Bi-211	Tl-207	Po-211
0	1.000E+00	9.972E-01	1.000E+00	1.000E+00	9.970E-01	2.800E-03
0.1	1.000E+00	9.968E-01	9.201E-01	9.154E-01	9.023E-01	2.500E-03
0.18	1.000E+00	1.000E+00	8.648E-01	8.569E-01	8.371E-01	2.400E-03
0.2	1.000E+00	9.964E-01	8.521E-01	8.434E-01	8.220E-01	2.300E-03
0.3	1.000E+00	9.960E-01	7.934E-01	7.813E-01	7.530E-01	2.200E-03
0.4	1.000E+00	9.956E-01	7.422E-01	7.273E-01	6.933E-01	2.000E-03
0.5	1.000E+00	9.951E-01	6.973E-01	6.798E-01	6.410E-01	1.900E-03
0.6	1.000E+00	9.946E-01	6.575E-01	6.378E-01	5.949E-01	1.800E-03
0.7	1.000E+00	9.904E-01	6.220E-01	6.004E-01	5.541E-01	1.700E-03
0.8	1.000E+00	9.917E-01	5.901E-01	5.668E-01	5.176E-01	1.600E-03
0.9	1.000E+00	9.929E-01	5.613E-01	5.365E-01	4.848E-01	1.500E-03
1	1.000E+00	9.940E-01	5.352E-01	5.091E-01	4.553E-01	1.400E-03
1.1	1.000E+00	9.950E-01	5.115E-01	4.841E-01	4.286E-01	1.300E-03
1.2	1.000E+00	9.959E-01	4.897E-01	4.612E-01	4.042E-01	1.300E-03
1.3	1.000E+00	9.967E-01	4.697E-01	4.403E-01	3.820E-01	1.200E-03
1.4	1.000E+00	9.974E-01	4.513E-01	4.210E-01	3.617E-01	1.200E-03
1.5	1.000E+00	9.981E-01	4.343E-01	4.032E-01	3.430E-01	1.100E-03
1.6	1.000E+00	9.987E-01	4.185E-01	3.867E-01	3.257E-01	1.100E-03
1.7	1.000E+00	9.992E-01	4.038E-01	3.714E-01	3.098E-01	1.000E-03
1.8	1.000E+00	9.997E-01	3.902E-01	3.571E-01	2.951E-01	1.000E-03
1.9	1.000E+00	1.000E+00	3.774E-01	3.438E-01	2.814E-01	9.000E-04
2	1.000E+00	1.000E+00	3.654E-01	3.313E-01	2.687E-01	9.000E-04
2.1	1.000E+00	1.000E+00	3.541E-01	3.196E-01	2.568E-01	9.000E-04
2.2	1.000E+00	1.000E+00	3.436E-01	3.086E-01	2.457E-01	9.000E-04
2.3	1.000E+00	1.000E+00	3.336E-01	2.983E-01	2.353E-01	8.000E-04
2.4	1.000E+00	1.000E+00	3.242E-01	2.886E-01	2.256E-01	8.000E-04
2.5	1.000E+00	1.000E+00	3.153E-01	2.794E-01	2.165E-01	8.000E-04
2.6	1.000E+00	1.000E+00	3.069E-01	2.707E-01	2.079E-01	7.000E-04
2.7	1.000E+00	1.000E+00	2.990E-01	2.625E-01	1.998E-01	7.000E-04
2.8	1.000E+00	1.000E+00	2.914E-01	2.547E-01	1.922E-01	7.000E-04
2.9	1.000E+00	1.000E+00	2.842E-01	2.473E-01	1.850E-01	7.000E-04
3	1.000E+00	1.000E+00	2.773E-01	2.403E-01	1.782E-01	7.000E-04
3.1	1.000E+00	1.000E+00	2.708E-01	2.336E-01	1.718E-01	6.000E-04
3.2	1.000E+00	1.000E+00	2.646E-01	2.272E-01	1.657E-01	6.000E-04
3.3	1.000E+00	1.000E+00	2.586E-01	2.211E-01	1.599E-01	6.000E-04
3.4	1.000E+00	1.000E+00	2.530E-01	2.153E-01	1.544E-01	6.000E-04
3.5	1.000E+00	1.000E+00	2.475E-01	2.097E-01	1.492E-01	6.000E-04
3.6	1.000E+00	1.000E+00	2.423E-01	2.044E-01	1.443E-01	6.000E-04

ACH ^a (hr ⁻¹)	Activity Equilibrium Factor					
	Rn-219	Po-215	Pb-211	Bi-211	Tl-207	Po-211
3.7	1.000E+00	1.000E+00	2.373E-01	1.994E-01	1.395E-01	5.000E-04
3.8	1.000E+00	1.000E+00	2.325E-01	1.945E-01	1.350E-01	5.000E-04
3.9	1.000E+00	1.000E+00	2.279E-01	1.898E-01	1.308E-01	5.000E-04
4	1.000E+00	1.000E+00	2.235E-01	1.853E-01	1.267E-01	5.000E-04
5	1.000E+00	9.967E-01	1.871E-01	1.488E-01	9.430E-02	4.000E-04
6	1.000E+00	9.928E-01	1.609E-01	1.230E-01	7.260E-02	3.000E-04
7	1.000E+00	9.997E-01	1.412E-01	1.038E-01	5.740E-02	3.000E-04
8	1.000E+00	1.000E+00	1.257E-01	8.910E-02	4.630E-02	2.000E-04
9	1.000E+00	1.000E+00	1.133E-01	7.750E-02	3.800E-02	2.000E-04
10	1.000E+00	9.961E-01	1.032E-01	6.810E-02	3.160E-02	2.000E-04
15	1.000E+00	9.954E-01	7.120E-02	4.020E-02	1.470E-02	1.000E-04
20	1.000E+00	9.947E-01	5.430E-02	2.680E-02	8.100E-03	1.000E-04
25	1.000E+00	9.939E-01	4.390E-02	1.920E-02	4.900E-03	1.000E-04
30	1.000E+00	9.932E-01	3.680E-02	1.450E-02	3.200E-03	0.000E+00
35	1.000E+00	9.923E-01	3.170E-02	1.130E-02	2.300E-03	0.000E+00
40	1.000E+00	9.915E-01	2.780E-02	9.100E-03	1.600E-03	0.000E+00
45	1.000E+00	9.906E-01	2.480E-02	7.500E-03	1.200E-03	0.000E+00
50	1.000E+00	9.897E-01	2.240E-02	6.300E-03	9.000E-04	0.000E+00
55	1.000E+00	9.888E-01	2.040E-02	5.300E-03	7.000E-04	0.000E+00
60	1.000E+00	9.878E-01	1.870E-02	4.600E-03	6.000E-04	0.000E+00
65	1.000E+00	9.868E-01	1.730E-02	4.000E-03	5.000E-04	0.000E+00
70	1.000E+00	9.891E-01	1.600E-02	3.500E-03	4.000E-04	0.000E+00
75	1.000E+00	9.882E-01	1.500E-02	3.100E-03	3.000E-04	0.000E+00
80	1.000E+00	9.873E-01	1.400E-02	2.700E-03	3.000E-04	0.000E+00
85	1.000E+00	9.864E-01	1.320E-02	2.500E-03	2.000E-04	0.000E+00
90	1.000E+00	9.854E-01	1.250E-02	2.200E-03	2.000E-04	0.000E+00
95	1.000E+00	9.844E-01	1.180E-02	2.000E-03	2.000E-04	0.000E+00
100	1.000E+00	9.833E-01	1.120E-02	1.800E-03	1.000E-04	0.000E+00
200	1.000E+00	9.730E-01	5.600E-03	5.000E-04	0.000E+00	0.000E+00
300	1.000E+00	9.629E-01	3.700E-03	2.000E-04	0.000E+00	0.000E+00
400	1.000E+00	9.464E-01	2.700E-03	1.000E-04	0.000E+00	0.000E+00
500	1.000E+00	9.277E-01	2.100E-03	1.000E-04	0.000E+00	0.000E+00
600	1.000E+00	9.224E-01	1.800E-03	1.000E-04	0.000E+00	0.000E+00
700	1.000E+00	9.078E-01	1.500E-03	0.000E+00	0.000E+00	0.000E+00
800	1.000E+00	8.951E-01	1.300E-03	0.000E+00	0.000E+00	0.000E+00
900	1.000E+00	8.831E-01	1.100E-03	0.000E+00	0.000E+00	0.000E+00

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

Table A-2: Thoron Activity Equilibrium Factors Based on Air Changes Per Hour

ACH ^a (hr ⁻¹)	Activity Equilibrium Factor					
	Rn-220	Po-216	Pb-212	Bi-212	Po-212	Tl-208
0	1.000E+00	1.000E+00	1.000E+00	1.000E+00	6.410E-01	3.590E-01
0.1	1.000E+00	1.000E+00	3.945E-01	3.443E-01	2.207E-01	1.227E-01
0.18	1.000E+00	1.000E+00	2.657E-01	2.106E-01	1.350E-01	7.460E-02
0.2	1.000E+00	1.000E+00	2.457E-01	1.903E-01	1.220E-01	6.730E-02
0.3	1.000E+00	1.000E+00	1.784E-01	1.242E-01	7.960E-02	4.360E-02
0.4	1.000E+00	1.000E+00	1.401E-01	8.850E-02	5.670E-02	3.090E-02
0.5	1.000E+00	1.000E+00	1.153E-01	6.670E-02	4.280E-02	2.310E-02
0.6	1.000E+00	1.000E+00	9.790E-02	5.230E-02	3.350E-02	1.800E-02
0.7	1.000E+00	1.000E+00	8.510E-02	4.220E-02	2.700E-02	1.440E-02
0.8	1.000E+00	1.000E+00	7.530E-02	3.480E-02	2.230E-02	1.180E-02
0.9	1.000E+00	9.999E-01	6.750E-02	2.920E-02	1.870E-02	9.800E-03
1	1.000E+00	9.999E-01	6.120E-02	2.490E-02	1.600E-02	8.300E-03
1.1	1.000E+00	9.999E-01	5.590E-02	2.150E-02	1.380E-02	7.100E-03
1.2	1.000E+00	9.999E-01	5.150E-02	1.870E-02	1.200E-02	6.200E-03
1.3	1.000E+00	9.999E-01	4.770E-02	1.650E-02	1.060E-02	5.400E-03
1.4	1.000E+00	9.999E-01	4.450E-02	1.460E-02	9.400E-03	4.800E-03
1.5	1.000E+00	9.999E-01	4.160E-02	1.310E-02	8.400E-03	4.200E-03
1.6	1.000E+00	9.999E-01	3.910E-02	1.170E-02	7.500E-03	3.800E-03
1.7	1.000E+00	9.999E-01	3.690E-02	1.060E-02	6.800E-03	3.400E-03
1.8	1.000E+00	9.999E-01	3.490E-02	9.600E-03	6.200E-03	3.100E-03
1.9	1.000E+00	9.999E-01	3.310E-02	8.800E-03	5.600E-03	2.800E-03
2	1.000E+00	9.999E-01	3.150E-02	8.100E-03	5.200E-03	2.500E-03
2.1	1.000E+00	9.999E-01	3.010E-02	7.400E-03	4.800E-03	2.300E-03
2.2	1.000E+00	9.999E-01	2.880E-02	6.800E-03	4.400E-03	2.100E-03
2.3	1.000E+00	9.999E-01	2.750E-02	6.300E-03	4.100E-03	1.900E-03
2.4	1.000E+00	9.999E-01	2.640E-02	5.900E-03	3.800E-03	1.800E-03
2.5	1.000E+00	9.999E-01	2.540E-02	5.500E-03	3.500E-03	1.700E-03
2.6	1.000E+00	9.998E-01	2.440E-02	5.100E-03	3.300E-03	1.500E-03
2.7	1.000E+00	9.998E-01	2.360E-02	4.800E-03	3.100E-03	1.400E-03
2.8	1.000E+00	9.998E-01	2.270E-02	4.500E-03	2.900E-03	1.300E-03
2.9	1.000E+00	9.998E-01	2.200E-02	4.200E-03	2.700E-03	1.200E-03
3	1.000E+00	9.998E-01	2.120E-02	4.000E-03	2.500E-03	1.200E-03
3.1	1.000E+00	9.998E-01	2.060E-02	3.700E-03	2.400E-03	1.100E-03
3.2	1.000E+00	9.998E-01	1.990E-02	3.500E-03	2.300E-03	1.000E-03
3.3	1.000E+00	9.998E-01	1.940E-02	3.300E-03	2.100E-03	1.000E-03
3.4	1.000E+00	9.998E-01	1.880E-02	3.200E-03	2.000E-03	9.000E-04
3.5	1.000E+00	9.998E-01	1.830E-02	3.000E-03	1.900E-03	9.000E-04
3.6	1.000E+00	9.998E-01	1.780E-02	2.800E-03	1.800E-03	8.000E-04

Activity Equilibrium Factor						
ACH ^a (hr ⁻¹)	Rn-220	Po-216	Pb-212	Bi-212	Po-212	Tl-208
3.7	1.000E+00	9.998E-01	1.730E-02	2.700E-03	1.700E-03	8.000E-04
3.8	1.000E+00	9.998E-01	1.690E-02	2.600E-03	1.700E-03	7.000E-04
3.9	1.000E+00	9.998E-01	1.640E-02	2.500E-03	1.600E-03	7.000E-04
4	1.000E+00	9.998E-01	1.600E-02	2.300E-03	1.500E-03	7.000E-04
5	1.000E+00	9.997E-01	1.290E-02	1.600E-03	1.000E-03	4.000E-04
6	1.000E+00	9.997E-01	1.070E-02	1.100E-03	7.000E-04	3.000E-04
7	1.000E+00	9.996E-01	9.200E-03	8.000E-04	5.000E-04	2.000E-04
8	1.000E+00	9.995E-01	8.100E-03	6.000E-04	4.000E-04	1.000E-04
9	1.000E+00	9.995E-01	7.200E-03	5.000E-04	3.000E-04	1.000E-04
10	1.000E+00	9.994E-01	6.500E-03	4.000E-04	3.000E-04	1.000E-04
15	1.000E+00	9.991E-01	4.300E-03	2.000E-04	1.000E-04	0.000E+00
20	1.000E+00	9.988E-01	3.200E-03	1.000E-04	1.000E-04	0.000E+00
25	1.000E+00	9.985E-01	2.600E-03	1.000E-04	0.000E+00	0.000E+00
30	1.000E+00	9.983E-01	2.200E-03	0.000E+00	0.000E+00	0.000E+00
35	1.000E+00	9.980E-01	1.900E-03	0.000E+00	0.000E+00	0.000E+00
40	1.000E+00	9.977E-01	1.600E-03	0.000E+00	0.000E+00	0.000E+00
45	1.000E+00	9.974E-01	1.400E-03	0.000E+00	0.000E+00	0.000E+00
50	1.000E+00	9.971E-01	1.300E-03	0.000E+00	0.000E+00	0.000E+00
55	1.000E+00	9.968E-01	1.200E-03	0.000E+00	0.000E+00	0.000E+00
60	1.000E+00	9.965E-01	1.100E-03	0.000E+00	0.000E+00	0.000E+00
65	1.000E+00	9.962E-01	1.000E-03	0.000E+00	0.000E+00	0.000E+00
70	1.000E+00	9.959E-01	9.000E-04	0.000E+00	0.000E+00	0.000E+00
75	1.000E+00	9.957E-01	9.000E-04	0.000E+00	0.000E+00	0.000E+00
80	1.000E+00	9.954E-01	8.000E-04	0.000E+00	0.000E+00	0.000E+00
85	1.000E+00	9.951E-01	8.000E-04	0.000E+00	0.000E+00	0.000E+00
90	1.000E+00	9.948E-01	7.000E-04	0.000E+00	0.000E+00	0.000E+00
95	1.000E+00	9.945E-01	7.000E-04	0.000E+00	0.000E+00	0.000E+00
100	1.000E+00	9.942E-01	6.000E-04	0.000E+00	0.000E+00	0.000E+00
200	1.000E+00	9.885E-01	3.000E-04	0.000E+00	0.000E+00	0.000E+00
300	1.000E+00	9.829E-01	2.000E-04	0.000E+00	0.000E+00	0.000E+00
400	1.000E+00	9.773E-01	2.000E-04	0.000E+00	0.000E+00	0.000E+00
500	1.000E+00	9.718E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00
600	1.000E+00	9.663E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00
700	1.000E+00	9.609E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00
800	1.000E+00	9.556E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00
900	1.000E+00	9.503E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

Table A-3: Radon Activity Equilibrium Factors Based on Air Changes Per Hour

ACH ^a (hr ⁻¹)	Activity Equilibrium Factor							
	Rn-222	Po-218	Pb-214	At-218	Bi-214	Rn-218	Po-214	Tl-210
0	1.000E+00	1.000E+00	1.000E+00	2.000E-04	1.000E+00	2.000E-07	1.000E+00	2.100E-04
0.1	1.000E+00	9.926E-01	9.325E-01	1.985E-04	8.901E-01	1.985E-07	8.901E-01	1.863E-04
0.18	1.000E+00	9.868E-01	8.842E-01	1.973E-04	8.143E-01	1.973E-07	8.143E-01	1.700E-04
0.2	1.000E+00	9.853E-01	8.728E-01	1.970E-04	7.968E-01	1.970E-07	7.968E-01	1.663E-04
0.3	1.000E+00	9.781E-01	8.197E-01	1.956E-04	7.169E-01	1.956E-07	7.169E-01	1.492E-04
0.4	1.000E+00	9.710E-01	7.720E-01	1.942E-04	6.482E-01	1.942E-07	6.482E-01	1.344E-04
0.5	1.000E+00	9.641E-01	7.291E-01	1.928E-04	5.885E-01	1.928E-07	5.885E-01	1.217E-04
0.6	1.000E+00	9.572E-01	6.903E-01	1.914E-04	5.365E-01	1.914E-07	5.365E-01	1.106E-04
0.7	1.000E+00	9.504E-01	6.550E-01	1.900E-04	4.908E-01	1.900E-07	4.908E-01	1.009E-04
0.8	1.000E+00	9.437E-01	6.227E-01	1.887E-04	4.505E-01	1.887E-07	4.505E-01	9.229E-05
0.9	1.000E+00	9.371E-01	5.931E-01	1.873E-04	4.147E-01	1.873E-07	4.147E-01	8.471E-05
1	1.000E+00	9.306E-01	5.659E-01	1.860E-04	3.829E-01	1.860E-07	3.829E-01	7.797E-05
1.1	1.000E+00	9.242E-01	5.408E-01	1.847E-04	3.545E-01	1.847E-07	3.545E-01	7.196E-05
1.2	1.000E+00	9.179E-01	5.176E-01	1.834E-04	3.289E-01	1.834E-07	3.289E-01	6.658E-05
1.3	1.000E+00	9.117E-01	4.961E-01	1.822E-04	3.059E-01	1.822E-07	3.059E-01	6.174E-05
1.4	1.000E+00	9.055E-01	4.760E-01	1.809E-04	2.852E-01	1.809E-07	2.852E-01	5.738E-05
1.5	1.000E+00	8.994E-01	4.574E-01	1.797E-04	2.664E-01	1.797E-07	2.664E-01	5.343E-05
1.6	1.000E+00	8.934E-01	4.399E-01	1.785E-04	2.492E-01	1.785E-07	2.492E-01	4.985E-05
1.7	1.000E+00	8.875E-01	4.235E-01	1.773E-04	2.337E-01	1.773E-07	2.337E-01	4.659E-05
1.8	1.000E+00	8.817E-01	4.082E-01	1.761E-04	2.194E-01	1.761E-07	2.194E-01	4.362E-05
1.9	1.000E+00	8.759E-01	3.938E-01	1.750E-04	2.064E-01	1.750E-07	2.064E-01	4.091E-05
2	1.000E+00	8.703E-01	3.802E-01	1.738E-04	1.944E-01	1.738E-07	1.944E-01	3.842E-05
2.1	1.000E+00	8.647E-01	3.674E-01	1.727E-04	1.834E-01	1.727E-07	1.834E-01	3.613E-05
2.2	1.000E+00	8.591E-01	3.553E-01	1.716E-04	1.732E-01	1.716E-07	1.732E-01	3.403E-05
2.3	1.000E+00	8.537E-01	3.439E-01	1.705E-04	1.638E-01	1.705E-07	1.638E-01	3.209E-05
2.4	1.000E+00	8.483E-01	3.331E-01	1.694E-04	1.551E-01	1.694E-07	1.551E-01	3.030E-05
2.5	1.000E+00	8.429E-01	3.228E-01	1.683E-04	1.471E-01	1.683E-07	1.471E-01	2.865E-05
2.6	1.000E+00	8.377E-01	3.131E-01	1.673E-04	1.396E-01	1.673E-07	1.396E-01	2.711E-05
2.7	1.000E+00	8.325E-01	3.038E-01	1.662E-04	1.326E-01	1.662E-07	1.326E-01	2.569E-05
2.8	1.000E+00	8.273E-01	2.950E-01	1.652E-04	1.262E-01	1.652E-07	1.262E-01	2.436E-05
2.9	1.000E+00	8.223E-01	2.866E-01	1.642E-04	1.201E-01	1.642E-07	1.201E-01	2.313E-05
3	1.000E+00	8.172E-01	2.786E-01	1.632E-04	1.145E-01	1.631E-07	1.145E-01	2.198E-05
3.1	1.000E+00	8.123E-01	2.710E-01	1.622E-04	1.092E-01	1.622E-07	1.092E-01	2.090E-05
3.2	1.000E+00	8.074E-01	2.637E-01	1.612E-04	1.042E-01	1.612E-07	1.042E-01	1.990E-05
3.3	1.000E+00	8.026E-01	2.567E-01	1.602E-04	9.960E-02	1.602E-07	9.960E-02	1.896E-05
3.4	1.000E+00	7.978E-01	2.500E-01	1.592E-04	9.524E-02	1.592E-07	9.524E-02	1.808E-05
3.5	1.000E+00	7.931E-01	2.436E-01	1.583E-04	9.114E-02	1.583E-07	9.114E-02	1.725E-05
3.6	1.000E+00	7.884E-01	2.375E-01	1.573E-04	8.729E-02	1.573E-07	8.729E-02	1.648E-05

				Activity Equilibrium Factor				
ACH ^a (hr ⁻¹)	Rn-222	Po-218	Pb-214	At-218	Bi-214	Rn-218	Po-214	Tl-210
3.7	1.000E+00	7.838E-01	2.316E-01	1.564E-04	8.366E-02	1.564E-07	8.366E-02	1.575E-05
3.8	1.000E+00	7.793E-01	2.260E-01	1.555E-04	8.023E-02	1.555E-07	8.023E-02	1.506E-05
3.9	1.000E+00	7.748E-01	2.205E-01	1.546E-04	7.700E-02	1.546E-07	7.700E-02	1.441E-05
4	1.000E+00	7.703E-01	2.153E-01	1.537E-04	7.394E-02	1.537E-07	7.394E-02	1.380E-05
5	1.000E+00	7.285E-01	1.725E-01	1.453E-04	5.090E-02	1.453E-07	5.090E-02	9.245E-06
6	1.000E+00	6.910E-01	1.420E-01	1.377E-04	3.672E-02	1.377E-07	3.672E-02	6.493E-06
7	1.000E+00	6.571E-01	1.192E-01	1.309E-04	2.745E-02	1.309E-07	2.745E-02	4.729E-06
8	1.000E+00	6.264E-01	1.018E-01	1.247E-04	2.111E-02	1.247E-07	2.111E-02	3.546E-06
9	1.000E+00	5.985E-01	8.802E-02	1.191E-04	1.661E-02	1.190E-07	1.661E-02	2.722E-06
10	1.000E+00	5.729E-01	7.697E-02	1.139E-04	1.332E-02	1.139E-07	1.332E-02	2.132E-06
15	1.000E+00	4.721E-01	4.426E-02	9.358E-05	5.424E-03	9.356E-08	5.424E-03	7.755E-07
20	1.000E+00	4.015E-01	2.891E-02	7.934E-05	2.742E-03	7.932E-08	2.743E-03	3.544E-07
25	1.000E+00	3.492E-01	2.041E-02	6.881E-05	1.580E-03	6.879E-08	1.580E-03	1.862E-07
30	1.000E+00	3.090E-01	1.520E-02	6.071E-05	9.937E-04	6.068E-08	9.938E-04	1.077E-07
35	1.000E+00	2.771E-01	1.176E-02	5.428E-05	6.659E-04	5.425E-08	6.660E-04	6.678E-08
40	1.000E+00	2.512E-01	9.380E-03	4.905E-05	4.682E-04	4.902E-08	4.682E-04	4.369E-08
45	1.000E+00	2.297E-01	7.656E-03	4.472E-05	3.418E-04	4.469E-08	3.418E-04	2.982E-08
50	1.000E+00	2.116E-01	6.368E-03	4.108E-05	2.571E-04	4.105E-08	2.572E-04	2.107E-08
55	1.000E+00	1.961E-01	5.381E-03	3.796E-05	1.984E-04	3.793E-08	1.984E-04	1.532E-08
60	1.000E+00	1.827E-01	4.607E-03	3.528E-05	1.563E-04	3.525E-08	1.563E-04	1.141E-08
65	1.000E+00	1.711E-01	3.989E-03	3.293E-05	1.253E-04	3.290E-08	1.253E-04	8.679E-09
70	1.000E+00	1.608E-01	3.488E-03	3.087E-05	1.020E-04	3.084E-08	1.020E-04	6.720E-09
75	1.000E+00	1.517E-01	3.076E-03	2.904E-05	8.417E-05	2.901E-08	8.420E-05	5.285E-09
80	1.000E+00	1.436E-01	2.733E-03	2.740E-05	7.027E-05	2.737E-08	7.030E-05	4.215E-09
85	1.000E+00	1.363E-01	2.444E-03	2.594E-05	5.927E-05	2.591E-08	5.930E-05	3.404E-09
90	1.000E+00	1.297E-01	2.199E-03	2.461E-05	5.046E-05	2.458E-08	5.048E-05	2.779E-09
95	1.000E+00	1.237E-01	1.989E-03	2.341E-05	4.331E-05	2.338E-08	4.334E-05	2.291E-09
100	1.000E+00	1.183E-01	1.808E-03	2.232E-05	3.746E-05	2.228E-08	3.748E-05	1.907E-09
200	1.000E+00	6.286E-02	4.840E-04	1.122E-05	5.121E-06	1.119E-08	5.132E-06	1.483E-10
300	1.000E+00	4.280E-02	2.203E-04	7.253E-06	1.574E-06	7.223E-09	1.581E-06	3.185E-11
400	1.000E+00	3.245E-02	1.254E-04	5.232E-06	6.790E-07	5.203E-09	6.842E-07	1.056E-11
500	1.000E+00	2.613E-02	8.085E-05	4.018E-06	3.532E-07	3.990E-09	3.572E-07	4.461E-12
600	1.000E+00	2.187E-02	5.642E-05	3.215E-06	2.070E-07	3.188E-09	2.102E-07	2.200E-12
700	1.000E+00	1.880E-02	4.160E-05	2.647E-06	1.317E-07	2.621E-09	1.343E-07	1.209E-12
800	1.000E+00	1.649E-02	3.193E-05	2.227E-06	8.900E-08	2.203E-09	9.119E-08	7.186E-13
900	1.000E+00	1.469E-02	2.528E-05	1.906E-06	6.298E-08	1.882E-09	6.486E-08	4.540E-13

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

**APPENDIX B. INHALATION FRACTIONAL EQUILIBRIUM
FACTORS BASED ON AIR EXCHANGE RATE**

Table B-1: Actinon Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour

ACH ^a	Rn-219	Po-215	Pb-211	Bi-211	Tl-207	Po-211	FEQ
0	1.000E+00	9.972E-01	1.000E+00	1.000E+00	9.970E-01	2.800E-03	1.000E+00
0.1	1.000E+00	9.968E-01	9.201E-01	9.154E-01	9.023E-01	2.500E-03	9.153E-01
0.18	1.000E+00	1.000E+00	8.648E-01	8.569E-01	8.371E-01	2.400E-03	8.569E-01
0.2	1.000E+00	9.964E-01	8.521E-01	8.434E-01	8.220E-01	2.300E-03	8.433E-01
0.3	1.000E+00	9.960E-01	7.934E-01	7.813E-01	7.530E-01	2.200E-03	7.813E-01
0.4	1.000E+00	9.956E-01	7.422E-01	7.273E-01	6.933E-01	2.000E-03	7.273E-01
0.5	1.000E+00	9.951E-01	6.973E-01	6.798E-01	6.410E-01	1.900E-03	6.799E-01
0.6	1.000E+00	9.946E-01	6.575E-01	6.378E-01	5.949E-01	1.800E-03	6.379E-01
0.7	1.000E+00	9.904E-01	6.220E-01	6.004E-01	5.541E-01	1.700E-03	6.004E-01
0.8	1.000E+00	9.917E-01	5.901E-01	5.668E-01	5.176E-01	1.600E-03	5.668E-01
0.9	1.000E+00	9.929E-01	5.613E-01	5.365E-01	4.848E-01	1.500E-03	5.366E-01
1	1.000E+00	9.940E-01	5.352E-01	5.091E-01	4.553E-01	1.400E-03	5.091E-01
1.1	1.000E+00	9.950E-01	5.115E-01	4.841E-01	4.286E-01	1.300E-03	4.841E-01
1.2	1.000E+00	9.959E-01	4.897E-01	4.612E-01	4.042E-01	1.300E-03	4.613E-01
1.3	1.000E+00	9.967E-01	4.697E-01	4.403E-01	3.820E-01	1.200E-03	4.404E-01
1.4	1.000E+00	9.974E-01	4.513E-01	4.210E-01	3.617E-01	1.200E-03	4.211E-01
1.5	1.000E+00	9.981E-01	4.343E-01	4.032E-01	3.430E-01	1.100E-03	4.033E-01
1.6	1.000E+00	9.987E-01	4.185E-01	3.867E-01	3.257E-01	1.100E-03	3.868E-01
1.7	1.000E+00	9.992E-01	4.038E-01	3.714E-01	3.098E-01	1.000E-03	3.714E-01
1.8	1.000E+00	9.997E-01	3.902E-01	3.571E-01	2.951E-01	1.000E-03	3.572E-01
1.9	1.000E+00	1.000E+00	3.774E-01	3.438E-01	2.814E-01	9.000E-04	3.437E-01
2	1.000E+00	1.000E+00	3.654E-01	3.313E-01	2.687E-01	9.000E-04	3.314E-01
2.1	1.000E+00	1.000E+00	3.541E-01	3.196E-01	2.568E-01	9.000E-04	3.197E-01
2.2	1.000E+00	1.000E+00	3.436E-01	3.086E-01	2.457E-01	9.000E-04	3.087E-01
2.3	1.000E+00	1.000E+00	3.336E-01	2.983E-01	2.353E-01	8.000E-04	2.984E-01
2.4	1.000E+00	1.000E+00	3.242E-01	2.886E-01	2.256E-01	8.000E-04	2.887E-01
2.5	1.000E+00	1.000E+00	3.153E-01	2.794E-01	2.165E-01	8.000E-04	2.795E-01
2.6	1.000E+00	1.000E+00	3.069E-01	2.707E-01	2.079E-01	7.000E-04	2.707E-01
2.7	1.000E+00	1.000E+00	2.990E-01	2.625E-01	1.998E-01	7.000E-04	2.626E-01
2.8	1.000E+00	1.000E+00	2.914E-01	2.547E-01	1.922E-01	7.000E-04	2.548E-01
2.9	1.000E+00	1.000E+00	2.842E-01	2.473E-01	1.850E-01	7.000E-04	2.474E-01
3	1.000E+00	1.000E+00	2.773E-01	2.403E-01	1.782E-01	7.000E-04	2.404E-01
3.1	1.000E+00	1.000E+00	2.708E-01	2.336E-01	1.718E-01	6.000E-04	2.336E-01
3.2	1.000E+00	1.000E+00	2.646E-01	2.272E-01	1.657E-01	6.000E-04	2.273E-01
3.3	1.000E+00	1.000E+00	2.586E-01	2.211E-01	1.599E-01	6.000E-04	2.212E-01
3.4	1.000E+00	1.000E+00	2.530E-01	2.153E-01	1.544E-01	6.000E-04	2.154E-01
3.5	1.000E+00	1.000E+00	2.475E-01	2.097E-01	1.492E-01	6.000E-04	2.098E-01
3.6	1.000E+00	1.000E+00	2.423E-01	2.044E-01	1.443E-01	6.000E-04	2.045E-01
3.7	1.000E+00	1.000E+00	2.373E-01	1.994E-01	1.395E-01	5.000E-04	1.995E-01

ACH ^a	Rn-219	Po-215	Pb-211	Bi-211	Tl-207	Po-211	FEQ
3.8	1.000E+00	1.000E+00	2.325E-01	1.945E-01	1.350E-01	5.000E-04	1.945E-01
3.9	1.000E+00	1.000E+00	2.279E-01	1.898E-01	1.308E-01	5.000E-04	1.899E-01
4	1.000E+00	1.000E+00	2.235E-01	1.853E-01	1.267E-01	5.000E-04	1.854E-01
5	1.000E+00	9.967E-01	1.871E-01	1.488E-01	9.430E-02	4.000E-04	1.489E-01
6	1.000E+00	9.928E-01	1.609E-01	1.230E-01	7.260E-02	3.000E-04	1.230E-01
7	1.000E+00	9.997E-01	1.412E-01	1.038E-01	5.740E-02	3.000E-04	1.039E-01
8	1.000E+00	1.000E+00	1.257E-01	8.910E-02	4.630E-02	2.000E-04	8.914E-02
9	1.000E+00	1.000E+00	1.133E-01	7.750E-02	3.800E-02	2.000E-04	7.758E-02
10	1.000E+00	9.961E-01	1.032E-01	6.810E-02	3.160E-02	2.000E-04	6.821E-02
15	1.000E+00	9.954E-01	7.120E-02	4.020E-02	1.470E-02	1.000E-04	4.029E-02
20	1.000E+00	9.947E-01	5.430E-02	2.680E-02	8.100E-03	1.000E-04	2.683E-02
25	1.000E+00	9.939E-01	4.390E-02	1.920E-02	4.900E-03	1.000E-04	1.935E-02
30	1.000E+00	9.932E-01	3.680E-02	1.450E-02	3.200E-03	0.000E+00	1.445E-02
35	1.000E+00	9.923E-01	3.170E-02	1.130E-02	2.300E-03	0.000E+00	1.136E-02
40	1.000E+00	9.915E-01	2.780E-02	9.100E-03	1.600E-03	0.000E+00	9.171E-03
45	1.000E+00	9.906E-01	2.480E-02	7.500E-03	1.200E-03	0.000E+00	7.476E-03
50	1.000E+00	9.897E-01	2.240E-02	6.300E-03	9.000E-04	0.000E+00	6.280E-03
55	1.000E+00	9.888E-01	2.040E-02	5.300E-03	7.000E-04	0.000E+00	5.383E-03
60	1.000E+00	9.878E-01	1.870E-02	4.600E-03	6.000E-04	0.000E+00	4.585E-03
65	1.000E+00	9.868E-01	1.730E-02	4.000E-03	5.000E-04	0.000E+00	3.987E-03
70	1.000E+00	9.891E-01	1.600E-02	3.500E-03	4.000E-04	0.000E+00	3.489E-03
75	1.000E+00	9.882E-01	1.500E-02	3.100E-03	3.000E-04	0.000E+00	3.090E-03
80	1.000E+00	9.873E-01	1.400E-02	2.700E-03	3.000E-04	0.000E+00	2.791E-03
85	1.000E+00	9.864E-01	1.320E-02	2.500E-03	2.000E-04	0.000E+00	2.492E-03
90	1.000E+00	9.854E-01	1.250E-02	2.200E-03	2.000E-04	0.000E+00	2.193E-03
95	1.000E+00	9.844E-01	1.180E-02	2.000E-03	2.000E-04	0.000E+00	1.994E-03
100	1.000E+00	9.833E-01	1.120E-02	1.800E-03	1.000E-04	0.000E+00	1.894E-03
200	1.000E+00	9.730E-01	5.600E-03	5.000E-04	0.000E+00	0.000E+00	4.984E-04
300	1.000E+00	9.629E-01	3.700E-03	2.000E-04	0.000E+00	0.000E+00	1.994E-04
400	1.000E+00	9.464E-01	2.700E-03	1.000E-04	0.000E+00	0.000E+00	9.968E-05
500	1.000E+00	9.277E-01	2.100E-03	1.000E-04	0.000E+00	0.000E+00	9.968E-05
600	1.000E+00	9.224E-01	1.800E-03	1.000E-04	0.000E+00	0.000E+00	9.968E-05
700	1.000E+00	9.078E-01	1.500E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
800	1.000E+00	8.951E-01	1.300E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
900	1.000E+00	8.831E-01	1.100E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

Table B-2: Thoron Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour

ACH ^a	Rn-220	Po-216	Pb-212	Bi-212	Po-212	Tl-208	FEQ
0	1.000E+00	1.000E+00	1.000E+00	1.000E+00	6.410E-01	3.590E-01	1.000E+00
0.1	1.000E+00	1.000E+00	3.945E-01	3.443E-01	2.207E-01	1.227E-01	3.443E-01
0.18	1.000E+00	1.000E+00	2.657E-01	2.106E-01	1.350E-01	7.460E-02	2.106E-01
0.2	1.000E+00	1.000E+00	2.457E-01	1.903E-01	1.220E-01	6.730E-02	1.903E-01
0.3	1.000E+00	1.000E+00	1.784E-01	1.242E-01	7.960E-02	4.360E-02	1.242E-01
0.4	1.000E+00	1.000E+00	1.401E-01	8.850E-02	5.670E-02	3.090E-02	8.847E-02
0.5	1.000E+00	1.000E+00	1.153E-01	6.670E-02	4.280E-02	2.310E-02	6.675E-02
0.6	1.000E+00	1.000E+00	9.790E-02	5.230E-02	3.350E-02	1.800E-02	5.227E-02
0.7	1.000E+00	1.000E+00	8.510E-02	4.220E-02	2.700E-02	1.440E-02	4.214E-02
0.8	1.000E+00	1.000E+00	7.530E-02	3.480E-02	2.230E-02	1.180E-02	3.479E-02
0.9	1.000E+00	9.999E-01	6.750E-02	2.920E-02	1.870E-02	9.800E-03	2.918E-02
1	1.000E+00	9.999E-01	6.120E-02	2.490E-02	1.600E-02	8.300E-03	2.494E-02
1.1	1.000E+00	9.999E-01	5.590E-02	2.150E-02	1.380E-02	7.100E-03	2.152E-02
1.2	1.000E+00	9.999E-01	5.150E-02	1.870E-02	1.200E-02	6.200E-03	1.871E-02
1.3	1.000E+00	9.999E-01	4.770E-02	1.650E-02	1.060E-02	5.400E-03	1.653E-02
1.4	1.000E+00	9.999E-01	4.450E-02	1.460E-02	9.400E-03	4.800E-03	1.465E-02
1.5	1.000E+00	9.999E-01	4.160E-02	1.310E-02	8.400E-03	4.200E-03	1.310E-02
1.6	1.000E+00	9.999E-01	3.910E-02	1.170E-02	7.500E-03	3.800E-03	1.170E-02
1.7	1.000E+00	9.999E-01	3.690E-02	1.060E-02	6.800E-03	3.400E-03	1.061E-02
1.8	1.000E+00	9.999E-01	3.490E-02	9.600E-03	6.200E-03	3.100E-03	9.652E-03
1.9	1.000E+00	9.999E-01	3.310E-02	8.800E-03	5.600E-03	2.800E-03	8.754E-03
2	1.000E+00	9.999E-01	3.150E-02	8.100E-03	5.200E-03	2.500E-03	8.109E-03
2.1	1.000E+00	9.999E-01	3.010E-02	7.400E-03	4.800E-03	2.300E-03	7.464E-03
2.2	1.000E+00	9.999E-01	2.880E-02	6.800E-03	4.400E-03	2.100E-03	6.846E-03
2.3	1.000E+00	9.999E-01	2.750E-02	6.300E-03	4.100E-03	1.900E-03	6.369E-03
2.4	1.000E+00	9.999E-01	2.640E-02	5.900E-03	3.800E-03	1.800E-03	5.920E-03
2.5	1.000E+00	9.999E-01	2.540E-02	5.500E-03	3.500E-03	1.700E-03	5.471E-03
2.6	1.000E+00	9.998E-01	2.440E-02	5.100E-03	3.300E-03	1.500E-03	5.135E-03
2.7	1.000E+00	9.998E-01	2.360E-02	4.800E-03	3.100E-03	1.400E-03	4.826E-03
2.8	1.000E+00	9.998E-01	2.270E-02	4.500E-03	2.900E-03	1.300E-03	4.517E-03
2.9	1.000E+00	9.998E-01	2.200E-02	4.200E-03	2.700E-03	1.200E-03	4.209E-03
3	1.000E+00	9.998E-01	2.120E-02	4.000E-03	2.500E-03	1.200E-03	3.928E-03
3.1	1.000E+00	9.998E-01	2.060E-02	3.700E-03	2.400E-03	1.100E-03	3.732E-03
3.2	1.000E+00	9.998E-01	1.990E-02	3.500E-03	2.300E-03	1.000E-03	3.564E-03
3.3	1.000E+00	9.998E-01	1.940E-02	3.300E-03	2.100E-03	1.000E-03	3.283E-03
3.4	1.000E+00	9.998E-01	1.880E-02	3.200E-03	2.000E-03	9.000E-04	3.142E-03
3.5	1.000E+00	9.998E-01	1.830E-02	3.000E-03	1.900E-03	9.000E-04	2.974E-03
3.6	1.000E+00	9.998E-01	1.780E-02	2.800E-03	1.800E-03	8.000E-04	2.806E-03
3.7	1.000E+00	9.998E-01	1.730E-02	2.700E-03	1.700E-03	8.000E-04	2.665E-03

ACH ^a	Rn-220	Po-216	Pb-212	Bi-212	Po-212	Tl-208	FEQ
3.8	1.000E+00	9.998E-01	1.690E-02	2.600E-03	1.700E-03	7.000E-04	2.638E-03
3.9	1.000E+00	9.998E-01	1.640E-02	2.500E-03	1.600E-03	7.000E-04	2.497E-03
4	1.000E+00	9.998E-01	1.600E-02	2.300E-03	1.500E-03	7.000E-04	2.329E-03
5	1.000E+00	9.997E-01	1.290E-02	1.600E-03	1.000E-03	4.000E-04	1.571E-03
6	1.000E+00	9.997E-01	1.070E-02	1.100E-03	7.000E-04	3.000E-04	1.094E-03
7	1.000E+00	9.996E-01	9.200E-03	8.000E-04	5.000E-04	2.000E-04	7.856E-04
8	1.000E+00	9.995E-01	8.100E-03	6.000E-04	4.000E-04	1.000E-04	6.173E-04
9	1.000E+00	9.995E-01	7.200E-03	5.000E-04	3.000E-04	1.000E-04	4.769E-04
10	1.000E+00	9.994E-01	6.500E-03	4.000E-04	3.000E-04	1.000E-04	4.491E-04
15	1.000E+00	9.991E-01	4.300E-03	2.000E-04	1.000E-04	0.000E+00	1.683E-04
20	1.000E+00	9.988E-01	3.200E-03	1.000E-04	1.000E-04	0.000E+00	1.404E-04
25	1.000E+00	9.985E-01	2.600E-03	1.000E-04	0.000E+00	0.000E+00	2.786E-05
30	1.000E+00	9.983E-01	2.200E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
35	1.000E+00	9.980E-01	1.900E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
40	1.000E+00	9.977E-01	1.600E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
45	1.000E+00	9.974E-01	1.400E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
50	1.000E+00	9.971E-01	1.300E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
55	1.000E+00	9.968E-01	1.200E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
60	1.000E+00	9.965E-01	1.100E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
65	1.000E+00	9.962E-01	1.000E-03	0.000E+00	0.000E+00	0.000E+00	0.000E+00
70	1.000E+00	9.959E-01	9.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
75	1.000E+00	9.957E-01	9.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
80	1.000E+00	9.954E-01	8.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
85	1.000E+00	9.951E-01	8.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
90	1.000E+00	9.948E-01	7.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
95	1.000E+00	9.945E-01	7.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
100	1.000E+00	9.942E-01	6.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
200	1.000E+00	9.885E-01	3.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
300	1.000E+00	9.829E-01	2.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
400	1.000E+00	9.773E-01	2.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
500	1.000E+00	9.718E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
600	1.000E+00	9.663E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
700	1.000E+00	9.609E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
800	1.000E+00	9.556E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00
900	1.000E+00	9.503E-01	1.000E-04	0.000E+00	0.000E+00	0.000E+00	0.000E+00

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

Table B-3: Radon Inhalation Fractional Equilibrium Factors Based on Air Changes Per Hour

ACH*	Rn-222	Po-218	Pb-214	At-218	Bi-214	Rn-218	Po-214	Tl-210	FEQ
0	1.000E+00	1.000E+00	1.000E+00	2.000E-04	1.000E+00	2.000E-07	1.000E+00	2.100E-04	1.000E+00
0.1	1.000E+00	9.926E-01	9.325E-01	1.985E-04	8.901E-01	1.985E-07	8.901E-01	1.863E-04	9.350E-01
0.18	1.000E+00	9.868E-01	8.842E-01	1.973E-04	8.143E-01	1.973E-07	8.143E-01	1.700E-04	8.899E-01
0.2	1.000E+00	9.853E-01	8.728E-01	1.970E-04	7.968E-01	1.970E-07	7.968E-01	1.663E-04	8.794E-01
0.3	1.000E+00	9.781E-01	8.197E-01	1.956E-04	7.169E-01	1.956E-07	7.169E-01	1.492E-04	8.314E-01
0.4	1.000E+00	9.710E-01	7.720E-01	1.942E-04	6.482E-01	1.942E-07	6.482E-01	1.344E-04	7.897E-01
0.5	1.000E+00	9.641E-01	7.291E-01	1.928E-04	5.885E-01	1.928E-07	5.885E-01	1.217E-04	7.532E-01
0.6	1.000E+00	9.572E-01	6.903E-01	1.914E-04	5.365E-01	1.914E-07	5.365E-01	1.106E-04	7.209E-01
0.7	1.000E+00	9.504E-01	6.550E-01	1.900E-04	4.908E-01	1.900E-07	4.908E-01	1.009E-04	6.923E-01
0.8	1.000E+00	9.437E-01	6.227E-01	1.887E-04	4.505E-01	1.887E-07	4.505E-01	9.229E-05	6.667E-01
0.9	1.000E+00	9.371E-01	5.931E-01	1.873E-04	4.147E-01	1.873E-07	4.147E-01	8.471E-05	6.437E-01
1	1.000E+00	9.306E-01	5.659E-01	1.860E-04	3.829E-01	1.860E-07	3.829E-01	7.797E-05	6.230E-01
1.1	1.000E+00	9.242E-01	5.408E-01	1.847E-04	3.545E-01	1.847E-07	3.545E-01	7.196E-05	6.042E-01
1.2	1.000E+00	9.179E-01	5.176E-01	1.834E-04	3.289E-01	1.834E-07	3.289E-01	6.658E-05	5.871E-01
1.3	1.000E+00	9.117E-01	4.961E-01	1.822E-04	3.059E-01	1.822E-07	3.059E-01	6.174E-05	5.715E-01
1.4	1.000E+00	9.055E-01	4.760E-01	1.809E-04	2.852E-01	1.809E-07	2.852E-01	5.738E-05	5.571E-01
1.5	1.000E+00	8.994E-01	4.574E-01	1.797E-04	2.664E-01	1.797E-07	2.664E-01	5.343E-05	5.439E-01
1.6	1.000E+00	8.934E-01	4.399E-01	1.785E-04	2.492E-01	1.785E-07	2.492E-01	4.985E-05	5.316E-01
1.7	1.000E+00	8.875E-01	4.235E-01	1.773E-04	2.337E-01	1.773E-07	2.337E-01	4.659E-05	5.203E-01
1.8	1.000E+00	8.817E-01	4.082E-01	1.761E-04	2.194E-01	1.761E-07	2.194E-01	4.362E-05	5.097E-01
1.9	1.000E+00	8.759E-01	3.938E-01	1.750E-04	2.064E-01	1.750E-07	2.064E-01	4.091E-05	4.999E-01
2	1.000E+00	8.703E-01	3.802E-01	1.738E-04	1.944E-01	1.738E-07	1.944E-01	3.842E-05	4.907E-01
2.1	1.000E+00	8.647E-01	3.674E-01	1.727E-04	1.834E-01	1.727E-07	1.834E-01	3.613E-05	4.820E-01
2.2	1.000E+00	8.591E-01	3.553E-01	1.716E-04	1.732E-01	1.716E-07	1.732E-01	3.403E-05	4.739E-01
2.3	1.000E+00	8.537E-01	3.439E-01	1.705E-04	1.638E-01	1.705E-07	1.638E-01	3.209E-05	4.662E-01
2.4	1.000E+00	8.483E-01	3.331E-01	1.694E-04	1.551E-01	1.694E-07	1.551E-01	3.030E-05	4.590E-01
2.5	1.000E+00	8.429E-01	3.228E-01	1.683E-04	1.471E-01	1.683E-07	1.471E-01	2.865E-05	4.521E-01
2.6	1.000E+00	8.377E-01	3.131E-01	1.673E-04	1.396E-01	1.673E-07	1.396E-01	2.711E-05	4.456E-01
2.7	1.000E+00	8.325E-01	3.038E-01	1.662E-04	1.326E-01	1.662E-07	1.326E-01	2.569E-05	4.394E-01
2.8	1.000E+00	8.273E-01	2.950E-01	1.652E-04	1.262E-01	1.652E-07	1.262E-01	2.436E-05	4.335E-01
2.9	1.000E+00	8.223E-01	2.866E-01	1.642E-04	1.201E-01	1.642E-07	1.201E-01	2.313E-05	4.279E-01
3	1.000E+00	8.172E-01	2.786E-01	1.632E-04	1.145E-01	1.631E-07	1.145E-01	2.198E-05	4.225E-01
3.1	1.000E+00	8.123E-01	2.710E-01	1.622E-04	1.092E-01	1.622E-07	1.092E-01	2.090E-05	4.174E-01
3.2	1.000E+00	8.074E-01	2.637E-01	1.612E-04	1.042E-01	1.612E-07	1.042E-01	1.990E-05	4.125E-01
3.3	1.000E+00	8.026E-01	2.567E-01	1.602E-04	9.960E-02	1.602E-07	9.960E-02	1.896E-05	4.078E-01
3.4	1.000E+00	7.978E-01	2.500E-01	1.592E-04	9.524E-02	1.592E-07	9.524E-02	1.808E-05	4.032E-01
3.5	1.000E+00	7.931E-01	2.436E-01	1.583E-04	9.114E-02	1.583E-07	9.114E-02	1.725E-05	3.988E-01
3.6	1.000E+00	7.884E-01	2.375E-01	1.573E-04	8.729E-02	1.573E-07	8.729E-02	1.648E-05	3.946E-01
3.7	1.000E+00	7.838E-01	2.316E-01	1.564E-04	8.366E-02	1.564E-07	8.366E-02	1.575E-05	3.906E-01

ACH ^a	Rn-222	Po-218	Pb-214	At-218	Bi-214	Rn-218	Po-214	Tl-210	FEQ
3.8	1.000E+00	7.793E-01	2.260E-01	1.555E-04	8.023E-02	1.555E-07	8.023E-02	1.506E-05	3.867E-01
3.9	1.000E+00	7.748E-01	2.205E-01	1.546E-04	7.700E-02	1.546E-07	7.700E-02	1.441E-05	3.829E-01
4	1.000E+00	7.703E-01	2.153E-01	1.537E-04	7.394E-02	1.537E-07	7.394E-02	1.380E-05	3.792E-01
5	1.000E+00	7.285E-01	1.725E-01	1.453E-04	5.090E-02	1.453E-07	5.090E-02	9.245E-06	3.479E-01
6	1.000E+00	6.910E-01	1.420E-01	1.377E-04	3.672E-02	1.377E-07	3.672E-02	6.493E-06	3.235E-01
7	1.000E+00	6.571E-01	1.192E-01	1.309E-04	2.745E-02	1.309E-07	2.745E-02	4.729E-06	3.035E-01
8	1.000E+00	6.264E-01	1.018E-01	1.247E-04	2.111E-02	1.247E-07	2.111E-02	3.546E-06	2.865E-01
9	1.000E+00	5.985E-01	8.802E-02	1.191E-04	1.661E-02	1.190E-07	1.661E-02	2.722E-06	2.717E-01
10	1.000E+00	5.729E-01	7.697E-02	1.139E-04	1.332E-02	1.139E-07	1.332E-02	2.132E-06	2.586E-01
15	1.000E+00	4.721E-01	4.426E-02	9.358E-05	5.424E-03	9.356E-08	5.424E-03	7.755E-07	2.100E-01
20	1.000E+00	4.015E-01	2.891E-02	7.934E-05	2.742E-03	7.932E-08	2.743E-03	3.544E-07	1.775E-01
25	1.000E+00	3.492E-01	2.041E-02	6.881E-05	1.580E-03	6.879E-08	1.580E-03	1.862E-07	1.540E-01
30	1.000E+00	3.090E-01	1.520E-02	6.071E-05	9.937E-04	6.068E-08	9.938E-04	1.077E-07	1.360E-01
35	1.000E+00	2.771E-01	1.176E-02	5.428E-05	6.659E-04	5.425E-08	6.660E-04	6.678E-08	1.218E-01
40	1.000E+00	2.512E-01	9.380E-03	4.905E-05	4.682E-04	4.902E-08	4.682E-04	4.369E-08	1.104E-01
45	1.000E+00	2.297E-01	7.656E-03	4.472E-05	3.418E-04	4.469E-08	3.418E-04	2.982E-08	1.009E-01
50	1.000E+00	2.116E-01	6.368E-03	4.108E-05	2.571E-04	4.105E-08	2.572E-04	2.107E-08	9.288E-02
55	1.000E+00	1.961E-01	5.381E-03	3.796E-05	1.984E-04	3.793E-08	1.984E-04	1.532E-08	8.607E-02
60	1.000E+00	1.827E-01	4.607E-03	3.528E-05	1.563E-04	3.525E-08	1.563E-04	1.141E-08	8.019E-02
65	1.000E+00	1.711E-01	3.989E-03	3.293E-05	1.253E-04	3.290E-08	1.253E-04	8.679E-09	7.507E-02
70	1.000E+00	1.608E-01	3.488E-03	3.087E-05	1.020E-04	3.084E-08	1.020E-04	6.720E-09	7.056E-02
75	1.000E+00	1.517E-01	3.076E-03	2.904E-05	8.417E-05	2.901E-08	8.420E-05	5.285E-09	6.656E-02
80	1.000E+00	1.436E-01	2.733E-03	2.740E-05	7.027E-05	2.737E-08	7.030E-05	4.215E-09	6.299E-02
85	1.000E+00	1.363E-01	2.444E-03	2.594E-05	5.927E-05	2.591E-08	5.930E-05	3.404E-09	5.979E-02
90	1.000E+00	1.297E-01	2.199E-03	2.461E-05	5.046E-05	2.458E-08	5.048E-05	2.779E-09	5.689E-02
95	1.000E+00	1.237E-01	1.989E-03	2.341E-05	4.331E-05	2.338E-08	4.334E-05	2.291E-09	5.427E-02
100	1.000E+00	1.183E-01	1.808E-03	2.232E-05	3.746E-05	2.228E-08	3.748E-05	1.907E-09	5.187E-02
200	1.000E+00	6.286E-02	4.840E-04	1.122E-05	5.121E-06	1.119E-08	5.132E-06	1.483E-10	2.756E-02
300	1.000E+00	4.280E-02	2.203E-04	7.253E-06	1.574E-06	7.223E-09	1.581E-06	3.185E-11	1.876E-02
400	1.000E+00	3.245E-02	1.254E-04	5.232E-06	6.790E-07	5.203E-09	6.842E-07	1.056E-11	1.423E-02
500	1.000E+00	2.613E-02	8.085E-05	4.018E-06	3.532E-07	3.990E-09	3.572E-07	4.461E-12	1.145E-02
600	1.000E+00	2.187E-02	5.642E-05	3.215E-06	2.070E-07	3.188E-09	2.102E-07	2.200E-12	9.587E-03
700	1.000E+00	1.880E-02	4.160E-05	2.647E-06	1.317E-07	2.621E-09	1.343E-07	1.209E-12	8.243E-03
800	1.000E+00	1.649E-02	3.193E-05	2.227E-06	8.900E-08	2.203E-09	9.119E-08	7.186E-13	7.229E-03
900	1.000E+00	1.469E-02	2.528E-05	1.906E-06	6.298E-08	1.882E-09	6.486E-08	4.540E-13	6.438E-03

^a 0.18 is the residential default ACH, and 0.6 is the commercial/industrial default ACH.

**APPENDIX C. ACTINON, THORON, AND RADON DECAY SERIES
DATA**

Table C-1: Actinon Decay Series

Nuclide	Half-life	Mode	Mass	Branching Fraction	Daughter	Branching Fraction	Daughter
Rn-219	3.96s	A	219.00948	1.00E+00	Po-215		
Po-215	1.781E-3s	A	214.999419	1.00E+00	Pb-211		
Pb-211	36.1m	B-	210.988736	1.00E+00	Bi-211		
Bi-211	2.14m	B-, A	210.987269	9.97E-01	Tl-207	2.76E-03	Po-211
Tl-207	4.77m	B-	206.977419	1.00E+00	Stable Pb-207		
Po-211	0.516s	A	210.986653	1.00E+00	Stable Pb-207		

Table C-2: Actinon Alpha Energies Released Per Decay

Alpha Energy (MeV)					
Rn-219	Po-215	Pb-211	Bi-211	Tl-207	Po-211
6.8801	7.5261	0	6.6756	0	7.586

Table C-3: Thoron Decay Series

Nuclide	Half-life	Mode	Mass	Branching Fraction	Daughter	Branching Fraction	Daughter
Rn-220	55.6s	A	220.011393	1.00E+00	Po-216		
Po-216	0.145s	A	216.001915	1.00E+00	Pb-212		
Pb-212	10.64h	B-	211.991897	1.00E+00	Bi-212		
Bi-212	60.55m	B-, A	211.991285	6.41E-01	Po-212	3.59E-01	Tl-208
Po-212	2.99E-7s	A	211.988867	1.00E+00	Stable Pb-208		
Tl-208	3.053m	B-	207.982018	1.00E+00	Stable Pb-208		

Table C-4: Thoron Alpha Energies Released Per Decay

Alpha Energy (MeV)					
Rn-220	Po-216	Pb-212	Bi-212	Po-212	Tl-208
6.404	6.9063	0	2.2163	8.9541	0

Table C-5: Radon Decay Series

Nuclide	Half-life	Mode	Mass	Branching Fraction	Daughter	Branching Fraction	Daughter
Rn-222	3.8235d	A	222.017577	1.00E+00	Po-218		
Po-218	3.10m	B-, A	218.008973	1.00E+00	Pb-214	2.00E-04	At-218
Pb-214	26.8m	B-	213.999805	1.00E+00	Bi-214		
At-218	1.5s	A, B-	218.008694	9.99E-01	Bi-214	1.00E-03	Rn-218
Bi-214	19.9m	B-, A	213.998711	1.00E+00	Po-214	2.10E-04	Tl-210
Rn-218	3.5E-2s	A	218.005601	1.00E+00	Po-214		
Po-214	1.643E-4s	A	213.995201	1.00E+00	Pb-210		
Tl-210	1.30m	B-	209.990073	1.00E+00	Pb-210		
Pb-210	22.20y	B-, A	209.984188	1.00E+00	Bi-210	1.90E-08	Hg-206
Bi-210	5.013d	B-, A	209.98412	1.00E+00	Po-210	1.32E-06	Tl-206
Hg-206	8.15m	B-	205.977514	1.00E+00	Tl-206		
Po-210	138.376d	A	209.982873	1.00E+00	Stable Pb-206		
Tl-206	4.200m	B-	205.97611	1.00E+00	Stable Pb-206		

Table C-6: Radon Alpha Energies Released Per Decay

Alpha Energy (MeV)												
Rn-222	Po-218	Pb-214	At-218	Bi-214	Rn-218	Po-214	Tl-210	Pb-210*	Bi-210*	Hg-206*	Po-210*	Tl-206*
5.5898	6.1134	0	6.8041	0.0011	7.2618	7.8333	0	0	0	0	5.4074	0

*These energies were not used in the F_{eq} calculations due to Pb-210 long half-life.

APPENDIX D. SUPPORTING MATLAB CODE

Actinon Activity Equilibrium Factor Code

%% Actinon AEQ calculator

```
for AirRemovalRate = [0 0.1 0.18 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1  
1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2 2.1 2.2 2.3 2.4 2.5 2.6 2.7  
2.8 2.9 3 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4 5 6 7 8 9 10  
15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 200 300  
400 500 600 700 800 900]
```

```
%BEGIN STEP 1)
```

```
% lambda in hours
```

```
L = [log(2) / (3.96/3600 ); % Radon 219  
log(2) / (.001781/3600); % Polonium-215  
log(2) / (36.1/60 ); % Lead-211  
log(2) / (2.14/60 ); % Bismuth-211  
log(2) / (4.77/60 ); % Thallium-207  
log(2) / (.516/3600 )]; % Polonium-211
```

```
Lambda = diag(L);
```

```
%BEGIN STEP 2)
```

```
%% Initialize transfer matrix
```

```
F = ones(6);  
F = F - 2*diag(diag(F,0),0);
```

```
%% zero out upper diagonals
```

```
for k = (1:5)  
F = F - diag(diag(F,k),k);  
end
```

```
%% zero out lower diagonals
```

```
for k = (-5:-2)  
F = F - diag(diag(F,k),k);  
end
```

```
%% Add branching terms
```

```
F(5,4) = .997;  
F(6,4) = .00276;  
F(6,5) = 0;
```

```
F = F * Lambda; % Obtain partial decay constant matrix
```

```
%BEGIN STEPS 3-5
```

```

%% setup air Removal
Rem = eye(6) * -1* AirRemovalRate; % Air removal rate matrix setup
F = F + Rem; % Air removal rate modifies the partial decay constants
tspan = [0 200]; % Time span of 200 hours for decay
y0 = [1/L(1) 0 0 0 0 0]; % Initial Conditions
[t,y] = ode23s(@(t,y) odefcn(t,y,F), tspan, y0); % Stiff ODE solver equation
Activities = (y*Lambda); % Obtain AEQs
%Activities(Activities>1)=1; % Set AEQ to 1 for values greater than 1
disp([AirRemovalRate Activities(end,1:6)]); % Display AEQ vs. ACH
clearvars
end

%% First-order ODE function to solve for number of atoms undergoing alpha/beta
decay
function dydt = odefcn(~,y,F)
dydt = F*y;
dydt(1) = 0;

end

```

Thoron Activity Equilibrium Factor Code

%% Thoron AEQ calculator

```
for AirRemovalRate = [0 0.1 0.18 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1  
1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2 2.1 2.2 2.3 2.4 2.5 2.6 2.7  
2.8 2.9 3 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4 5 6 7 8 9 10  
15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 200 300  
400 500 600 700 800 900]
```

%BEGIN STEP 1)

% lambda in hours

```
L = [ log(2) / (55.6/3600 ) ; % Radon-220  
      log(2) / (0.145/3600 ) ; % Polonium-216  
      log(2) / (10.64 ) ; % Lead-212  
      log(2) / (60.55/60 ) ; % Bismuth-212  
      log(2) / (.000000299/3600) ; % Polonium-212  
      log(2) / (3.053/60 ) ]; % Thallium-208
```

```
Lambda = diag(L);
```

%BEGIN STEP 2)

%% Initialize transfer matrix

```
F = ones(6);  
F = F - 2*diag(diag(F,0),0);
```

%% zero out upper diagonals

```
for k = (1:5)  
    F = F - diag(diag(F,k),k);  
end
```

%% zero out lower diagonals

```
for k = (-5:-2)  
    F = F - diag(diag(F,k),k);  
end
```

%% Add branching terms

```
F(5,4) = 0.641;  
F(6,4) = 0.359;  
F(6,5) = 0;
```

```
F = F * Lambda; % Obtain partial decay constant matrix
```

```

%BEGIN STEPS 3-5

%% setup air Removal
Rem = eye(6) * -1* AirRemovalRate; % Air removal rate matrix setup
F = F + Rem; % Air removal rate modifies the partial decay constants
tspan = [0 200]; % Time span of 200 hours for decay
y0 = [1/L(1) 0 0 0 0 0]; % Initial Conditions
[t,y] = ode23s(@(t,y) odefcn(t,y,F), tspan, y0); % Stiff ODE solver equation
Activities = y*Lambda; %Get AEQs
Activities(Activities>1)=1; % Set AEQ to 1 for values greater than 1
disp([AirRemovalRate Activities(end,1:6)]) % Display AEQ vs. ACH
clearvars

```

end

```

%% First-order ODE function to solve for number of atoms undergoing alpha/beta
function dydt = odefcn(~,y,F)
dydt = F*y;
dydt(1) = 0;

```

end

Radon Activity Equilibrium Factor Code:

%% Radon AEQ calculator

```
for AirRemovalRate = [0 0.1 0.18 0.2 0.3 0.4 0.5 0.6 0.7 0.8 0.9 1
1.1 1.2 1.3 1.4 1.5 1.6 1.7 1.8 1.9 2 2.1 2.2 2.3 2.4 2.5 2.6 2.7
2.8 2.9 3 3.1 3.2 3.3 3.4 3.5 3.6 3.7 3.8 3.9 4 5 6 7 8 9 10
15 20 25 30 35 40 45 50 55 60 65 70 75 80 85 90 95 100 200 300
400 500 600 700 800 900]
```

% BEGIN STEP 1)

% lambda in hours

```
L = [ log(2) / ( 3.8235*24);           % Radon-222
      log(2) / ( 3.10/60 );           % Polonium-218
      log(2) / ( 26.8/60 );           % Lead-214
      log(2) / ( 1.5/3600 );          % At-218
      log(2) / ( 19.9/60 );           % Bismuth-214
      log(2) / ( .035/3600 );         % Radon-218
      log(2) / ( .0001643/3600);      % Polonium-214
      log(2) / ( 1.3/60 );            % Thallium-210
      log(2) / ( 22.20*(24*365) );    % Lead-210
      log(2) / ( 5.013*24 );          % Bismuth-210
      log(2) / ( 8.15/60 );           % Mercury-206
      log(2) / ( 138.376*24 );        % Polonium-210
      log(2) / ( 4.2/60 )];           % Thallium-206
```

Lambda = diag(L);

%BEGIN STEP 2)

%% Initialize transfer matrix

```
F = ones(13);
F = F - 2*diag(diag(F,0),0);
%% zero out upper diagonals
for k = (1:12)
    F = F - diag(diag(F,k),k);
end
%% zero out lower diagonals
for k = (-12:-4)
    F = F - diag(diag(F,k),k);
end
```

%% Add branching terms

```
% Chain is stopped at Pb-210
% Branching fractions may be added accordingly if Pb-210 and beyond is
desired
F(3,1) = 0;
F(4,1) = 0;
```

```

F(4,2) = .0002;
F(4,3) = 0;
F(5,2) = 0;
F(5,4) = .999;
F(6,3) = 0;
F(6,4) = .001;
F(6,5) = 0;
F(7,4) = 0;
F(8,5) = .00021;
F(8,6) = 0;
F(8,7) = 0;
F(9,6) = 0;
F(9,7) = 0;
F(9,8) = 0;
F(9,9) = 0;
F(9,10) = 0;
F(10,7) = 0;
F(10,8) = 0;
F(10,9) = 0;
F(10,10) = 0;
F(11,8) = 0;
F(11,9) = 0;
F(11,10) = 0;
F(11,11) = 0;
F(12,9) = 0;
F(12,10) = 0;
F(12,11) = 0;
F(12,12) = 0;
F(13,10) = 0;
F(13,11) = 0;
F(13,12) = 0;
F(13,13) = 0;

F = F * Lambda; % Obtain partial decay constant matrix

%BEGIN STEPS 3-5

% setup air Removal
Rem = eye(13) * -1* AirRemovalRate; % Air removal rate matrix setup
F = F + Rem; % Air removal rate modifies the partial decay constants
tspan = [0 200]; % Time span of 200 hours for decay
y0 = [1/L(1) 0 0 0 0 0 0 0 0 0 0 0 0]; % Initial Conditions
[t,y] = ode23s(@(t,y) odefcn(t,y,F), tspan, y0); % Stiff ODE solver equation
Activities = y*Lambda; % Obtain AEQs
Activities(Activities>1)=1; % Set AEQ to 1 for values greater than 1
disp([AirRemovalRate Activities(end,1:13)]) % Display AEQ vs. ACH
clearvars

end

```

```
% First-order ODE function to solve for number of atoms undergoing alpha/beta
decay
function dydt = odefcn(~,y,F)
dydt = F*y;
dydt(1) = 0;
end
```


**APPENDIX E. ACTIVITY EQUILIBRIUM FACTOR CALCULATION
SUPPLEMENTAL GUIDE**

Variables from MATLAB are referenced in quotations below. Each step of the A_{eq} calculation method is referenced for radon, thoron, and actinon by comments in the supporting MATLAB files in Appendix D. This step-by-step methodology is identical for radon, thoron, and actinon A_{eq} calculations. An additional derivation that shows the relationship between air exchange rate and A_{eq} is provided at the end of this appendix.

- 1) The “Lambda” diagonal matrix “L” is set up. This matrix is comprised of the total decay constants for each radionuclide of the decay chain. The total decay constant is the probability that a radionuclide will undergo any type of decay, whether it be alpha decay, beta decay, etc.
- 2) The “F” matrix is set up. This matrix is comprised of the partial decay constants for each radionuclide of the decay chain. Consider the following equation:

$$BF \text{ (branching fraction)} = \frac{\lambda_i}{\lambda} \quad [9]$$

The branching fraction is a quantity that tells how often a radionuclide will undergo a specific decay mode. The partial decay constant, λ_i , represents the probability that a radionuclide will undergo a specific decay mode. The total decay constant, λ , is shown in the denominator. Once the “F” matrix is initialized with corresponding branching fractions for each radionuclide, it is then multiplied by the “Lambda” matrix to obtain the new partial decay constant matrix “F”.

- 3) The air removal rate is denoted by “Rem”. “Rem” is comprised of identity matrices for each of the air removal rates. Each of the air removal matrices are added to the “F” matrices. By adding the “F” matrices to the “Rem” matrices, the probabilities of undergoing a certain decay mode (partial decay constants) are modified to account for the air removal rates as shown in step 4.
- 4) A differential equation is set up to calculate the number of atoms undergoing alpha/beta decay for each radionuclide of the decay chain. This ODE (ordinary differential equation) is “stiff”, since the step sizes taken by the solver are very small due to the half-lives of short-lived isotopes such as Po-212 in the thoron decay series. The very small step sizes make the “ode23” numerical solver in MATLAB unstable. Thus, “ode23s” is used to solve the stiff ODE. The equation is set up as follows:

$$\left(\frac{dy}{dt}\right) = F * y \quad [10]$$

dy/dt = rate of change of number of atoms undergoing alpha/beta decay.

F (hr^{-1}) = (matrices comprised of partial decay constants) + (air removal rate matrices).

y = number of atoms undergoing alpha/beta decay.

This differential equation is separable, and when integrated, yields the following equation:

$$y = e^{(F * t + C)} \quad [11]$$

Y = number of atoms undergoing alpha/beta decay.
 F (hr^{-1}) = (partial decay constant matrices) + (air removal rate matrices).
 t (hr) = amount of time at which decay occurs.
 C = constant of integration.

Substituting the new “F” ($F = F + \text{rem}$) into equation [11], yields:

$$y = e^{((F + \text{rem})t + C)} \quad [12]$$

The following example is used to prove the inverse relationship between the air removal rate and number of atoms, assuming a constant of integration equal to zero. Suppose “F” contains a partial decay constant of $(1 \text{ hour})^{-1}$. Substituting $t = 1$ hour at an air removal rate of $(2 \text{ hour})^{-1}$ into equation [12] yields:

$$y = e^{(-1-2) * (1)} = 0.0498 \text{ atoms}$$

Note that the partial decay constant and air removal rate is negative. The partial decay constant is negative, since atoms decay at a negative exponential rate. The air removal rate is negative, since air is being subtracted from the total volume of air. Now, by increasing the air removal rate to $(5 \text{ hours})^{-1}$ at $t = 1$ hour at $F = (1 \text{ hour})^{-1}$:

$$y = e^{(-1-5) * 1} = 0.00248 \text{ atoms}$$

This proves that as the air exchange rate increases, the number of atoms undergoing beta/alpha decay decreases.

- 5) Once the number of atoms undergoing beta/alpha decay are found using the ODE solver over a period of two hundred hours at each air exchange rate, the values are multiplied by the lambda matrix as shown below from MATLAB to obtain the activities:

$$\text{Activities} = y * \text{Lambda}. \quad [13]$$

These activities are in units of concentration and are assumed to be in one liter of air. The parent radon radionuclides are always at a value of one picocurie per liter of air. Thus, the remaining progeny activities in the output from MATLAB are inherently in units of the A_{eq} (dimensionless), since they are all divided by a unit parent concentration of one picocurie per liter of air. Since the number of atoms decrease as the air removal rate increases, the A_{eq} does as well.